2012 ANNUAL POST-REMEDIATION MAINTENANCE AND GROUNDWATER MONITORING REPORT

United Technologies Corporation Pratt & Whitney Division Willow Brook and Willow Brook Pond East Hartford, Connecticut

January 2013

Volume 2 of 3

Prepared for

UNITED TECHNOLOGIES CORPORATION One Financial Plaza Hartford, Connecticut 06101

Prepared by

LOUREIRO ENGINEERING ASSOCIATES, INC. 100 Northwest Drive Plainville, Connecticut 06062

An Employee Owned Company

Comm. No. 88UT230.001

Pratt & Whitney 400 Main Street East Hartford, CT 06108



January 17, 2013

State of Connecticut
Department of Energy & Environmental Protection
Remediation Division
79 Elm Street
Hartford, CT 06106-5127

Attn: Maurice R. Hamel

RE: United Technologies Corporation

Pratt & Whitney Division

Post Remediation Maintenance and Monitoring

Willow Brook and Willow Brook Pond (SRD-130) and Willow Street North

Dear Mr. Hamel:

I have personally examined and am familiar with the information submitted in this document and all attachments thereto, and I certify, based on reasonable investigation, including my inquiry of those individuals responsible for obtaining the information, that the submitted information is true, accurate and complete to the best of my knowledge and belief. I understand that any false statement made in the submitted information is punishable as a criminal offense under §53-a-157b of the Connecticut General Statues and any other applicable law.

Sincerely,

UNITED TECHNOLOGIES CORPORATION PRATT & WHITNEY DIVISION

L. Renée Welsh

Director, EHS & Facilities - MC&O

Attachment

cc:

Gil Richards, DEEP Lauren Levine, UTC Brian Cutler, LEA Juan Perez, EPA



January 17, 2013

State of Connecticut
Department of Energy & Environmental Protection
Remediation Division
79 Elm Street
Hartford, CT 06016-5127

Attn: Maurice R. Hamel

RE: United Technologies Corporation

Pratt & Whitney Division

Post Remediation Maintenance and Monitoring

Willow Brook and Willow Brook Pond (SRD-130) and Willow Street North

LEA Comm. No. 88UT230

Dear Mr. Hamel:

In accordance with Paragraph B.1.e of the above referenced Consent Order and Appendix C and D of the document entitled Remedial Action Work Plan and Request for Variance Engineered Control of Polluted Soils, Willow Street and Willow Street North PCB Remediation Project, approved by the Department of Environmental Protection (CTDEP) on February 10, 2006 and the Modification to the Willow Brook Pond and Willow Street North Groundwater Monitoring Program approved by CTDEP on August 12, 2010, attached please find the 2012 Annual Post Remediation Maintenance and Groundwater Monitoring Report for Willow Brook and Willow Brook Pond and Willow Street North. The initial maintenance and monitoring activities were initiated following the August 31, 2002 completion of remediation activities at Willow Brook Pond and were augmented to include those monitoring and maintenance activities associated with the Willow Street North Project following completion on August 11, 2006. In accordance with Paragraph B.8 of the above referenced Consent Order, I hereby certify that:

I have personally examined and am familiar with the information submitted in this document and all attachments thereto, and I certify, based on reasonable investigation, including my inquiry of those individuals responsible for obtaining the information, that the submitted information is true, accurate and complete to the best of my knowledge and belief. I understand that any false statement made in the submitted information is punishable as a criminal offense under §53-a-157b of the Connecticut General Statues and any other applicable law.



If you should have any questions or comments, please contact me at (860) 410-2968 or Lauren Levine of United Technologies Corporation at (860) 728-6520.

Sincerely,

LOUREIRO ENGINEERING ASSOCIATES, INC.

Brian A. Cutler, P.E., L.E.P.

President

Attachment

cc: Gil Richards, CTDEEP

Juan Perez, EPA

L. Renée Welsh, P&W Lauren Levine, UTC

Table of Contents

	Table of Contents	Page
1.	INTRODUCTION	1-1
2.	LOCATION AND SITE DESCRIPTION	2-1
3.	BACKGROUND	3-1
4.	GROUNDWATER MONITORING	4-1
4.1	Description of Groundwater Monitoring Activities	4-1
4.2	Groundwater Elevations	4-2
4.3	Quality Assurance and Quality Control Procedures	4-2
5.	GROUNDWATER QUALITY	5-1
5.1	Summary of Analytical Data	5-1
5.2	Data Quality Assessment and Data Usability Evaluation	5-2
5.3	Observed Trends in Groundwater	5-3
5.4	Evaluation of Results Relative to the RSRs	5-5
	5.4.1 Surface Water Protection Criteria	5-5
	5.4.2 Volatilization Criteria	5-6
	5.4.3 Compliance Determination	5-7
6.	ENGINEERED CONTROL MAINTENANCE & MONITORING	6-1
6.1	Summary of Maintenance & Monitoring Activities	6-1
6.2	Corrective Action	6-2
7.	CONCLUSIONS	7-1



TABLES

Table 5-1	Summary of Sampling and Analytical Information
Table 5-2	Summary of Constituents Detected in Groundwater
Table 5-3	Exceedances of Default, Numeric Surface Water Protection Criteria
Table 5-4	Exceedances of Industrial/Commercial Volatilization Criteria
Table 5-5	Exceedances of Residential Volatilization Criteria

FIGURES

Figure 2-1	Site Location Map
Figure 4-1	Site Plan
Figure 4-2	Generalized Groundwater Contour Map – March 2012
Figure 4-3	Generalized Groundwater Contour Map – September 2012

APPENDICES

Appendix A	Copies of Field Paperwork
Appendix B	Copies of Laboratory Reports (provided on CD-ROM)
Appendix C	Quality Assurance / Quality Control Documentation
Appendix D	Select Constituent Concentration Graphs
Appendix E	Post-Remediation Maintenance Monitoring Forms
Appendix F	LEA Proposed Modifications Groundwater Monitoring Programs and CT DEEP
	Approval Letter



ACRONYMS

CSM Conceptual Site Model

CT DEEP Connecticut Department of Energy and Environmental Protection

CT ETPH Connecticut Extractable Total Petroleum Hydrocarbons

CWTP Concentrated Waste Treatment Plant

DEEP Department of Energy and Environmental Protection

DQA Data Quality Assessment
DQO Data Quality Objective
DSN Discharge Serial Number
DUE Data Usability Evaluation

ELUR Environmental Land Use Restriction

EPA United States Environmental Protection Agency

ERA Environmental Resource Associates
GB PMC GB Pollutant Mobility Criteria

IDEC Industrial/Commercial Direct Exposure Criteria IVC Industrial/Commercial Volatilization Criteria

LCI Loureiro Contractors, Inc. LCS Laboratory Control Sample

LEA Loureiro Engineering Associates, Inc.
MS/MSD Matrix Spike/Matrix Spike Duplicate

NOV Notice of Violation

PCBs Polychlorinated Biphenyls

PCE Tetrachloroethylene PE Performance Evaluation

QA/QC Quality Assurance/Quality Control

RAWP/RFV Remedial Action Work Plan, Request for Variance

RAWP Remedial Action Work Plan

RCRA Resource Conservation and Recovery Act RCSAs Regulations of Connecticut State Agencies

RCP Reasonable Confidence Protocol
RDEC Residential Direct Exposure Criteria
RSRs Remediation Standard Regulations
RVC Residential Volatilization Criteria
SWPC Surface Water Protection Criteria

TCE Trichloroethylene

TSCA Toxic Substances Control Act UTC United Technologies Corporation

VC Volatilization Criteria

VOCs Volatile Organic Compounds



UNITS

 $\begin{array}{ll} mg/kg & milligrams \ per \ kilogram \\ mg/l & milligrams \ per \ liter \\ \mu g/l & micrograms \ per \ liter \end{array}$



1. INTRODUCTION

United Technologies Corporation (UTC)/Pratt & Whitney retained Loureiro Engineering Associates, Inc. (LEA) to perform the post-remediation maintenance and groundwater monitoring associated with the remediation of polychlorinated biphenyl (PCB) contaminated soil and sediment within and immediately surrounding Willow Brook, Willow Brook Pond, and Willow Street North (herein after referred to as the "Project Area") at the UTC/Pratt & Whitney manufacturing facility in East Hartford, Connecticut (herein after referred to as the "Site"). The remediation of soil and sediment within and surrounding Willow Brook and Willow Brook Pond was undertaken to satisfy the requirements of Consent Order SRD-130 and was completed on August 31, 2002. The remediation of soil in areas between and below Willow Street and Willow Brook Pond (the Willow Street North Project) was undertaken by UTC/Pratt & Whitney on a voluntary basis in accordance with the document entitled Remedial Action Work Plan and Request for Variance, Engineered Control of Polluted Soils, Willow Street and Willow Street North PCB Remediation Project (RAWP/RFV), approved by the Connecticut Department of Energy and Environmental Protection (CT DEEP) on February 10, 2006. The Willow Street North Project was completed on August 11, 2006. The CT DEEP stated in a letter dated December 20, 2010 that UTC is in compliance with Consent Order SRD-130.

The following report has been prepared in accordance with the requirements of Appendix C and D of the RAWP/RFV, and the CT DEEP approved Modification to the Willow Brook Pond and Willow Street North Groundwater Monitoring Program. The CT DEEP approved modifications are described in more detail in Section 4. This report presents the 2012 annual summary of post-remediation groundwater and maintenance monitoring conducted to verify the adequacy of the remediation and long-term effectiveness of the engineered control installed at Willow Brook, Willow Brook Pond and Willow Street North.

The absence of confirmed detectable concentrations of PCBs in groundwater indicates that the remediation activities performed to date have been effective in eliminating PCBs as a groundwater contaminant source. VOCs, ETPH and total metals at locations within the Project Area have remained stable over time with no increasing trends, with the exception of chlorinated VOCs in monitoring well WT-MW-58, and several metals in monitoring well WT-MW-59. These apparent increasing trends will continue to be evaluated through the performance of additional semi-annual monitoring events.



There are sufficient groundwater data at this time to make a compliance determination relative to the Connecticut Remediation Standard Regulations (RSRs). However, as required by the regulations, additional rounds of groundwater monitoring will continue to be performed based on the revised monitoring plan approved by CT DEEP on August 12, 2010.



2. LOCATION AND SITE DESCRIPTION

The UTC/Pratt & Whitney East Hartford manufacturing facility is located at 400 Main Street in East Hartford, Connecticut. A Site Location Map is presented as Figure 2-1. The facility encompasses approximately 769-acres of contiguous land. Pratt & Whitney initiated aircraft engine manufacturing operations in East Hartford in December 1929. Current operations are conducted in an approximate 4 million square foot complex and include administration and management, manufacturing, testing, research and development and ancillary services. All of these activities take place in the western portion of the 769-acre property. The Rentschler Airport and the Klondike Area occupy the eastern portion of the property. UTC/Pratt & Whitney previously used these two areas as an airport and a storage/testing area, respectively.

Willow Brook Pond is located in the northwestern portion of the UTC/Pratt & Whitney East Hartford facility property and is approximately 4 acres in size. Willow Brook is a small stream transecting the UTC/Pratt & Whitney facility from the northern portion of the Rentschler Airport to the northwest portion of the current UTC/Pratt & Whitney operations complex. Willow Brook flows in a southwesterly direction in an open channel from Rentschler Airport, is then hard-piped underground to the inlet of Willow Brook Pond, and continues from the pond as an open channel to a culvert under Main Street. From Main Street, Willow Brook flows in an open channel for a distance of approximately 2,500 feet to the confluence with the Connecticut River. Willow Brook Pond, a single body of water when first created, has been modified various times through the years. It is now comprised of two ponds (Upper Willow Brook Pond and Lower Willow Brook Pond) subdivided by a culvert. The portion of Willow Street which was the subject of the 2006 remediation is adjacent to lower Willow Brook Pond.

During the week of November 9, 2009, the level of Willow Brook Pond was lowered to facilitate the long term operation of the dry weather pumping station associated with NPDES Permit CT0001376 Discharge Serial Number (DSN) 003. A secondary benefit to lowering the pond's water level was the provision of additional flood storage volume and improvement of the hydraulics of the facility's storm sewer system by eliminating chronic backwater conditions upstream of the dam. Since November of 2009, the water level in Upper and Lower Willow Brook Ponds has remained low.



3. BACKGROUND

During routine draining of Willow Brook Pond in September 1997, an oil sheen was noticed seeping through the sediment. Pratt & Whitney reported the sheen to the United States Coast Guard and the CT DEEP in accordance with discharge reporting requirements. Following the detection of PCBs in a sediment sample, the CT DEEP issued Pratt & Whitney a Notice of Violation (NOV), No. PCB 97-08, on November 7, 1997. In response to the NOV, during the period from December 1997 to April 1999, UTC/Pratt & Whitney developed a sampling work plan and conducted three phases of investigation. These investigations provided the analytical data to sufficiently define the horizontal and vertical limits of contamination and served as the basis for the development of a remediation plan. During the period from April 1999 to November 2000, UTC/Pratt & Whitney identified and evaluated remedial alternatives to address the PCB-contaminated sediments within and immediately surrounding Willow Brook Pond. The RAWP was submitted to the CT DEEP and the United States Environmental Protection Agency (EPA) in November of 2000.

During the period from November 2000 to June 2001, numerous permit applications and plans were submitted to regulatory agencies to secure approvals for elements of the remediation project. In addition, during this period of time, the CT DEEP was drafting Consent Order SRD-130 codifying expectations for the remediation of the Site. The Consent Order was signed by UTC/Pratt & Whitney on July 19, 2001 and the CT DEEP on August 1, 2001.

In addition to satisfying the CT DEEP requirements for remediation, UTC/Pratt & Whitney was also involved in a formal voluntary Resource Conservation and Recovery Act (RCRA) Corrective Action Program. On January 19, 2001, the EPA issued a determination that the remediation of contaminated sediments within Willow Brook and Willow Brook Pond was necessary. In order to obtain a decision that the remediation of the Site would be considered a final remedy for the contamination, EPA RCRA Corrective Action staff were involved in the review of the RAWP and were included in all project related correspondence with the various regulatory agencies.

The remediation and restoration activities performed within and immediately surrounding Willow Brook and Willow Brook Pond took place during the period from July 2, 2001 through August 31, 2002. The overall remedial action objective was to physically remove from the site, via excavation and off-site disposal, all soil and sediment containing total PCB concentrations in excess of 25 milligrams per kilogram (mg/kg) and then install a geotextile, soil and rock cap



(engineered control) over the entirety of Willow Brook Pond and the open channel of Willow Brook from Willow Brook Pond to Main Street. In addition to satisfying the requirements of the RSRs, the project was also implemented as part of a final remedy under the RCRA Corrective Action and Toxic Substances Control Act (TSCA) programs. Three areas within the Site were assigned additional remedial objectives. For the wetland and the southern portion of the Lower Willow Brook Pond, the additional remedial action objective was to physically remove all soil and sediment exhibiting contaminants at concentrations greater than the Residential Direct Exposure Criteria (RDEC) for PCBs. For the footprint of the Process Water Facility, inclusive of the small embayment west of the Process Water Facility, the additional remedial action objective was to meet the RDEC for PCBs in soils within 4-feet of the final grade, the Industrial/Commercial Direct Exposure Criteria (IDEC) for PCBs in soils defined as inaccessible by the RSRs, and the GB Pollutant Mobility Criteria (GB PMC) for soils above the seasonal high water table. All remedial action objectives were met during the course of the project.

In 2006, additional remediation of PCB contaminated soil was performed in two separate areas (areas South and East of Upper Willow Brook Pond, and North of the Concentrated Waste Treatment Plant [CWTP] area). The remediation activities were initiated on March 30, 2006 and were completed on August 11, 2006. The overall remedial action objective was to physically remove from the site, via excavation and off-site disposal, all soil and sediment containing total PCBs at concentrations in excess of 25 mg/kg and then install a geotextile and soil cap (engineered control) over the entirety of the project limits. In addition to satisfying the requirements of the RSRs, the project was also implemented as part of a final remedy under the RCRA Corrective Action and TSCA programs. Specific areas of the cap were constructed with a paved roadway surface or crushed rock surface for areas of the cap located below Willow Street or along the embankment of the ponds, respectively. For the areas along the perimeter of the engineered control, the additional remedial action objective was to meet the RDEC for PCBs for soils within 4-feet of the final grade, the IDEC for PCBs in inaccessible soils, and the GB PMC for soils above the seasonal high water table. All remedial action objectives were met during the course of the project.

The remedial action objectives also included the implementation of two institutional controls to ensure the long-term protectiveness of the remedy. The institutional controls consist of 1) an Environmental Land Use Restriction (ELUR) to ensure that the affected area will not be used for residential purposes and to prohibit excavation and 2) a fence around the entire Project Area, exclusive of the roadway, to preclude access to Willow Brook and Willow Brook Pond. The fence around the Project Area remains in place and a draft ELUR for the entirety of the Willow



Brook and Willow Brook Pond Project limits as well as the Willow Street North Project limits was submitted to the CT DEEP on September 22, 2006 and was subsequently approved on October 14, 2010. The ELUR was filed with the Town of East Hartford on March 4, 2011.



4. GROUNDWATER MONITORING

Groundwater monitoring activities were performed in accordance with subsection (f) of Section 22a-133k-3 of the Regulations of Connecticut State Agencies (RCSAs). The groundwater monitoring plans detailed in Appendix D of the RAWP/RFV for Willow Brook and Willow Brook Pond and Appendix C of the RAWP/RFC for Willow Street North were designed to determine:

- The effectiveness of soil remediation in preventing further pollution of groundwater by substances from the release area:
- The effectiveness of any remediation taken to eliminate or minimize identified health or safety risks associated with such release; and
- Whether applicable surface water protection criteria (SWPC) and volatilization criteria (VC) have been met.

In June 2002, a total of eleven groundwater monitoring wells (WT-MW-40 through WT-MW-50) were installed around the periphery of Willow Brook and Willow Brook Pond. In September 2006, three additional monitoring wells (WT-MW-57 through WT-MW-59) were installed as part of the remediation activities completed in 2006. One new monitoring well (WT-MW-19SR) was installed in April 2008 to replace monitoring well WT-MW-19S. The locations of these monitoring wells are depicted on the Site Plan included as Figure 4-1 of this report.

On August 12, 2010, CT DEEP granted approval to modify the groundwater monitoring program for Willow Brook Pond and Willow Street North (the Project Area). The modifications to the monitoring program included a reduction in the monitoring frequency from quarterly to semi-annually and the discontinued sampling of monitoring wells WT-MW-41, WT-MW-43, WT-MW-45 and WT-MW-49. Consequently, a total of two monitoring events were completed in 2012 in the months of March and September. The next scheduled event will be performed in March 2013.

4.1 Description of Groundwater Monitoring Activities

Groundwater samples were collected during the March 2012 and September 2012 sampling events from a total of eleven groundwater monitoring wells (WT-MW-19SR, WT-MW-40, WT-MW-42, WT-MW-44, WT-MW-46, WT-MW-47, WT-MW-48, WT-MW-50 and WT-MW-57 through WT-MW-59) located within the Project Area. It should be noted that no



sample was obtained from monitoring well WT-MW-19SR during the March and September sampling events because there was not enough groundwater in the well to yield the required sample volume. Alternatively, a groundwater sample was collected from monitoring well WT-MW-19I as part of both sampling events.

All groundwater samples were sent under chain of custody control to Accutest Laboratories (Accutest) of Marlborough, Massachusetts and were analyzed for the following parameters: PCBs by Method 8082; VOCs by EPA Method 8260B; Connecticut extractable total petroleum hydrocarbons (CT ETPH) by the CT DEEP approved method; and unfiltered metals (arsenic, barium, cadmium, chromium, copper, lead, mercury, nickel, selenium, silver, and zinc). In addition, one duplicate sample, trip blank sample, and equipment blank sample was collected and analyzed for each sampling event. Copies of field paperwork are included as Appendix A and copies of laboratory reports are included in Appendix B of this report.

4.2 Groundwater Elevations

Depth to water was measured from the well within the Project Area during the two sampling events using an electronic water level indicator. Water levels were measured to the nearest 0.01 foot. Water level measurements were collected by LEA on March 27, 2012 and September 5, 2012. Water-level information was used to evaluate groundwater flow directions and horizontal hydraulic gradients in the upper portion of the unconsolidated aquifer.

Generalized groundwater contour maps from the March and September, 2012 monitoring events have been included as Figures 4-2 and 4-3, respectively. It should be noted that Willow Brook Pond was partially drained to facilitate the long-term operation of the dry weather pumping station in November of 2009 and remained partially drained through September of 2012.

4.3 Quality Assurance and Quality Control Procedures

During the course of the 2012 post-remediation monitoring, a significant amount of information was obtained for the Project Area. This information included analytical data for groundwater samples; field measurements; sample tracking forms; and other documentation associated with sample collection and analysis. Ensuring that the data generated during the post-remediation monitoring was of sufficient quality to meet the data quality objectives (DQOs) for the project, performance and documentation of quality assurance/quality control (QA/QC) procedures for field and office activities was essential. The following DQOs were developed for the Post-Remediation Groundwater Monitoring Program for the Site:



- Samples collected are of sufficient quality and quantity to assess the groundwater conditions at the Project Area.
- Data obtained are of sufficient quality and quantity to support a regulatory compliance determination.
- Data are sufficient to determine handling and disposal requirements for purged groundwater and decontamination solutions generated during the post-remediation groundwater monitoring activities.

The various types of QA/QC procedures used to ensure that the data generated during the investigation was of sufficient quality to meet the DQOs for the project included the collection and/or and analysis of trip blanks, equipment blanks, field duplicate samples, and performance evaluation (PE) samples. A detailed description of the methods employed to collect and analyze these QA/QC samples is provided in Appendix C.

All groundwater samples collected during the 2012 post-remediation groundwater sampling were analyzed in accordance with the CT DEEP Reasonable Confidence Protocols (RCPs), which provide additional QA/QC measures for the applicable EPA SW-846 and Connecticut methods. The RCPs provide specific QA/QC requirements that the laboratory must follow during analysis of environmental samples. QA/QC information provided by laboratories using the RCP methods was assessed and evaluated in accordance with the guidelines for performing Data Quality Assessments (DQAs) and Data Usability Evaluations (DUEs). The results from the DUE indicated that the data generated during the 2012 groundwater sampling events were usable for the intended purpose. A further explanation of the DQA and DUE process and a discussion of the results of the DQA and DUE are provided in Appendix C.



5. GROUNDWATER QUALITY

This section summarizes the results of groundwater sampling performed at the Project Area during 2011. Specifically, the following subsections summarize the reported concentrations for each constituent and provide a discussion of the results of the QA/QC measures employed for the groundwater sampling conducted at the Project Area.

5.1 Summary of Analytical Data

A total of 24 groundwater samples (including field duplicate samples) were collected during 2012 from Project Area monitoring wells. A summary of sampling and analytical information is included as Table 5-1. A summary of constituents detected in 2012 groundwater samples is included as Table 5-2. The following is a summary of the groundwater analytical results for each contaminant of concern.

Polychlorinated Biphenyls: A total of 24 groundwater samples collected during 2012 were analyzed for PCBs. PCBs were not detected in any groundwater samples collected during the March 2012 or September 2012 sampling events.

Volatile Organic Compounds: A total of 24 groundwater samples were analyzed for VOCs during 2012. Of the 24 samples analyzed, 14 contained detectable concentrations of VOCs. The maximum concentration of each compound in micrograms per liter (μg/l) is as follows:

Benzene	$16.1 \mu g/l$
Bromodichloromethane	$6.6 \mu g/l$
Chloroethane	$28.2 \mu g/l$
Chloroform	$16.0 \mu g/l$
1,1-Dichloroethane	$98.4 \mu\text{g/l}$
1,1-Dichloroethylene	$162 \mu g/l$
cis-1,2-Dichloroethylene	$1,250 \mu g/l$
trans-1,2-Dichloroethylene	$3.8 \mu g/l$
Methyl tert-Butyl Ether	$3.5 \mu g/l$
Tetrachloroethylene	$244 \mu g/l$
Tetrahydrofuran	$56.1 \mu g/l$
1,1,1-Trichloroethane	$57.6 \mu g/l$
Trichloroethylene	$420 \mu g/l$
Vinyl Chloride	$200 \mu g/l$



Total Petroleum Hydrocarbons: A total of 24 groundwater samples collected during 2012 were analyzed for CT ETPH. Of the 24 samples analyzed, 15 samples contained detectable concentrations. The maximum concentration of CT ETPH was detected in the March 2012 sample from monitoring well WT-MW-59 at a concentration of 1.39 milligrams per liter (mg/l).

Metals: A total of 24 groundwater samples were collected and analyzed for unfiltered metals (arsenic, barium, cadmium, chromium, copper, lead, mercury, nickel, selenium, silver, and zinc) during 2012. Of the 24 samples analyzed, 4 of these samples were also analyzed for hexavalent chromium as part of the ongoing Northwest Study Area project. Of the 24 samples analyzed, 20 samples contained detectable concentrations of metals. The maximum concentration of each metal is as follows:

Arsenic	0.0112 mg/l
Barium	0.395 mg/l
Cadmium	0.467 mg/l
Chromium	0.0122 mg/l
Copper	0.302 mg/l
Nickel	2.76 mg/l
Silver	0.0645 mg/l
Zinc	0.0391 mg/l

5.2 Data Quality Assessment and Data Usability Evaluation

All data were evaluated with respect to quality by conducting a DQA and DUE in accordance with the methodology described in the November 2007 guidance document entitled, *Reasonable Confidence Protocols* and presented in more detail in the May 2009 document entitled *Laboratory Quality Assurance Quality Control, Data Quality Assessment, Data Usability Evaluation Guidance Document*. The DQA was performed to assess the quality of the analytical data in each laboratory analytical report package.

QA/QC issues identified during the DQA process included:

- Results for the surrogate recoveries for VOCs and PCBs outside the accepted ranged for variability;
- Results for Laboratory Control Sample (LCS) for VOCs outside the accepted range of variability;



- Recoveries for Matrix Spike/Matrix Spike Duplicate (MS/MSD) and Relative Percent Differences (RPDs) for VOCs outside the accepted range of variability; and
- Several VOCs detected in Method Blanks.

The DQA worksheets are provided in Appendix C. The DQA resulted in identifying data for which the quality could affect its potential use in decision-making. After the laboratory analytical data were evaluated during the DQA, a DUE was performed. The DUE took into account the following:

- The site-specific conceptual site model (CSM);
- Knowledge of the contaminant types, concentrations, and distribution;
- Objectives for the data collection effort and the intended use of the data; and
- Results from field QA/QC sampling.

In general, the QA/QC deficiencies identified do not pertain to any of the primary constituents of concern at the Project Area. For example, VOCs such as acrylonitrile, 2,2-dichloropropane, and bromomethane were reported with LCS, MS/MSD, values that are outside of the accepted range of variability. However, these particular VOCs do not represent constituents of concern.

There was one instance in which a QA/QC deficiency was associated with trichloroethylene (TCE), which is a VOC that has been identified as a constituent of concern that could potentially affect the usability of the data. The MS/MSD recovery for TCE associated with groundwater collected from monitoring well WT-MW-50 in September 2012 of 43%/42% indicates a low bias. The concentration of TCE reported in groundwater was 199 µg/l, which is just below the RVC for TCE of 211 µg/l. However, the concentration of TCE reported in a duplicate sample collected from this monitoring well, which did not have any QA/QC non-conformances, was 332 µg/l. As a conservative measure, the higher value was used for decision making.

Taking into consideration multiple lines of evidence, results from the DUE indicated that the data generated during the 2012 groundwater sampling events were usable for the intended purpose. A more detailed discussion of the DQA and DQE results is included in Appendix C.

5.3 Observed Trends in Groundwater

There is sufficient groundwater data at this time to document contaminant trends at particular monitoring wells, as seven years of groundwater sampling has been performed. Graphs were generated for constituents in each monitoring well using data from March 2006 to present.



Graphs were prepared for the following compounds: cis-1,2-dichloroethylene, 1,1-dichloroethylene, 1,1-dichloroethylene, tetrachloroethylene (PCE), TCE, vinyl chloride, CT ETPH, arsenic, barium, nickel and zinc in each monitoring well and are included as Appendix D. A separate graph depicting the concentrations of cadmium, copper, silver and zinc in groundwater collected from monitoring well WT-MW-59 is also provided. It should be noted that in the generation of constituent concentration graphs, a value of one half of the reporting limit was used for graphing the non-detected results. Data trends for the past six years are discussed by analytical group in the paragraphs below.

Polychlorinated Biphenyls: PCBs have remained at non-detectable levels from March 2004 to present for all groundwater sample locations with the exception of one groundwater sample collected from monitoring well WT-MW-44 in March 2007 and one groundwater sample collected from monitoring well WT-MW-43 in June 2010. The analytical results associated with both samples were further evaluated with the respective laboratories following the receipt and review of each report. The conclusions of both evaluations were that the detections of PCBs were likely false positives and not representative of actual aquifer conditions. The conclusions have been further supported by the analytical data from several subsequent groundwater samples from both monitoring well WT-MW-43 and WT-MW-44.

Total Petroleum Hydrocarbons: CT ETPH have been consistently detected in a majority of the wells within the Project Area from March 2006 to present in groundwater samples. The highest concentrations of CT ETPH in 2012 were detected in the March groundwater sample from monitoring well WT-MW-59. Based on an evaluation of the concentration graphs from March 2006 to present, no discernable upward or downward trends were observed for CT ETPH.

Volatile Organic Compounds: VOCs have been consistently detected from March 2006 to present in groundwater samples collected from monitoring wells WT-MW-40 and WT-MW-50 and from September 2006 to present in groundwater samples collected from monitoring wells WT-MW-57, WT-MW-58 and WT-MW-59. VOCs have also been historically reported in groundwater samples collected from monitoring well WT-MW-19S/WT-MW-19SR.

Since 2010, the concentrations of VOCs in groundwater samples collected from monitoring well WT-MW-40 appear to have either decreased or stabilized. Concentrations of 1,1-dichloroethane, cis-1,2-dichloroethylene and vinyl chloride in groundwater samples collected from monitoring well WT-MW-50 have also decreased. As evidenced on the VOC trend graphs for monitoring well WT-MW-58, the concentrations of chlorinated VOCs, mainly 1,1-dichloroethane, cis-1,2-dichloroethylene, TCE and vinyl chloride, in groundwater collected from monitoring well



WT-MW-58 have increased since the September 2010 sampling event. Additional investigation and monitoring will be conducted to further assess the VOC trend observed in monitoring well WT-MW-58.

Metals: One or more metals have been consistently detected from March 2006 to present in groundwater samples collected from monitoring wells WT-MW-40, WT-MW-48 and WT-MW-50 and from September 2006 to present in groundwater samples collected from monitoring wells WT-MW-57, WT-MW-58, and WT-MW-59. Concentrations of barium reported in groundwater samples collected from monitoring well WT-MW-40 since September 2011 appear to exhibit a decreasing trend. The concentrations of several metals, particularly cadmium in groundwater collected from monitoring well WT-MW-59 appear to exhibit an upward trend as shown on the metals trend graph prepared for this monitoring well. Monitoring well WT-MW-59, which contains the highest concentration of metals, is located on the southern side of Lower Willow Brook Pond. In order to evaluate metals concentrations at the point of discharge into Lower Willow Brook pond, three additional monitoring well (WT-MW-65, WT-MW-66 and WT-MW-67) were installed downgradient of monitoring well WT-MW-59 and adjacent to the bank of Lower Willow Brook Pond. Metals concentrations in groundwater samples collected from these three wells in October 2011 was significantly lower than the concentrations reported in monitoring well WT-MW-59. Additional investigation and monitoring will continue to be conducted to assess metal concentrations at the point of discharge into Willow Brook and Lower Willow Brook Pond.

5.4 Evaluation of Results Relative to the RSRs

In accordance with Appendix D of the RAWP/RFV, the groundwater analytical data have been compared to the default, numeric SWPC, Industrial/Commercial Volatilization Criteria (IVC) and Residential Volatilization Criteria (RVC). It should be noted, that historic releases occurring outside the Willow Brook and Willow Brook Pond and Willow Street North site have impacted groundwater quality. As such, the following discussions contain references to historic data as a means to provide an understanding of groundwater quality in the vicinity of Willow Brook and Willow Brook Pond prior to implementation of remediation activities.

5.4.1 Surface Water Protection Criteria

The following metals exceeded the default, numeric SWPC in at least one groundwater sample collected during the 2012 monitoring events: arsenic, cadmium, copper, nickel and silver. Arsenic exceeded the default, numeric SWPC of 0.004 mg/l in groundwater samples collected



from both sampling events from monitoring wells WT-MW-48 and WT-MW-50. The maximum arsenic concentrations detected in groundwater sampled from monitoring wells WT-MW-48 and WT-MW-50 were 0.0112 mg/ and 0.0067 mg/l respectively. Copper exceeded the default, numeric SWPC of 0.048 mg/l in groundwater collected from monitoring well WT-MW-19I during the March sampling event at a concentration of 0.0609 mg/l. Concentrations of cadmium, copper, nickel and silver detected in groundwater collected from monitoring well WT-MW-59 during both sampling events exceeded the default, numeric SWPC. Cadmium, copper, nickel and silver were reported at maximum concentrations of 0.467 mg/l, 0.302 mg/l, 2.76 mg/l and 0.0645 mg/l, respectively.

The concentrations of 1,1-dichloroethylene reported in groundwater collected from monitoring well WT-MW-50 in March and September 2012, which ranged from 115 μ g/l to 162 μ g/l, exceeded the default, numeric SWPC of 96 μ g/l. Concentrations of PCE detected in monitoring wells WT-MW-19I and WT-MW-58 during both the March and September sampling events exceeded the default, numeric SWPC of 88 μ g/l. PCE was reported at maximum concentrations of 185 μ g/l and 244 μ g/l in groundwater collected from monitoring wells WT-MW-19I and WT-MW-58, respectively.

A comparison of 2012 groundwater results to the default, numeric SWPC is presented in Table 5-3.

5.4.2 Volatilization Criteria

Since the existing use of the Site is industrial/commercial in nature, and the future use of the Site will most likely remain industrial/commercial, compliance with the IVC was evaluated for the Site. However, due to the proximity of residential areas to the north and to the west of the Site, compliance with the RVC was also evaluated. It should be noted that based on the site-wide groundwater elevation data, groundwater within the Project Area does not flow toward the buildings to the north of Willow Brook or the buildings located west of the facility. A summary of the comparisons of the 2012 monitoring well data against the IVC and RVC are presented on Table 5-4 and Table 5-5, respectively.

The concentration of vinyl chloride exceeded the IVC and RVC of 2 μ g/l in groundwater samples collected from monitoring wells WT-MW-19I, WT-MW-40, WT-MW-50, WT-MW-58 and WT-MW-59 at maximum concentrations of 13.3 μ g/l, 7.3 μ g/l, 11.3 μ g/l, 200 μ g/l, and 5.7 μ g/l, respectively.



The concentration of 1,1-dichloroethylene exceeded the IVC of 6 μ g/l and the RVC of 1 μ g/l in groundwater samples collected from monitoring well WT-MW-50 and WT-MW-58 during the March and September sampling events. The highest concentration of 1,1-dichloroethylene of 162 μ g/l was reported in groundwater collected from monitoring well WT-MW-50. The concentration of 1,1-dichloroethylene reported in groundwater collected from monitoring well WT-MW-19I exceeded the RVC only in both the March and September sampling events with a maximum concentration of 3.5 μ g/l.

TCE concentrations reported in groundwater samples collected from monitoring wells WT-MW-19I and WT-MW-50 in both the March and September sampling events exceeded the RVC only. The groundwater collected from monitoring well WT-MW-19I contained a maximum concentration of 257 μ g/l, while the groundwater collected from monitoring well WT-MW-50 contained a maximum concentration of 420 μ g/l. In addition, the concentration of TCE reported in groundwater collected from monitoring well WT-MW-58 during the September 2012 sampling event exceeded the RVC with a concentration of 320 μ g/l.

Historic groundwater analytical data for upgradient monitoring wells located south of Upper and Lower Willow Brook Pond and the stream channel west of Willow Brook Pond have exhibited concentrations of VOCs in excess of the concentrations discussed above. As a result, it has been concluded that the levels of VOCs detected during monitoring events are not attributable to contamination that was remediated as part of the Willow Brook and Willow Brook Pond and the Willow Street North remediation projects.

5.4.3 Compliance Determination

There are sufficient groundwater data at this time to make a compliance determination relative to the RSRs. However, as required by the regulations, additional rounds of groundwater monitoring will continue to be performed based on the revised monitoring plan approved by CT DEEP on August 12, 2010.

In August 2010, the CT DEEP approved a reduction in monitoring frequency from quarterly to semi-annual monitoring and the discontinued monitoring of four of the fifteen wells within the Project Area. The CT DEEP approval was granted because the groundwater data collected to date support that remediation activities completed have been effective in eliminating PCBs as a potential groundwater contaminant source and that the concentrations of VOCs, ETPH and total metals at locations within the Project Area have remained stable over time with no increasing trends, with the exception chlorinated VOCs in monitoring well WT-MW-58 and several metals



in monitoring well WT-MW-59. These apparent increasing trends will continue to be evaluated through the performance of additional semi-annual monitoring events.



6. ENGINEERED CONTROL MAINTENANCE & MONITORING

The post-remediation maintenance program for the engineered control was developed to ensure that the structural integrity, design permeability, and effectiveness of the engineered control will be maintained. This maintenance program was developed to:

- Periodically inspect the engineered control;
- Identify measures to be taken to prevent run-on and run-off of storm water from eroding or otherwise damaging the engineered control; and
- Identify measures to be taken to correct the effects of any settling, subsidence, erosion or other damaging events or conditions.

The engineered control and the area surrounding the engineered control were inspected in March, April, and September 2012 in the following areas:

- 1. Signs of erosion.
- 2. Signs of settling.
- 3. Loss of vegetative cover.
- 4. Undesirable growth.
- 5. Signs of ponding and run on.
- 6. Condition of fencing and gates.
- 7. Condition of rip-rap in Willow Brook stream channel.
- 8. Condition of stone layer in Willow Brook.
- 9. Burrowing animals.
- 10. Monitoring well network.

The Post-Remediation Maintenance Monitoring Forms are included in Appendix E and the findings are discussed below.

6.1 Summary of Maintenance & Monitoring Activities

The following section summarizes the maintenance issues and corrective actions that were implemented with respect to the engineered control during 2012.



- March 27, 2012 Inspection The cap was reported to be in overall good condition during the March 27, 2012 cap inspection. There were no signs of settling, erosion, loss of vegetative cover, undesirable growth, ponding, run off, or burrowing animals observed during the inspection. Fencing, gates, rip-rap, and the stone layer in Willow Brook were all noted to be in good condition. There were no visible wells IDs, but the wells are easily identified with a map. Standing water was observed in several of the road boxes.
- April 24, 2012 Inspection The April 24, 2012 was conducted following a significant precipitation event that yielded greater than 2-inches of rainfall within a 24 hour period. The condition of the cap identified during the April 24, 2012 cap inspection differed from the conditions reported during the previous cap inspection that was completed March 27, 2012. An erosion channel was observed from the west end of the Willow St parking lot towards Willow Brook. Woody growth measuring greater than 0.5-inches in diameter and 2-feet tall was present along the eastern end of Lower Willow Pond and the western half of Upper Willow Pond within the boundaries of the cap. Monitoring wells WT-MW-47 and WT-MW-57 were observed to have standing water inside the road boxes. These maintenance items were addressed in July and October 2012 and are discussed in detail in Section 6.2 below
- September 7, 2012 Inspection The cap was reported to be in overall good condition during the September 7, 2012 cap inspection, with no new conditions noted since the April 2012 inspection. There were no signs of settling, loss of vegetative cover, ponding, or burrowing animals observed during the inspection. No standing water was observed in any of the road boxes. Fencing, gates, rip-rap, and the stone layer in Willow Brook were all noted to be in good condition. There were no visible wells IDs, but the wells are easily identified with a map. Congruent with the April 2012 inspection, woody growth measuring greater than 0.5-inches in diameter and 2-feet tall was present along the eastern end of Lower Willow Pond and the western half of Upper Willow Pond within the boundaries of the cap and some signs of erosion, particularly along the west end of the Willow Street parking lot, were noted.. The maintenance items were addressed in October 2012 and are discussed in detail in Section 6.2 below.

6.2 Corrective Action

On July 26, 2012, LEA field staff mobilized to the Project Area to address the infiltration of water into the road boxes housing monitoring wells WT-MW-47 and WT-MW-57. The old



concrete surrounding the road boxes was removed and the road boxes were replaced and sealed with a new mix of concrete and mortar.

Loureiro Contractors, Inc. (LCI) performed maintenance on the cap during the week of October 15, 2012 to address deficiencies documented during previous cap inspections completed in April and September. Maintenance services included the removal of coarse woody vegetation in the general vicinity of Upper Willow Brook Pond and Lower Willow Brook Pond and the repair of an erosion rill in the immediate vicinity of the dam on Lower Willow Brook Pond. Specifically, LCI removed coarse woody vegetation from the rip-rap slope protection around the western end of upper Willow Brook Pond and around the eastern end of lower Willow Brook Pond. All removed coarse woody vegetation was chipped. The chipped materials were spread across the north and northwestern portion of the former parking lot located to the northeast of upper Willow Brook Pond. Additional rip-rap material was added to the slope to stabilize an erosion rill located on the southern bank of lower Willow Brook, just below the dam.

The next semi-annual monitoring event will be conducted in March 2013. No additional actions are required or recommended at this time.



7. CONCLUSIONS

A total of two monitoring events were performed in 2012 for Willow Brook and Willow Brook Pond in accordance with the Modified Groundwater Monitoring Program for Willow Brook Pond and Willow Street North that was approved by CT DEEP in August 2010. Copies of the LEA letter requesting modifications to the groundwater monitoring program and the CT DEEP approval letter are provided as Appendix F.

No PCBs were detected in the groundwater samples collected and analyzed in 2012. Other constituents not believed to be related to either the Willow Brook and Willow Brook Pond Project or the Willow Street North Project were detected at levels consistent with background water quality data for the Site. VOCs, CT ETPH and metals were detected in the groundwater samples analyzed during the 2012 monitoring events. The concentrations of 1,1-dichloroethylene, PCE, arsenic, cadmium, copper, nickel, and silver exceeded the default, numeric SWPC. Additionally, the current IVC and/or RVC was exceeded in several groundwater samples for vinyl chloride, 1,1-dichloroethylene and TCE. These observations are generally consistent with historic data.

There are sufficient groundwater data at this time to determine trends or to make a compliance determination relative to the RSRs. As specified in the CT DEEP approved Modified Groundwater Monitoring Program, semi-annual groundwater monitoring will continue to be conducted to further substantiate the presence or absence of trends in constituent concentrations at particular monitoring wells at the site. The absence of detectable concentrations of PCBs in groundwater indicates that the remediation activities performed to date have been effective in eliminating PCBs as a groundwater contaminant source. VOCs, ETPH and total metals at locations within the Project Area have remained stable over time with no increasing trends, with the exception chlorinated VOCs in monitoring well WT-MW-58, and several metals in monitoring well WT-MW-59. These apparent increasing trends will continue to be evaluated through the performance of additional semi-annual monitoring events as well as supplemental monitoring conducted on a voluntary basis.

Two maintenance monitoring inspections were conducted in 2012 following the March and September 2012 monitoring events. An additional monitoring inspection was performed in April of 2012. The road boxes containing standing water, as documented in the April 2012 inspection, have been repaired with new covers. Erosion and woody growth, addressed in both the April and September inspection have also been corrected. Additional inspections and corrective action



measures, if necessary, will continue to be implemented as part of the maintenance and monitoring program.






Table 5-1 SUMMARY OF SAMPLING AND ANALYTICAL INFORMATION Pratt & Whitney, East Hartford, Connecticut: Willow Brook and Willow Brook Pond 2012 Annual Groundwater Monitoring Report



	C	water	Fivionitoring Report Engineering • Construction • EH&S • Energy • Was									
	Samp	le Information	I		Analysis Information							
Location ID	Sample ID	Sample Date	Sampled Interval (ft)	Sample Class	Analyt. Lab.	Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
WT-MW-19I	1255897	03/27/2012	23.00 - 26.00	GWS		X			x	X	X	
WT-MW-19I	1264981	09/06/2012	23.00 - 26.00	GWS		X			х	X	X	
WT-MW-40	1255895	03/27/2012	10.00 - 19.00	GWS		X			х	X	X	
WT-MW-40	1264978	09/06/2012	10.00 - 19.00	GWS		X			х	X	X	
WT-MW-42	1255896	03/27/2012	1.00 - 10.00	GWS		X			х	x	X	
WT-MW-42	1250517	09/27/2012	1.00 - 10.00	GWS		X			х	x	X	
WT-MW-44	1255891	03/27/2012	5.00 - 14.00	GWS		X			х	x	Х	
WT-MW-44	1264976	09/06/2012	5.00 - 14.00	GWS		X			х	x	X	
WT-MW-46	1255889	03/26/2012	-1.50 - 7.50	GWS		X			х	x	X	
WT-MW-46	1264986	09/07/2012	-1.50 - 7.50	GWS		X			х	x	X	
WT-MW-47	1255893	03/26/2012	6.00 - 15.00	GWS		X			х	x	X	
WT-MW-47	1264985	09/07/2012	6.00 - 15.00	GWS		X			х	x	X	
WT-MW-48	1255890	03/26/2012		GWS		X			х	X	X	
WT-MW-48	1264984	09/07/2012		GWS		X			х	X	X	
WT-MW-50	1255898	03/27/2012	16.00 - 26.00	GWS		X			х	X	X	
WT-MW-50	1255901	03/27/2012	16.00 - 26.00	GWS		X			х	X	X	
WT-MW-50	1264979	09/06/2012	16.00 - 26.00	GWS		X			х	X	X	
WT-MW-50	1264991	09/06/2012	16.00 - 26.00	GWS		X			х	X	X	
WT-MW-57	1255894	03/26/2012	8.00 - 18.00	GWS		X			х	X	X	
WT-MW-57	1264982	09/07/2012	8.00 - 18.00	GWS		X			х	x	X	
WT-MW-58	1255899	03/27/2012	8.00 - 18.00	GWS		X			х	X	X	
WT-MW-58	1264980	09/06/2012	8.00 - 18.00	GWS		X			х	X	X	
WT-MW-59	1255900	03/27/2012	8.00 - 18.00	GWS		X			х	X	X	
WT-MW-59	1264977	09/06/2012	8.00 - 18.00	GWS		X			х	X	X	



2012 A	2012 Annual Groundwater Monitoring Report							
	Location ID	WT-MW-19I	WT-MW-19I	WT-MW-19I	WT-MW-19I	WT-MW-40	WT-MW-40	WT-MW-40
	Sample ID	1255897	1255897	1264981	1264981	1255895	1255895	1264978
	Sample Date	03/27/2012	03/27/2012	09/06/2012	09/06/2012	03/27/2012	03/27/2012	09/06/2012
	Sample Time	09:35	09:35	15:16	15:16	09:45	09:45	15:05
	Sample Depth	23.00' - 26.0	23.00' - 26.0	23.00' - 26.0	23.00' - 26.0	10.00' - 19.0	10.00' - 19.0	10.00' - 19.0
	Laboratory	ACTM						
	Lab. Number	MC9090-7	MC9090-8	MC13777-12	MC13777-13	MC9090-3	MC9090-4	MC13777-14
Constituent	Units							
Depth of Well	Ft	25.24	25.24	25.24	25.24	12.58	12.58	17.89
Depth to Water	Ft	11.20	11.20	11.33	11.33	8.99	8.99	12.31
Oxygen, Dissolved (field)	mg/L	0.15	0.15	0.83	0.83	6.02	6.02	0.09
Specific Conductivity (field)	uS/cm	3443	3443	3637	3637	4487	4487	5759
Temperature	С	11.3	11.3	18.37	18.37	12.6	12.6	21.3
Turbidity (field)	NTU	2.68	2.68	1.59	1.59	3.80	3.80	5.2
Water Elevation	Ft	24.43	24.43	24.30	24.30	23.11	23.11	19.79
pH (field measurement)	SU	6.63	6.63	7.09	7.09	7.27	7.27	7.05
Date Metals Analyzed	-		03/30/2012		09/10/2012		03/30/2012	
Date Organics Analyzed	-	04/04/2012		09/17/2012		04/04/2012		09/17/2012
Date Physical Analyzed	-	04/02/2012		09/11/2012		03/30/2012		09/11/2012
Arsenic (unfiltered)	mg/L							
Barium (unfiltered)	mg/L						0.376	
Cadmium (unfiltered)	mg/L							
Chromium, Total (unfiltered)	mg/L							
Copper (unfiltered)	mg/L		0.0609		0.0462			
Nickel (unfiltered)	mg/L		0.239		0.207			
Silver (unfiltered)	mg/L							
Zinc (unfiltered)	mg/L							
Oxidation-Reduction Potential	mV	99.2	99.2	-90.6	-90.6	103.9	103.9	-64.1
Total Petroleum Hydrocarbons (CT ETPH)	mg/L	0.297		0.147		0.151		0.0855
Benzene	ug/L	3.0		2.9				
1,1,1-Trichloroethane	ug/L							
1,1-Dichloroethane	ug/L	5.7		7.8		8.5		11.4
Chloroethane	ug/L							
Methyl tert-Butyl ether	ug/L	3.5						
1,1-Dichloroethylene	ug/L	3.5		2.8				
trans-1,2-Dichloroethylene	ug/L							

Printed on 11/02/2012 Page 1 of 12



2012 P.			tomtoring K	_		Enginee	ring • Construction • E	H&S • Energy • Waste
	Location ID	WT-MW-19I	WT-MW-19I	WT-MW-19I	WT-MW-19I	WT-MW-40	WT-MW-40	WT-MW-40
	Sample ID	1255897	1255897	1264981	1264981	1255895	1255895	1264978
	Sample Date	03/27/2012	03/27/2012	09/06/2012	09/06/2012	03/27/2012	03/27/2012	09/06/2012
	Sample Time	09:35	09:35	15:16	15:16	09:45	09:45	15:05
	Sample Depth	23.00' - 26.0	23.00' - 26.0	23.00' - 26.0	23.00' - 26.0	10.00' - 19.0	10.00' - 19.0	10.00' - 19.0
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	MC9090-7	MC9090-8	MC13777-12	MC13777-13	MC9090-3	MC9090-4	MC13777-14
Constituent	Units							
cis-1,2-Dichloroethylene	ug/L	55.9		60.4		3.6		4.9
Vinyl Chloride	ug/L	6.0		13.3		1.2		7.3
Tetrachloroethylene	ug/L	185		162				
Tetrahydrofuran	ug/L							
Bromodichloromethane	ug/L							
Chloroform	ug/L	14.6		16.0				
Total Trihalomethanes (Calc.)	ug/L	14.6		16.0				
Trichloroethylene	ug/L	257		228				
	1				1			

Printed on 11/02/2012 Page 2 of 12



2012 Annual Groundwater Monitoring Report Engineering • Construction								EH&S • Energy • Waste
	Location ID	WT-MW-40	WT-MW-42	WT-MW-42	WT-MW-47	WT-MW-47	WT-MW-48	WT-MW-48
	Sample ID	1264978	1255896	1250517	1255893	1264985	1255890	1255890
	Sample Date	09/06/2012	03/27/2012	09/27/2012	03/26/2012	09/07/2012	03/26/2012	03/26/2012
	Sample Time	15:05	11:30	10:10	13:10	11:41	13:25	13:25
	Sample Depth	10.00' - 19.0	1.00' - 10.00	1.00' - 10.00	6.00' - 15.00	6.00' - 15.00		
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	MC13777-15	MC9090-6	MC14490-2	MC9052-7	MC13829-7	MC9052-3	MC9052-4
Constituent	Units							
Depth of Well	Ft	17.89	6.24		14.34	14.36	7.54	7.54
Depth to Water	Ft	12.31	3.41	3.75	9.11	9.52	4.90	4.90
Oxygen, Dissolved (field)	mg/L	0.09	6.21	1.09	3.46	1.77	8.14	8.14
Specific Conductivity (field)	uS/cm	5759	165.9	339	451.9	289.6	0.453	0.453
Temperature	С	21.3	10.4	17.5	11.7	21.7	10.7	10.7
Turbidity (field)	NTU	5.2	1.61	3.3	4.28	3.87	4.28	4.28
Water Elevation	Ft	19.79	31.45	31.11	27.35	26.94	24.98	24.98
pH (field measurement)	SU	7.05	6.38	6.31	5.57	5.75	6.50	6.50
Date Metals Analyzed	-	09/10/2012	03/30/2012	10/02/2012	03/30/2012	09/11/2012		03/30/2012
Date Organics Analyzed	-							
Date Physical Analyzed	-						04/02/2012	
Arsenic (unfiltered)	mg/L							0.0053
Barium (unfiltered)	mg/L	0.312		0.0679	0.165	0.0574		
Cadmium (unfiltered)	mg/L							
Chromium, Total (unfiltered)	mg/L							0.0122
Copper (unfiltered)	mg/L							
Nickel (unfiltered)	mg/L							
Silver (unfiltered)	mg/L							
Zinc (unfiltered)	mg/L		0.0209					
Oxidation-Reduction Potential	mV	-64.1	113.7	191	151.8	-130.4	-92.8	-92.8
Total Petroleum Hydrocarbons (CT ETPH)	mg/L						0.241	
Benzene	ug/L							
1,1,1-Trichloroethane	ug/L							
1,1-Dichloroethane	ug/L							
Chloroethane	ug/L							
Methyl tert-Butyl ether	ug/L							
1,1-Dichloroethylene	ug/L							
trans-1,2-Dichloroethylene	ug/L							

Printed on 11/02/2012 Page 3 of 12



2012 A			onitoring Re			Engineering • Construction • EH&S • Energy • Waste			
		WT-MW-40	WT-MW-42	WT-MW-42	WT-MW-47	WT-MW-47	WT-MW-48	WT-MW-48	
	Sample ID	1264978	1255896	1250517	1255893	1264985	1255890	1255890	
		09/06/2012	03/27/2012	09/27/2012	03/26/2012	09/07/2012	03/26/2012	03/26/2012	
		15:05	11:30	10:10	13:10	11:41	13:25	13:25	
		10.00' - 19.0	1.00' - 10.00	1.00' - 10.00	6.00' - 15.00	6.00' - 15.00			
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	
		MC13777-15	MC9090-6	MC14490-2	MC9052-7	MC13829-7	MC9052-3	MC9052-4	
Constituent	Units								
cis-1,2-Dichloroethylene	ug/L								
Vinyl Chloride	ug/L								
Tetrachloroethylene	ug/L								
Tetrahydrofuran	ug/L								
Bromodichloromethane	ug/L								
Chloroform	ug/L								
Total Trihalomethanes (Calc.)	ug/L								
Trichloroethylene	ug/L								

Printed on 11/02/2012 Page 4 of 12



2012 Affilial Groundwater Wolfftorfing Report Engineering • Construction • B								EH&S • Energy • Waste
	Location ID	WT-MW-48	WT-MW-48	WT-MW-50	WT-MW-50	WT-MW-50	WT-MW-50	WT-MW-50
	Sample ID	1264984	1264984	1255898	1255898	1255901	1255901	1264979
	Sample Date	09/07/2012	09/07/2012	03/27/2012	03/27/2012	03/27/2012	03/27/2012	09/06/2012
	Sample Time	09:51	09:51	11:20	11:20	11:20	11:20	10:46
	Sample Depth			16.00' - 26.0	16.00' - 26.0	16.00' - 26.0	16.00' - 26.0	16.00' - 26.0
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	MC13829-3	MC13829-4	MC9090-10	MC9090-9	MC9090-15	MC9090-16	MC13777-1
Constituent	Units							
Depth of Well	Ft	7.58	7.58	5.22	5.22	5.22	5.22	3.34
Depth to Water	Ft	4.87	4.87	3.41	3.41	3.41	3.41	5.03
Oxygen, Dissolved (field)	mg/L	0.15	0.15	2.32	2.32	2.32	2.32	3.04
Specific Conductivity (field)	uS/cm	653	653	4040	4040	4040	4040	5210
Temperature	С	22.7	22.7	6.7	6.7	6.7	6.7	21.71
Turbidity (field)	NTU	3.04	3.04	3.79	3.79	3.79	3.79	4.71
Water Elevation	Ft	25.01	25.01	20.11	20.11	20.11	20.11	18.49
pH (field measurement)	SU	6.70	6.70	6.58	6.58	6.58	6.58	7.36
Date Metals Analyzed	-		09/11/2012	03/30/2012			03/30/2012	
Date Organics Analyzed	-				04/04/2012	04/04/2012		09/17/2012
Date Physical Analyzed	-	09/14/2012			04/02/2012	04/02/2012		09/10/2012
Arsenic (unfiltered)	mg/L		0.0112	0.0067			0.0063	
Barium (unfiltered)	mg/L		0.0610	0.331			0.35	
Cadmium (unfiltered)	mg/L							
Chromium, Total (unfiltered)	mg/L							
Copper (unfiltered)	mg/L							
Nickel (unfiltered)	mg/L							
Silver (unfiltered)	mg/L							
Zinc (unfiltered)	mg/L						0.0217	
Oxidation-Reduction Potential	mV	-122.9	-122.9	-148.9	-148.9	-148.9	-148.9	-115.4
Total Petroleum Hydrocarbons (CT ETPH)	mg/L	0.130			0.228	0.234		0.100
Benzene	ug/L				0.77	0.81		
1,1,1-Trichloroethane	ug/L				51.8	49.6		17.8
1,1-Dichloroethane	ug/L				9.6	9.5		8.0
Chloroethane	ug/L				26.0	28.2		12.0
Methyl tert-Butyl ether	ug/L							
1,1-Dichloroethylene	ug/L				162	153		74.8
trans-1,2-Dichloroethylene	ug/L							

Printed on 11/02/2012 Page 5 of 12



-	2012 Annual Groundwater Monitoring Report									
	Location ID	WT-MW-48	WT-MW-48	WT-MW-50	WT-MW-50	WT-MW-50	WT-MW-50	• EH&S • Energy • Wast WT-MW-50		
	Sample ID	1264984	1264984	1255898	1255898	1255901	1255901	1264979		
	Sample Date	09/07/2012	09/07/2012	03/27/2012	03/27/2012	03/27/2012	03/27/2012	09/06/2012		
	Sample Time	09:51	09:51	11:20	11:20	11:20	11:20	10:46		
	Sample Depth			16.00' - 26.0	16.00' - 26.0	16.00' - 26.0	16.00' - 26.0	16.00' - 26.0		
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM		
	Lab. Number	MC13829-3	MC13829-4	MC9090-10	MC9090-9	MC9090-15	MC9090-16	MC13777-1		
Constituent	Units									
cis-1,2-Dichloroethylene	ug/L				65.7	64.7		60.9		
Vinyl Chloride	ug/L				11.1	10.5		11.3		
Tetrachloroethylene	ug/L				71.7	62.3		27.6		
Tetrahydrofuran	ug/L					13.9		56.1		
Bromodichloromethane	ug/L				6.6					
Chloroform	ug/L				2.0	2.1		1.5		
Total Trihalomethanes (Calc.)	ug/L				8.6	2.1		1.5		
Trichloroethylene	ug/L				420	393		199		
<u> </u>										
<u>-</u>										
·										
				+		+				

Printed on 11/02/2012 Page 6 of 12



2012 A		Engine	eering • Construction •	EH&S • Energy • Waste				
	Location ID	WT-MW-50	WT-MW-50	WT-MW-50	WT-MW-57	WT-MW-57	WT-MW-57	WT-MW-57
	Sample ID	1264979	1264991	1264991	1255894	1255894	1264982	1264982
	Sample Date	09/06/2012	09/06/2012	09/06/2012	03/26/2012	03/26/2012	09/07/2012	09/07/2012
	Sample Time	10:46	10:46	10:46	11:50	11:50	07:20	07:20
	Sample Depth	16.00' - 26.0	16.00' - 26.0	16.00' - 26.0	8.00' - 18.00	8.00' - 18.00	8.00' - 18.00	8.00' - 18.00
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	MC13777-2	MC13777-3	MC13777-4	MC9052-8	MC9052-9	MC13829-1	MC13829-2
Constituent	Units							
Depth of Well	Ft	3.34	5.03	5.03			18.19	18.19
Depth to Water	Ft	5.03	3.34	3.34	11.42	11.42	12.57	12.57
Oxygen, Dissolved (field)	mg/L	3.04	3.04	3.04	0.32	0.32	0.26	0.26
Specific Conductivity (field)	uS/cm	5210	5210	5210	1313	1313	1569	1569
Temperature	С	21.71	21.71	21.71	14.0	14.0	19.5	19.5
Turbidity (field)	NTU	4.71	4.71	4.71	1.28	1.28	5.8	5.8
Water Elevation	Ft	18.49	20.18	20.18	26.70	26.70	25.55	25.55
pH (field measurement)	SU	7.36	7.36	7.36	5.81	5.81	5.96	5.96
Date Metals Analyzed	-	09/10/2012		09/10/2012		03/30/2012		09/11/2012
Date Organics Analyzed	-		09/17/2012		03/27/2012		09/19/2012	
Date Physical Analyzed	-		09/10/2012		04/02/2012			
Arsenic (unfiltered)	mg/L	0.0051		0.0053				
Barium (unfiltered)	mg/L	0.344		0.331		0.236		0.204
Cadmium (unfiltered)	mg/L							
Chromium, Total (unfiltered)	mg/L							
Copper (unfiltered)	mg/L							
Nickel (unfiltered)	mg/L							
Silver (unfiltered)	mg/L							
Zinc (unfiltered)	mg/L							
Oxidation-Reduction Potential	mV	-115.4	-115.4	-115.4	-30.7	-30.7	219.3	219.3
Total Petroleum Hydrocarbons (CT ETPH)	mg/L		0.0942		0.118			
Benzene	ug/L							
1,1,1-Trichloroethane	ug/L		28.0					
1,1-Dichloroethane	ug/L		8.4					
Chloroethane	ug/L		6.1					
Methyl tert-Butyl ether	ug/L							
1,1-Dichloroethylene	ug/L		115					
trans-1,2-Dichloroethylene	ug/L							
•								

Printed on 11/02/2012 Page 7 of 12



2012 A		Enginee	ring • Construction • E	H&S • Energy • Waste				
		WT-MW-50	WT-MW-50	WT-MW-50	WT-MW-57	WT-MW-57	WT-MW-57	WT-MW-57
	Sample ID	1264979	1264991	1264991	1255894	1255894	1264982	1264982
		09/06/2012	09/06/2012	09/06/2012	03/26/2012	03/26/2012	09/07/2012	09/07/2012
	Sample Time	10:46	10:46	10:46	11:50	11:50	07:20	07:20
	Sample Depth	16.00' - 26.0	16.00' - 26.0	16.00' - 26.0	8.00' - 18.00	8.00' - 18.00	8.00' - 18.00	8.00' - 18.00
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	MC13777-2	MC13777-3	MC13777-4	MC9052-8	MC9052-9	MC13829-1	MC13829-2
Constituent	Units							
cis-1,2-Dichloroethylene	ug/L		69.4		1.9		3.2	
Vinyl Chloride	ug/L		10.1					
Tetrachloroethylene	ug/L		57.3		2.4		3.0	
Tetrahydrofuran	ug/L		23.5					
Bromodichloromethane	ug/L							
Chloroform	ug/L							
Total Trihalomethanes (Calc.)	ug/L							
Trichloroethylene	ug/L		332		6.7		10.8	
								+

Printed on 11/02/2012 Page 8 of 12



2012 A	Engineering • Construction • EH&S • Energy • Waste							
	Location ID	WT-MW-58	WT-MW-58	WT-MW-58	WT-MW-58	WT-MW-59	WT-MW-59	WT-MW-59
	Sample ID	1255899	1255899	1264980	1264980	1255900	1255900	1264977
	Sample Date	03/27/2012	03/27/2012	09/06/2012	09/06/2012	03/27/2012	03/27/2012	09/06/2012
	Sample Time	13:50	13:50	13:36	13:36	15:10	15:10	12:35
	Sample Depth	8.00' - 18.00	8.00' - 18.00	8.00' - 18.00	8.00' - 18.00	8.00' - 18.00	8.00' - 18.00	8.00' - 18.00
	Laboratory	ACTM						
	Lab. Number	MC9090-11	MC9090-12	MC13777-6	MC13777-7	MC9090-13	MC9090-14	MC13777-10
Constituent	Units							
Depth of Well	Ft	17.74	17.74	17.60	17.60	18.77	18.77	17.67
Depth to Water	Ft	12.23	12.23	12.546	12.546	12.68	12.68	12.75
Oxygen, Dissolved (field)	mg/L	1.37	1.37	0.93	0.93	0.24	0.24	0.27
Specific Conductivity (field)	uS/cm	1413	1413	2364	2364	13021	13021	15287
Temperature	С	12.3	12.3	24.37	24.37	13.5	13.5	20.7
Turbidity (field)	NTU	4.93	4.93	9.01	9.01	5.31	5.31	5.89
Water Elevation	Ft	26.53	26.53	26.21	26.21	26.16	26.16	26.09
pH (field measurement)	SU	6.22	6.22	6.71	6.71	6.38	6.38	6.75
Date Metals Analyzed	-		03/30/2012		09/10/2012		03/30/2012	
Date Organics Analyzed	-	04/04/2012		09/14/2012		04/05/2012		09/17/2012
Date Physical Analyzed	-	04/02/2012		09/10/2012		04/02/2012		09/11/2012
Arsenic (unfiltered)	mg/L							
Barium (unfiltered)	mg/L		0.21		0.395		0.162	
Cadmium (unfiltered)	mg/L						0.265	
Chromium, Total (unfiltered)	mg/L						0.0110	
Copper (unfiltered)	mg/L						0.275	
Nickel (unfiltered)	mg/L						2.76	
Silver (unfiltered)	mg/L						0.0373	
Zinc (unfiltered)	mg/L						0.0345	
Oxidation-Reduction Potential	mV	89.9	89.9	-37.4	-37.4	83.1	83.1	138.7
Total Petroleum Hydrocarbons (CT ETPH)	mg/L	0.419		0.182		1.39		0.908
Benzene	ug/L	2.6		16.1				
1,1,1-Trichloroethane	ug/L	57.6		52.0				
1,1-Dichloroethane	ug/L	55.8		98.4		6.3		8.0
Chloroethane	ug/L	9.5		20.1				
Methyl tert-Butyl ether	ug/L							
1,1-Dichloroethylene	ug/L	13.9		28.8				
trans-1,2-Dichloroethylene	ug/L	3.8		2.6				

Printed on 11/02/2012 Page 9 of 12



2012 A1		Engineering • Construction • EH&S • Energy • Waste						
		WT-MW-58	WT-MW-58	WT-MW-58	WT-MW-58	WT-MW-59	WT-MW-59	WT-MW-59
	Sample ID	1255899	1255899	1264980	1264980	1255900	1255900	1264977
		03/27/2012	03/27/2012	09/06/2012	09/06/2012	03/27/2012	03/27/2012	09/06/2012
		13:50	13:50	13:36	13:36	15:10	15:10	12:35
		8.00' - 18.00	8.00' - 18.00	8.00' - 18.00	8.00' - 18.00	8.00' - 18.00	8.00' - 18.00	8.00' - 18.00
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	MC9090-11	MC9090-12	MC13777-6	MC13777-7	MC9090-13	MC9090-14	MC13777-10
Constituent	Units							
cis-1,2-Dichloroethylene	ug/L	667		1250		6.9		7.6
Vinyl Chloride	ug/L	45.6		200		5.3		5.7
Tetrachloroethylene	ug/L	244		187		2.4		2.9
Tetrahydrofuran	ug/L							
Bromodichloromethane	ug/L							
Chloroform	ug/L							
Total Trihalomethanes (Calc.)	ug/L							
Trichloroethylene	ug/L	193		320		6.9		7.2

Printed on 11/02/2012 Page 10 of 12



Location ID WT-MW-59 Sample ID 1264977 Sample Date 09/06/2012 Sample Time 12:35 Sample Depth 8.00' - 18.00 Laboratory ACTM Lab. Number MC13777-11 Units Constituent Ft 17.67 Depth of Well Ft Depth to Water 12.75 mg/L 0.27 Oxygen, Dissolved (field) uS/cm Specific Conductivity (field) 15287 С Temperature 20.7 Turbidity (field) NTU 5.89 Water Elevation Ft 26.09 SU 6.75 pH (field measurement) Date Metals Analyzed 09/10/2012 Date Organics Analyzed Date Physical Analyzed mg/L Arsenic (unfiltered) Barium (unfiltered) mg/L 0.192 Cadmium (unfiltered) mg/L 0.467 mg/L Chromium, Total (unfiltered) 0.0107 Copper (unfiltered) mg/L 0.302 mg/L Nickel (unfiltered) 2.44 Silver (unfiltered) mg/L 0.0645 mg/L 0.0391 Zinc (unfiltered) mV Oxidation-Reduction Potential 138.7 Total Petroleum Hydrocarbons (CT ETPH) mg/L ug/L Benzene ug/L 1,1,1-Trichloroethane ug/L 1,1-Dichloroethane ug/L Chloroethane ug/L Methyl tert-Butyl ether ug/L 1,1-Dichloroethylene ug/L trans-1,2-Dichloroethylene

Printed on 11/02/2012 Page 11 of 12



2012 Annual Groundwater Monitoring Report Location ID WT-MW-59 Sample ID 1264977 Sample Date 09/06/2012 Sample Time 12:35 Sample Depth 8.00' - 18.00 Laboratory ACTM Lab. Number MC13777-11 Units Constituent cis-1,2-Dichloroethylene ug/L ug/L Vinyl Chloride ug/L Tetrachloroethylene ug/L Tetrahydrofuran ug/L Bromodichloromethane Chloroform ug/L ug/L Total Trihalomethanes (Calc.) ug/L Trichloroethylene

Printed on 11/02/2012 Page 12 of 12

Table 5-3 EXCEEDANCES OF DEFAULT, NUMERIC SURFACE WATER PROTECTION CRITERIA Pratt & Whitney, East Hartford, Connecticut: Willow Brook and Willow Brook Pond



2012 Annual Groundwater Monitoring Report Location ID WT-MW-19I WT-MW-19I WT-MW-19I WT-MW-48 WT-MW-48 WT-MW-50 WT-MW-50 Sample ID 1255897 1255897 1264981 1255890 1264984 1255898 1255898 Sample Date 03/27/2012 03/27/2012 09/06/2012 03/26/2012 09/07/2012 03/27/2012 03/27/2012 Sample Time 09:35 15:16 09:35 13:25 11:20 09:51 11:20 Sample Depth 23.00' - 26.0 23.00' - 26.0 23.00' - 26.0 16.00' - 26.0 16.00' - 26.0 Laboratory ACTM ACTM ACTM ACTM ACTM ACTM ACTM Lab. Number MC9090-7 MC9090-8 MC13777-12 MC9052-4 MC13829-4 MC9090-9 MC9090-10 Units Constituent Ft 25.24 Depth of Well 25.24 25.24 7.54 7.58 5.22 5.22 Ft Depth to Water 11.20 4.90 4.87 3.41 3.41 11.20 11.33 Ft 24.43 24.43 Water Elevation 24.30 24.98 25.01 20.11 20.11 Date Metals Analyzed 03/30/2012 03/30/2012 09/11/2012 03/30/2012 Date Organics Analyzed 04/04/2012 09/17/2012 04/04/2012 Arsenic (unfiltered) mg/L 0.0053 0.0112 0.0067 mg/L Cadmium (unfiltered) mg/L Copper (unfiltered) 0.0609 Nickel (unfiltered) mg/L mg/L Silver (unfiltered) ug/L 1,1-Dichloroethylene 162 ug/L Tetrachloroethylene 185 162

Printed on 11/02/2012 Page 1 of 3

Table 5-3 EXCEEDANCES OF DEFAULT, NUMERIC SURFACE WATER PROTECTION CRITERIA Pratt & Whitney, East Hartford, Connecticut: Willow Brook and Willow Brook Pond



	Location ID	WT-MW-50	WT-MW-50	WT-MW-50	WT-MW-50	WT-MW-50	WT-MW-58	WT-MW-58
	Sample ID	1255901	1255901	1264979	1264991	1264991	1255899	1264980
	Sample Date	03/27/2012	03/27/2012	09/06/2012	09/06/2012	09/06/2012	03/27/2012	09/06/2012
	Sample Time	11:20	11:20	10:46	10:46	10:46	13:50	13:36
	Sample Depth	16.00' - 26.0	16.00' - 26.0	16.00' - 26.0	16.00' - 26.0	16.00' - 26.0	8.00' - 18.00	8.00' - 18.00
	Laboratory	ACTM						
	Lab. Number	MC9090-15	MC9090-16	MC13777-2	MC13777-3	MC13777-4	MC9090-11	MC13777-6
Constituent	Units							
Depth of Well	Ft	5.22	5.22	3.34	5.03	5.03	17.74	17.60
Depth to Water	Ft	3.41	3.41	5.03	3.34	3.34	12.23	12.546
Vater Elevation	Ft	20.11	20.11	18.49	20.18	20.18	26.53	26.21
Date Metals Analyzed	-		03/30/2012	09/10/2012		09/10/2012		
Date Organics Analyzed	-	04/04/2012			09/17/2012		04/04/2012	09/14/2012
Arsenic (unfiltered)	mg/L		0.0063	0.0051		0.0053		
Cadmium (unfiltered)	mg/L							
Copper (unfiltered)	mg/L							
Vickel (unfiltered)	mg/L							
Silver (unfiltered)	mg/L							
,1-Dichloroethylene	ug/L	153			115			
Cetrachloroethylene	ug/L						244	187
·								

Printed on 11/02/2012 Page 2 of 3

Table 5-3 EXCEEDANCES OF DEFAULT, NUMERIC SURFACE WATER PROTECTION CRITERIA Pratt & Whitney, East Hartford, Connecticut: Willow Brook and Willow Brook Pond



2	012 Annual Grou	Engineering • Construction • EH&S • Energy • Waste					
	Location ID	WT-MW-59	WT-MW-59	1	Engineei	ring • Construction • E	.nas • Energy • waste
	Sample ID	1255900	1264977				
		03/27/2012	09/06/2012				
	Sample Time	15:10	12:35				
	Sample Depth		8.00' - 18.00				
	Laboratory	ACTM	ACTM				
	Lab. Number	MC9090-14	MC13777-11				
Constituent	Units						
Depth of Well	Ft	18.77	17.67				
Depth to Water	Ft	12.68	12.75				
Water Elevation	Ft	26.16	26.09				
Date Metals Analyzed	-	03/30/2012	09/10/2012				
Date Organics Analyzed	-						
Arsenic (unfiltered)	mg/L						
Cadmium (unfiltered)	mg/L	0.265	0.467				
Copper (unfiltered)	mg/L	0.275	0.302				
Nickel (unfiltered)	mg/L	2.76	2.44				
Silver (unfiltered)	mg/L	0.0373	0.0645				
1,1-Dichloroethylene	ug/L						
Tetrachloroethylene	ug/L						

Printed on 11/02/2012 Page 3 of 3

Table 5-4 EXCEEDANCES OF INDUSTRIAL/COMMERICAL VOLATILIZATION CRITERIA Pratt & Whitney, East Hartford, Connecticut: Willow Brook and Willow Brook Pond 2012 Annual Groundwater Monitoring Report



	2012 Annual Grou	Engineering • Construction • EH&S • Energy • Waste						
	Location ID	WT-MW-19I	WT-MW-19I	WT-MW-40	WT-MW-50	WT-MW-50	WT-MW-50	WT-MW-50
	Sample ID	1255897	1264981	1264978	1255898	1255901	1264979	1264991
	Sample Date	03/27/2012	09/06/2012	09/06/2012	03/27/2012	03/27/2012	09/06/2012	09/06/2012
	Sample Time	09:35	15:16	15:05	11:20	11:20	10:46	10:46
	Sample Depth	23.00' - 26.0	23.00' - 26.0	10.00' - 19.0	16.00' - 26.0	16.00' - 26.0	16.00' - 26.0	16.00' - 26.0
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	MC9090-7	MC13777-12	MC13777-14	MC9090-9	MC9090-15	MC13777-1	MC13777-3
Constituent	Units							
Depth of Well	Ft	25.24	25.24	17.89	5.22	5.22	3.34	5.03
Depth to Water	Ft	11.20	11.33	12.31	3.41	3.41	5.03	3.34
Water Elevation	Ft	24.43	24.30	19.79	20.11	20.11	18.49	20.18
Date Organics Analyzed	-	04/04/2012	09/17/2012	09/17/2012	04/04/2012	04/04/2012	09/17/2012	09/17/2012
1,1-Dichloroethylene	ug/L				162	153	74.8	115
Vinyl Chloride	ug/L	6.0	13.3	7.3	11.1	10.5	11.3	10.1
·								
•								
·								
•								
•								
•								
•								
•								
					+			
•		-						
·								
•								
•								
•								
•		-						
i		i .	1	1	1	1	1	1

Printed on 11/02/2012 Page 1 of 2

Table 5-4 EXCEEDANCES OF INDUSTRIAL/COMMERICAL VOLATILIZATION CRITERIA Pratt & Whitney, East Hartford, Connecticut: Willow Brook and Willow Brook Pond 2012 Annual Groundwater Monitoring Report



Location ID WT-MW-58 WT-MW-58 WT-MW-59 WT-MW-59 Sample ID 1255899 1264980 1255900 1264977 Sample Date 03/27/2012 09/06/2012 03/27/2012 09/06/2012 Sample Time 13:50 13:36 15:10 12:35 Sample Depth 8.00' - 18.00 8.00' - 18.00 8.00' - 18.00 8.00' - 18.00 Laboratory ACTM ACTM ACTM ACTM Lab. Number MC9090-11 MC13777-6 MC9090-13 MC13777-10 Units Constituent Ft 17.74 Depth of Well 17.60 18.77 17.67 Ft 12.23 Depth to Water 12.546 12.68 12.75 Ft 26.53 Water Elevation 26.21 26.16 26.09 04/04/2012 09/14/2012 Date Organics Analyzed 04/05/2012 09/17/2012 ug/L 13.9 1,1-Dichloroethylene 28.8 Vinyl Chloride ug/L 45.6 200 5.3 5.7

Printed on 11/02/2012 Page 2 of 2

Table 5-5 EXCEEDANCES OF RESIDENTIAL VOLATILIZATION CRITERIA Pratt & Whitney, East Hartford, Connecticut: Willow Brook and Willow Brook Pond 2012 Annual Groundwater Monitoring Report



2012 A		Enginee	ring • Construction • I	EH&S • Energy • Waste				
	Location ID	WT-MW-19I	WT-MW-19I	WT-MW-40	WT-MW-50	WT-MW-50	WT-MW-50	WT-MW-50
	Sample ID	1255897	1264981	1264978	1255898	1255901	1264979	1264991
	Sample Date	03/27/2012	09/06/2012	09/06/2012	03/27/2012	03/27/2012	09/06/2012	09/06/2012
	Sample Time	09:35	15:16	15:05	11:20	11:20	10:46	10:46
	Sample Depth	23.00' - 26.0	23.00' - 26.0	10.00' - 19.0	16.00' - 26.0	16.00' - 26.0	16.00' - 26.0	16.00' - 26.0
	Laboratory	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM	ACTM
	Lab. Number	MC9090-7	MC13777-12	MC13777-14	MC9090-9	MC9090-15	MC13777-1	MC13777-3
Constituent	Units							
Depth of Well	Ft	25.24	25.24	17.89	5.22	5.22	3.34	5.03
Depth to Water	Ft	11.20	11.33	12.31	3.41	3.41	5.03	3.34
Water Elevation	Ft	24.43	24.30	19.79	20.11	20.11	18.49	20.18
Date Organics Analyzed	-	04/04/2012	09/17/2012	09/17/2012	04/05/2012	04/05/2012	09/17/2012	09/17/2012
1,1-Dichloroethylene	ug/L	3.5	2.8		162	153	74.8	115
Vinyl Chloride	ug/L	6.0	13.3	7.3	11.1	10.5	11.3	10.1
Trichloroethylene	ug/L	257	228		420	393		332


Printed on 11/02/2012 Page 1 of 2


Table 5-5 EXCEEDANCES OF RESIDENTIAL VOLATILIZATION CRITERIA Pratt & Whitney, East Hartford, Connecticut: Willow Brook and Willow Brook Pond 2012 Annual Groundwater Monitoring Report





2012 Annual Groundwater Monitoring Report								
			WT-MW-59	WT-MW-59				
	1255899	1264980	1255900	1264977				
	03/27/2012	09/06/2012	03/27/2012	09/06/2012				
	13:50	13:36	15:10	12:35				
Sample Depth	8.00' - 18.00	8.00' - 18.00	8.00' - 18.00	8.00' - 18.00				
Laboratory	ACTM	ACTM	ACTM	ACTM				
Lab. Number	MC9090-11	MC13777-6	MC9090-13	MC13777-10				
Units								
Ft	17.74	17.60	18.77	17.67				
Ft	12.23	12.546	12.68	12.75				
Ft	26.53	26.21	26.16	26.09				
-	04/04/2012	09/14/2012	04/05/2012	09/17/2012				
ug/L	13.9	28.8						
ug/L	45.6	200	5.3	5.7				
ug/L		320						
			+					
	Location ID Sample ID Sample Date Sample Time Sample Depth Laboratory Lab. Number Units Ft Ft - ug/L ug/L	Location ID WT-MW-58	Location ID WT-MW-58 WT-MW-58 Sample ID 1255899 1264980 Sample Date 03/27/2012 09/06/2012 Sample Time 13:50 13:36 Sample Depth 8.00' - 18.00 8.00' - 18.00 Laboratory ACTM ACTM Lab. Number MC9090-11 MC13777-6 Units Ft 17.74 17.60 Ft 12.23 12.546 Ft 26.53 26.21 - 04/04/2012 09/14/2012 ug/L 13.9 28.8 ug/L 45.6 200	Location ID WT-MW-58 WT-MW-58 WT-MW-59 Sample ID 1255899 1264980 1255900 Sample Date 03/27/2012 09/06/2012 03/27/2012 Sample Time 13:50 13:36 15:10 Sample Depth 8.00' - 18.00 8.00' - 18.00 8.00' - 18.00 Laboratory ACTM ACTM ACTM ACTM Lab. Number MC9090-11 MC13777-6 MC9090-13 Units Ft 17.74 17.60 18.77 Ft 12.23 12.546 12.68 Ft 26.53 26.21 26.16 -	Location ID WT-MW-58 WT-MW-58 WT-MW-59 WT-MW-59 Sample ID 1255899 1264980 1255900 1264977 Sample Date 03/27/2012 09/06/2012 03/27/2012 09/06/2012 Sample Time 13:50 13:36 15:10 12:35 Sample Depth 8.00' - 18.00 8.00' - 18.00 8.00' - 18.00 Laboratory ACTM ACTM ACTM ACTM ACTM Lab. Number MC9090-11 MC13777-6 MC9090-13 MC13777-10 Units Ft 17.74 17.60 18.77 17.67 Ft 12.23 12.546 12.68 12.75 Ft 26.53 26.21 26.16 26.09 -	Location ID WT-MW-58 WT-MW-58 WT-MW-59 WT-MW-59 Sample ID 1255899 1264980 1255900 1264977 Sample Date 03/27/2012 09/06/2012 03/27/2012 09/06/2012 Sample Time 13:50 13:36 15:10 12:35 Sample Depth 8.00' - 18.00 8.00' - 18.00 8.00' - 18.00 Laboratory ACTM ACTM ACTM ACTM ACTM Lab. Number MC9090-11 MC13777-6 MC9090-13 MC13777-10 Units Ft 17.74 17.60 18.77 17.67 Ft 12.23 12.546 12.68 12.75 Ft 26.53 26.21 26.16 26.09 -	Location ID WT-MW-58 WT-MW-58 WT-MW-59 WT-MW-59 Sample ID 1255899 1264980 1255900 1264977 Sample Date 03/27/2012 09/06/2012 03/27/2012 09/06/2012 Sample Time 13:50 13:36 15:10 12:35 Sample Depth 8.00' - 18.00 8.00' - 18.00 8.00' - 18.00 Laboratory ACTM ACTM ACTM ACTM ACTM Lab. Number MC9090-11 MC13777-6 MC9090-13 MC13777-10 Units Ft 17.74 17.60 18.77 17.67 Ft 12.23 12.546 12.68 12.75 Ft 26.53 26.21 26.16 26.09 -	


Printed on 11/02/2012 2 of 2











Appendix A Copies of Field Paperwork



DAILY FIELD REPORT

Loureiro Engineering Associates, Inc.

Proje Loca	ation	88UT230.001 UTC P&WEH 20 P&W East Hartfo	rd, East	Hartford, CT				Page 1 of 8 Date 3/26/12
Clien	nt	Pratt & Whitney						
Non	ved at Site Activities Soil Sampling Groundwater Samp Surface Water Sam Vapor/Air Sampling Other Sampling Other Sampling Well Development productive Time None Equipment Breakde Late ity Assurance Cheel is N/A No Sampl All sai Chaine All for Site cc Site H	Pling pling g	Geoprobe Concrete Construct Waste Ma Inspection Site Walk Surveying Other (De Weather Missing E Other (De	Work Coring ion unagement Cover seribe) Conditions ture 49	o (X	Current P Last Sam Last Loc Current I Sampling Laborato Paperwood Site Contractor	eter (Start) roject Information ple Number Used ation ID Used ocation (if not comple for ries used rk & Equipment left at tact ors on Site I place to meet contract sition Approx. Amount	in Verley Com Mental Com Mental Com
Expe	ndable Items Used				Equ	ipment Used		
Qty				LEA Number	-	Item		LEA Number
4.4	Bailer, Disposable (s	pecify size)		090		Generator 3500	Watt	153
	Drum, Closed Top 55			086		Meter, Conducti		022
	Filter, In Line			024		Meter, pH/Temp		021
1	Miscellaneous Health	a & Safety Items		060	1		mall Tools & Equipme	
65	Tubing, 1/2", NOS Tubing, 3/8", NOS	/4 pdy		007		Pump, Grundfos		073
5'	Tubing, 3/8", NOS	silicina		008	Z.		c (spec. Master or Isco	
	Water, Distilled			025		Pump, Submersi	ble	201
					-	Pump, Watera		038
-					Z	Turbidimeter	Dhataras 2000 (DIP)	023
					1	Water Level Ind	Photovac 2020 (PID)	012
-					13		Meter w/Flow Cell	070
Cial	d Personnel	Alax Clarks		Danie	i P	The land	CI	
rieid	i rersonnei	Alex Clarke Nate Emmons		Denr	NS K	yger	Signo	alure J



DAILY FIELD REPORT

Supplemental Sheet

LEA Comm. No.	88UT230.001		Page 2 of 8
Project	UTC P&WEH 2012 Willow Bro		Date 3/26/2
Location	P&W East Hartford, East Hartfo		
Client	Pratt & Whitney East Hartford-L	L	
Description of Site			
0935. cusit	e .		- 1
with Mer	hyspectro como	to to 3. Irun Par pre	Jos meeting
1015 · final	, pre job meating	, check an wester o	run curilibality
Time up no	in waste, dans	with Them Miller	
* Check in	econter to com	in a decale to aten	sampling
welk min	Tot and when Go	ate dent.	2 1 5
A. Clothe &	· pro	camplete vous of w	clu lavels
E inspecto	us an 3-27-12.	W C	
1100: sk	Take consteles F	2H copinspechin	
1430. Wd	is to WT-MW-SU	P	
1530 - Loc		7 - 1 - 1 - 1	
1600 . me	et Berry to ve	hugush scriples	
Co Si Co			
		/	
		1/1/	
		XY	
			\wedge
		^	/ \
		/\	
Field Personnel	Alex Clarke	Dennis Ryder Sign	nature
	Nate Emmons (XP /	XX



DAILY FIELD REPORT CALIBRATION RECORD

Loureiro Engineering Associates, Inc. Page 3 of 8 88UT230.001 LEA Comm. No. Date 3 76/17 UTC P&WEH 2012 Willow Brook GWM Project P&W East Hartford, East Hartford, CT Location Pratt & Whitney East Hartford-LL Client pH Meter/Serial # ORP Spec. Cond. DO pH 7.00 Time pH 10.01 pH 4.01 Initial Calibration 10E100237 1050 99.8 1000 100 4.00 00.F 10.00 Calibration Check 1015101572 1050 100.0 7.00 (000) 100 4.00 10.00 Calibration Check Turbidity Meter/Serial # 100 NTU 800 NTU 20 NTU Time 0 NTU Initial Calibration 1050 P. 05 101 0.03 Calibration Check 2017 99.7 20.3 1050 Calibration Check PID Meter/Serial # Zero with Time Standard Meter Reading Initial Calibration Calibration Check Calibration Check Balance/Serial # Time Balance Standard **Initial Calibration** Calibration Check Calibration Check Comments Signature Dennis Ryder Alex Clarke Field Personnel Nate Emmons



FIELD SAMPLING RECORD MISCELLANEOUS SAMPLES

LEA Comm. N Project Location Client	Wo. 88UT230.00 UTC P&WE P&W East F Pratt & White	H 2012 V lartford, l	East Hartf	ord, CT	М	Page _ Date	4 of 8 3 76/12
Sample ID	Location ID	Time	Sample Type		PID/FID Reading	Comments	Waste Cont. ID
1255903		1530	BKE		1	Egypnerd Black	
125590-1		1100	BKT 1		H/.	Tup Black	
				1.			
				1		_	
			,	X			
			1				
		1					
					\wedge		
Field Personne	l Alex Clarke Nate Emmo			Denni	s Ryder	Signature	



LEA Comm. Project Location Client	Ţ	&W Eas	WEH 201 t Hartford	2 Willow E I, East Hart ast Hartford	tford, CT					Date	5 of 8 3/26/12 le Time 11 2
Monitoring	Well Nu	mber 📞	JT-HU	-46	Samp	le Numbe	er(s) 1255	889	12	55889	10-C
Depth of We Depth to Wa Height of Co Well Casing Protector Ground to F Comments	ell ter A olumn Diameter Road	7.65 5.67 Box/St		Reference PID/FID F Interface Materia		Yes (No	1	Casing Collar Cover	Condition Secure Intact Locked (describe	on OK	hter / Heavie
Developmen		ation						1			
Paramete	Depth to Water	Pump Setting	Purge Rate (mL/min)	Cum. Liters Purged (L)	Temp (C)	Spec. Cond. (uS/cm)	pH (SU)	ORP (Eh)	DO (mg/L)	Turbidity (NTU)	Comment
1100	7.03	350	170	0		(do/en/)	stu	Low	erno	. —	->
1110	NA	350	170	12	11.7	.170	5.69	171.7	5086	7.17	
1120	NA	350	120	2.4	1.7	061.	5.70	133.2	641	1.88	
1130	NA	350	120	3.6	11.8	141.	5.71	126.5	637		
1135	NA	350	120	4.2	11.8	.170	5.77	143.0	5.81	1.56	
1190	ne	350	170	4.8	11.9		5.72			1.42	
1145	NA	350	120	54	11.8	170	5.72	1463	5.83	1.40	
						/1					
					-						
	-		-		- 1						
	-					1	/	_			
	-				1	10		-			
	-	-			1						
\						1					
Developeme	nt Metho	d Perist	altic Pum	p Bailer /	Inertial P	ump / O	ther				
Sample Field								ield treat	ment apr	lied to eac	h sample
		aliqu		e appropri							
Field Decont			s/No		with wha	t? Jicqu	C. som	I, N, E	ic DI	Man	Lak /
Additional C											\setminus
ield Personn		Alex Clar			Denr	ris Ryder)		Sign	ature	9



LEA Comm.	No. 8	8UT230	.001							Page	6 of 8
Project	I	JTC P&V	WEH 2012	2 Willow B	rook GW	/M					37412
Location	P	&W Eas	t Hartford	l, East Hart	ford, CT					Samp	le Time 13.25
Client	P	ratt & W	hitney Ea	st Hartford	l-LL						
Monitoring	Well Nu	mber 🖂	or (HI	blo Is		le Numbe	er(s) 1255	890	\2	255890	A.
Initial Field	Data and	Measur	ements	100.48	5	0		,			
Depth of We	11 7	20	+ 21	Reference	Used	root	Joe a	iser			
Depth to Wa			490	PID/FID R	Reading	L	1			- 1	
Height of Co		7,64	t	Interface		Yes/No) If ye	s, Depth	-	Lig	hter / Heavier
Well Casing	Diameter	Z"		Materia	1 pe	_			Conditio	on OK	Bad
Protector	Road	Box / St	ickup		1				g Secure		
Ground to R	Reference								Intact	-	
Comments									Locked	-	
								Other	(describe)	
Development	A STATE OF THE PARTY OF THE PAR	ation									
Paramete	Depth to Water	Pump Setting		Cum. Liters Purged (L)	Temp (C)	Spec. Cond. (uS/cm)	pH (SU)	ORP (Eh)	DO (mg/L)	Turbidity (NTU)	Comment
1720	3.71	350	120	0 -	<		strut	puro		-	->
1730	3.72	350	170	1.2	124	.305	593	47.2	09.87	55.6	
1240	3.72	350	170	2.4	11.9	.384	5.87	10.3	9.20	36.4	
1250	3.72	350	120	3.6	12.2	.421			8.46		
1300	3.72	350	120	4.8	1.51	401	612	49.7	8.17		
1310	3.72	350	120	6	12.0			70.6			
1315	3.72	350	120	6.6	10.5		649		8-24	4.61	
1320	3.72	350	120	7.2	10.6			-92.8		4.52	
1325	3.72	350	120	7.8	10.7	.455	630	92.8	8.14	4.28	
					/	1					
					/						
					-						
						1	1-				
_						1/	-				
-	-	-			1	7	/	-			
				11			/		-		
						/					
Developeme	nt Metho	d Perist	altic Pum	p/Bailer/	Inertial P	ump / O	ther				
Sample Field								Gold tront	ment anr	lied wood	h mmnle
Sample Field	a rreating			iy couia ex e approprii							
			hain of C		are suggest	m me da	imple 1D	ore burn in	ic sumpri	/ /	y
Field Decont		n? Y	es No		with wha	t? Jugu	a.xon	F.W.7	nichI	well	enol /
Waste Conta		813	344			\wedge					1
Additional C	Comment	S								H	
Field Personn	el A	Alex Clar	rke		Denr	nis Ryder		/	Sign	ature	T
	1	Nate Emi	nons			1+)	/	1		



EA Comm. I roject ocation lient	U P	&W Eas	WEH 2012 st Hartford	2 Willow B , East Hart st Hartford	ford, CT	'M				Date	of 8 3 1261 13 e Time 11:
Monitoring	Well Nur	mber 1	NT-M	W.57/	Sampl	e Numbe	er(s) 1255	894	1	25589"	109
nitial Field I Depth of Wel Depth to Wat Height of Col Well Casing I Protector Ground to R Comments	er lumn Diameter Road	11.42	5 "	Reference PID/FID R Interface Materia		Yes/No	2 II yo	Casing Collar Cover	Conditions Secure Intact Locked (describe	on OK	hter / Heavier Bad
evelopment		ition									
Parameter	Depth to Water	Pump Setting	Purge Rate (mL/min)	Cum. Liters Purged (L)	Temp (C)	Spec. Cond. (uS/cm)	pH (SU)	ORP (Eh)	DO (mg/L)	Turbidity (NTU)	Comment
11:00	11.42	300	150	0	13.6	1104	5.71	127.7	0.59	47.6	
11:20	12.97	-1	I	1	14.0	1304	5.77	-20.8	0.37	12.3	
11:30	12.97				14.1	1310	5-78	-27.3		7.86	
11:40	12.97			1	14.0	1315	5.80	-30,3	-	5.77	
11:45	12.97	V	·V	W	14.0	1317	5.81	-30.7	0.30		
	12.97	300	1500	7.5.	14.0	1313	5.81	-30.7	0.32	1.28	
Sample					A.						
			10.9	57	-				-		
					ald						
					(NO)			-			
	_		-	-/							
				- (-						
										+	
Developemen	nt Method	d Perist	altic Pum	Bailer /	Inertial P	ump / O	ther				
Sample Field		aliqu the C		e approprie ustody!		in the sa					
Waste Contai	iner ID		CS / INO	II res,	with wha	KI.					
Additional Co	omment	S			406						3.54
ield Personne		Alex Clar			Denr	is Ryder				ature	. J



EA Comm. Project Location Client	J F	&W Eas	WEH 2012 at Hartford	2 Willow B I, East Hart ast Hartford	ford, CT					Date	of <u>{</u> 2 3 /26/15 le Time <u>13</u> :
Monitoring	Well Nu	mber t	UT-MW	-47	Samp	le Numbe	er(s) 1255	893		25589	3 of
Depth of Well Depth to Water Height of Coll Well Casing I Protector Ground to Recomments	er umn 3 Diameter	9.11 9.11 5.23 Box/St	5"	Reference PID/FID R Interface Materia	Used eading	O.C. Yes/No	of R	s, Depth General Casing Collar		Lig	hter / Heavie
			1/6					Other	(describe	:)	
Development	Inform	ation	100	147							
Parameter Time		4.000	Purge Rate	Cum. Liters Purged (L)	Temp (C)	Spec. Cond. (uS/cm)	pH (SU)	ORP (Eh)	DO (mg/L)	Turbidity (NTU)	Comment
12:30	9.11	300	150	0	11.7	464.2	6.19	112.7	4.02	23.4	
12:40	1	I	1	i	11.6	460.7	5.87	130.7	3.86		
12:50					11.7	454.4	5.59	148-3	3.67		
12:55	dm				11.7	452.1	5.58		3,50		
13:00	No Ant	1			11.7		5.58	151.9	3,48		
13:05		V	V	V	11.7			152.1	3,46	4.83	
13:10		300	150	6	11.7	451.9		151.8	3,46		
simple -	_										
					>						
				,	(18)						
							-				
					* .00						
Developemen	t Metho	d Perist	altic Pum	Bailer /	Inertial F	ump / O	ther				
Sample Field	Treatme	aliqu	v ambigui ot with the hain of C	e approprie	ist, be sui ute suffix	re to indi in the sa	cate the f mple ID	field treat on both th	ment app he sampl	olied to eac e bottle lab	h sample el and on
Field Deconta Waste Contai		n? (Y	es/No	If Yes,	with wha	t? M	ath u	ripe o	n u	11.1	
Additional Co	omment	S									
ield Personne		Alex Clar			Denr	nis Ryder			Sign	diute	1D



CHAIN OF CUS'. DY

PAGE ____

Accutest Laboratories of New England 495 Technology Center West, Building One TEL. 508-481-6200 FAX: 508-481-7753 www.accutest.com

FED-EX Tracking #	Bottle Order Control #	
Accutest Quote #	Accutest Job #	

0.000		and visit in Case	0.10		outcomic and and	7-18-01C-1	CO 16		40000				- 12×01	2340	4.0 (4.						-		200
Client / Reporting Information Company Name	Project Name				ormati	1	110	WE,		2 2 3			Req	uested	Analy	ysis (see I	EST	ODE	sheet)	- 1	Matri	x Codes
Street Address	OTC Street:	PHWEH	Will	OW	Pon	0 G	w	50	mpli	49					1.2						15		nking Water ound Water
100 Northwest Dr			- 40				on (If	differe	nt from I	Report	to)				3							SW - Su	- Water rface Water - Soil
Plainville CT 06062	East	Hartfor	d	0.63	pany Nam										+	İ						SL- SED-8	Sludge Sediment
Project Contact Heather Goldman	Project#8	BUT 23	30	Stree	t Address										9A8	~				ž.		LIQ - O	l - Oil ther Liquid ₹ - Air
Phone # 860) 747-6181	Client PO#		-10	City	N .		7	State		Zip				4	RE		÷	81				WP	Other Solid - Wipe eld Blank
Sampler(s) Name(s) Phone #	Project Manager	y Mcki	mer	Atten	tion:				PO#			ČS	å	T	als							RB-Ri	oment Blank nse Blank rip Blank
1,000 /11/21	4		Collection				T	Numbe	r of preserv	ed Bottles		0	C		eto							40	7
Acturest Sample # Field ID / Point of Collection	MEOH/DI Vial #	Date	Time	Sampled by	Matrix	# of bottle	es 🌣	NaOH HNO3	H2SO4 NONE	MEOH	ENCORE	2	0	0	M							LAB U	SE ONLY
1255889	Ę.	3262	11:45	AC	GW	6	2		4			X	X	X									
1255889 Uf			10:45	140	11	1		1			T				X		==					W.	= = 1
1255890			13:25	AC		6	2		4			X	X	X				1			-		
1255890 UF			13:25	Ac		11		1			П				X								
1255892			15:20	NE		21	R					X	-					, i					- 5
1255893			13:10	NE		6	2		4		П	X	X	X									
1255893 Uf			13:10	NE		1		1							X							19	
1255894			11:50	KE	V	6	2		4			X	×	X								10	4
1255894 UF			11:50	NE	6W	1		1							X		3					1	1
1255903			15:30	AC	EB	6	2	1	4			X	X	X									1/
125590304		V	15:30	AC	EB	1)							X								/
1255904		3/26/12	11:00	NE	TB	1	1					X					4						
	(EEE)					District Section			e Inform						TO THE	C	omm	ents /	Speci	al Instr	uctions		V ST
Turnaround Time (Business days) Std. 10 Business Days Std. 5 Business Days (By Contract only) S Day RUSH	Approved By (Ac	cutest PM): / Date:			Commer FULLT1	cial "A" cial "B" ((Level 3	Level			NYASP NYASP State Fo EDD Fo	Catego											8	
3 Day EMERGENCY					MA MCP		1.07.00			Other _	-	_											
2 Day EMERGENCY 1 Day EMERGENCY		-							ults Only ults + QC	Summar	y		- 1			-							
Emergency & Rush T/A data available VIA Lablink	1.0			1/	1		-							1.00	in out						-	10-2-2	
Relinguished by Samples Date Time:		mple Custody mu Received By:	ust be docum	rented t	selow ea	cn time	-	les chi nquished		5055101	n, incl	uaing	courie		Date Tim	10:		Receiv	ed By:	HA MA			
1 NAMERICANS 3-2	6-12	1 Bel	will	<u></u>			2									+		2			- 15		
Relinquished by Sampler: Date Time:		Received By:					Reli 4	nquished	i By:						Date Tin	se:		Receive 4	ed By:				
Relinquished by: Date Time:		Received By:					Cus	tody Sea	1#		П	Intact		Preserv	ed where	applica	ble			On Ice	C	ooler Temp.	



DAILY FIELD REPORT

Loureiro Engineering Associates, Inc.

	2012 Willow Brook GV	X/M		Page of 13 Date 3 /23+12
Location P&W East Har	rtford, East Hartford, CT			Date 5/27-12
	100			
	ey East Hartford-LL	200	Tabiala (= 33 (7.01
Arrived at Site OSOS Site Activities	Departed from Site		ehicle ST-ZZ S dometer (Start)	Return Los
Soil Sampling	Geoprobe Work	Curre	nt Project Information	(a)
Groundwater Sampling	Concrete Coring	Last	Sample Number Used	
Surface Water Sampling	Construction	Last	Location ID Used	
Vapor/Air Sampling	Waste Management	Curr	ent Location (if not comple	te)
Concrete Sampling		Sam	pling for	XX Welcals ABE TO
Other Sampling	Inspection	Labo	oratories used	Autist
Other Sampling	Site Walk Over	Pape	erwork & Equipment left at/	in Weather Com
	Surveying	10000	Contact	Milalda
Well Development	Other (Describe)	Con	tractors on Site	IIA
Non-productive Time				Ceur
None	Weather	Tim	e and place to meet contract	ors
Equipment Breakdown	Missing Equipment	11111	c and prace to meet contract	
Late	Other (Describe)	_		
	Other (Describe)	D 11 1 1	V	
Quality Assurance Checks		Residuals I		/ a m
Yes N/A No		Item	Approx. Amount	Container ID
Sample labels complete		Soil/Solid		
Sample/cooler seals OK		Groundwa	- 1 Colors	813344
All samples obtained		Decon Flu	iid C	
Chains of custody		PPE		
All forms/logs complete		Other		
		Other		
Site condition OK	Weather Conditions	Outer		
		Precipitat	ion W	rind helpt
Site condition OK			ion W	Vind light
Site condition OK Site H&S Plan on site Instruments calibrated	Temperature –		ion W	ind hight
Site condition OK Site H&S Plan on site Instruments calibrated Checked By	Temperature –	O Precipitat		rind higher
Site condition OK Site H&S Plan on site Instruments calibrated Checked By Expendable Items Used	Temperature\S	Precipitat Equipment Uses		Zind health
Site condition OK Site H&S Plan on site Instruments calibrated Checked By Expendable Items Used Qty Item	Temperature Comments	Precipitat Equipment Used Qty Item	1	
Site condition OK Site H&S Plan on site Instruments calibrated Checked By Expendable Items Used Qty Item Bailer, Disposable (specify size)	Temperature\S	Precipitat Equipment Uses	d 500 Watt	LEA Number
Site condition OK Site H&S Plan on site Instruments calibrated Checked By Expendable Items Used Qty Item	Temperature Comments LEA Number 090	Equipment Used Qty Item Generator 3	d 500 Watt ductivity	LEA Number
Site condition OK Site H&S Plan on site Instruments calibrated Checked By Expendable Items Used Qty Item Bailer, Disposable (specify size) Drum, Closed Top 55 Gallon Filter, In Line Miscellaneous Health & Safety Items	Temperature Comments LEA Number 090 086	Equipment Used Qty Item Generator 3 Meter, Con Meter, pH/	d 500 Watt ductivity	LEA Number 153 022 021
Site condition OK Site H&S Plan on site Instruments calibrated Checked By Expendable Items Used Qty Item Bailer, Disposable (specify size) Drum, Closed Top 55 Gallon Filter, In Line Miscellaneous Health & Safety Items Tubing, 172", NOS 1/4 1/2004	LEA Number 090 086 024 060 007	Equipment Used Qty Item Generator 3 Meter, Con Meter, pH/ Miscellaned Pump, Grun	1 500 Watt ductivity Femp ous Small Tools & Equipment	LEA Number 153 022 021 ent 152 073
Site condition OK Site H&S Plan on site Instruments calibrated Checked By Expendable Items Used Qty Item Bailer, Disposable (specify size) Drum, Closed Top 55 Gallon Filter, In Line Miscellaneous Health & Safety Items Tubing, 172", NOS	LEA Number	Equipment Used Qty Item Generator 3 Meter, Con Meter, pH/ Miscellaned Pump, Grun Z Pump, Perio	1500 Watt ductivity Femp bus Small Tools & Equipment offos staltic (spec. Master or Isco)	LEA Number 153 022 021 152 073 040
Site condition OK Site H&S Plan on site Instruments calibrated Checked By Expendable Items Used Qty Item Bailer, Disposable (specify size) Drum, Closed Top 55 Gallon Filter, In Line Miscellaneous Health & Safety Items Tubing, 172", NOS 1/4 1/2004	LEA Number 090 086 024 060 007	Equipment Used Qty Item Generator 3 Meter, Con Meter, pH/ Miscellanee Pump, Grun Pump, Perio Pump, Subi	il 500 Watt ductivity Femp bus Small Tools & Equipment adfos staltic (spec. Master or Isco) mersible	LEA Number 153 022 021 152 073 040 201
Site condition OK Site H&S Plan on site Instruments calibrated Checked By Expendable Items Used Qty Item Bailer, Disposable (specify size) Drum, Closed Top 55 Gallon Filter, In Line Miscellaneous Health & Safety Items Tubing, 172", NOS	LEA Number	Equipment Used Qty Item Generator 3 Meter, Con Meter, pH/ Miscellanee Pump, Grun Pump, Perio Pump, Subi Pump, Wat	ductivity Femp bus Small Tools & Equipment of the static (spec. Master or Isco) mersible era	LEA Number 153 022 021 152 073 040 201 038
Site condition OK Site H&S Plan on site Instruments calibrated Checked By Expendable Items Used Qty Item Bailer, Disposable (specify size) Drum, Closed Top 55 Gallon Filter, In Line Miscellaneous Health & Safety Items Tubing, 172", NOS	LEA Number	Equipment Used Qty Item Generator 3 Meter, Con Meter, pH/ Miscellanee Pump, Grun Pump, Peric Pump, Subi Pump, Wat Turbidimet	ductivity Femp bus Small Tools & Equipment of the static (spec. Master or Isco) mersible era	LEA Number 153 022 021 152 073 040 201 038 023
Site condition OK Site H&S Plan on site Instruments calibrated Checked By Expendable Items Used Qty Item Bailer, Disposable (specify size) Drum, Closed Top 55 Gallon Filter, In Line Miscellaneous Health & Safety Items Tubing, 172", NOS	LEA Number	Equipment User Qty Item Generator 3 Meter, Con Meter, pH/ Miscellaner Pump, Grun Pump, Peri Pump, Subi Pump, Wat Turbidimet VOC Analy	ductivity Femp ous Small Tools & Equipment of the static (spec. Master or Isco) mersible era er //zer, Photovac 2020 (PII)	LEA Number 153 022 021 152 073 040 201 038 023 012
Site condition OK Site H&S Plan on site Instruments calibrated Checked By Expendable Items Used Qty Item Bailer, Disposable (specify size) Drum, Closed Top 55 Gallon Filter, In Line Miscellaneous Health & Safety Items Tubing, 1/2", NOS	LEA Number	Equipment Used Oty Item Generator 3 Meter, Con Meter, pH/ Miscellanee Pump, Grun Pump, Peri Pump, Subi Pump, Wat Turbidimet VOC Analy Water Leve	ductivity Femp Dus Small Tools & Equipment of the static (spec. Master or Isco) mersible era er //zer, Photovac 2020 (PII)	LEA Number 153 022 021 152 073 040 201 038 023 012 028
Site condition OK Site H&S Plan on site Instruments calibrated Checked By Expendable Items Used Qty Item Bailer, Disposable (specify size) Drum, Closed Top 55 Gallon Filter, In Line Miscellaneous Health & Safety Items Tubing, 1/2", NOS	LEA Number	Equipment Used Qty Item Generator 3 Meter, Con Meter, pH/ Miscellaned Pump, Grun Pump, Peris Pump, Subi Pump, Wat Turbidimet VOC Analy Water Leve	ductivity Femp ous Small Tools & Equipment of the static (spec. Master or Isco) mersible era er //zer, Photovac 2020 (PII)	LEA Number 153 022 021 152 073 040 201 038 023 012
Site condition OK Site H&S Plan on site Instruments calibrated Checked By Expendable Items Used Qty Item Bailer, Disposable (specify size) Drum, Closed Top 55 Gallon Filter, In Line Miscellaneous Health & Safety Items Tubing, 1/2", NOS	LEA Number	Equipment Used Oty Item Generator 3 Meter, Con Meter, pH/ Miscellanee Pump, Grun Pump, Peri Pump, Subi Pump, Wat Turbidimet VOC Analy Water Leve	ductivity Femp Dus Small Tools & Equipment of the static (spec. Master or Isco) mersible era er //zer, Photovac 2020 (PII)	LEA Number 153 022 021 152 073 040 201 038 023 012 028
Site condition OK Site H&S Plan on site Instruments calibrated Checked By Expendable Items Used Qty Item Bailer, Disposable (specify size) Drum, Closed Top 55 Gallon Filter, In Line Miscellaneous Health & Safety Items Tubing, 172", NOS	LEA Number	Equipment Used Oty Item Generator 3 Meter, Con Meter, pH/ Miscellanee Pump, Grun Pump, Peri Pump, Subi Pump, Wat Turbidimet VOC Analy Water Leve	ductivity Femp Dus Small Tools & Equipment of the static (spec. Master or Isco) mersible era er //zer, Photovac 2020 (PII)	LEA Number 153 022 021 152 073 040 201 038 023 012 028
Site condition OK Site H&S Plan on site Instruments calibrated Checked By Expendable Items Used Qty Item Bailer, Disposable (specify size) Drum, Closed Top 55 Gallon Filter, In Line Miscellaneous Health & Safety Items Tubing, 172", NOS Tubing, 3/8", NOS	LEA Number	Equipment Used Oty Item Generator 3 Meter, Con Meter, pH/ Miscellanee Pump, Grun Pump, Peri Pump, Subi Pump, Wat Turbidimet VOC Analy Water Leve	ductivity Femp Dus Small Tools & Equipment of the static (spec. Master or Isco) mersible era er //zer, Photovac 2020 (PII)	LEA Number 153 022 021 152 073 040 201 038 023 012 028
Site condition OK Site H&S Plan on site Instruments calibrated Checked By Expendable Items Used Qty Item Bailer, Disposable (specify size) Drum, Closed Top 55 Gallon Filter, In Line Miscellaneous Health & Safety Items Tubing, 172", NOS Tubing, 3/8", NOS	LEA Number	Equipment Used Oty Item Generator 3 Meter, Con Meter, pH/ Miscellanee Pump, Grun Pump, Peri Pump, Subi Pump, Wat Turbidimet VOC Analy Water Leve	ductivity Femp Dus Small Tools & Equipment of the static (spec. Master or Isco) mersible era er //zer, Photovac 2020 (PII)	LEA Number 153 022 021 152 073 040 201 038 023 012 028 070



DAILY FIELD REPORT

Supplemental Sheet

Loureiro Engineerin	g Associates, Inc.		Supplemental Sheet			
LEA Comm. No. Project Location	88UT230.001 UTC P&WEH 2012 W P&W East Hartford, Ea	st Hartford, CT	Page 2 of 13 Date 3/27 12			
Client	Pratt & Whitney East H		1			
Description of Site	e Activities					
0805.00	ite ,					
uptain!	occopyes a not	uche ingrection pass	es.			
0850 · M	eding conibu	en celigos certias	in continued			
commone	char, will	CEOSES E COMBCO	tree & succes			
1556 - Fag	sh scripting &	velinguish supplies to	o autest corner			
- inspect	ETAL.					
1620 JC	love of sile					
			/			
		- / N				
		V 1)				
		A /				
		/				
			/ X			
			/ / \			
		40 - 100 ac 100				
Field Personnel	Alex Clarke Nate Emmons	Dennis Ryder	Signature			



DAILY FIELD REPORT CALIBRATION RECORD

LEA Comm. No. Project Location Client	P&W East Ha	I 2012 Willow E rtford, East Hart ey East Hartford	tford, CT					age 3 of 3 Date 3/24/2
pH Meter/Serial #								
		Time	pH 4.01	pH 7.00	pH 10.01	Spec. Cond.	ORP	DO
Initial Calibration	106100237	0825	4.00	7.00	00.00	(000	(00	9899
Calibration Check Calibration Check	100101572	0825	4.00	7.00	10.00	1000	100	99.2%
Turbidity Meter/Seri	al#							
		Time	0 NTU	20 NTU	100 NTU	800 NTU		
Initial Calibration	2017	0825	0.03	20.4	102	793		
Calibration Check Calibration Check	3522	0825	0.04	19.8	99.6	796		
PID Meter/Serial #					VP-			
Initial Calibration Calibration Check Calibration Check		Time	Standard	Meter Reading	Zero with			
Balance/Serial #								
Initial Calibration Calibration Check Calibration Check	-	Time	Standard	Balance	1			
Comments								9
Field Personnel	Alex Clarke Nate Emmons		Dennis Ryder				Signature	



FIELD SAMPLING RECORD MISCELLANEOUS SAMPLES

LEA Comm. Project Location Client	No. 88UT230.00 UTC P&WE P&W East F Pratt & Whi	H 2012 V lartford, H	East Hartf	ord, CT	Page Date	4 of 13 3/27/12	
Sample ID	Location ID	Time	Sample Type	Depth (ft)	PID/FID Reading	Comments	Waste Cont. ID
1255902		0900	BKT		1	Trip Black	
1255901	WT-MW-SO	1120	DIA		3/_	Trip Black Diplicate Suple	
					Λ		
					IX		
					D		
			-/				
		1					
Field Personne	el Alex Clarke			Dennis	s Ryder	Signature	



FIELD SAMPLING RECORD MONITORING WELL INVENTORY

LEA Comm. No Project Location Client		Page of 13 Date 727412						
Sample ID	Pratt & Whitn Location ID	Time	Predicted Depth		Depth	PID/FID	Reference	Comments
	Location 1D	Time	of Well to Water	of Well			Elevation	Comments
2237657	FR-MM-ST				11.40	NH		
2237658	WT-MW-47				9.09	1		
2237659	WT-MW-KY				4.87			
2237660	WT-MW-46				50.F			
2237661	WT.MW-45		1//		7.56			
2237662	WT-MW-49				3.70			
2237663	WT-MW-58		1 P		12.21			
2237664	WT-MW-44			/	10.72			
2237665	WT-MW19S		7	/	Dry 10.52			
2237666	WT-MW-43				10.52			
2237667	WT-MW-50	/		0.1	341			
2237668 2237669	WT-MW-47			6.74	3.40	d		
Field Personnel	Alex Clarke		Denni	is Ryder			Signature	MIT
	Nate Emmons	-					V	2



Field Personnel

Alex Clarke
Nate Emmons

FIELD SAMPLING RECORD

MONITORING WELL INVENTORY

Signaturé

LEA Comm. No	o. 88UT230.00	1							Page 6 of 2
Project	UTC P&WEI		Willow B	rook GW	M				Date 3/27/12
Location	P&W East H								
Client	Pratt & White								
Sample ID	Location ID	Time	Predict	ed Depth to Water	Actua of Well	Depth to Water	PID/FID	Reference Elevation	Comments
2237683	MW-65		17	11.40		2.42	KM		
2237684	MW-66		11/			3.27	104		
2237685	MW.67		1/	1		2.82			
2237686	WT-MW-40		1/1		12.58	899			
2237687	WT-MW SE		V	/		14.13			
2237688	WT-MW-50			/		1268	d		
2237689	0-1100								
2237690									
2237691					/				
2237692									
2237693					1				
2237694						D.			
2237695			_						
						/			
				1					
								/	
				1					\/ \
			1					/	\
									1
								/ /	100
			1					1 1	611

Dennis Ryder



EA Comm.		8UT230									e 7 of 1
roject	J	JTC P&	WEH 2012	2 Willow B	rook GW	/M				Da	te 3 127+ /
ocation	F	&W Eas	st Hartford	l, East Hart	ford, CT					Sam	ple Time <u>09</u> :4
Client	P	ratt & W	/hitney Ea	st Hartford	I-LL						
Monitoring	Well Nu	mber 4	JT-MW-	-40	Samp	le Numbe	er(s) 1255	895		12558	95cf
Initial Field I			rements				C 0				
Depth of We		7.58		Reference	Used	Topo	+ Kise				ghter / Heavier
Depth to Wat				PID/FID F	Reading		vm.			a	
Height of Co.	lumn 3			Interface		Yes (No) If ye	s, Depth		LI	ghter / Heavier
Well Casing Protector		Box St	5″ ickup	Materia	1 /	/C	_		Condition Secure	on OF	
Ground to R	eference	1						Collar	Intact	×	
Comments		100)					Cover	Locked	X	
								Other	(describe		- B
Development	Informa	ation									
Parameter	Depth to Water	Pump Setting	Purge Rate (mL/min)	Cum, Liters Purged (L)	Temp (C)	Spec. Cond. (uS/cm)	pH (SU)	ORP (Eh)	DO (mg/L)	Turbidity (NTU)	Comment
08:55	8.99	300	150	ò			-				Initial
09:05	1	300	150	1.5	12.5	4613	7.29	92.4	8.32	79,4	
09:15		300	150	3.0	12.6	4502	7.27	101, 2	7.09	28,2	
09:00		300	156	3,75	12.6	4551	7.27	102.4	6.36	14,9	
09:25	(3)	300	150	4.50	12.6	4511		102.9	6.08	17.8	
09:38	9	306	150	5,25	12.6	4602		103,4	6.05	9.36	
09:35		300	150	6.0	12.6	4489		103.7	6.03	4.98	
09:40		300	150	6.75	12.6	4487		103.7		3.91	4
09:45	1	300	150	7.50	12.6	4487		103.9	6.02	3.80	SAMPLE
			-						-		
-								-			
					1	R.					
					(4	200					
								_			
				V. IVIII.							
Developemen	nt Metho	Perist	altic Pum	/ Bailer /	Inertial P	ump / Ot	ther _				
Sample Field	Treatme	aliqu		e approprie							
Field Decont Waste Conta		n? Y	@/No 3344		with wha	1? 01,	Mell	ronal U	ipe fo	r WL	T
Additional C	omment	S									
ield Personne	el /	Alex Clar	rke		Denr	nis Ryder	>		Sign	ature	
	_	Vate Emi	nons-e)					2		_



LEA Comm. I Project Location Client	U P	&W Eas	WEH 2012 t Hartford	2 Willow E I, East Hart ast Hartford	ford, CT					Dat	e 3 /27/12 of 72/12 ole Time 11 30
Monitoring	Well Nu	mber (JT-ML	1-42	Samp	le Numbe	er(s) 1255	896		12558	K
Initial Field I Depth of Wel Depth to Wat Height of Col Well Casing I Protector Ground to R Comments	ll Ger 2 lumn 3	6. 24 2.41 .38	5"	Reference PID/FID F Interface Materia	Reading	NN		s, Depth General Casing Collar Cover	Condition g Secure Intact Locked (describe	on OK	
Development	Informa	ition									
Parameter	Depth to Water	Pump Setting		Cum. Liters Purged (L)	Temp (C)	Spec. Cond. (uS/cm)	200	ORP (Eh)	DO (mg/L)	Turbidity (NTU)	Comment
11:00	3.41	300	150	1.5	10.8	178.2	6.31	97.2	6.19	2.36	Instial
11:15	9	300	150 150	3.0	10.4	164.7	6.37	1123	6.20	1.91	a
11:20		300 300	150	5.25 6.0	10,4	165.3		112.2	6.20	1.74	SAMPLE
	\										
					(2					
										\	
Developemer Sample Field		nt <i>If any</i> aliqu	ambigui	ty could ex e appropri	ist, be su	re to indi	cate the f				
Field Deconta Waste Contai		n? (V	No 344		with wha	t? D 1	I, Me	thonal W	joe on	WLI	
Additional Co	omments	5	,								
Field Personne		lex Clar			Denr	is Ryder	>		Sign	ature	n



LEA Comm. Project Location Client	J	&W Eas	WEH 2012 t Hartford	2 Willow B I, East Hart ast Hartford	ford, CT						9 of 3 3/27/17 le Time 093
Monitoring	Well Nu	mber 👝	J-MV	V-1968	Samp	le Numbe	er(s) 1255	897	2558	PUF192	
Depth of We Depth to Wa Height of Co Well Casing Protector Ground to R Comments	bil diter diumn diumn diameter Road Reference	Box/St	ickup	Reference PID/FID R Interface Materia	teading	Yes No) If ye	Casing Collar Cover	Condition Secure Intact Locked (describe	on OK	hter / Heavier Bad
Development		ation				1 2000					
Paramete	Depth to Water	Pump Setting	Purge Rate (mL/min)	Cum. Liters Purged (L)	Temp (C)	Spec. Cond. (uS/cm)	pH (SU)	ORP (Eh)	DO (mg/L)	Turbidity (NTU)	Comment
C \$55 C \$05 C \$05 C \$15 C \$13 C \$13	NA NA NA NA	350 350 350 350 350	120	1.2 7.4 3.6 4.2 4.8	11.3	3-105 3-143 3-141 3-130 3-143	658 14.01 210.01	99.9 99.1 98.9 94.2	15	346 3.18 2.76 2.63 2.68	
Developeme Sample Field	A ACCOUNT OF THE PARTY OF THE P	ent If any	v ambigui	ty could ex	ist, be su	re to indi	cate the f				
			ot with th hain of C	e approprio ustody!	ue sujjix	in the sai	mpie ID	on both th	ie sampto	Zoniie iab	et ana on
Field Decont Waste Conta Additional C	iner ID	n? (Y)	es /No 3-1-4	If Yes,	with wha	ts DZ	llan	end c	inge (bed if	
ield Personn	el /	Alex Clar	ke		Denr	nis Ryder			Sign	uture	9



EA Comm. roject ocation lient	L P	&W Eas	WEH 2012 t Hartford	2 Willow B I, East Hart ast Hartford	ford, CT		125	58981	of.	Date	10 of 1 3 75/17 le Time 11
Monitoring	Well Nu	mber 🕠	JT-M	N-50	Samp	le Numbe	er(s) 1255	898	\73	255901	125590
Depth of We Depth to Wa Height of Co Well Casing Protector Ground to R Comments	ell ster olumn Diameter Road Reference	3.27 3.41 1.81 Box/St	ickup	Reference PID/FID R Interface Materia	Reading	Yes No) If ye	General Casing Collar Cover	Condition g Secure Intact Locked (describe	on OK	hter / Heavie
ovolon mon	t Informa	tion						Omer	(deserio	.,	
Paramete		Pump Setting	Purge Rate (mL/min)	Cum. Liters Purged (L)	Temp (C)	Spec. Cond. (uS/cm)	pH (SU)	ORP (Eh)	DO (mg/L)	Turbidity (NTU)	Comment
1005 1015 1025 1035 1035 1055 1105 1110 1115	341 346 346 346 346 346 346 346 346 346	350	120 120 120 120 120 120 120 120	07.2 2.4 3.4 8 6.7 7.8 4 9	100 100 100 100 100 100 100 100 100 100	3615 3665 3865 4019 4036 4035 4035	659	143.17 145.87 163.7 163.7 168.2 148.2 148.6	1.97 .82 .2% 2.79 2.44 2.73 2.69 2.16		
Developeme Sample Field Field Decont Waste Conta	d Treatme tamination tiner ID	nt If any aliqu the C	v ambigui ot with the hain of C	ty could ex e approprioustody!	ist, be sui ate suffix	re to indi	cate the f mple ID o	on both ti			
ield Personn		lex Clar	7.00		Denr	nis Ryder	-		Sign	nature	



Nate Emmons

LEA Comm. I Project Location Client	Ų F	&W Eas	WEH 2012 t Hartford	2 Willow B I, East Hart ast Hartford	ford, CT						11 of 13 3 73/12 le Time 13.50
Monitoring	Well Nu	mber 🗸	JT-MU	U.58	Samp	le Numbe	er(s) 1255	899	1255	3995)
Initial Field I Depth of Wel Depth to Wat Height of Col Well Casing I Protector < Ground to R Comments	er Ulumn Diameter	2.23 5.51 Box/St	()	Reference PID/FID R Interface Materia	Used Reading	Yes / No		Collar Cover	The section	on OK	hter / Heavier Bad
Development Parameter		Pump Setting		Cum. Liters Purged (L)	Temp (C)	Spec. Cond. (uS/cm)	pH (SU)	ORP (Eh)	DO (mg/L)	Turbidity (NTU)	Comment
1355	12.23 12.26 2.28 12.31 12.32 12.32 12.32 12.32 12.32	350 350 350 350 350 350 350 350	170 170 170 170 170 170 170 170 170	1.2 2.4 3.6 7.8 7.8 7.8 7.8 9.7	11.9 11.9 12.0 12.2 12.3 12.1 12.4 12.3	1543	1.01 (6.49 (6.28 (6.23 (6.23 (6.23 (6.23	\$1.3 (66.9) \$1.5 (89.3) \$89.1 \$9.1 \$9.6	1.39	69.4 51.6 73.8 12.6 12.6 15.16 7.83 7.81 7.93	>
Developemen								/		Ts - I s	
Sample Field Field Deconta Waste Contai Additional Co	aminatio	aliqu the C n? Y	ot with the hain of C es / No	e approprio ustody!		in the sa				plied to each	
Field Personne	al /	Alex Clar	ke		Denr	nis Ryder			Sign	ature	XX



LEA Comm. Project Location Client	I	&W Eas	WEH 201: st Hartford	2 Willow B I, East Hart ast Hartford	ford, CT					Date	12 of 13 2 3/27/12 le Time 15:1
Monitoring	Well Nu	mber U	JT-MI	N-59	Samp	le Numbe	er(s) 1255	900		25590	200
Initial Field I Depth of Wei Depth to Wat Height of Con Well Casing Protector Ground to R Comments	ter Ilumn (Diameter	2 L Q 2 C Q 2 C Q 5 T S Box/St		Reference PID/FID R Interface Materia	leading	Yes No	FAC If ye	s, Depth General Casing Collar Cover	Conditions Secure Intact Locked (describe	on OK	hter / Heavier Bad
Development	Informa	ation									
Parameter	Depth to Water	Pump Setting	Purge Rate (mL/min)	Cum. Liters Purged (L)	Temp (C)	Spec. Cond. (uS/cm)	pH (SU)	ORP (Eh)	DO (mg/L)	Turbidity (NTU)	Comment
MIS	12.68	350	110	0 -	_	- 51	and p	way	ne		->
1425	15:35	350	110	1.1	13.4	1304	6.33	97.4	BI	103	
1435	12.72	350	110	2.2	13.0	1301,	6.34	97.0	55	365	
1443	17.77	350	(10	3.3	13.5	13094	634	96.9	- 33	18.6	
1455	12 22	350	110	4.4	13.6	13021	6.55	22 7	75	5.43	
1305	12.72		110	35	13.6	13019	1-36	83.4	25	4.96	
1510	1272	350	110	6-1	13.5		6.38	83.1	-24	5.31	
						/^/					
							/				
							-			-	
						1 1	/				
						1	/				
						1					
				- ·		10					
Developemer Sample Field		nt If any aliqu	ambigui	ty could ext e approprie	ist, be sui	re to indi	cate the f				
Field Deconta Waste Contai			es/No	- Carrier III - Carrier III	with wha	ts D2	Elv	Ha	oli	sipe of	ind:
Additional C	omment	s									
ield Personne		Alex Clar			Denr	is Ryder			Sign	nature	J_



LEA Comm. Project Location Client	Į P	&W Eas	WEH 2012 st Hartford	2 Willow E I, East Hart ast Hartford	ford, CT					Dat	te 3/2#/12 the 3/2#/12 to 3/2#/12
Monitoring	Well Nu	mber 4	UT-M	W-44	Samp	le Numbe	er(s) 1255	891		12558	914
Depth of Wel Depth to Wat Height of Col Well Casing I Protector Ground to Re Comments	l er lumn Diameter Road	13. 78 10. 74 03. 64 Box / St	5"	Reference PID/FID F Interface Materia		Yes (N)	of k	Casing Collar Cover	Condition Secure Intact Locked (describe	on Ok	The state of the s
Development	Informa	ation			, '						
Parameter	Depth to Water	Pump Setting	Purge Rate (mL/min)	Cum. Liters Purged (L)	Temp (C)	Spec Cond. (uS/cm)		ORP (Eh)	DO (mg/L)	Turbidity (NTU)	Comment
1.13:00	10.74	300	150				0	_			Instal
13:10	-	300	150	1.5	11.7	The state of the s	7.06	78.3	4.63	18:4	1
13:15	-	300	150	2.25	11.6	198.1		77.1	2.68	11.7	
18:20		300	150	3.0	11.4	195.8		77.1	2.59	7,58	
13:25	-	300	150	4.50	11.4	195.6		76.8	2.51	5,96	P
13:35		300	150	5.25	11,5		6.95				
13:40		300	150	6.0	11.4		6.95		2.50		4
13:45	1	300	150	6.75	11,4	1941		75,0			SAMPLE
	_										
					-A						
					09-						
											\
	W 18 19 19 19 19 19 19 19 19 19 19 19 19 19										
Developemen Sample Field		nt If any aliqu	v ambigui	ty could ext e approprie	ist, be sui	re to indic	cate the f				
Field Deconta Waste Contai		n? Y	3344		with wha	t? <i>D</i>	IWE	TER,	Metho	d Wipe	for WLI
Additional Co	omment	S	•								
ield Personne		lex Clar	ke		Denr	is Ryder	>		Sign	ature	_

United Technologies/Pratt & Whitney 2012 Post-Remediation Maintenance and Monitoring Program ETAL

Weather Conditions: Sumuluanal	Inspector:
Inspection Date: 3-22-2082	Reviewed By:
Inspection Time: 11000	

INSPECTION POINT	DESCRIPTION	GOOD	FAIR	POOR
1) Signs of erosion over engineered control	Check for gullies.			
2) Signs of settling over engineered control	Look for ponding and for settling of pavement of more than 0.5 inches over a 5 square foot area.			
3) Signs of ponding over engineered control	Look for areas of more than 5 square feet of standing water.			
4) Signs of pavement damage over engineered control and pavement used to render soil inaccessible	Look for areas of spider cracking, spalling and loss of binder.	/		
5) Permanent Survey Markers	Look for damaged or missing markers.	/		
6) Monitoring well network	Check concrete collar protective casing, locks, legible well identification.	/		
	1.Condition of lock	-		
	2.Visible ID of wells	~		
	3.Ponding or infiltration of surface water	V		
	4.Condition of concrete collar			The same
	5.Condition of steel casing	1/		

Report all deficiencies to the designated representative of United Technologies Corporation/Pratt & Whitney List all deficiencies, the corrective measures taken, and the date corrective measures were completed:

1	

United Technologies/Pratt & Whitney Post Remediation Maintenance and Monitoring Program Willow Brook and Willow Brook Pond

INSPECTION POINT	DESCRIPTION	GOOD	FAIR	POOR
Signs of erosion	Check for gullies of more than 2 inches in depth.			
2) Signs of settling	Look for ponding and for settling of soil of more than 3 inches over a 5 sq. foot area.			
3) Loss of vegetative cover	Check for loss of vegetation cover in any area greater than 5 square feet.	W		
4) Undesirable growth	Check for growth that is in excess of ½ inch in diameter (woody vegetation) and taller than 2 feet.			
5) Signs of ponding and run on	Look for areas of more than 5 square feet of standing water or areas where surface water is running onto cap.			- Continue web
6) Condition of fencing and gates	Check perimeter fence to make sure it is not damaged (no holes greater than 4-inches in diameter), gates are operable, and locks are in place.			
7) Condition of rip-rap in Willow Brook stream channel	Observe entire length of stream channel. Verify that rip-rap has not been displaced.			
8) Condition of stone layer in Willow Brook	Perform probing of bottom of Willow Brook Ponds at 5 locations in upper pond and 15 locations within lower pond. Verify refusal on stone layer at all locations.	/		
9) Burrowing animals	Verify no holes larger than 2 inches in diameter in cap.		7	
10) Monitoring well network	Check concrete collar protective casing, locks, legible well identification.			
	1.Condition of lock			
	2.Visible ID of wells			
	3.Ponding or infiltration of surface water		V	
	4.Condition of concrete collar			-
A TOTAL CONTRACTOR OF THE PARTY	5.Condition of steel casing			
	esignated representative of Pratt & Whitney we measures taken, and the date corrective measures were	completed	:	
Corrective Action:				
2)		·		W. Weronne
Corrective Action:				
3)				
Corrective Action:		will well a second		
4)				
Corrective Action:				



CHAIN OF CUST DY

Accutest Laboratories of New England 495 Technology Center West, Building One TEL. 508-481-6200 FAX: 508-481-7753

PAGE	1	2_
	-	

FED-EX Tracking #

Bottle Order Control # www.accutest.com Project Information Client / Reporting Information Requested Analysis (see TEST CODE sheet) Matrix Codes Company Name Project Name DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water Billing Information (If different from Report to) SO - Soil SL- Sludge SED-Sediment 01-08 LIO - Other Liquid AIR - Air SOL - Other Solid WP - Wipe FB-Field Blank EB- Equipment Blan Attention: RB- Rinse Blank wes TB-Trip Blank Sample # Field ID / Point of Collection MEOH/DI Viai # # of bottle LAB USE ONLY Time by Matrix 6 We SUL BU itel Data Deliverable Information Comments / Special Instructions Turnaround Time (Business days) Approved By (Accutest PM): / Date: Commercial "A" (Level 1) NYASP Category A Std. 10 Business Days Commercial "B" (Level 2) NYASP Category B Std. 5 Business Days (By Contract only) FULLT1 (Level 3+4) State Forms 5 Day RUSH CT RCP EDD Format 3 Day EMERGENCY MA MCP Other 2 Day EMERGENCY Commercial "A" = Results Only 1 Day EMERGENCY Commercial "B" = Results + QC Summary Emergency & Rush T/A gata available VIA Lablink Sample Custody must be documented below each time samples change possession, including courier delivery. Relinquished by Sampler. Date Time: Received By: Relinquished By: Date Time: Received By: 3-27-12 Relinquished by Sampler: Received By: Relinquished By: Date Time: Date Time: Received By: 3 ☐ Intact Custody Seal # Relinguished by: Date Time: Received By: Preserved where applicable On Ice Cooler Temp. □ Not intact



Accutest Laboratories Chain of Custody Instructions

Client/ Reporting Information

Enter the company name, address, phone number, and person designated to receive the analytical report. Sampler's full name(s) and phone number needs to be entered in case the laboratory discovers a sampling anomaly and needs to make a call. The name(s) will correspond with sampler's initials listed in the collection section under sampled by.

Project Information and Billing Information

Fill in all of the requested information that is available. This information is critical to matching up specific project and billing information in our LIMS to the job listed on the chain. The state of origin must be filled in to ensure that our reporting format meets the requirements of that specific state and to ensure that we have certifications for that state.

Field ID/ Point of Collection and Collection information

CLEARLY, write in the sample ID, dates, times and samplers initials. All information must be legible. Use one line per sample point unless the sample was taken at multiple times for different tests. In such a case use a separate line for the bottles taken at different times. Enter the date, and time of each sample. Please note AM and PM or use Military time. Check this information and the Field IDs against the information recorded on the bottles. Make sure all information matches exactly.

Matrix, # of Bottles, Number of preserved bottles

Standard abbreviations for matrix codes are listed on the right side of the chain. DW- Drinking Water, GW-Ground Water, WW- Water or Wastewater, SW- Surface Water, SO- Soil, SL- Sludge, SED-Sediment, Ol- Oil, LIQ- Other Liquid, SOL- Other Solid, WP- Wipe, AIR- Air. FB- Field Blank, RB- Rinse Blank, EB- Equipment Blank, TB- Trip Blank. Enter the matrix code in the matrix column. Enter the total number of bottles for the sample in the designated column and list the number of bottles of each preservative type in the designated column. One field under preservation has been left blank and can be filled in if an unlisted preservative was used.

Requested analysis

The last page of the chain of custody form contains a list of the most common tests performed. If the analysis you require is listed here, please use the Accutest TEST CODE and write it in the columns labeled under "Requested Analysis". If the analysis you require cannot be found on the list, please state the analysis as clearly as possible in the columns by providing the analytical method and reporting list where applicable. Put an X in the box correlating with each test needed for the samples listed on the chain. If an analysis is on HOLD do not put an X in the column for that test, use an H and Footnote in the comments section H= HOLD. It is your responsibility to contact the lab to activate any contingent samples placed on HOLD pending review of the data for the first tier analysis. Samples placed on HOLD will only be held for 30 days after report completion. Please indicate this on the chain of custody any state specific limits that need to be met.

Accutest Quote Number and Bottle Order Control Number

If the quote number is known, please write the quote number in this field. The bottle order control number is listed on the bottle order form, which was delivered with the coolers. Please write in the number from this form in this field, if applicable.

Accutest Sample #, Accutest Job Number, and LAB USE ONLY Fields

Do not write in these fields.

Turnaround Time (business days)

Put an X in the box next to the desired turnaround time. Turnaround time is calculated using business days, M-F. For multiple turnaround times, clearly designate the turnaround for specific samples and tests. Use the comment section or list a special turnaround time next to the test in the requested analysis section if necessary. If the turnaround time is not listed, the samples will be run at standard turnaround time.

Data Deliverable Information

Put an X next to the hardcopy report package type that is required. COMMA (Results only), COMMB (Results and QC summaries), MA MCP (Results, QC Summaries, State Cert Form), CT RCP (Results, QC Summaries, State Cert Form), FULLT1 (Results, QC Summaries, and all raw data), NYASPA (Results only), NYASPB (Results, QC Summaries, and all raw data), CLP (Results, QC Summaries, and raw data according to CLP statement of work). Deliverables must be selected for all jobs. Failure to designate deliverable type could result in incorrect log in, analysis, and reporting of the final data package.

Sample Custody Transfer

All sample transfers must be signed and dated by the person relinquishing the samples and the person receiving the samples. Missing signatures and custody information could invalidate all work done on the job. Fill in the custody seal number in the section designated at the bottom of the chain.

Comments

If there are any special instructions, write them in this field. If the metals samples are to be lab filtered, document this in the comment section. Metals samples submitted for lab filtration must be unpreserved.

General

If there is more than a one page chain of custody, write in the upper left-hand corner, 1 of 2, 2 of 2 etc. for the pages submitted. This is to indicate to Accutest that the samples are all to be put on one job upon assignment of our job and sample numbers.

The chain of custody is a legal document, use only black or blue ink and do not use whiteout or correction tape. To correct an error, either rewrite the document; or draw a single line through the incorrect information, and write in the corrected information. Date and initial all strikeouts.

If any problems or questions arise in the field, please call the laboratory at (508) 481-6200 and ask for your project manager



CHAIN OF CUST DY

PAGE 7 2

Accutest Laboratories of New England 495 Technology Center West, Building One TEL. 508-481-6200 FAX: 508-481-7753 www.accutest.com

FED-EX Tracking #	Bottle Order Control #
Accutest Quote #	Accutest Job #

- 12	Client / Reporting Information	1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	12 S S - 1 M	Proj	ect Inf	ormati	on			Sinti		#	1 12	Rec	ueste	d Anal	ysis (s	ee T	ESTC	ODE	sheet)	18 - I	Matrix Codes
	ny Name		us Para	Pile	JE	40	500	~	2	Ta.	7	-				1							DW - Drinking Water GW - Ground Water
City Project Sample Sample	State State Contact E-ma Fax		лСг). п230	CT	Com	pany Nam	formatio		State	nt from	Repo		4x Colonia		2,0087	Dr. W. Leker C.			eff.				WW - Water SW - Surface Water SO - Soil SL - Sludge SED-Sediment OI - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe FB-Field Blank EB- Equipment Blank
_	The blue	Test	redu	Collection			1		Numbe	r of prese	ved Bo	Hips	-	1	1	200							RB- Rinse Blank TB-Trip Blank
Acquitest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Date	Time	Sample:	Matrix	# of bettle		NaOH HNO3	H2SO4 NONE	DI Water MEOH	ENCORE	T Posturate	E	2	Cle La							LAB USE ONLY
	1255900		8-27-12	1510	D	Gw	6	2		4			X	X	X			3					
	125590004		3-27-12	1510	(1)	Cw			1							X							
	1255901		3-27-12	1120	2	Gw	6	2		4		Ш	X	X	×							-	
	125590167		3-27-12	1120	60	Gu	L		1							X							
	1755902		3.27-12	0900	10	GW	-	1	\perp				X										
					1	1	_	\sqcup		-	1	\square	-	_									
					/ \	1		1			+	H	-	_								-	
						1	1	₩	+	+	+	\vdash	-				-						
_						/	/	₩	+	+	+	\vdash	+	-									
					~	1	-	₩	+	+	+	+	+	-	-		-	-				-	
_					-	/	-	+	+	+	+	+	+	-			+					+	
10000							Data	a Deliv	verabi	e Inforr	nation	1		-			Co	mme	ents / S	Specia	al Instr	uctions	
	Ternaround Time (Business da Std. 10 Business Days Std. 5 Business Days (By Contract 5 Day RUSH 3 Day EMERGENCY 2 Day EMERGENCY		cutest PM); / Date:			Commer		Level 2	2)		NYAS State	SP Cate Forms Forma											-
Em	Day EMERGENCY 1 Day EMERGENCY Brigency & Rush T/A data available VIA Lat	olink		1	1	7	Commer			All a least things	Summ	nary											
3	equished by Sampler:	Sa	mple Custody m	ust be docum	nented t	oelow ea	ch time s	-	es cha		ssess	ilon, ir	ncludin	g couri	er deli	Date Tin	102		2	4.0	1.07		20 5 15 5 5 5 6 6
1	iquished by sampler:	B 27 17 / 550	1 B	11./				2	quished	ву:						Date 1in	100		Receive 2	а ву.			
Relia 3	equished by Sampler:	Date Time:	Received By:		1			Reline	quished	Ву:						Date Tin	100	- 1	Receive	d By:			
_	equished by;	Date Time:	Received By:					-	ody Sea	#			Intact	set.	Presen	red whore	applicab	_	-		On Ice	C	Cooler Temp.



DAILY FIELD REPORT

LEA Comm. No. Project Location Client	P&W East Har Pratt & Whitne	2012 Willow Brook GV tford, East Hartford, CT ey East Hartford-LL	٢		Page 1 of 10 Date 9/6/12
Arrived at Site Site Activities Soil Sampling Groundwater Sar Surface Water Sar Vapor/Air Sampling Concrete Sampling Other Sampling Other Sampling Well Developme Non-productive Time None Equipment Breal Late Quality Assurance Che	mpling ampling ling ng	Geoprobe Work Concrete Coring Construction Waste Management Inspection Site Walk Over Surveying Other (Describe) Weather Missing Equipment Other (Describe)	6:2	Odometer (Start) Odometer (Start) Odometer (Start) Current Project Information Last Sample Number Used Last Location ID Used Current Location (if not complete) Sampling for Laboratories used Paperwork & Equipment left at/in Site Contact Contractors on Site Time and place to meet contractors Residuals Disposition	See chain Accutest OFFICE Paul I
Yes N/A No X Sam Sam All Cha All X Site X Site	aple labels complete aple/cooler seals OK samples obtained ins of custody forms/logs complete condition OK H&S Plan on site ruments calibrated	Weather Conditions Temperature Comments	rca s	Item Approx. Amount Soil/Solid	Container ID 2609 1 0-3
Expendable Items Use			Fou	ipment Used	INVE 11 1
Qty Item		LEA Number	Qty		LEA Number
Bailer, Disposable Decontamination S Drum, Closed Top Filter, In Line Miscellaneous Hea Tubing, 1/2", NOS Tubing, 3/8", NOS Water, Distilled	Supplies 55 Gallon alth & Safety Items	090 081 086 024 060 007 008 025		Generator 3500 Watt Meter, Conductivity Meter, pH/Temp Miscellaneous Small Tools & Equipment Pump, Grundfos Pump, Peristaltic (spec. Master or Isco) Pump, Submersible Pump, Watera Thermo-Anemometer Turbidimeter VOC Analyzer, Photovac 2020 (PID) Water Level Indicator Water Quality Meter w/Flow Cell	153 022 021 152 073 040 201 038 248 023 012 028 070
Field Personnel	Jeremy Marcar	ntonio	Jer	Signature	Garage



DAILY FIELD REPORT

Supplemental Sheet

Project	88UT230.001 UTC P&WEH 2012 Willow	Proof CWM	Page 2 of 10
Location	P&W East Hartford, East Ha		Date 9/6/12
Client	Pratt & Whitney East Hartfo		
Description of Sit	te Activities		
06:50	Arrive at yard	to load equipment.	Discuss and
0 - 115	solve issues reg	arding equipment requ	about water levels
07:45	Leave yord To	Eth office to pich	t-up bottles and
	that were token	9/5/12 hy (1/50	it was sloternings
	by Too that the	information was suf	Ficient - NO
	water levels are	Accessary today.	
8:18	left office hea	d to site	+
8:20 -	Allined Consite	setup applan Jot	day . Calibrate Guipm
	Cara Cara Cul-	e oll one to	disput water levels it was determined ficient. To the No day . Calibrate Lauran d not be found yesterday
14:20 5	pake to Joe T.	about WT-mw-	Joe taid sample
H	as less then 6 in	iches of water.	Joe taile sample
(11-mul-19 L		
15:50	ampring of days	wells complet	e degrap
16:30	A ALBUP		
000	110110		
		100 (100) 100 (100) 100 (100) 100 (100) 100 (100)	
92.			
			×
Field Personnel	Jeremy Marcantonio	(Teremy ()	Signature /
	Sam R		- fing My



FIELD SAMPLING RECORD

MISCELLANEOUS SAMPLES

Project	No. 88UT230.00 UTC P&WE		Villow Br	rook GW	M		Page 3 of 10 Date 9 /6 /12
Location Client	P&W East H Pratt & Whit	lartford, I	East Hartf	ord, CT			
Sample ID	Location ID	Time	Sample Type	promote the second	PID/FID Reading	Comments	Waste Cont. ID
1264991UF	Ouplicate Trip Blank Equipment Blank	10:46	Dup	NA	MA	N/A	-
1264990	Trip Blank	10:51	BKT	MA	N/A	NA	
1264889	Equipment 1841	K15:30	BKE	NA	NA	NA	
	0						
	\						
	1	_					4 1- 1- 1-
			***			** ** **	
				0 (
				J			
_		-	1				
_			1	- /	1		
- N- N- N-					X		
-	- 10 - 1-				- act		
View View				-		-	
30 3 33 S		-					
						/	
		242					
Field Personne				O	oreny C	Signatur	· an
	Sam R			-	NA		, an



DAILY FIELD REPORT CALIBRATION RECORD

LEA Comm. No. Project Location Client	88UT230.001 UTC P&WEH 2012 Willow Br P&W East Hartford, East Hartf Pratt & Whitney East Hartford-	ord, CT	×				Page 4 of 10 Date 9 /6 / / C
pH Meter/Serial #							
Initial Calibration Calibration Check Calibration Check	10E 21034 8:50	pH 4.01 - 4.00 - 4.00	pH 7.00 7.00	pH 10.01 _/O.00 _/O.00	Spec. Cond. / 0 0 0	ORP	100% 100%
Turbidity Meter/Seri	al#						
Initial Calibration Calibration Check Calibration Check	6211 0 31	0 NTU 0. 27 0. 29	20 NTU 21.1 20.4	100 NTU 101 100	800 NTU 799 804		
PID Meter/Serial #		1					
Initial Calibration Calibration Check Calibration Check		Standard	Meter Reading	Zero with			
Balance/Serial #							
Initial Calibration Calibration Check Calibration Check	Time	Standard	Balance				
Comments							
Field Personnel	Jeremy Marcantonio	OC NIA				Signature	761



LEA Comm. I Project	τ		WEH 2012	2 Willow B		/M				Date	e 9/(of 10
Location Client				l, East Hart ast Hartford						Samp	le Time	10:46
Monitoring	Well Nu	mber _{	WT-M	W-50	Sampl	le Numbe	er(s) 1264	1979 1991		1264979		
Initial Field I Depth of Wel Depth to Wat Height of Col Well Casing	er 3	.03		Reference PID/FID F Interface	Standard State of the standard	Yes/N	If ye	s, Depth			ghter / I	leavier
Protector Ground to R	Road	Box St	ickup	N		4		Casing Collar	Secure Intact	×		
Comments				A					Locked (describe	() N	P	
Development	Informa	ation				1200					1	-
Parameter		Pump Setting	Purge Rate (mL/min)	Cum. Liters Purged (L)	Temp (C)	Spec. Cond. (uS/cm)	pH (SU)	ORP (Eh)	DO (mg/L)	Turbidity (NTU)	Comr	nent
10:00	3.34	B	eggn	Purc	ing .	a+	150	-	nin		NI	A
	3.38	350	120	1.5	55.10	4997	7.37	-158.5	6.72	169	1	
05:01	85 %	320	150	3.0	51.66	5191	7.35	-120.7	3.17	11.0		
10:30	3.38	350	120	5.25	21.67	5197	7. 龙	-118.4	3.17			-
10:35	3.38	320	120	2.52	21.69		7.36	-116.8	1	7.01	-	-
10:40	3.38	320	021	6.0	21.74	5217	7.36	5.211-		5.07		
10:45	3.38	112 2	table	6.75	t 50		7. 36	-115.4	3.04	4.71	+	-
				1	V	-/	,					
			-	M		The						
-		-			-							
				1077AU 1017								
								1			-	
J										J	-4	/
Developement Sample Field		nt If any	ambigui	ty could extended experience to the could be appropried to the could be app	ist, be sur	e to indi	cate the f					
Field Deconta Waste Contai		n? Ye	No No	If Yes,						ethano		
Additional Co	omment	s Sam,	pled fo	or. vocs	Chroma	2						and
Field Personne	el J	eremy M	arcantoni	0	JF 1	Je)	14410	Sign	64991 U	1	



88UT230.001

LEA Comm. No.

FIELD SAMPLING RECORD LOW FLOW WELL SAMPLE

Page 6 of /0

Depth of We Depth to Wa Height of Co Well Casing Protector Ground to F Comments	ter /2 lumn 5	7.89 .31 5.58 Box/St		Reference PID/FID R Interface Materia	teading [Yes (No		Casing Collar Cover	Conditions g Secure Intact Locked (describe	on OK	ghter / Heav Bad
Paramete		Pump Setting	Purge Rate (mL/min)	Cum. Liters Purged (L)	Temp (C)	Spec. Cond.	pH (SU)	ORP (Eh)	DO (mg/L)	Turbidity (NTU)	Comment
Times 1	12.31	350	100	0	-	(uS/cm) Stel	+ P	2591	20		
1410	17	350	(00)	1.0	20,9	576	710	32,8	000	72.3	Y=40
1420	1100	350	100	7.0	21,0	5724	7,05	-20,9	0,10	43.6	
1430	A STATE OF THE STA	350	100	3,0	21,0	5739	7,06	-42,0	0,09	27.9	
1440	17	350		4.0	2019	5757		-56.3	0,08	18,6	
1950	13	320	100	5.0	4.1	5760			0,06		-
1455	1	350		5.5	21,2	5757		12.3		9.4	
1505	12.69	350	100	6.0	21.3	5758 5759		-64.1	0.09	7,2	Sempling
	-		-			-	- 10000			-	
						0					
					>						TO SEE STATE OF THE SECOND SEC
		-	-		1						
											-
	-							1			
	441	-									
Developeme	nt Math	Pariet	altic Dues	A Pailer /	Inertial D	umn / Ot	hor		-	1-24-22-1	
Sample Field	***	ent If any aliqu the C	ambigui	ty could ext e approprie ustody!	ist, be sur ute suffix	e to indic in the sar	cate the f nple ID c	on both th	ne sample	e bottle lab	3333



FIELD SAMPLING RECORD LOW FLOW WELL SAMPLE

LEA Comm. No. 88UT230.001 Page 7 of 10 Project UTC P&WEH 2012 Willow Brook GWM Date 9 16 1/2 Sample Time / 2:35 Location P&W East Hartford, East Hartford, CT Pratt & Whitney East Hartford-LL Client 12649 77US Monitoring Well Number 1-T- MW-59 Sample Number(s) 1264977 Initial Field Data and Measurements Depth of Well Reference Used Depth to Water PID/FID Reading Height of Column 4.97 Interface Yes / No If yes, Depth Lighter / Heavier Material Well Casing Diameter Z General Condition OK Bad Protector Road Box / Stickup Casing Secure Ground to Reference Collar Intact Cover Locked Comments Other (describe) **Development Information** Parameter Spec. Depth to Pump Purge Rate Cum. Liters DO Turbidity Cond. pH (SU) ORP (Eh) Comment (NTU) Water Setting (mL/min) Purged (L) (mg/L) (uS/cm) Time 100 0 1140 65.1 20.5 100 1,0 20 12,83 350 100 210 172,0 6.70 0,45 1200 100 28.0 12,88 3,0 1210 350 152,7 1220 4.0 12,14 100 50 0.13 8.38 12.99 100 350 4,5 0.21 1225 13.04 100 5,0 20 7 350 1230 13,07 100 1235 350 Developement Method (Peristaltic Pump / Bailer / Inertial Pump / Other Sample Field Treatment If any ambiguity could exist, be sure to indicate the field treatment applied to each sample aliquot with the appropriate suffix in the sample ID on both the sample bottle label and on the Chain of Custody! Field Decontamination? Yes/No If Yes, with what? DI, liquinox, Methanol, Diffic Waste Container ID 826091 **Additional Comments** San Rooney Signature Field Personnel Jeremy Marcantonio



EA Comm. Project		SUT230		2 Willow B	rook GU	7N/	STAN				8 of 1
ocation				i, East Hart		IVI					ole Time(o
lient				st Hartford						Samp	ne rime
Monitoring			-			e Numbe	er(s) 1264	976		26497	26uf
Depth of Well Depth to Wate Height of Col Well Casing I Protector Ground to Recomments	er (c) umn_3 Diameter	Box / St		Reference PID/FID F Interface Materia	Reading	To K Yes (No	n_	Casing Collar Cover	Conditions Secure Intact Locked (describe	on OK	ghter / Heavi Bad
evelopment	Informa	ation									
Parameter Time	Depth to Water	Pump Setting		Cum. Liters Purged (L)	Temp (C)	Spec. Cond. (uS/cm)	pH (SU)	ORP (Eh)	DO (mg/L)	Turbidity (NTU)	Comment
150	10,69	350	100	0		Stal		190	ng		
1000	-	350	100	40	The second section of the second seco		6.63		MA	58.4	
10/0	1-	350	100	200	15.8		6.15	28611	0.83	29,2	
1020	-	350	100	3,0	16.0	244.5					
1025	1	350	100	3.5	15.8	24718	6.05	787.9	0,80		
10 30	14 00	350	100	4.6	15.7	243.0	605	292,3	0.76	the second section of the second section is the second section of the second section of the second section of the section of the second section of the section of the second section of the sectio	E -1
1035	10,83	350	100	4,5	15.8	244,9	5.11	-14,7	0.77	7.1_	Samplin
	_										
		-	-						/_		
	-										
			-					-		-	
-			-		CI	(-	
			-		2	1	-				
						-	-				
							-				
		-					10		-	-	
Developemen	t Metho	d Periet	altic Dum	n / Bailer /	Inertial P	umn / Ot	her	L	-	l	
Sample Field	Treatme	ent If an alique the C	y ambigui ot with th Chain of C	ty could ex e appropri	ist, be sur ate suffix	e to indicin the sai	cate the f mple ID o	on both th	ie sample	bottle lab	el and on
Waste Contai	ner ID	826	091	_							
dullional C	mment	hell c	asing	take a tosmal	(MENTS)	
ield Personne	l J	eremy N	<u>farcantoni</u>	0	(5h	Lane	3		Sign	ature	



Depth of Well 25.24 Depth to Water 11.32 PID/FID Reading Ves No If yes, Depth Well Casing Diameter O. S. Material PVC General Condition Casing Secure Collar Intact Cower Locked Other (describe) Development Information Parameter Depth to Pump Water Setting (mL/min) Purged (L) Time Water Setting (mL/min) Purged (L) I 19.30 Read Pump Purge Rate Cum. Liters (mS/cm) pH (SU) ORP (Eh) DO (mg/L) I 19.30 Read Pump Purged (L) I 19.30 Read Pump Purged (L) I 19.30 Read Pump Purged (L) I 19.30 I 19.30 I 19.50	264981 <i>0</i>	P
Depth to Water 11.32 PID/FID Reading PID/FID Reading Protector Road Box Stickup Ground to Reference Comments Orivel Interface Pump Purge Rate Cum. Liters Purged (L) Pump Purge Rate (mL/min) Parameter Depth to Water Setting (mL/min) Purged (L)	Lighter	
Development Information Parameter Depth to Water Setting (mL/min) Purged (L) Temp (C) Cond. (uS/cm) PH (SU) ORP (Eh) DO (mg/L) Time (ML/min) Purged (L) Temp (C) Cond. (uS/cm) PH (SU) ORP (Eh) DO (mg/L) Temp (C) Cond. (uS/cm) PH (SU) ORP (Eh) Temp (C) ORP (Eh)	1000	/ Heavier
Parameter Depth to Water Setting (mL/min) Purged (L) Temp (C) Cond. (uS/cm) PH (SU) ORP (Eh) DO (mg/L) Temp (C) Cond. (uS/cm) Purged (L) Temp (C) Cond. (uS/cm) PH (SU) ORP (Eh) DO (mg/L) Temp (C) ORP (Eh) DO (mg/L) Temp	1 / /	1
14:40 NM 350 150 1.5 19.92 3599 7.11 -109.2 1.05 194:50 NM 350 150 3.0 18.48 3604 7.12 -115.1 0.92 2 15:05 NM 350 150 5.25 18.30 3622 7.11 -101.7 0.88 2 15:05 NM 350 150 5.25 18.41 3635 7.09 -93.1 0.87 1.15.10 NM 350 150 6.0 18.47 3639 7.09 -91.4 0.87 1.15.16 NM 350 150 6.75 18.37 3637 7.09 -90.6 0.83 1 15:16 Well is 5table collect sample.	Turbidity (NTU)	omment
15:05	- N	1/1
	0.6	
Developement Method Peristaltic Pump/Bailer / Inertial Pump / Other ample Field Treatment If any ambiguity could exist, be sure to indicate the field treatment applies	.14	
Pevelopement Method Peristaltic Pump / Bailer / Inertial Pump / Other ample Field Treatment If any ambiguity could exist, be sure to indicate the field treatment applies	.83	-
Developement Method Peristaltic Pump / Bailer / Inertial Pump / Other ample Field Treatment If any ambiguity could exist, be sure to indicate the field treatment applies	.73	1
Developement Method Peristaltic Pump / Bailer / Inertial Pump / Other Sample Field Treatment If any ambiguity could exist, be sure to indicate the field treatment applies	.59	1
sample Field Treatment If any ambiguity could exist, be sure to indicate the field treatment applie		
Sample Field Treatment If any ambiguity could exist, be sure to indicate the field treatment applie		
Sample Field Treatment If any ambiguity could exist, be sure to indicate the field treatment applie		
sample Field Treatment If any ambiguity could exist, be sure to indicate the field treatment applie		
ample Field Treatment If any ambiguity could exist, be sure to indicate the field treatment applie	11- 84 84-	
ample Field Treatment If any ambiguity could exist, be sure to indicate the field treatment applie		-
ample Field Treatment If any ambiguity could exist, be sure to indicate the field treatment applie	_ +	-
ample Field Treatment If any ambiguity could exist, be sure to indicate the field treatment applie		-
sample Field Treatment If any ambiguity could exist, be sure to indicate the field treatment applie	1	
		-
aliquot with the appropriate suffix in the sample ID on both the sample b the Chain of Custody!	oottle label ar	
Field Decontamination? (Yes) No If Yes, with what? DI/Ciguinox/ win		
additional Comments Sampled For VOCS, CT ETPH, PCRS, RCRAS	metal Cy	いいろい
field Personnel Jeremy Marcantonio Jeremy Orolan Signature	ure	



FIELD SAMPLING RECORD LOW FLOW WELL SAMPLE

Page /O of /O LEA Comm. No. 88UT230.001 Project UTC P&WEH 2012 Willow Brook GWM Date 9 /6 /12 Location P&W East Hartford, East Hartford, CT Sample Time 13:36 Client Pratt & Whitney East Hartford-LL Monitoring Well Number WI-MW'S & Sample Number(s) 1264980 70 0884951 Initial Field Data and Measurements 17.60 Depth of Well Reference Used Depth to Water 12.46 PID/FID Reading Height of Column 5.14 Interface Yes /No Lighter / Heavier If yes, Depth _ NA Well Casing Diameter 1. S Material General Condition OK Bad Protector Road Box & Stickup Casing Secure x Collar Intact Ground to Reference Nw x Comments Cover Locked Other (describe) **Development Information** Parameter Spec. Depth to Pump Purge Rate Cum. Liters DO Turbidity pH (SU) ORP (Eh) Comment Temp (C) Cond. Water Setting (mL/min) Purged (L) (mg/L) (NTU) Time (uS/cm) 02:51 00 m1 9110 6.84 25.9 12:40 12.49 320 0252 90.82 0.8 43.6 1.0 100-2426 6.82 8.95 21.6 2.49 24.21 02:51 100 0.82 0. 24.52 2433 6.79 1.04 15:22 12.49 100 1.95-15.1 13:00 12.49 13.4 350 100 3.0 24, 63 2446 5.05 0.96 13:02 100 0.87 15.49 320 36.1 9.87 4.0 -34.5 1.01 100 13:10 15.46 320 0985583.45 6.71 9.32 24.54.5401 24.43.5360 24.39.5369 24.41 23.53 -33.7 0.97 -38.1 0.98 -38.3 0.97 -38.1 0.97 13:15 9.71 1249 320 100 4.5 6.71 6.71 13:50 350 12.49 5.0 100 6.21 5.5 13:52 12.49 350 100 15:49 350 9.08 13:30 100 6.71 24372364 27.90.93 3:32 6.5 320 100 13:36 wellis 5 to 610 Developement Method Peristaltic Pump / Bailer / Inertial Pump / Other


ody!
If Yes, with what? Yes/ No DI/ Liquinox/Methano! Field Decontamination? Waste Container ID 82609 For: Voca CTETAH, ACBS. RCRASmetals CON; In **Additional Comments**

Sample Field Treatment If any ambiguity could exist, be sure to indicate the field treatment applied to each sample

Field Personnel

Jeremy Marcantonio Sam Rooney

the Chain of Custody!



aliquot with the appropriate suffix in the sample ID on both the sample bottle label and on

Signatufe



CHAIN OF CUSTODY

Accutest Laboratories of New ...gland 495 Technology Center West, Building One TEL, 508-481-6200 FAX: 508-481-7753

FED-EX Tracking #

			1.4	WW		utest.c		53.600.63	*5.97 L			Accul	DI/	201	> -7	7		Accutes	I Job #				
	Client / Reporting Information			Proje	ect Infe	ormatic	on						7	queste		1000		ESTC	ODE s	heet)			Matrix Codes
2000	use to Engineering Ass	Project Name	ow Bro	00 K G	w	m									5								DW - Drinking Water GW - Ground Water
	O Northwest Dr.				E	Billing In	formation	(If di	ifferen	from I	Report to)			40								WW - Water SW - Surface Water SO - Soil
0000000	DAN HO CT	City:			Comp	any Name									N	Q							SL- Sludge SED-Sediment
	Confect E-mail	Project#			Street	Address	(0	,			N	We t	CMO							OI - Oil LIQ - Other Liquid AIR - Air
Phone Ph	# 747 2000	Client PO#		\	City	1		Sta	ate /	(Zip	0		082	DA	MT							SOL - Other Solid WP - Wipe FB-Field Blank
	0 - 747 - 3000 Phone #	Project Manager		1	Attent	tion:	1	~	Р	O#		8260	Ta	0	CR	9						E	B- Equipment Blank RB- Rinse Blank TB-Trip Blank
	Corcora San Massey			Collection				N	Number o	f preservi	ed Bottles		1	50	N N	6							7D**TIP DIATIK
Accutest Sample t	Field ID / Point of Collection	MEOH/DI Viai #	Date	Time	Sampled by	Matrix	# of bottles	HCI	HNO3	NONE	MEOH ENCOR!	Besulfate	CT	8	105	1							LAB USE ONLY
	/264979		9/6/12	10:46	JC	6W	7	2		5		X	X	X		X							
	1264979 UF			10:45	To	1	1		0						X								
	1264991			10:46	IC		7	2		5		+	X	X		X							
	1264991UF			10:46	30		1	_	I.						X							_	
	1264990			10:51	JC		1	1				X											
	1264986			/3:36	tc		7	2		5		X	X	X		X							
	1264980 UF			13:36	F		1		1						+							_	30.0
	1264889			12:30	JC		7	2		5		1	+	×		X							
	1364889 UF			15:30	JC		1	-	1	++		-	-	-	1							_	
	1264977			15:35	SR		7	2		2		+	4	7		X						-	- 110
	126497708		1	15.16.	SR		26	2	+	H		+	×	x'	~							-	
	1631 (0.1					C	C Data	Delive	erable	Inform	ation		-			C	omme	nts /	Specia	l Instr	uction	S	
7	Turnaround Time (Business days) Std. 10 Business Days Std. 5 Business Days (By Contract only)	Approved By (Acc	utest PM); / Date:			Commerc	cial "A" (Le cial "B" (Le (Level 3+4	evel 2)			NYASP Ca NYASP Ca State Form	ategory B		F	Ple	95	e	f	TOP	id	2	C	
	5 Day RUSH 3 Day EMERGENCY					CT RCP	Variation				EDD Form			K	1	Re	200	57	1	05	- 1	100	sand
	2 Day EMERGENCY					MA MUP	Commerci	al "A" =	= Resul	-	Outel			P	r/3	35	ar	0	6	TI	2	01	Andetin
En	1 Day EMERGENCY nergency & Rush T/A data available VIA Lablink			/	7	1	Cammerci				Summary			11	st	5			-		1		7117
	Service and the service of the servi	Sar	nple Custody m	ust be docum	ented b	elow eac				-	session,	includi	ng cour	ier deli	very.								
Reli	nquished by Sampler: Date Ti	me: 1/2 1620	Received By:	M	/			Relinqu 2	uished E	ly:					Date Ti	ime:		Receive 2	ed By:				
BH	inquished by Sampter; Date Ti	me:	Received By:					Relinqu	uished E	iy:					Date T	ime:		Receive	od By:				
Rel	inquished by: Date Ti	me:	Received By:					Custod	dy Seal #			Intac		Preser	ved whe	re applic	able	1.5		On Ice	O.	Cooler 1	emp.



Client / Reporting Information

Field ID / Point of Collection

Turnaround Time (Business days)

Date Time:

Date Time:

Date Time:

Std. 5 Business Days (By Contract only)

Emergency & Rush T/A data available V/A Lablink

Std. 10 Business Days

3 Day EMERGENCY

2 Day EMERGENCY

1 Day EMERGENCY

5 Day RUSH

Relinquished by Sampler

1 santa Relinquished by Sampler:

Relinquished by:

1264981 UF

1264778 1264978UP 264776 DEUGTEUF roject Name

MEOH/DI Vial #

Approved By (Accutest PM): / Date:

Received By:

Received By:

Received By:

CHAIN OF CUSTODY

PAGE 2 252

Cooler Temp.

Accutest Laboratories of New ...gland 495 Technology Center West, Building One TEL. 508-481-6200 FAX: 508-481-7753 www.accutest.com

Project Information

Matrix

of bottles

Commercial "A" (Level 1)

Commercial "B" (Level 2)

Commercial "A" = Results Only

Relinquished By:

Relinquished By:

Custody Seal #

☐ intact

□ Not intact

Preserved where applicable

FULLT1 (Level 3+4)

CT RCP

MA MCP

REDOK GUM

Callection

Time

12012-217 Requested Analysis (see TEST CODE sheet) Matrix Codes DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water Billing Information (If different from Report to) SO - Soll SL- Sludge SED-Sediment 01-08 LIQ - Other Liquid 90 AIR - Air SOL - Other Solid WP - Wipe 0 FB-Field Blank EB- Equipment Blan RB- Rinse Blank TB-Trip Blank 1/) LAB USE ONLY Data Deliverable Information Comments / Special Instructions NYASP Category A NYASP Category B State Forms EDD Format Commercial "B" = Results + QC Summary Sample Custody must be documented below each time samples change possession, including courier delivery. Received By: Date Time: Received By:



DAILY FIELD REPORT

LEA Comm. No. Project Location	88UT230.001 UTC P&WEH 2012 Wi P&W East Hartford, Ea	st Hartford, CT		Pa D	ge of 9 ate 9/7/8
Client	Pratt & Whitney East H	The second second			1
Soil Sampling Groundwater Samp Surface Water Sam	Geopro ling Concre pling Constr	obe Work te Coring uction	13:	Odometer (Start) Current Project Information Last Sample Number Used Last Location ID Used	MA
Vapor/Air Sampling Concrete Sampling Other Sampling Other Sampling Well Development Non-productive Time	Inspect Site W Survey	alk Over		Current Location (if not complete) Sampling for Laboratories used Paperwork & Equipment left at/in Site Contact Contractors on Site	see chain Accutest Office Bul I.
None Equipment Breakdo Late	Other (er g Equipment Describe)		Time and place to meet contractors	1
Quality Assurance Check Yes N/A No	S			Residuals Disposition Item Approx. Amount Co	ontainer ID
Sample All sar Chains All for Site co		er Conditions erature 83 nents 83-8	378	Decon Fluid PPE Other	1905
Expendable Items Used			Equi	pment Used	
Qty Item		LEA Number		Item	LEA Numbe
Bailer, Disposable (sp Decontamination Sup Drum, Closed Top 55	plies	090 081 086		Generator 3500 Watt Meter, Conductivity Meter, pH/Temp	153 022 021
F7174 F F 1		060	2	Miscellaneous Small Tools & Equipment Pump, Grundfos	152
Tubing, 1/2", NOS Tubing, 3/8", NOS	& Safety Items	007	5	Pump, Peristaltic (spec. Master or Isco) Pump, Submersible	073 040 201
Miscellaneous Health Tubing, 1/2", NOS Tubing, 3/8", NOS Water, Distilled		007		The second secon	040
Miscellaneous Health Tubing, 1/2", NOS Tubing, 3/8", NOS Water, Distilled		007		Pump, Submersible Pump, Watera Thermo-Anemometer Turbidimeter	040 201 038 248 023



DAILY FIELD REPORT

Supplemental Sheet

LEA Comm. No.	88UT230.001		Page 2 of 9
Project	UTC P&WEH 2012 Willo		Date 9 17 1/2
Location	P&W East Hartford, East I		
Client	Pratt & Whitney East Hart	ford-LL	
Description of Site			
8:35 Jere	emy Corcoran an	d Alex Clarke	Onsite. Alex helping
becau	se sam is La	guing Early - S	Sam was onsite at 61Am
8:55 Beg.	led a well.	(9) Coupment	Jam was ons, te at 6 Am
9:50 Alex	1 COW FROM S	am Dumping	WI-MW-42 Well
0654	ided, Joe Tras	ti NotiFied.	Alex is going to help
i t	h hex chrome	Jelis -	ter is jury to their
10:00 Jom	offs. te		
13:47 Low	flow complete	walk ground	and Do Willow Brook
CIAC)	Lillar Danol Col	1 . a = a octida	
15:10 Inst	pection complets	- Luspection	of showed that In upper of some growth that it growth was over i'll west of withways the bank. Finally as
410	podod a si	Soul pond ha	a some growth that
	ignotes Als	a along the h	Source was the
Ther	e has been som	e washout on t	the bank. Finally 45
MEN	TIONED DE LAFT	WT-mw-42 15	abstructed.
15:11 De	no waste		7
15:45 OFFS	te whe c	waiting to	5 Senny
1			
		117	
		/0	
		A ×	*
		-//	X
			4
- 190 (12/1) - 190 (12/1)			
Pield Demonstra			
Field Personnel	Jeremy Marcantonio	99	Signgture
	71/	AC	and it



FIELD SAMPLING RECORD MISCELLANEOUS SAMPLES

LEA Comm. N Project	No. 88UT230.00 UTC P&WE		Villow Br	ook GWN	м		Page 3 of 9 Date 9 / 7 / 12
Location	P&W East H	Iartford, l	East Hartí	ord, CT	••		Dute 11 11 11
Client	Pratt & Whit	tney East			C770 - C777		
Sample ID	Location ID	Time	Sample Type	Depth (ft)	PID/FID Reading	Comments	Waste Cont. ID
1264988	Trip Blank	9:00	BICT	MH			826091
1							
				_	in the		
	1						
		\ -					
	- NEW - 15-1	/	-				
			/	N	/		
		-		1			
		-	-	Δ	7		
	-	-	- 1	T	M		
				-/		/	
		1				-/-	
		-	-				
				_		/	
	100						
1100					-		
Field Personne	l Jeremy Man	cantonio			50	Signa	tyfe /
	SR	· · · · · · · · · · · · · · · · · · ·		:	AC		y an



DAILY FIELD REPORT CALIBRATION RECORD

LEA Comm. No. Project Location Client	P&W East Ha	H 2012 Willow E artford, East Har ney East Hartford	tford, CT					te 4 of 9
pH Meter/Serial # Initial Calibration Calibration Check Calibration Check	10E5103	Time 88:35 48:35	pH 4.01 4.00 4.00	pH 7.00 7.00 2.00	pH 10.01 /0, 00 /0.00	Spec. Cond. (000	990 200 203	00\@\ _\00\\@_
Turbidity Meter/Seria Initial Calibration Calibration Check Calibration Check	3520	Time 8:40 8:40	UTN 0 55.0 85.0	20 NTU 21. 2 20. 7	UTN 001	800 NTU 798 802		
PID Meter/Serial # Initial Calibration Calibration Check		Time	Standard	Meter Reading	Zero with	3		
Calibration Check								
Balance/Serial # Initial Calibration Calibration Check Calibration Check		Time	Standard	Balance				
Comments								
Field Personnel	Jeremy Maren SR	antoni o	AC)			Signgture	h



FIELD SAMPLING RECORD

T.	OW	FI	OW	WEI	I.	SAI	MPI	I

LEA Comm.		38UT230								Page	
Project				2 Willow E							e 9/7/12
Location				i, East Har						Samp	ole Time 9 :SI
Client	I I	Pratt & W	/hitney Ea	ast Hartford	i-LL				-		
Monitoring	Well Nu	mber C	NT-W	W-48	Samp	le Numb	er(s) 1264	1984		126498	YUF
Initial Field I			rements			_	D				
Depth of We		7.58	-	Reference		To	/		1000		
Depth to War		1.87	-	PID/FID I	Reading	NW				.0	
Height of Co	lumn_ 2	.71	-	Interface		Yes (N	o) If ye	s, Depth	W/	Lig	ghter / Heavier
Well Casing	Diameter	r 7/	1.	Materia	1 P	VC		Genera	l Conditi	on OK	Bad
Protector		Box / St	ickup			-	-		g Secure	×	- T
Ground to R			m'						Intact	X	
Comments		-							Locked		10
\							\		(describe		
		7.13 • PO POL	2000	217	200	-			(7	
Development		ation					-			_	
Parameter	Depun to	Pump		Cum. Liters	Temp (C)	Spec. Cond.	all (SID	ORP (Eh)	DO	Turbidity	Comment
Time	Water	Setting	(mL/min)	Purged (L)	remp (C)	(uS/cm)	pri (30)	OKP (EII)	(mg/L)	(NTU)	Comment
8:55	Bego	ρ.	91.79	at 15	0 1					-	11/1
9:05	4.92	350	3,30	1.5	21.4	649	6.67	-118.7	0.01	8.92	10/14
9:15	4.92	350	150	3.0.	21.8	655	6.67		0.02	4.09	-
	192	925	150	4.5		625	6.67	-125.4		3.95	-
9:25	4.92	320	021	6.0		652	6.71	-172.8	0.07	3.72	
9:40	4.92	628	150	8.75	55.8	654	6.70	-122.4		3.47	
9:95	4.92	350	150	7.50	8.55	623	6.70	7.551-		3.21	
9:50	4.92	320	150	8.25	25.5	653	6.70	100.7	0.15	3.04	-
72:9				0.63			0.70	122.9	0.73	3.01	
	wer	216	6/6	ollect	Sami	216		-			7.91
	_		-		1001		-				
					A	1	1	-	-	-	
100					1		1/2	-	-	-	
-					1		14	-			
					V	-/		_	-	-	
THE STREET	-	1000000			- 1	-/-			_		
						-				_	
-					-						
R-10 (-			-	-					-	
Developemen	nt Metho	d (Perist	altic Pum	Bailer /	Inertial P	ump / O	ther		d	1	
				J			-	Gald tuna	turant an	aliad to age	ah aammla
Sample Field	rreaune	The state of the s	the second secon	iy couia ex e approprii			Annual Control of the		A CONTRACTOR OF THE PARTY OF TH		Control of the Contro
			hain of C		ne sujja	in the su	mpie ID	on both ti	ne sumpi	e vome m	ei ana on
Elald Dannet		-				.0			. 7.	- LI	
Field Decont Waste Contain		8260	SYNO	If Yes,	with wha	· - Z	EIL	guano)	-/-/	nethan	0.1
Additional C	omment	s Sqm	pled	tor V	ocs, c	TETP	4, PC	Bs. A	RCRA	8 metal	+ Cyni, En
										_	
Field Personne	el J	eremy W	arcantoni	0		AC	-		Sign	igtgre /	
		SR			- 6.	TO			-	con a	



FIELD SAMPLING RECORD

LOW FLOW WELL SAMPLE

EA Comm. Project	τ		WEH 2012	2 Willow B			-			Dat	e 6 of 9 e 9 / 7 / 12 ole Time / 1 :41
Client				st Hartford							
Monitoring	Well Nu	mber (JT-ML	J-47	Samp	le Numbe	er(s) 1264	1985		126498	75 UF
Initial Field I Depth of We Depth to Wa Height of Co Well Casing Protector Ground to R Comments	ter 9 lumn 9 Diameter	.36 .52 .84 .89 St	// ickup	Reference PID/FID F Interface Materia	Reading	Yes (No	n _	Collar Cover	Secure	on OK	-
Development		ation									
Parameter	Depth to Water	Pump Setting	Purge Rate (mL/min)	Cum. Liters Purged (L)	Temp (C)	Spec. Cond. (uS/cm)	pH (SU)	ORP (Eh)	DO (mg/L)	Turbidity (NTU)	Comment
10:58 11:05 11:15 11:25 11:30 11:40 11:41	NYON NYON NYON NYON NYON NYON NYON NYON	320 320 320 320 320	826828	1.5	31.6	289.3 287.4 283.6 281.3 289.3	2.22 2.32	134.9 182.7 130.8 -129.6 -129.1	1.79	11.7 8.3 2 5.04 4.77 4.43 3.87	MA
Developement Sample Field					-			field treat	ment app	plied to eac	ch sample
		aliqu		e approprie			100				
Field Decont Waste Conta	iner ID	n? (Yo	No No	If Yes,					,	en8me	etals Co, Noise
ield Personne	el J		areantori		- 6	55) AC				igture	



FIELD SAMPLING RECORD

LOW FLOW WELL SAMPLE

EA Comm. I oject ocation lient	L P	&W East	VEH 2012 t Hartford	2 Willow B I, East Hart st Hartford	ford, CT					Dat	7 of 9 e 9 /7 / 1 ole Time (3
Monitoring	Well Nu	mber U	UT-MU	1-46	Samp	le Numbe	er(s)1264	986		1264986	UF
Depth of Well Depth to Wat Height of Col Well Casing Protector Ground to R. Comments	ll /2 eer 7. lumn S Diameter Road eference	.64 36 .28 .0. Bosy Sti	5	Reference PID/FID R Interface Materia	teading	Yes (N)	1	Casing Collar Cover	Condition Secure Intact Locked (describe	on OK	ghter / Heavi
evelopment		ation				Care				Pro transfer in	
Parameter	Depth to Water	Pump Setting	Purge Rate (mL/min)	Cum. Liters Purged (L)	Temp (C)	Spec. Cond. (uS/cm)	pH (SU)	ORP (Eh)	DO (mg/L)	Turbidity (NTU)	Comment
12:35	Begg	a Pu	9.09	at 15	0 m	1/min					MA
15:45	Nm	320	12g	1.5	21.3		5.72	5.10	1.21	5.94	-
AND THE RESERVE OF THE PARTY OF	Nm.	350	120	3.0		241.1	5.70	93.1	1.17	1.93	
13:00	Nw.	320	150	3-75	21.4	2.045	5.72	5.09	12.1	1.67	
	NM	350	120	4.50	21.3	2.042	5.72	86.4	1.51	1.43	
13:10	WM	320	120	5.25	4.15	E.045		84.7	1.21	1.51	-
13:16	me	350 11 Sta	150 61e	6.00	51.3 T 5	SHO.A	-	86. 1	1.19_	1.15	+
					-	-/					
	-				_	1/	-		-		
	-					411	1	1			
	37/1					MC	1		-		
						/	10		1112		
		-			/						
	1000										V
											1
Developemen	nt Method	d Perista	iltic Pum	Bailer /	Inertial P	Pump / Or	ther _				_
Sample Field		alique the C	ot with the hain of C	e approprio ustody!	ate suffix	in the sa	mple ID	on both th	ne sampl	e bottle lab	oel and on
ield Deconta Waste Contai	ner ID	8250	9/Np		with wha					ethano/	
dditional Co	omment	Samp	wer sted f	linitial or: Voi	wate CS, C Ni, Zi	TET	rtale PH / f	CBS	and	RCRA8	metals
eld Personne	ı J	eremy M	arcantoni		- (JU)		Sign	yature/	1111



EA Comm. No roject ocation lient	L P	&W Eas	WEH 2012 st Hartford	2 Willow B I, East Hart ast Hartford	ford, CT	/M		*		Date	of of of e 9 17/1
Monitoring '	Well Nu	mber 🗸	T-MW	-57	Sampl	le Numbe	er(s) 1264	982	1	264987	zuf
Depth of Well Depth to Water Height of Col. Well Casing I Protector Ground to Recomments	er 17, umn 5 Diameter	8.19 57 6.62 1.5 Boxy St	ickup			Yes /No	1	General Casing Collar Cover	Condition Secure Intact Locked (describe	on OK	ghter / Heavi Bad
Parameter Parameter	The second second	Pump Setting	Purge Rate (mL/min)	Cum. Liters Purged (L)	Temp (C)	Spec. Cond.	pH (SU)	ORP (Eh)	DO (mg/L)	Turbidity (NTU)	Comment
625	1857	350	(00	O Competition		(uS/cm)	1 6	are.	14.	(1410)	
125	12.72	350	100	1.0	19,2	1425	6.41	7613	0,33	91,0	
625	12.75	350	100	7.0	19.5	1469	6111	253.6	0,22	46.8	
255	12,76	350	100	3,0	196	1539	6.00	742.0	0127		
705	12,79	350	100	4.0	19.5	1549	5.99	735.2	080	11.7	
710	12,20	350	100	4.5	19.5	1567	5.97	2267	0,76	8.4	
715	12.82	350	100	510	19.6	1566	5,197	272.4	0.78	6,6	
770	12,83	350	100	5.5	19.5	1569	5, 96	2/9.3	0,26	5.8	Sempline
,				3		201	J. 10	4.2		010	7 // /
(H) (#)											
						-					
	-		-								
						1					
				~		1	1				
			-		>		111111111111111111111111111111111111111			I January Co	
	-			-							

					100					100	
				Mary Transfer						NO.540.74	
Developemen	t Method	d Perist	altic Pum	Bailer /	Inertial P	ump / Ot	her		440		
Developemen Sample Field Field Deconta Waste Contain	Treatme	ent If any aliqu the C	ot with the	ty could ext e approprio ustody!	ist, be sur	e to indicin the sai	cate the f	on both th	ne sampl		el and on
dditional Co	mments					2				12000	
eld Personne	l J	eremy M	[arcantoni	0	-Sk	2001	a		Sign	ature/	

United Technologies/Pratt & Whitney Post Remediation Maintenance and Monitoring Program Willow Brook and Willow Brook Pond

INSPECTION POINT 1) Signs of erosion 2) Signs of settling	DESCRIPTION	GOOD		
	Check for gullies of more than 2 inches in depth.		FAIR	POOR
	Look for ponding and for settling of soil of more than		-	1
,	3 inches over a 5 sq. foot area.	X		
3) Loss of vegetative cover	Check for loss of vegetation cover in any area greater than 5 square feet.	X		
4) Undesirable growth	Check for growth that is in excess of ½ inch in diameter (woody vegetation) and taller than 2 feet.		X	
5) Signs of ponding and run on	Look for areas of more than 5 square feet of standing water or areas where surface water is running onto cap.	X		
6) Condition of fencing and gates	Check perimeter fence to make sure it is not damaged (no holes greater than 4-inches in diameter), gates are operable, and locks are in place.	X		
 Condition of rip-rap in Willow Brook stream channel 	Observe entire length of stream channel. Verify that rip-rap has not been displaced.	て		
Condition of stone layer in Willow Brook	Perform probing of bottom of Willow Brook Ponds at 5 locations in upper pond and 15 locations within lower pond. Verify refusal on stone layer at all locations.	X		
9) Burrowing animals	Verify no holes larger than 2 inches in diameter in cap.	X		
10) Monitoring well network	Check concrete collar protective casing, locks, legible well identification.	X		
	1.Condition of lock	X		
	2.Visible ID of wells	X		
	3.Ponding or infiltration of surface water	X		
	4.Condition of concrete collar	X		
	5.Condition of steel casing	K		
List all deficiencies, the correct	lesignated representative of Pratt & Whitney ive measures taken, and the date corrective measures were			,
1) Maintenance 1950	us identified during the April Zoi.	2 inspe	oten	leno:
Corrective Action: at west	lend of Willow Street parking lot a	nd wo	sdy_	vege ta
2) growing	through the cap), were addressed week of October 15th 2012.	& by	LEA/	LCI
Corrective Action: The W	nek of October 15th, 2012.			
3)				
Corrective Action:				

Corrective Action:



CHAIN OF CUSTODY

PAGE __ OF __

Battle Order Control #

Accutest Laboratories of Nev ...gland 495 Technology Center West, Building One TEL. 508-481-6200 FAX: 508-481-7753

Accutest Quote # Accutest Job #

FED-EX Tracking #

						WV	vw.acc	cutest.c	om						F	011	120	12-	217								
	Client / Reporting Information					Proje	ect Inf	ormatio	on							F	Reque	sted	Analy:	sis (s	ee TE	STC	ODE s	sheet)			Matrix Codes
	UTELTO ENGLICOTINA A	SSOT.	Project Name	,11	مس	Bto	ok	3 (SW	N	1				-			1	4								DW - Drinking Water GW - Ground Water
		ľ	2000					SUIT - A											2								WW - Water SW - Surface Water
City	Northwest Dr"	Zip (C	City:					silling in pany Nam	formatio	n (III	differe	nt from	m Kep	ort to)			1	3		-						SO - Soil
Ph	Contact E-mail Sin McKinney Fax#			1					100									-	+-		- 1						SL- Sludge SED-Sediment
Project I	Contact E-mail	F	Project#	-			Street	Address										-	N.								OI - Oil
Rol	bin Mckinner				1										١,	10			E CV								LIQ - Other Liquid AIR - Air
Phone 4	Fax#	- 1	Client PO#		1		City	-	1	- 5	State	_	7 2	ip	-1	0			ž l								SOL - Other Solid
500	- 747-3000 r(s) Name(s) Phone #					1			X		11.	-			1 14	0	- 0	V.	00								WP - Wipe FB-Field Blank
Sample	r(s) Name(s) Phone #	F	Project Manager				Attent	tion.		1	11	PO#	/			2	I	8	5								EB- Equipment Blank
JC	/AC/SR					1									1	7	L	20	3								RB- Rinse Blank TB-Trip Blank
1						Collection					Number	of pres	erved B	ottles		0 1	1	W	V								
					1,1							# 10	ster.	J. HE	# (5		9	(JT								
Accordest Sample 4	Field ID / Point of Collection		MEOH/DI Vial #		Date	Time	Sampled by	Matrix	# of bottle	9 0	HNO.	H2SO-	DI Wa	NO.	Sisuff	1 1		2	0								LAB USE ONLY
					5546			6.1	/	0	6 4	1	lipi a	2 44				-		-						-	
	1264982			1/1	51/12	7:20	SR	OW	6	C-		7	\perp		1	X	1	_									
	7U 5894951					7:30	SR		1		1								<								
	1264984					7:51	JC		6	5		4			+	+	+	-1									14
	7048840E					7:51	Je	1	1		1		П						(
	1264988					9:00	F	TR	1	1			П		X												7
	1264985					11:41	50	6	6	>		4	П		X	×	-)										
	264985UF					11/31	5		1		1								X								
	1264786					13:16.	75		6	2		4			X	- 4	1										
	264986UF			1	1	13:16 -	30	/	1		1							-	7								
1							.5	1		-	-			-	-											_	
1							14	H	11	4						1								/	(
				1	/		7	W	110								-	-					_				
									Data	a Deli	verabl	e Info	rmatic	n		-				Co	mme	nts / S	Specia	al Instr	uction	15	
	Turnaround Time (Business days)		Approved By (Acc	utest PN	n: / Date:			Commer	cial "A" [-				-	itegory	A	1	3/		1	1				~	-	
i	Std. 10 Business Days		307 - 201						cial "B" (I			-	_		stegory			10	958	1	DON	ide	0	T	RC	P	analytica/
	Std. 5 Business Days (By Contract only	y)						FULLT1	(Level 3+	4)			Stat	e Forn	ns						VIII			0	0		1
	5 Day RUSH						V.	CTRCP					DEDE	Form	nat		_ /	157	5+	OF	10	65	900	1 13	Ds	3	10
1	3 Day EMERGENCY							MA MCP					Oth	er				0			-		1	A	1		-
. 0	2 Day EMERGENCY				_				Commer	cial "A	" = Resi	ults Onl	ly				1	To	VIO	0	0	1	VC	T	Ne	MI	T
	1 Day EMERGENCY						-		Commer	cial "B	= Res	ults + C	C Surr	mary											- 33		
Eme	ergency & Rush T/A data available VIA Lablink		-	male C	untada	ust be docum	onto de	olow or	oh time	- ameri	nn ab	000		nica	includ	ing e	urior	toline	LEY.								
Relin	quished by Sampler	Date Time:		Receiv		ust be docum	eured t	outow ea	un time t	-	es cha		105565	51011,	menda	mig co	miler (_	oate Time			Receive	d By:				
1		7/7/12	1630	10	Bar/	W				2	1370 F.S.X.	1 TO 1		-9					MVZ-TIME	4.		2	F. 40 F				
Retin	quished by Sampler:	Date Time:		Receiv	ed By:	4				Relin	quished	Ву:						1	Date Time			Receive	d By:				
3 /				3						4							1500		20010			4					
Relin	quished by:	Date Time:	de	Receiv	ed By:					Cust	ody Sea				O inta				d where a	pplicab	le.			On los	7	Coole	Temp.



DAILY FIELD REPORT

Project Location	88UT230.001 UTC P&WEH 2012 P&W East Hartford	, East	Hartford, CT		***		Page 1 Date 4 /	of 4 27/12
Client Pratt & Whitney		eoprobe oncrete onstruct /aste Ma ispection ite Walk urveying ther (De	Work Coring ion anagement Over gescribe) Equipment escribe)		Current P Last Sam Last Loc Current I Sampling Laborato Paperwo Site Con Contract	roject Information roject Information uple Number Used ation ID Used Location (if not complete) g for ries used rk & Equipment left at/in tact ors on Site	Return P&W Accres C, V	
Checked By RMCKinney	ents calibrated (contine	113	- 100			45.00	
Expendable Items Used				Em	ipment Used			
Qty Item			LEA Number	1000	Item	- 1887 1918H V	rea	A Number
Bailer, Disposable (spe	oificeiza)		090	Qij	Generator 3500	Watt	153	E123223355.75
Drum, Closed Top 55			086		Meter, Conduct	WING FAD	022	
Filter, In Line	Juli VII		024	/	Meter, pH/Tem		021	
Miscellaneous Health	& Safety Items	V	060	/	And the second section is the second section of the second section in the second section is the second section of the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is section in the second section in the second section is section in the second section in the second section is section in the section in the section in the section is section in the section in the section in the section is section in the section in the section in the section is section in the section in the section in the section is section in the section in the section in the section is section in the section in the section in the section is section in the section in the section in the section is section in the secti	Small Tools & Equipment	152	
Tubing, 1/2" NOS			007		Pump, Grundfos		073	
	eflon/Flox tuba	'na	008	1		c (spec. Master or Isco)	040	
Water, Distilled	100)	025		Pump, Submers		201	1
					Pump, Watera		038	
				1	Turbidimeter		023	
						Photovac 2020 (PID)	012	de - Diri
			0)	Water Level Inc		028	
	***		-	1	Water Quality N	Acter wFlow Cell	070	+ 4
		11.74	D	1	17-1	h		1
Field Personnel	Christina Venable		K,	yan	Hudou	Signatu	ire /	1



DAILY FIELD REPORT

Supplemental Sheet

Engineering • Construction •	EH&S • Energy • Waste	Supplemental Succ
LEA Comm. No. Project Location Client	88UT230.001 UTC P&WEH 2012 Willow Brook GWM P&W East Hartford, East Hartford, CT Pratt & Whitney East Hartford-LL	Page 2 of 9 Date 9 /22/12
Description of Site		
Description of Site		
	Left yard arown 7:30	
· · · · · · · · · · · · · · · · · · ·	Arrived at PW around & 45.	
	Got to well around 9:20	
	Began low flow sempling.	
	Departed well around 11:30	
	Arrived at Waste Drum - storage a	Mh
	Sampled weste downs.	
-	Degrated at East Hattord acound	1:30
	Drum 826094 was Empt)	
	1/1000 / 1000 / 1000	
· · · · · · · · · · · · · · · · · · ·		
* ***		
7 7 7 1 -		
Field Personnel	Christina Vanable	



Christina Venable

Field Personnel

FIELD SAMPLING RECORD PERFORMANCE SAMPLE

LEA Comm. No. Project Location Client	88UT230.001 UTC P&WEH 2012 Willow Brook G P&W East Hartford, East Hartford, C Pratt & Whitney East Hartford-LL	Page of Date 9/21/12	
LEA Sample ID	1266371 VOCS 8:57	VOCs Preservative: HCI Sample ID # 0919-12-01.1	
LEA Sample ID	1266372 of 9:00	Metals Preservative: HNO3 Sample ID # 0919-12-01.3	
LEA Sample ID	1266373 PCBS 9:45	PCBs Preservative: None Sample ID # 0919-12-01.2	
LEA Sample ID	1266374 ETPH 1030	DRO Preservative: None Sample ID # 0919-12-01.4	
LEA Sample ID			
LEA Sample ID	- 4		



FIELD SAMPLING RECORD LOW FLOW WELL SAMPLE

LEA Comm. No project cocation Client	L P	&W Eas	VEH 2012 t Hartford	2 Willow E I, East Hart ast Hartford	ford, CT					Date	9 /Z7/1° le Time 10:
Monitoring	Well Nu	mber	WT-	MW-4	2 Samp	le Numbe	er(s) 1266	371	250	517	
Depth of Wel Depth to Wat Height of Col Well Casing I Protector Ground to Re Comments	l er umn Diameter Road	3.75		Reference PID/FID F Interface Materia	Reading	Yes/No	R V If ye	Collar Cover	Condition Secure	on OK	hter / Heavie
Development	Informa	ition	1		aux aft of		200				
Parameter Time		Pump Setting	Purge Rate (mL/min)	Cum. Liters Purged (L)	Temp (C)	Spec. Cond. (uS/cm)	pH (SU)	ORP (Eh)	DO (mg/L)	Turbidity (NTU)	Comment
9:40	3,75	350	120	0	1309		Purgi	119			
4150		350	120	1,2	17.40	327	6.41	1191	1.07		
9:55	-	350	120	1.8	17.5	335	6.33	192	1,06	2012	4 10010
10:00		350	120	3.0	17.5	340	6.31	191	1.08	616	
10:10		350	120	3.6	17.5	339_	6,31	191	1.09	3,3	
10:00	Begi	n 5.	emplio	25							
								i int			
								4			
Developemen	t Motho	Doviet	altie Down	Pailor /	Inertial D	ump / Ot	har				
Sample Field	Treatme	nt If any alique the C	ambigui ot with the hain of C	ty could ex e approprioustody!	ist, be sur ate suffix	re to indici in the sai	cate the f mple ID	on both th	e sample		
Field Deconta Waste Contai		1? Ye	No No	If Yes,	with wha	t? <u>~</u>	lc than	1. W	pe		
Additional Co	omments	S									



CHAIN OF CUST DY

Accutest Laboratories of New England 495 Technology Center West, Building One TEL. 508-481-6200 FAX: 508-481-7753

PAGE	1
Bottle Order Control #	

Acquirest Job #

FED-EX Tracking #

Accusest Quote #

www.accutest.com							F	DI	2018	1-3	11											
Client / Reporting Information			Proje	ect Inf	ormatio	on							Req	ueste	Analy	sis (see	TEST	CODE	sheet)			Matrix Codes
Company Name	Project Name	0	100	-		-	1							7								
LONGINO Engineering Associa	115 (D)	0W 100	OOK	(ol	0 1	MOF	int	OF	DE	Y												W - Drinking Water
Street Address	Street				The same				1												G	W - Ground Water WW - Water
Plainville LT 0606 City State Zip	2					formation					tol										s	W - Surface Water
City State Zip	City:	12 12 1		Comp	any Name				. 11.00111	ric por					-							SO - Soil
Christine Warehle	Ens	Hurtford	CT			SA	M	E							N							SE-Sludge SED-Sediment
CARISTINA VENABLE Project Contact E-mail	Project#	Hartford UT230	7	Street	1 Address	1				_	_	1		0		- 1	-					01 - 01
	82	117330		1		- 1						10		1000	2						13	LIQ - Other Liquid AIR - Air
460 - 747 - 6181 Phone # Fax#	Client PO#	A Character		City	_	-	St	ate		Zipi	_	13	- make	(1)	-							SOL - Other Solid
						- 1						08	FIG	2	0							WP - Wipe
Sampler(s) Name(s) Phone #	Project Manager			Attent	tion:	-		p	0#	-	-	OC	0	100	20		- 1				61	FB-Field Blank B- Equipment Blank
Ryan Hudock	Dahis	Makin	VII	1,1115.11		V							1	-0	OX.		-		-			RB- Rinse Blank
MYAN HVOOLK	PODII				1	_						1	1	47	4							TB-Trip Blank
			Collection					Number o	f preserv	red Botts	95	0	1	(5)	CL							
NATIONAL COLUMN							1	n ?		T age	ORE fate	2			(-		
Sample # Field ID / Point of Collection	MECHIDI Vial #	Date	Time	Sampled by	Matrix	# of bottles	15 PA	S S	NO.	MEO W	Bisut	3	C	C	0						1	AB USE ONLY
125-1-10		0100				-7	2		38	M		1	1	1	1		-					
1250517/04			10:10	RH	GW	4	2	1	D	4	-	7	X	X	_		-					
1266371		9/27/12	8:57	RY	6 W	3	3	\perp		\perp		7										
1266372 vf		9/27/12	9:00	RH	600	1		1							X							
1266373			9:45	RH	6W	2			2					X								
1266374		9/27/12	10:30	RH	(gw	2			2				X									
								++	++							_	+	1			-	
								++	++		-				-	- 1	+	+-		-	-	
								++	++	+	+	-			-		+	-		-	+	
								++	++	+	+				-		-	-			-	
							-	11	+		+					_	+	-			-	
				Vie T	"There	Data	Deliv	erable	Inform	ation	# 35					Com	ments /	Speci	al Instr	uctions		
Turnaround Time (Business days)	Approved By (Acc	utest PM): / Date:			Commerc	cial "A" (L	evel 1)	1		NYASF	Categ	jory A										
Std. 10 Business Days					Commerc	cial "B" (L	evel 2)	H		NYASE	Categ	gory B										
Std. 5 Business Days (By Contract only)					FULLT1	(Level 3+	4)			State F	orms											
5 Day RUSH				D	CTRCP					EDD F	ormat											
3 Day EMERGENCY					MA MCP					Other	-											
2 Day EMERGENCY						Commerc	lal "A" :	= Result	s Only													
1 Day EMERGENCY			~	-	7	Commerc	ial "B"	= Result	s+QC	Summa	ry											
Emergency & Rush T/A data available V/A Lablink			1	1	/																	
	7 (F) 1 (m)	nple Custody mus	st be docum	ented b	elow eac	ch time s				sessi	on, inc	luding	courie				1	- 10				
Relinquished by Sampler:	Time: 9-28-12	Received By:	///	/			Relinqu 2	uished B	y:						Date Time	Ď.	Receiv	red By:				
Relinguished by Sampler: Date	Time:	Received By:					1	uished B	y:						Date Time	è:	Receiv	red By:				
3		3					4	+									4	3				
Relinquished by: Date	Time;	Received By:					Custod	ly Seal #		1		Intact	1	Preserv		pplicable			On Ice		Caaler Te	mp.
5		5										Not inta	de?									

Appendix B

Copies of Laboratory Reports (provided on CD-ROM)



04/05/12



Technical Report for

Loureiro Eng. Associates

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

88UT230

Accutest Job Number: MC9052

Sampling Date: 03/26/12

Report to:

Loureiro Engineering Associates 100 Northwest Drive Plainville, CT 06062 rlmckinney@loureiro.com

ATTN: Robin McKinney

Total number of pages in report: 83



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.

Lab Director

Client Service contact: Frank DAgostino 508-481-6200

Certifications: MA (M-MA136,SW846 NELAC) CT (PH-0109) NH (250210) RI (00071) ME (MA00136) FL (E87579) NY (11791) NJ (MA926) PA (6801121) ND (R-188) CO MN (11546AA) NC (653) IL (002337) ISO 17025:2005 (L2235) This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories. Test results relate only to samples analyzed.

Sections:

Table of Contents

-1-

Section 1: Sample Summary	
Section 2: Case Narrative/Conformance Summary	4
Section 3: Sample Results	
3.1: MC9052-1: 1255889	7
3.2: MC9052-2: 1255889UF	12
3.3: MC9052-3: 1255890	13
3.4: MC9052-4: 1255890UF	18
3.5: MC9052-5: 1255892	19
3.6: MC9052-6: 1255893	22
3.7: MC9052-7: 1255893UF	27
3.8: MC9052-8: 1255894	28
3.9: MC9052-9: 1255894UF	33
3.10: MC9052-10: 1255903	34
3.11: MC9052-11: 1255903UF	39
3.12: MC9052-12: 1255904	40
Section 4: Misc. Forms	43
4.1: Certification Exceptions	44
4.2: Chain of Custody	45
4.3: RCP Form	47
4.4: Sample Tracking Chronicle	48
Section 5: GC/MS Volatiles - QC Data Summaries	50
5.1: Method Blank Summary	51
5.2: Blank Spike Summary	57
5.3: Internal Standard Area Summaries	63
5.4: Surrogate Recovery Summaries	65
Section 6: GC Semi-volatiles - QC Data Summaries	66
6.1: Method Blank Summary	67
6.2: Blank Spike Summary	69
6.3: Surrogate Recovery Summaries	71
Section 7: Metals Analysis - QC Data Summaries	73
7.1: Prep QC MP18780: As,Ba,Cd,Cr,Cu,Pb,Ni,Se,Ag,Zn	74
7.2: Prep QC MP18790: Hg	80





Sample Summary

Loureiro Eng. Associates

Job No: MC9052

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT Project No: 88UT230

Sample Number	Collected Date		Received	Matri Code		Client Sample ID
MC9052-1	03/26/12	11:45 ACNE	03/26/12	AQ	Ground Water	1255889
MC9052-2	03/26/12	11:45 ACNE	03/26/12	AQ	Ground Water	1255889UF
MC9052-3	03/26/12	13:25 ACNE	03/26/12	AQ	Ground Water	1255890
MC9052-4	03/26/12	13:25 ACNE	03/26/12	AQ	Ground Water	1255890UF
MC9052-5	03/26/12	15:20 ACNE	03/26/12	AQ	Ground Water	1255892
MC9052-6	03/26/12	13:10 ACNE	03/26/12	AQ	Ground Water	1255893
MC9052-7	03/26/12	13:10 ACNE	03/26/12	AQ	Ground Water	1255893UF
MC9052-8	03/26/12	11:50 ACNE	03/26/12	AQ	Ground Water	1255894
MC9052-9	03/26/12	11:50 ACNE	03/26/12	AQ	Ground Water	1255894UF
MC9052-10	03/26/12	15:30 ACNE	03/26/12	AQ	Ground Water	1255903
MC9052-11	03/26/12	15:30 ACNE	03/26/12	AQ	Ground Water	1255903UF
MC9052-12	03/26/12	11:00 ACNE	03/26/12	AQ	Trip Blank Water	1255904





SAMPLE DELIVERY GROUP CASE NARRATIVE

Client: Loureiro Eng. Associates Job No MC9052

Site: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, Report Date 4/5/2012 11:01:27 AM

11 Sample(s), 1 Trip Blank(s) and 0 Field Blank(s) were collected on 03/26/2012 and were received at Accutest on 03/26/2012 properly preserved, at 1.3 Deg. C and intact. These Samples received an Accutest job number of MC9052. A listing of the Laboratory Sample ID, Client Sample ID and dates of collection are presented in the Results Summary Section of this report.

Except as noted below, all method specified calibrations and quality control performance criteria were met for this job. For more information, please refer to QC summary pages.

Volatiles by GCMS By Method SW846 8260B

Matrix: AQ Batch ID: MSN2310

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- MSN2310-BS for 2,2-Dichloropropane, 2-Hexanone, Methyl Tert Butyl Ether are outside control limits. Blank Spike meets program technical requirements.
- MSN2310-BS for 2-Butanone (MEK), Acetone, Acrylonitrile: Outside control limits. Associated samples are non-detect for this
 compound.
- Continuing calibration check standard MSN2310-CC2292 for methyl tert butyl ether, 2,2-dichloropropane exceed 30% Difference.
 This check standard met RCP criteria.
- Quadratic regression is employed for initial calibration standard MSN2292-ICC2292 for carbon tetrachloride.

Matrix: AQ Batch ID: MSN2314

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- MSN2314-BS for 2-Butanone (MEK), 2-Hexanone, Acetone, Methyl Tert Butyl Ether are outside control limits. Blank Spike meets program technical requirements.
- MSN2314-BS for Acrylonitrile: Outside control limits. Associated samples are non-detect for this compound.
- Initial calibration verification MSN2292-ICV2292 for acetone, 2-butanone, 2-hexanone exceed 35% Difference.
- Continuing calibration check standard MSN2314-CC2292 for methyl tert butyl ether, 2,2-dichloropropane exceed 30% Difference. This check standard met RCP criteria.

Extractables by GC By Method CT-ETPH 7/06

Matrix: AQ Batch ID: OP28371

- All samples were extracted within the recommended method holding time.
- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.

Extractables by GC By Method SW846 8082

Matrix: AQ Batch ID: OP28373

- All samples were extracted within the recommended method holding time.
- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.



Metals By Method SW846 6010C

Matrix: AQ Batch ID: MP18780

- All samples were digested within the recommended method holding time.
- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) MC9076-1FSDL were used as the QC samples for metals.
- RPD(s) for Serial Dilution for Cadmium, Copper, Nickel, Selenium are outside control limits for sample MP18780-SD1. Percent difference acceptable due to low initial sample concentration (< 50 times IDL).
- Only selected metals requested.

Metals By Method SW846 7470A

Matrix: AQ Batch ID: MP18790

- All samples were digested within the recommended method holding time.
- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) MC9052-2MS, MC9052-2MSD were used as the QC samples for metals.

The Accutest Laboratories of New England certifies that all analysis were performed within method specification. It is further recommended that this report to be used in its entirety. The Accutest Laboratories of NE, Laboratory Director or assignee as verified by the signature on the cover page has authorized the release of this report(MC9052).



Sample Results
Report of Analysis



Client Sample ID: 1255889

 Lab Sample ID:
 MC9052-1
 Date Sampled:
 03/26/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/26/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

File ID DF **Prep Date Analytical Batch** Analyzed By **Prep Batch** MSN2310 Run #1 N61763.D 1 03/27/12 JP n/a n/a Run #2

Purge Volume

Run #1 5.0 ml

Run #2

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
67-64-1	Acetone	ND	5.0	ug/l	
107-13-1	Acrylonitrile	ND	5.0	ug/l	
71-43-2	Benzene	ND	0.50	ug/l	
108-86-1	Bromobenzene	ND	5.0	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	ug/l	
75-25-2	Bromoform	ND	1.0	ug/l	
74-83-9	Bromomethane	ND	2.0	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	ug/l	
75-15-0	Carbon disulfide	ND	5.0	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	ug/l	
108-90-7	Chlorobenzene	ND	1.0	ug/l	
75-00-3	Chloroethane	ND	2.0	ug/l	
67-66-3	Chloroform	ND	1.0	ug/l	
74-87-3	Chloromethane	ND	2.0	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l	

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



C

Client Sample ID: 1255889

 Lab Sample ID:
 MC9052-1
 Date Sampled:
 03/26/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/26/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l	
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l	
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l	
100-41-4	Ethylbenzene	ND	1.0	ug/l	
76-13-1	Freon 113	ND	5.0	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l	
591-78-6	2-Hexanone	ND	5.0	ug/l	
98-82-8	Isopropylbenzene	ND	5.0	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l	
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l	
74-95-3	Methylene bromide	ND	5.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	ug/l	
91-20-3	Naphthalene	ND	5.0	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	ug/l	
100-42-5	Styrene	ND	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	ug/l	
109-99-9	Tetrahydrofuran	ND	10	ug/l	
108-88-3	Toluene	ND	1.0	ug/l	
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l	
79-01-6	Trichloroethene	ND	1.0	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l	
75-01-4	Vinyl chloride	ND	1.0	ug/l	
	m,p-Xylene	ND	1.0	ug/l	
95-47-6	o-Xylene	ND	1.0	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limi	its
1868-53-7	Dibromofluoromethane	84%		70-1	30%

1868-53-7 Dibromofluoromethane 84% 70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



4.

C

Report of Analysis

 Client Sample ID:
 1255889

 Lab Sample ID:
 MC9052-1

 Matrix:
 AQ - Ground Water

 Method:
 SW846 8260B

 Date Sampled:
 03/26/12

 Date Received:
 03/26/12

 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

VOA RCP List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	84%		70-130%
460-00-4	4-Bromofluorobenzene	100%		70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

 $B = \ Indicates \ analyte \ found \ in \ associated \ method \ blank$



Page 1 of 1

Report of Analysis

Client Sample ID: 1255889

 Lab Sample ID:
 MC9052-1
 Date Sampled:
 03/26/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/26/12

 Method:
 CT-ETPH 7/06 SW846 3510C
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 BG34710.D 1 04/02/12 KN 03/28/12 OP28371 GBG1276

Run #2

Initial Volume Final Volume

Run #1 950 ml 1.0 ml

Run #2

CAS No. Compound Result RL Units Q

CT-ETPH (C9-C36) ND 0.084 mg/l

CAS No. Surrogate Recoveries Run# 1 Run# 2 Limits

84-15-1 o-Terphenyl 115% 50-149%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



C

Client Sample ID: 1255889

 Lab Sample ID:
 MC9052-1
 Date Sampled:
 03/26/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/26/12

 Method:
 SW846 8082
 SW846 3510C
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 BE29994.D 1 03/30/12 AP 03/28/12 OP28373 GBE1671

Run #2

Initial Volume Final Volume

Run #1 960 ml 5.0 ml

Run #2

2051-24-3

CT Polychlorinated Biphenyls RCP List

CAS No.	Compound	Result	RL	Units Q
12674-11-2	Aroclor 1016	ND	0.26	ug/l
11104-28-2	Aroclor 1221	ND	0.26	ug/l
11141-16-5	Aroclor 1232	ND	0.26	ug/l
53469-21-9	Aroclor 1242	ND	0.26	ug/l
12672-29-6	Aroclor 1248	ND	0.26	ug/l
11097-69-1	Aroclor 1254	ND	0.26	ug/l
11096-82-5	Aroclor 1260	ND	0.26	ug/l
37324-23-5	Aroclor 1262	ND	0.26	ug/l
11100-14-4	Aroclor 1268	ND	0.26	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
877-09-8	Tetrachloro-m-xylene	85%		30-150%
877-09-8	Tetrachloro-m-xylene	82%		30-150%
2051-24-3	Decachlorobiphenyl	77%		30-150%

75%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

Decachlorobiphenyl

J = Indicates an estimated value

30-150%

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



C

Page 1 of 1

Report of Analysis

Client Sample ID: 1255889UF

Lab Sample ID:MC9052-2Date Sampled:03/26/12Matrix:AQ - Ground WaterDate Received:03/26/12Percent Solids:n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	< 4.0	4.0	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Barium	< 50	50	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Cadmium	< 4.0	4.0	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Chromium	< 10	10	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Copper	< 25	25	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Lead	< 5.0	5.0	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Mercury	< 0.20	0.20	ug/l	1	03/29/12	03/30/12 EM	SW846 7470A ¹	SW846 7470A ⁴
Nickel	< 40	40	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Selenium	< 10	10	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Silver	< 5.0	5.0	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Zinc	< 20	20	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³

(1) Instrument QC Batch: MA14117
(2) Instrument QC Batch: MA14120
(3) Prep QC Batch: MP18780
(4) Prep QC Batch: MP18790

Client Sample ID: 1255890

 Lab Sample ID:
 MC9052-3
 Date Sampled:
 03/26/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/26/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

File ID DF **Prep Date Analytical Batch** Analyzed By **Prep Batch** Run #1 N61764.D 1 03/27/12 JP n/a n/a MSN2310 Run #2

Purge Volume

Run #1 5.0 ml

Run #2

VOA RCP List

CAS No.	Compound	Result	RL	Units Q
67-64-1	Acetone	ND	5.0	ug/l
107-13-1	Acrylonitrile	ND	5.0	ug/l
71-43-2	Benzene	ND	0.50	ug/l
108-86-1	Bromobenzene	ND	5.0	ug/l
75-27-4	Bromodichloromethane	ND	1.0	ug/l
75-25-2	Bromoform	ND	1.0	ug/l
74-83-9	Bromomethane	ND	2.0	ug/l
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l
104-51-8	n-Butylbenzene	ND	5.0	ug/l
135-98-8	sec-Butylbenzene	ND	5.0	ug/l
98-06-6	tert-Butylbenzene	ND	5.0	ug/l
75-15-0	Carbon disulfide	ND	5.0	ug/l
56-23-5	Carbon tetrachloride	ND	1.0	ug/l
108-90-7	Chlorobenzene	ND	1.0	ug/l
75-00-3	Chloroethane	ND	2.0	ug/l
67-66-3	Chloroform	ND	1.0	ug/l
74-87-3	Chloromethane	ND	2.0	ug/l
95-49-8	o-Chlorotoluene	ND	5.0	ug/l
106-43-4	p-Chlorotoluene	ND	5.0	ug/l
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l
124-48-1	Dibromochloromethane	ND	1.0	ug/l
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l
75-34-3	1,1-Dichloroethane	ND	1.0	ug/l
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l
156-59-2	cis-1,2-Dichloroethene	ND	1.0	ug/l
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l

 $ND = \ Not \ detected$

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank



Date Sampled: 03/26/12

Report of Analysis

Client Sample ID: 1255890 Lab Sample ID: MC9052-3

Matrix: AQ - Ground Water **Date Received:** 03/26/12 Method: **Percent Solids:** SW846 8260B n/a

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l	
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l	
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l	
100-41-4	Ethylbenzene	ND	1.0	ug/l	
76-13-1	Freon 113	ND	5.0	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l	
591-78-6	2-Hexanone	ND	5.0	ug/l	
98-82-8	Isopropylbenzene	ND	5.0	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l	
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l	
74-95-3	Methylene bromide	ND	5.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	ug/l	
91-20-3	Naphthalene	ND	5.0	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	ug/l	
100-42-5	Styrene	ND	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	ug/l	
109-99-9	Tetrahydrofuran	ND	10	ug/l	
108-88-3	Toluene	ND	1.0	ug/l	
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l	
79-01-6	Trichloroethene	ND	1.0	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l	
75-01-4	Vinyl chloride	ND	1.0	ug/l	
	m,p-Xylene	ND	1.0	ug/l	
95-47-6	o-Xylene	ND	1.0	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits	8
1868-53-7	Dibromofluoromethane	82%		70-130)%

1868-53-7 Dibromofluoromethane 82% 70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Ç

Report of Analysis

 Client Sample ID:
 1255890

 Lab Sample ID:
 MC9052-3

 Matrix:
 AQ - Ground Water

 Method:
 SW846 8260B

 Date Sampled:
 03/26/12

 Date Received:
 03/26/12

 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

VOA RCP List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	84%		70-130%
460-00-4	4-Bromofluorobenzene	97%		70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

 $B = \ \, \text{Indicates analyte found in associated method blank}$



of Analysis Page 1 of 1

Client Sample ID: 1255890

 Lab Sample ID:
 MC9052-3
 Date Sampled:
 03/26/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/26/12

 Method:
 CT-ETPH 7/06 SW846 3510C
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 BG34708.D 1 04/02/12 KN 03/28/12 OP28371 GBG1276

Run #2

Initial Volume Final Volume

Run #1 950 ml 1.0 ml

Run #2

CAS No. Compound Result RL Units Q

CT-ETPH (C9-C36) 0.241 0.084 mg/l

CAS No. Surrogate Recoveries Run# 1 Run# 2 Limits

84-15-1 o-Terphenyl 107% 50-149%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

 $B = \ Indicates \ analyte \ found \ in \ associated \ method \ blank$



Page 1 of 1

Report of Analysis

Client Sample ID: 1255890 Lab Sample ID: MC9052-3

 Lab Sample ID:
 MC9052-3
 Date Sampled:
 03/26/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/26/12

 Method:
 SW846 8082
 SW846 3510C
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 BE29995.D 1 03/30/12 AP 03/28/12 OP28373 GBE1671

Run #2

Initial Volume Final Volume

Run #1 960 ml 5.0 ml

Run #2

2051-24-3

CT Polychlorinated Biphenyls RCP List

CAS No.	Compound	Result	RL	Units Q
12674-11-2	Aroclor 1016	ND	0.26	ug/l
11104-28-2	Aroclor 1221	ND	0.26	ug/l
11141-16-5	Aroclor 1232	ND	0.26	ug/l
53469-21-9	Aroclor 1242	ND	0.26	ug/l
12672-29-6	Aroclor 1248	ND	0.26	ug/l
11097-69-1	Aroclor 1254	ND	0.26	ug/l
11096-82-5	Aroclor 1260	ND	0.26	ug/l
37324-23-5	Aroclor 1262	ND	0.26	ug/l
11100-14-4	Aroclor 1268	ND	0.26	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
877-09-8	Tetrachloro-m-xylene	75%		30-150%
877-09-8	Tetrachloro-m-xylene	71%		30-150%
2051-24-3	Decachlorobiphenyl	42%		30-150%

40%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

Decachlorobiphenyl

J = Indicates an estimated value

30-150%

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



C

Page 1 of 1

Client Sample ID: 1255890UF

Lab Sample ID:MC9052-4Date Sampled:03/26/12Matrix:AQ - Ground WaterDate Received:03/26/12Percent Solids:n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	5.3	4.0	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Barium	< 50	50	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Cadmium	< 4.0	4.0	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Chromium	12.2	10	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Copper	< 25	25	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Lead	< 5.0	5.0	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Mercury	< 0.20	0.20	ug/l	1	03/29/12	03/30/12 ЕМ	SW846 7470A ¹	SW846 7470A ⁴
Nickel	< 40	40	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Selenium	< 10	10	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Silver	< 5.0	5.0	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Zinc	< 20	20	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³

(1) Instrument QC Batch: MA14117
(2) Instrument QC Batch: MA14120
(3) Prep QC Batch: MP18780
(4) Prep QC Batch: MP18790

Client Sample ID: 1255892

 Lab Sample ID:
 MC9052-5
 Date Sampled:
 03/26/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/26/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

File ID DF **Prep Date Analytical Batch** Analyzed By **Prep Batch** Run #1 N61765.D 1 03/27/12 JP n/a n/a MSN2310 Run #2

Purge Volume

Run #1 5.0 ml

Run #2

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
67-64-1	Acetone	ND	5.0	ug/l	
107-13-1	Acrylonitrile	ND	5.0	ug/l	
71-43-2	Benzene	ND	0.50	ug/l	
108-86-1	Bromobenzene	ND	5.0	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	ug/l	
75-25-2	Bromoform	ND	1.0	ug/l	
74-83-9	Bromomethane	ND	2.0	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	ug/l	
75-15-0	Carbon disulfide	ND	5.0	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	ug/l	
108-90-7	Chlorobenzene	ND	1.0	ug/l	
75-00-3	Chloroethane	ND	2.0	ug/l	
67-66-3	Chloroform	ND	1.0	ug/l	
74-87-3	Chloromethane	ND	2.0	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l	

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

 $N = \ Indicates \ presumptive \ evidence \ of \ a \ compound$



Client Sample ID: 1255892 Lab Sample ID:

MC9052-5 **Date Sampled:** 03/26/12 Matrix: **Date Received:** 03/26/12 AQ - Ground Water Method: Percent Solids: n/a SW846 8260B

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l	
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l	
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l	
100-41-4	Ethylbenzene	ND	1.0	ug/l	
76-13-1	Freon 113	ND	5.0	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l	
591-78-6	2-Hexanone	ND	5.0	ug/l	
98-82-8	Isopropylbenzene	ND	5.0	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l	
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l	
74-95-3	Methylene bromide	ND	5.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	ug/l	
91-20-3	Naphthalene	ND	5.0	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	ug/l	
100-42-5	Styrene	ND	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	ug/l	
109-99-9	Tetrahydrofuran	ND	10	ug/l	
108-88-3	Toluene	ND	1.0	ug/l	
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l	
79-01-6	Trichloroethene	ND	1.0	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l	
75-01-4	Vinyl chloride	ND	1.0	ug/l	
	m,p-Xylene	ND	1.0	ug/l	
95-47-6	o-Xylene	ND	1.0	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits	5
1868-53-7	Dibromofluoromethane	84%		70-130)%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Page 3 of 3

Report of Analysis

Client Sample ID: 1255892 Lab Sample ID: MC9052-5

 Lab Sample ID:
 MC9052-5
 Date Sampled:
 03/26/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/26/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

VOA RCP List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	84%		70-130%
460-00-4	4-Bromofluorobenzene	101%		70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank



Client Sample ID: 1255893

 Lab Sample ID:
 MC9052-6
 Date Sampled:
 03/26/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/26/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

File ID DF **Prep Date Analytical Batch** Analyzed By **Prep Batch** Run #1 N61766.D 1 03/27/12 JP n/a n/a MSN2310 Run #2

Purge Volume

Run #1 5.0 ml

Run #2

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
67-64-1	Acetone	ND	5.0	ug/l	
107-13-1	Acrylonitrile	ND	5.0	ug/l	
71-43-2	Benzene	ND	0.50	ug/l	
108-86-1	Bromobenzene	ND	5.0	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	ug/l	
75-25-2	Bromoform	ND	1.0	ug/l	
74-83-9	Bromomethane	ND	2.0	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	ug/l	
75-15-0	Carbon disulfide	ND	5.0	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	ug/l	
108-90-7	Chlorobenzene	ND	1.0	ug/l	
75-00-3	Chloroethane	ND	2.0	ug/l	
67-66-3	Chloroform	ND	1.0	ug/l	
74-87-3	Chloromethane	ND	2.0	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l	

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



C

Client Sample ID: 1255893 Lab Sample ID: MC9052-6 **Date Sampled:** 03/26/12 Matrix: **Date Received:** 03/26/12 AQ - Ground Water Method: Percent Solids: n/a SW846 8260B

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

VOA RCP List

CAS No.	Compound	Result	RL	Units (9
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l	
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l	
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l	
100-41-4	Ethylbenzene	ND	1.0	ug/l	
76-13-1	Freon 113	ND	5.0	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l	
591-78-6	2-Hexanone	ND	5.0	ug/l	
98-82-8	Isopropylbenzene	ND	5.0	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l	
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l	
74-95-3	Methylene bromide	ND	5.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	ug/l	
91-20-3	Naphthalene	ND	5.0	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	ug/l	
100-42-5	Styrene	ND	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	ug/l	
109-99-9	Tetrahydrofuran	ND	10	ug/l	
108-88-3	Toluene	ND	1.0	ug/l	
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l	
79-01-6	Trichloroethene	ND	1.0	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l	
75-01-4	Vinyl chloride	ND	1.0	ug/l	
	m,p-Xylene	ND	1.0	ug/l	
95-47-6	o-Xylene	ND	1.0	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits	
1868-53-7	Dibromofluoromethane	82%		70-130	%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Date Sampled: 03/26/12

Report of Analysis

Client Sample ID: 1255893
Lab Sample ID: MC9052-6
Matrix: AQ - Ground Water

Matrix:AQ - Ground WaterDate Received:03/26/12Method:SW846 8260BPercent Solids:n/aProject:UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

VOA RCP List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	85%		70-130%
460-00-4	4-Bromofluorobenzene	99%		70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank



Client Sample ID: 1255893

 Lab Sample ID:
 MC9052-6
 Date Sampled:
 03/26/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/26/12

 Method:
 CT-ETPH 7/06 SW846 3510C
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 BG34706.D 1 04/02/12 KN 03/28/12 OP28371 GBG1276

Run #2

Initial Volume Final Volume

Run #1 940 ml 1.0 ml

Run #2

CAS No. Compound Result RL Units Q

CT-ETPH (C9-C36) ND 0.085 mg/l

CAS No. Surrogate Recoveries Run# 1 Run# 2 Limits

84-15-1 o-Terphenyl 113% 50-149%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



C

Page 1 of 1

Page 1 of 1

Client Sample ID: 1255893

 Lab Sample ID:
 MC9052-6
 Date Sampled:
 03/26/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/26/12

 Method:
 SW846 8082
 SW846 3510C
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 BE29996.D 1 03/30/12 AP 03/28/12 OP28373 GBE1671

Run #2

Initial Volume Final Volume

Run #1 980 ml 5.0 ml

Run #2

2051-24-3

CT Polychlorinated Biphenyls RCP List

CAS No.	Compound	Result	RL	Units	Q
12674-11-2	Aroclor 1016	ND	0.26	ug/l	
11104-28-2	Aroclor 1221	ND	0.26	ug/l	
11141-16-5	Aroclor 1232	ND	0.26	ug/l	
53469-21-9	Aroclor 1242	ND	0.26	ug/l	
12672-29-6	Aroclor 1248	ND	0.26	ug/l	
11097-69-1	Aroclor 1254	ND	0.26	ug/l	
11096-82-5	Aroclor 1260	ND	0.26	ug/l	
37324-23-5	Aroclor 1262	ND	0.26	ug/l	
11100-14-4	Aroclor 1268	ND	0.26	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Lim	its
877-09-8	Tetrachloro-m-xylene	81%		30-1	50%
877-09-8	Tetrachloro-m-xylene	75%		30-1	50%
2051-24-3	Decachlorobiphenyl	64%		30-1	50%

61%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

Decachlorobiphenyl

J = Indicates an estimated value

30-150%

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



CU

Page 1 of 1

Report of Analysis

Client Sample ID: 1255893UF

 Lab Sample ID:
 MC9052-7
 Date Sampled:
 03/26/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/26/12

 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	< 4.0	4.0	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Barium	165	50	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Cadmium	< 4.0	4.0	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Chromium	< 10	10	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Copper	< 25	25	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Lead	< 5.0	5.0	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Mercury	< 0.20	0.20	ug/l	1	03/29/12	03/30/12 EM	SW846 7470A ¹	SW846 7470A ⁴
Nickel	< 40	40	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Selenium	< 10	10	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Silver	< 5.0	5.0	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Zinc	< 20	20	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³

(1) Instrument QC Batch: MA14117
(2) Instrument QC Batch: MA14120
(3) Prep QC Batch: MP18780
(4) Prep QC Batch: MP18790

Client Sample ID: 1255894

 Lab Sample ID:
 MC9052-8
 Date Sampled:
 03/26/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/26/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

File ID DF **Analytical Batch** Analyzed By **Prep Date Prep Batch** Run #1 N61767.D 1 03/27/12 JP MSN2310 n/an/a Run #2

Purge Volume

Run #1 5.0 ml

Run #2

VOA RCP List

CAS No.	Compound	Result	RL	Units Q	
67-64-1	Acetone	ND	5.0	ug/l	
107-13-1	Acrylonitrile	ND	5.0	ug/l	
71-43-2	Benzene	ND	0.50	ug/l	
108-86-1	Bromobenzene	ND	5.0	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	ug/l	
75-25-2	Bromoform	ND	1.0	ug/l	
74-83-9	Bromomethane	ND	2.0	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	ug/l	
75-15-0	Carbon disulfide	ND	5.0	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	ug/l	
108-90-7	Chlorobenzene	ND	1.0	ug/l	
75-00-3	Chloroethane	ND	2.0	ug/l	
67-66-3	Chloroform	ND	1.0	ug/l	
74-87-3	Chloromethane	ND	2.0	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	1.9	1.0	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l	

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

 $N = \ \ Indicates \ presumptive \ evidence \ of \ a \ compound$



C

Client Sample ID: 1255894

 Lab Sample ID:
 MC9052-8
 Date Sampled:
 03/26/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/26/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l	
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l	
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l	
100-41-4	Ethylbenzene	ND	1.0	ug/l	
76-13-1	Freon 113	ND	5.0	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l	
591-78-6	2-Hexanone	ND	5.0	ug/l	
98-82-8	Isopropylbenzene	ND	5.0	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l	
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l	
74-95-3	Methylene bromide	ND	5.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	ug/l	
91-20-3	Naphthalene	ND	5.0	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	ug/l	
100-42-5	Styrene	ND	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l	
127-18-4	Tetrachloroethene	2.4	1.0	ug/l	
109-99-9	Tetrahydrofuran	ND	10	ug/l	
108-88-3	Toluene	ND	1.0	ug/l	
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l	
79-01-6	Trichloroethene	6.7	1.0	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l	
75-01-4	Vinyl chloride	ND	1.0	ug/l	
	m,p-Xylene	ND	1.0	ug/l	
95-47-6	o-Xylene	ND	1.0	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limi	ts
1868-53-7	Dibromofluoromethane	84%		70-13	30%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



C

Report of Analysis

Client Sample ID: 1255894 Lab Sample ID: MC9052-8

 Lab Sample ID:
 MC9052-8
 Date Sampled:
 03/26/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/26/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

VOA RCP List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits	
2037-26-5	Toluene-D8	84%		70-130%	
460-00-4	4-Bromofluorobenzene	100%		70-130%	

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

 $B = \ Indicates \ analyte \ found \ in \ associated \ method \ blank$



Client Sample ID: 1255894

 Lab Sample ID:
 MC9052-8
 Date Sampled:
 03/26/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/26/12

 Method:
 CT-ETPH 7/06 SW846 3510C
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 BG34704.D 1 04/02/12 KN 03/28/12 OP28371 GBG1276

Run #2

Initial Volume Final Volume

Run #1 920 ml 1.0 ml

Run #2

CAS No. Compound Result RL Units Q

CT-ETPH (C9-C36) 0.118 0.087 mg/l

CAS No. Surrogate Recoveries Run# 1 Run# 2 Limits

84-15-1 o-Terphenyl 108% 50-149%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



C

Page 1 of 1

Client Sample ID: 1255894

Lab Sample ID: MC9052-8 **Date Sampled:** 03/26/12 Matrix: AQ - Ground Water **Date Received:** 03/26/12 Method: **Percent Solids:** SW846 8082 SW846 3510C n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

DF **Analytical Batch** File ID Analyzed By **Prep Date Prep Batch** Run #1 BE29997.D 1 03/30/12 AP 03/28/12 OP28373 GBE1671

Run #2

Final Volume Initial Volume

Run #1 900 ml 5.0 ml

Run #2

2051-24-3

2051-24-3

CT Polychlorinated Biphenyls RCP List

CAS No.	Compound	Result	RL	Units Q
12674-11-2	Aroclor 1016	ND	0.28	ug/l
11104-28-2	Aroclor 1221	ND	0.28	ug/l
11141-16-5	Aroclor 1232	ND	0.28	ug/l
53469-21-9	Aroclor 1242	ND	0.28	ug/l
12672-29-6	Aroclor 1248	ND	0.28	ug/l
11097-69-1	Aroclor 1254	ND	0.28	ug/l
11096-82-5	Aroclor 1260	ND	0.28	ug/l
37324-23-5	Aroclor 1262	ND	0.28	ug/l
11100-14-4	Aroclor 1268	ND	0.28	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
877-09-8	Tetrachloro-m-xylene	77%		30-150%
877-09-8	Tetrachloro-m-xylene	79%		30-150%

ND = Not detected J = Indicates an estimated value

57%

53%

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound

30-150%

30-150%



RL = Reporting Limit

E = Indicates value exceeds calibration range

Decachlorobiphenyl

Decachlorobiphenyl

Page 1 of 1

Report of Analysis

Client Sample ID: 1255894UF

 Lab Sample ID:
 MC9052-9
 Date Sampled:
 03/26/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/26/12

 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	< 4.0	4.0	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Barium	236	50	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Cadmium	< 4.0	4.0	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Chromium	< 10	10	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Copper	< 25	25	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Lead	< 5.0	5.0	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Mercury	< 0.20	0.20	ug/l	1	03/29/12	03/30/12 EM	SW846 7470A ¹	SW846 7470A ⁴
Nickel	< 40	40	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Selenium	< 10	10	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Silver	< 5.0	5.0	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Zinc	< 20	20	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³

(1) Instrument QC Batch: MA14117
(2) Instrument QC Batch: MA14120
(3) Prep QC Batch: MP18780
(4) Prep QC Batch: MP18790

Page 1 of 3

Client Sample ID: 1255903

 Lab Sample ID:
 MC9052-10
 Date Sampled:
 03/26/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/26/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

File ID DF **Prep Date Analytical Batch** Analyzed By **Prep Batch** Run #1 N61768.D 1 03/27/12 JP n/a n/a MSN2310 Run #2

Purge Volume

Run #1 5.0 ml

Run #2

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
67-64-1	Acetone	ND	5.0	ug/l	
107-13-1	Acrylonitrile	ND	5.0	ug/l	
71-43-2	Benzene	ND	0.50	ug/l	
108-86-1	Bromobenzene	ND	5.0	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	ug/l	
75-25-2	Bromoform	ND	1.0	ug/l	
74-83-9	Bromomethane	ND	2.0	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	ug/l	
75-15-0	Carbon disulfide	ND	5.0	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	ug/l	
108-90-7	Chlorobenzene	ND	1.0	ug/l	
75-00-3	Chloroethane	ND	2.0	ug/l	
67-66-3	Chloroform	ND	1.0	ug/l	
74-87-3	Chloromethane	ND	2.0	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l	

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

 $N = \ Indicates \ presumptive \ evidence \ of \ a \ compound$



Page 2 of 3

Client Sample ID: 1255903 Lab Sample ID: MC9052-10 **Date Sampled:** 03/26/12 Matrix: **Date Received:** 03/26/12 AQ - Ground Water Method: **Percent Solids:** SW846 8260B

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l	
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l	
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l	
100-41-4	Ethylbenzene	ND	1.0	ug/l	
76-13-1	Freon 113	ND	5.0	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l	
591-78-6	2-Hexanone	ND	5.0	ug/l	
98-82-8	Isopropylbenzene	ND	5.0	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l	
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l	
74-95-3	Methylene bromide	ND	5.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	ug/l	
91-20-3	Naphthalene	ND	5.0	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	ug/l	
100-42-5	Styrene	ND	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	ug/l	
109-99-9	Tetrahydrofuran	ND	10	ug/l	
108-88-3	Toluene	ND	1.0	ug/l	
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l	
79-01-6	Trichloroethene	ND	1.0	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l	
75-01-4	Vinyl chloride	ND	1.0	ug/l	
	m,p-Xylene	ND	1.0	ug/l	
95-47-6	o-Xylene	ND	1.0	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limit	ts
1868-53-7	Dibromofluoromethane	84%		70-13	80%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Page 3 of 3

Client Sample ID: 1255903

 Lab Sample ID:
 MC9052-10
 Date Sampled:
 03/26/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/26/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

VOA RCP List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	85%		70-130%
460-00-4	4-Bromofluorobenzene	100%		70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

 $B = \ \, \text{Indicates analyte found in associated method blank}$

N = Indicates presumptive evidence of a compound



Page 1 of 1

Client Sample ID: 1255903

Lab Sample ID: MC9052-10 **Date Sampled:** 03/26/12 Matrix: AQ - Ground Water **Date Received:** 03/26/12 Method: CT-ETPH 7/06 SW846 3510C **Percent Solids:** n/a

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

File ID DF **Prep Date Analytical Batch** Analyzed By **Prep Batch** 03/28/12 Run #1 BG34702.D 1 04/02/12 KN OP28371 GBG1276

Run #2

Initial Volume Final Volume

Run #1 930 ml 1.0 ml

Run #2

CAS No. Compound Result RLUnits Q

> CT-ETPH (C9-C36) ND 0.086 mg/l

CAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits

84-15-1 o-Terphenyl 114% 50-149%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Page 1 of 1

Client Sample ID: 1255903

 Lab Sample ID:
 MC9052-10
 Date Sampled:
 03/26/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/26/12

 Method:
 SW846 8082
 SW846 3510C
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 BE29998.D 1 03/30/12 AP 03/28/12 OP28373 GBE1671

Run #2

Initial Volume Final Volume

Run #1 880 ml 5.0 ml

Run #2

2051-24-3

CT Polychlorinated Biphenyls RCP List

CAS No.	Compound	Result	RL	Units Q
12674-11-2	Aroclor 1016	ND	0.28	ug/l
11104-28-2	Aroclor 1221	ND	0.28	ug/l
11141-16-5	Aroclor 1232	ND	0.28	ug/l
53469-21-9	Aroclor 1242	ND	0.28	ug/l
12672-29-6	Aroclor 1248	ND	0.28	ug/l
11097-69-1	Aroclor 1254	ND	0.28	ug/l
11096-82-5	Aroclor 1260	ND	0.28	ug/l
37324-23-5	Aroclor 1262	ND	0.28	ug/l
11100-14-4	Aroclor 1268	ND	0.28	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
877-09-8	Tetrachloro-m-xylene	148%		30-150%
877-09-8	Tetrachloro-m-xylene	146%		30-150%
2051-24-3	Decachlorobiphenyl	139%		30-150%

144%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

Decachlorobiphenyl

J = Indicates an estimated value

30-150%

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Ċ

Page 1 of 1

Client Sample ID: 1255903UF

Lab Sample ID: **Date Sampled:** 03/26/12 MC9052-11 Matrix: **Date Received:** 03/26/12 AQ - Ground Water Percent Solids: n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	< 4.0	4.0	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Barium	< 50	50	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Cadmium	< 4.0	4.0	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Chromium	< 10	10	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Copper	< 25	25	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Lead	< 5.0	5.0	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Mercury	< 0.20	0.20	ug/l	1	03/29/12	03/30/12 EM	SW846 7470A ¹	SW846 7470A ⁴
Nickel	< 40	40	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Selenium	< 10	10	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Silver	< 5.0	5.0	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Zinc	< 20	20	ug/l	1	03/28/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³

(1) Instrument QC Batch: MA14117 (2) Instrument QC Batch: MA14120 (3) Prep QC Batch: MP18780 (4) Prep QC Batch: MP18790

Page 1 of 3

Client Sample ID: 1255904

 Lab Sample ID:
 MC9052-12
 Date Sampled:
 03/26/12

 Matrix:
 AQ - Trip Blank Water
 Date Received:
 03/26/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	N61854.D	1	03/29/12	JP	n/a	n/a	MSN2314
Run #2							

Purge Volume

Run #1 5.0 ml

Run #2

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
67-64-1	Acetone	ND	5.0	ug/l	
107-13-1	Acrylonitrile	ND	5.0	ug/l	
71-43-2	Benzene	ND	0.50	ug/l	
108-86-1	Bromobenzene	ND	5.0	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	ug/l	
75-25-2	Bromoform	ND	1.0	ug/l	
74-83-9	Bromomethane	ND	2.0	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	ug/l	
75-15-0	Carbon disulfide	ND	5.0	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	ug/l	
108-90-7	Chlorobenzene	ND	1.0	ug/l	
75-00-3	Chloroethane	ND	2.0	ug/l	
67-66-3	Chloroform	ND	1.0	ug/l	
74-87-3	Chloromethane	ND	2.0	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l	

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



c

Page 2 of 3

Client Sample ID: 1255904

Lab Sample ID: MC9052-12 **Date Sampled:** 03/26/12 Matrix: AQ - Trip Blank Water **Date Received:** 03/26/12 Method: **Percent Solids:** SW846 8260B n/a

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

VOA RCP List

CAS No.	Compound	Result	RL	Units Q
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l
100-41-4	Ethylbenzene	ND	1.0	ug/l
76-13-1	Freon 113	ND	5.0	ug/l
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l
591-78-6	2-Hexanone	ND	5.0	ug/l
98-82-8	Isopropylbenzene	ND	5.0	ug/l
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l
74-95-3	Methylene bromide	ND	5.0	ug/l
75-09-2	Methylene chloride	ND	2.0	ug/l
91-20-3	Naphthalene	ND	5.0	ug/l
103-65-1	n-Propylbenzene	ND	5.0	ug/l
100-42-5	Styrene	ND	5.0	ug/l
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l
127-18-4	Tetrachloroethene	ND	1.0	ug/l
109-99-9	Tetrahydrofuran	ND	10	ug/l
108-88-3	Toluene	ND	1.0	ug/l
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l
79-01-6	Trichloroethene	ND	1.0	ug/l
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l
75-01-4	Vinyl chloride	ND	1.0	ug/l
	m,p-Xylene	ND	1.0	ug/l
95-47-6	o-Xylene	ND	1.0	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	80%		70-130%

Dibromofluoromethane 70-130% 1868-53-7 80%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Page 3 of 3

Client Sample ID: 1255904

Lab Sample ID: MC9052-12 **Date Sampled:** 03/26/12 Matrix: **Date Received:** 03/26/12 AQ - Trip Blank Water Method: **Percent Solids:** SW846 8260B n/a

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

VOA RCP List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	84%		70-130%
460-00-4	4-Bromofluorobenzene	91%		70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

 $B = \ Indicates \ analyte \ found \ in \ associated \ method \ blank$

N = Indicates presumptive evidence of a compound





Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Certification Exceptions
- Certification Exceptions (CT)
- · Chain of Custody
- RCP Form
- Sample Tracking Chronicle



Parameter Certification Exceptions

Job Number: MC9052

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

The following parameters included in this report are exceptions to NELAC certification.

The certification status of each is indicated below.

Parameter	CAS#	Method	Mat	Certification Status
Aroclor 1262	37324-23-5		AQ	Certified by SOP MGC204/GC-ECD
Aroclor 1268	11100-14-4		AQ	Certified by SOP MGC204/GC-ECD



Page 1 of 1

CHAIN OF CUSTODY

Accutest Laboratories of New England
495 Technology Center West, Building One

PAGE	OF	: 1

FED-EX Tracking #

		TE	L. 508-481 w\		:PAX cutest.c		81-77	53				Accutest	Quote /	i			Accutes	t Jab#	W	09	06	57
Client / Reporting Information			Proj	ect inf	ormati	on							Req	ueste	d Analysis	(see 1	rest c	ODE 5			Ĭ	Matrix Codes
Street Address MO MOCHAWEST NO	Project Name Street:	P+W EH	Will	-	POV Billing In	(2)30,000,000	-50 E-10-10-17-10-			-	to)				N.20							DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water
Street Address // About thwest Dr City Paint ile CT 0062 Project Contact Project Contac	City. East	Hartfor		Comp	pany Nam										870							SO - Soil SL- Sludge SED-Sediment OI - Oil
Heather Cocinium	Client PO#	OT 2:	3 <i>0</i>	City			S	late		Zip				=	848							LIQ - Other Liquid AIR - Air SOL - Other Solid
(860) 747-(618/ Sampler(s) Name(s) Phone #				Alten	tion:				PO#			λ.	۲N	4	Ġ.							WP - Wipe FB-Field Blank EB- Equipment Blank
Nate /Alex	Project Manager	n Mck	mey									\bowtie	α	[II	als							RB- Rinse Blank TB-Trip Blank
Accuiesi			Collection	Sampled			Π,		of presen	<u> </u>		7	8	/	Meta							
Semple # Field ID / Point of Collection	MEOH/DI Viai #	Date	Time	by	Matrix	# of bollle	2	E S	NONE	5 2	E E	X	X	$\frac{1}{2}$	\rightarrow	-				\dashv	\dashv	LAB USE ONLY
-1 1255889 -2 1255889 uf		326/2	11:45	AC	600	6	7	++	-	+	+	~	У	X	X	-				-	\dashv	
-3 1255890			13:25	AC	H	6	2	╁	4	+	+	×	$\overline{\mathcal{L}}$	7	2	\dagger				+	\dashv	
-4 1255890 UP			13:25	1AC		1		1	††	\Box	+		/-		Х	1			$\neg \uparrow$	+	1	
-5 1255892			15.20	NE	\Box	2	ヌ		\top	\Box		X									\exists	
-V 1255893			13:10	NE		6	2		4			X	×	X								
-7 1255893 Uf			13:10	NE		L.		1							X							
- B 1255894			11:50	KE	1	6	2	11	4	Ш	\perp	X	×	X							_	
-9 1255894 Uf			11:50	NG	6W	1		14	-	1	\perp				X	ļ.				\dashv	\dashv	
-10 1255903		W-			EB	6	2	+	4	+	+	\succeq	Υ	X	V.	-					\dashv	
-11 1255903UF		32612	15:30	AC NE	EB TR	1		++	+	+	+	X			X	 			-	+	\dashv	
		1 1			117		-		Inform							Comm	ents / S	Special	Instru	ictions		
Turnaround Time (Business days) Std. 10 Business Days Std. 5 Business Days (By Contract only)	Approved By (Accı	itest PM): / Date:			Commerce Commerce FULLT1	ial "B" (i	Level 2)			NYASP NYASP State F	Catego				17A,	61	\ -	51	12			
5 Day RUSH				囡	CT RCP		.,			EDD F												
3 Day EMERGENCY 2 Day EMERGENCY					MA MCP	Commen	cial "A" :	≃ Resul		Other _		-										
1 Day EMERGENCY Emergency & Rush T/A data available VIA Lablink				,	7	Commen	cial "B"	= Resul	ts + QC	Summa)											
) Sam	ple Custody mu	st be docum	ented b	low eac	h time s	ample	s char	ge pos	sessio	n, incl	uding	courie	r deliv	ery. j	82-						
Relinquished by Sampler: Date Time: 1 Wall Was 3-2	6-12	Received By:	arex				Reling	uished E	ige pos		-1				ery. Date Time: 1 3-26	12		B		-		
Relinquished by Sampler: Date Time:		Received By:						vished E							Date Time:		Received	d By:				
Relinquished by: Date Time:		Received By:					Custos	dy Seal #	,			Intact		Preservi	ad where appl	icable		***************************************	On Ice			emp. 4 c

MC9052: Chain of Custody

Page 1 of 2





Accutest Laboratories Sample Receipt Summary

Accutest Job Number: MC90)52		Client: LEA						Immediate Client Service	es Actio	n Re	quired:	No
Date / Time Received: 3/26/2	2012		De	eliver	y Meti	hod:	:		Client Service Action	Requir	ed at	Login:	No
Project: WILLOW POND			No	o. Cod	olers:			1	Airbill #'s:				
	or N	-			Υo			١	Sample Integrity - Documentation	_Y	or	N_	
1. Custody Seals Present: ✓ 2. Custody Seals Intact: ✓			COC Present: npl Dates/Time		y				Sample labels present on bottles: Container labeling complete:	y			
Cooler Temperature	Υ (or N							3. Sample container label / COC agree:	✓			
Temp criteria achieved: Cooler temp verification: Cooler media: Quality Control Preservatio	Ic	ared gun e (bag) or N	N/A						Sample Integrity - Condition 1. Sample recvd within HT: 2. All containers accounted for: 3. Condition of sample:	Y			
1. Trip Blank present / cooler:	<u>'</u>								·	v			NIZA
2. Trip Blank listed on COC: 3. Samples preserved properly: 4. VOCs headspace free:	S S S								Sample Integrity - Instructions Analysis requested is clear: Bottles received for unspecified tests Sufficient volume recvd for analysis:	Y V	or	N	N/A
									Compositing instructions clear: Filtering instructions clear:				v v
Comments													
Accutest Laboratories V:508.481.6200					495 Tec		gy C er 508.4		Vest, Bldg One 753				borough, MA //accutest.com

MC9052: Chain of Custody

Page 2 of 2



Reasonable Confidence Protocol Laboratory Analysis QA/QC Certification Form

Laboratory Name: Accutest New England Client: Loureiro Eng. Associates UTC:P&W EH Willow Pond Groundwater Project Number:

Project Location: Sampling, East Hartford, CT

3/26/2012

Sampling Date(s):

MC9052-1, MC9052-2, MC9052-3, MC9052-4, MC9052-5, MC9052-6, MC9052-7, Laboratory Sample ID(s):

MC9052-8, MC9052-9, MC9052-10, MC9052-11, MC9052-12

88UT230

CT-ETPH 7/06, SW846 6010C, SW846 7470A, SW846 8082, SW846 8260B Methods: For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed, including the requirement to explain any Yes 🗹 1 criteria falling outside of acceptable guidelines, as specified in the CTDEP method-No 🔲 specific Reasonable Confidence Protocol documents)? Yes 🗹 1A Where all the method specified preservation and holding time requirements met? No 1B Yes 🗀 No VPH and EPH mehods only: Was the VPH or EPH method conducted without significant modifications (See section 11.3 of respective methods) NA 🔽 Were all samples received by the laboratory in a condition consistent with Yes 🔽 2 No 🗔 that described on the associated chain-of-custody document(s)? 3 Were samples received at an appropriate temperature (<6° C)? Were all QA/QC performance criteria specified in the CTDEP Reasonable No 🔽 Yes 🗀 Confidence Protocol documents achieved? ~ 5 a) Were reporting limits specified or referenced on the chain-of-custody? No Yes 🗀 ~ b) Were these reporting limits met? No For each analytical method referenced in this laboratory report package, No 🔽 6 were results reported for all constituents identified in the method-specific analyte lists presented in the Reasonable Confidence Protocol documents? Are project-specific matrix spikes and laboratory duplicates included in this Yes 🗹 No 🗔

Note: For all questions to which the response was "No" (with the exception of question #7), additional information must be provided in an attached narrative. If the answer to question #1, #1A or #1B is "No", the data package does not meet the requirements for "Reasonable Confidence".

l, the undersigned, attest under pains and penalties of perjury that, to the best of my knowledge and belief
and based upon my personal inquiry of those responsible for providing the information contained in this
analytical report, such information is accurate and complete.
analysisal ropolity such and the assumed and somplete.

Authorized

Signature: Position: Lab Director

Printed Name: Reza Tand 4/5/2012 Date:

Accutest New England



Internal Sample Tracking Chronicle

Loureiro Eng. Associates

MC9052 Job No:

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT Project No: 88UT230

Sample Number	Method	Analyzed	Ву	Prepped	Ву	Test Codes
MC9052-1 1255889	Collected: 26-MAR-12	11:45 By: ACNE	Receiv	ved: 26-MAF	R-12 By	<i>y</i> :
MC9052-1	SW846 8260B SW846 8082 CT-ETPH 7/06	27-MAR-12 16:55 30-MAR-12 01:20 02-APR-12 02:26	AP	28-MAR-12 28-MAR-12		V8260RCP P8082RCP BCTTPH
MC9052-2 1255889UF	Collected: 26-MAR-12	11:45 By: ACNE	Receiv	ved: 26-MAF	R-12 By	/:
MC9052-2	SW846 6010C	30-MAR-12 01:34	EAL	28-MAR-12	2 EM	AG, AS, BA, CD, CR, CU, NI, PB, S ZN
	SW846 7470A	30-MAR-12 10:51				HG
MC9052-3 1255890	Collected: 26-MAR-12	13:25 By: ACNE	Receiv	ved: 26-MAF	R-12 By	<i>/</i> :
MC9052-3	SW846 8260B SW846 8082 CT-ETPH 7/06	27-MAR-12 17:23 30-MAR-12 01:42 02-APR-12 01:51	AP	28-MAR-12 28-MAR-12		V8260RCP P8082RCP BCTTPH
	Collected: 26-MAR-12					
	SW846 6010C	30-MAR-12 01:38			2 EM	AG,AS,BA,CD,CR,CU,NI,PB,S ZN
	SW846 7470A	30-MAR-12 11:01				HG
MC9052-5 1255892	Collected: 26-MAR-12	15:20 By: ACNE	Receiv	ved: 26-MAF	R-12 By	/:
MC9052-5	SW846 8260B	27-MAR-12 17:51	JP			V8260RCP
MC9052-6 1255893	Collected: 26-MAR-12	13:10 By: ACNE	Receiv	ved: 26-MAF	R-12 By	<i>/</i> :
MC9052-6	SW846 8260B SW846 8082 CT-ETPH 7/06	27-MAR-12 18:20 30-MAR-12 07:11 02-APR-12 01:15	AP	28-MAR-12 28-MAR-12		V8260RCP P8082RCP BCTTPH

Internal Sample Tracking Chronicle

Loureiro Eng. Associates

MC9052 Job No:

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT Project No: 88UT230

Sample Number	Method	Analyzed	Ву	Prepped	Ву	Test Codes
MC9052-7 1255893UF	Collected: 26-MAR-12	13:10 By: ACNE	Receiv	ed: 26-MAR	-12 By	:
MC9052-7	SW846 6010C	30-MAR-12 01:43	EAL	28-MAR-12	EM	AG, AS, BA, CD, CR, CU, NI, PB, S ZN
MC9052-7	SW846 7470A	30-MAR-12 11:08	EM	29-MAR-12	EM	HG
MC9052-8 1255894	Collected: 26-MAR-12	11:50 By: ACNE	Receiv	ed: 26-MAR	-12 By	r.
MC9052-8	SW846 8260B SW846 8082 CT-ETPH 7/06	27-MAR-12 18:48 30-MAR-12 07:33 02-APR-12 00:40	AP	28-MAR-12 28-MAR-12		V8260RCP P8082RCP BCTTPH
MC9052-9 1255894UF	Collected: 26-MAR-12	11:50 By: ACNE	Receiv	ed: 26-MAR	-12 By	c .
MC9052-9	SW846 6010C	30-MAR-12 01:47	EAL	28-MAR-12	EM	AG,AS,BA,CD,CR,CU,NI,PB,S ZN
MC9052-9	SW846 7470A	30-MAR-12 11:11	EM	29-MAR-12	EM	HG
MC9052-10 1255903	Collected: 26-MAR-12	15:30 By: ACNE	Receiv	ed: 26-MAR	-12 By	:
MC9052-10	SW846 8260B SW846 8082 CT-ETPH 7/06	27-MAR-12 19:16 30-MAR-12 07:55 02-APR-12 00:04	AP	28-MAR-12 28-MAR-12		V8260RCP P8082RCP BCTTPH
MC9052-11 1255903UF	Collected: 26-MAR-12	15:30 By: ACNE	Receiv	ed: 26-MAR	-12 By	·:
MC9052-11	SW846 6010C	30-MAR-12 01:52	EAL	28-MAR-12	EM	AG, AS, BA, CD, CR, CU, NI, PB, S ZN
MC9052-11	SW846 7470A	30-MAR-12 11:13	EM	29-MAR-12	EM	HG
MC9052-12 1255904	Collected: 26-MAR-12	11:00 By: ACNE	Receiv	ed: 26-MAR	-12 By	:
MC9052-12	SW846 8260B	29-MAR-12 17:09	JP			V8260RCP



GC/MS Volatiles

QC Data Summaries

Includes the following where applicable:

- · Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries
- Internal Standard Area Summaries
- Surrogate Recovery Summaries



Method: SW846 8260B

Method Blank Summary

Job Number: MC9052

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
MSN2310-MB	N61760.D	1	03/27/12	JP	n/a	n/a	MSN2310

The QC reported here applies to the following samples:

CAS No.	Compound	Result	RL	Units Q
67-64-1	Acetone	ND	5.0	ug/l
107-13-1	Acrylonitrile	ND	5.0	ug/l
71-43-2	Benzene	ND	0.50	ug/l
108-86-1	Bromobenzene	ND	5.0	ug/l
75-27-4	Bromodichloromethane	ND	1.0	ug/l
75-25-2	Bromoform	ND	1.0	ug/l
74-83-9	Bromomethane	ND	2.0	ug/l
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l
104-51-8	n-Butylbenzene	ND	5.0	ug/l
135-98-8	sec-Butylbenzene	ND	5.0	ug/l
98-06-6	tert-Butylbenzene	ND	5.0	ug/l
75-15-0	Carbon disulfide	ND	5.0	ug/l
56-23-5	Carbon tetrachloride	ND	1.0	ug/l
108-90-7	Chlorobenzene	ND	1.0	ug/l
75-00-3	Chloroethane	ND	2.0	ug/l
67-66-3	Chloroform	ND	1.0	ug/l
74-87-3	Chloromethane	ND	2.0	ug/l
95-49-8	o-Chlorotoluene	ND	5.0	ug/l
106-43-4	p-Chlorotoluene	ND	5.0	ug/l
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l
124-48-1	Dibromochloromethane	ND	1.0	ug/l
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l
75-34-3	1,1-Dichloroethane	ND	1.0	ug/l
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l
156-59-2	cis-1,2-Dichloroethene	ND	1.0	ug/l
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l



Method: SW846 8260B

Method Blank Summary

Job Number: MC9052

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
MSN2310-MB	N61760.D	1	03/27/12	JP	n/a	n/a	MSN2310

The QC reported here applies to the following samples:

CAS No.	Compound	Result	RL	Units Q
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l
100-41-4	Ethylbenzene	ND	1.0	ug/l
76-13-1	Freon 113	ND	5.0	ug/l
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l
591-78-6	2-Hexanone	ND	5.0	ug/l
98-82-8	Isopropylbenzene	ND	5.0	ug/l
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l
74-95-3	Methylene bromide	ND	5.0	ug/l
75-09-2	Methylene chloride	ND	2.0	ug/l
91-20-3	Naphthalene	ND	5.0	ug/l
103-65-1	n-Propylbenzene	ND	5.0	ug/l
100-42-5	Styrene	ND	5.0	ug/l
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l
127-18-4	Tetrachloroethene	ND	1.0	ug/l
109-99-9	Tetrahydrofuran	ND	10	ug/l
108-88-3	Toluene	ND	1.0	ug/l
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l
79-01-6	Trichloroethene	ND	1.0	ug/l
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l
75-01-4	Vinyl chloride	ND	1.0	ug/l
	m,p-Xylene	ND	1.0	ug/l
95-47-6	o-Xylene	ND	1.0	ug/l

Page 3 of 3

Method: SW846 8260B

Job Number: MC9052

Method Blank Summary

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample MSN2310-MB	File ID N61760.D	DF 1	Analyzed 03/27/12	By JP	Prep Date n/a	Prep Batch n/a	Analytical Batch MSN2310

The QC reported here applies to the following samples:

CAS No.	Surrogate Recoveries		Limits
1868-53-7	Dibromofluoromethane	79%	70-130%
2037-26-5	Toluene-D8	84%	70-130%
460-00-4	4-Bromofluorobenzene	94%	70-130%



Method: SW846 8260B

Method Blank Summary

Job Number: MC9052

Account: LEA Loureiro Eng. Associates

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
MSN2314-MB	N61853.D	1	03/29/12	JP	n/a	n/a	MSN2314

The QC reported here applies to the following samples:

CAS No.	Compound	Result	RL	Units Q
67-64-1	Acetone	ND	5.0	ug/l
107-13-1	Acrylonitrile	ND	5.0	ug/l
71-43-2	Benzene	ND	0.50	ug/l
108-86-1	Bromobenzene	ND	5.0	ug/l
75-27-4	Bromodichloromethane	ND	1.0	ug/l
75-25-2	Bromoform	ND	1.0	ug/l
74-83-9	Bromomethane	ND	2.0	ug/l
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l
104-51-8	n-Butylbenzene	ND	5.0	ug/l
135-98-8	sec-Butylbenzene	ND	5.0	ug/l
98-06-6	tert-Butylbenzene	ND	5.0	ug/l
75-15-0	Carbon disulfide	ND	5.0	ug/l
56-23-5	Carbon tetrachloride	ND	1.0	ug/l
108-90-7	Chlorobenzene	ND	1.0	ug/l
75-00-3	Chloroethane	ND	2.0	ug/l
67-66-3	Chloroform	ND	1.0	ug/l
74-87-3	Chloromethane	ND	2.0	ug/l
95-49-8	o-Chlorotoluene	ND	5.0	ug/l
106-43-4	p-Chlorotoluene	ND	5.0	ug/l
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l
124-48-1	Dibromochloromethane	ND	1.0	ug/l
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l
75-34-3	1,1-Dichloroethane	ND	1.0	ug/l
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l
156-59-2	cis-1,2-Dichloroethene	ND	1.0	ug/l
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l



Method: SW846 8260B

Method Blank Summary

MC9052 Job Number:

Account: LEA Loureiro Eng. Associates

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
MSN2314-MB	N61853.D	1	03/29/12	JP	n/a	n/a	MSN2314

The QC reported here applies to the following samples:

CAS No.	Compound	Result	RL	Units Q
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l
100-41-4	Ethylbenzene	ND	1.0	ug/l
76-13-1	Freon 113	ND	5.0	ug/l
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l
591-78-6	2-Hexanone	ND	5.0	ug/l
98-82-8	Isopropylbenzene	ND	5.0	ug/l
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l
74-95-3	Methylene bromide	ND	5.0	ug/l
75-09-2	Methylene chloride	ND	2.0	ug/l
91-20-3	Naphthalene	ND	5.0	ug/l
103-65-1	n-Propylbenzene	ND	5.0	ug/l
100-42-5	Styrene	ND	5.0	ug/l
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l
127-18-4	Tetrachloroethene	ND	1.0	ug/l
109-99-9	Tetrahydrofuran	ND	10	ug/l
108-88-3	Toluene	ND	1.0	ug/l
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l
79-01-6	Trichloroethene	ND	1.0	ug/l
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l
75-01-4	Vinyl chloride	ND	1.0	ug/l
	m,p-Xylene	ND	1.0	ug/l
95-47-6	o-Xylene	ND	1.0	ug/l



Page 3 of 3

Method: SW846 8260B

Method Blank Summary

Job Number: MC9052

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample MSN2314-MB	File ID N61853.D	DF 1	Analyzed 03/29/12	By JP	Prep Date n/a	Prep Batch n/a	Analytical Batch MSN2314

The QC reported here applies to the following samples:

CAS No.	Surrogate Recoveries	Limits	
1868-53-7	Dibromofluoromethane	79%	70-130%
2037-26-5	Toluene-D8	84%	70-130%
460-00-4	4-Bromofluorobenzene	90%	70-130%

Page 1 of 3

Method: SW846 8260B

Blank Spike Summary Job Number: MC9052

Account: LEA Loureiro Eng. Associates

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
MSN2310-BS	N61758.D	1	03/27/12	JP	n/a	n/a	MSN2310

The QC reported here applies to the following samples:

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
67-64-1	Acetone	50	82.7	165* a	70-130
107-13-1	Acrylonitrile	50	249	498* a	70-130
71-43-2	Benzene	50	50.8	102	70-130
108-86-1	Bromobenzene	50	50.5	101	70-130
75-27-4	Bromodichloromethane	50	52.1	104	70-130
75-25-2	Bromoform	50	47.8	96	70-130
74-83-9	Bromomethane	50	48.5	97	70-130
78-93-3	2-Butanone (MEK)	50	81.6	163* a	70-130
104-51-8	n-Butylbenzene	50	54.3	109	70-130
135-98-8	sec-Butylbenzene	50	55.5	111	70-130
98-06-6	tert-Butylbenzene	50	53.4	107	70-130
75-15-0	Carbon disulfide	50	56.1	112	70-130
56-23-5	Carbon tetrachloride	50	42.8	86	70-130
108-90-7	Chlorobenzene	50	52.9	106	70-130
75-00-3	Chloroethane	50	50.4	101	70-130
67-66-3	Chloroform	50	50.1	100	70-130
74-87-3	Chloromethane	50	53.8	108	70-130
95-49-8	o-Chlorotoluene	50	51.1	102	70-130
106-43-4	p-Chlorotoluene	50	54.0	108	70-130
96-12-8	1,2-Dibromo-3-chloropropane	50	48.3	97	70-130
124-48-1	Dibromochloromethane	50	49.3	99	70-130
106-93-4	1,2-Dibromoethane	50	51.1	102	70-130
95-50-1	1,2-Dichlorobenzene	50	51.4	103	70-130
541-73-1	1,3-Dichlorobenzene	50	52.4	105	70-130
106-46-7	1,4-Dichlorobenzene	50	51.9	104	70-130
75-71-8	Dichlorodifluoromethane	50	56.2	112	70-130
75-34-3	1,1-Dichloroethane	50	50.3	101	70-130
107-06-2	1,2-Dichloroethane	50	47.6	95	70-130
75-35-4	1,1-Dichloroethene	50	51.6	103	70-130
156-59-2	cis-1,2-Dichloroethene	50	50.7	101	70-130
156-60-5	trans-1,2-Dichloroethene	50	50.8	102	70-130
78-87-5	1,2-Dichloropropane	50	49.3	99	70-130
142-28-9	1,3-Dichloropropane	50	48.6	97	70-130
594-20-7	2,2-Dichloropropane	50	33.2	66* b	70-130
563-58-6	1,1-Dichloropropene	50	53.3	107	70-130
10061-01-5	cis-1,3-Dichloropropene	50	45.3	91	70-130

Method: SW846 8260B

Blank Spike Summary Job Number: MC9052

Account: LEA Loureiro Eng. Associates

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
MSN2310-BS	N61758.D	1	03/27/12	JP	n/a	n/a	MSN2310

The QC reported here applies to the following samples:

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
10061-02-6	trans-1,3-Dichloropropene	50	46.9	94	70-130
100-41-4	Ethylbenzene	50	54.3	109	70-130
76-13-1	Freon 113	50	52.9	106	70-130
87-68-3	Hexachlorobutadiene	50	53.8	108	70-130
591-78-6	2-Hexanone	50	72.7	145* b	70-130
98-82-8	Isopropylbenzene	50	62.5	125	70-130
99-87-6	p-Isopropyltoluene	50	56.1	112	70-130
1634-04-4	Methyl Tert Butyl Ether	50	31.5	63* b	70-130
108-10-1	4-Methyl-2-pentanone (MIBK)	50	51.8	104	70-130
74-95-3	Methylene bromide	50	50.4	101	70-130
75-09-2	Methylene chloride	50	49.5	99	70-130
91-20-3	Naphthalene	50	49.9	100	70-130
103-65-1	n-Propylbenzene	50	54.3	109	70-130
100-42-5	Styrene	50	52.5	105	70-130
630-20-6	1,1,1,2-Tetrachloroethane	50	53.1	106	70-130
79-34-5	1,1,2,2-Tetrachloroethane	50	50.3	101	70-130
127-18-4	Tetrachloroethene	50	54.4	109	70-130
109-99-9	Tetrahydrofuran	50	49.7	99	70-130
108-88-3	Toluene	50	54.0	108	70-130
110-57-6	Trans-1,4-Dichloro-2-Butene	50	40.8	82	70-130
87-61-6	1,2,3-Trichlorobenzene	50	51.3	103	70-130
120-82-1	1,2,4-Trichlorobenzene	50	52.5	105	70-130
71-55-6	1,1,1-Trichloroethane	50	44.9	90	70-130
79-00-5	1,1,2-Trichloroethane	50	49.8	100	70-130
79-01-6	Trichloroethene	50	49.4	99	70-130
75-69-4	Trichlorofluoromethane	50	51.0	102	70-130
96-18-4	1,2,3-Trichloropropane	50	47.5	95	70-130
95-63-6	1,2,4-Trimethylbenzene	50	52.9	106	70-130
108-67-8	1,3,5-Trimethylbenzene	50	53.5	107	70-130
75-01-4	Vinyl chloride	50	49.9	100	70-130
	m,p-Xylene	100	115	115	70-130
95-47-6	o-Xylene	50	53.2	106	70-130

Page 3 of 3

Method: SW846 8260B

Blank Spike Summary

Job Number: MC9052

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample MSN2310-BS	File ID N61758.D	DF 1	Analyzed 03/27/12	By JP	Prep Date n/a	Prep Batch n/a	Analytical Batch MSN2310

The QC reported here applies to the following samples:

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	80%	70-130%
2037-26-5	Toluene-D8	85%	70-130%
460-00-4	4-Bromofluorobenzene	83%	70-130%

- (a) Outside control limits. Associated samples are non-detect for this compound.
- (b) Outside control limits. Blank Spike meets program technical requirements.

Blank Spike Summary Job Number: MC9052

Account: LEA Loureiro Eng. Associates

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
MSN2314-BS	N61851.D	1	03/29/12	JP	n/a	n/a	MSN2314

The QC reported here applies to the following samples: **Method:** SW846 8260B

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
67-64-1	Acetone	50	79.7	159* a	70-130
107-13-1	Acrylonitrile	50	228	456* b	70-130
71-43-2	Benzene	50	49.8	100	70-130
108-86-1	Bromobenzene	50	49.9	100	70-130
75-27-4	Bromodichloromethane	50	51.6	103	70-130
75-25-2	Bromoform	50	44.6	89	70-130
74-83-9	Bromomethane	50	44.4	89	70-130
78-93-3	2-Butanone (MEK)	50	74.6	149* a	70-130
104-51-8	n-Butylbenzene	50	54.6	109	70-130
135-98-8	sec-Butylbenzene	50	54.3	109	70-130
98-06-6	tert-Butylbenzene	50	52.2	104	70-130
75-15-0	Carbon disulfide	50	54.4	109	70-130
56-23-5	Carbon tetrachloride	50	40.8	82	70-130
108-90-7	Chlorobenzene	50	50.5	101	70-130
75-00-3	Chloroethane	50	48.6	97	70-130
67-66-3	Chloroform	50	48.7	97	70-130
74-87-3	Chloromethane	50	46.6	93	70-130
95-49-8	o-Chlorotoluene	50	49.9	100	70-130
106-43-4	p-Chlorotoluene	50	52.8	106	70-130
96-12-8	1,2-Dibromo-3-chloropropane	50	46.9	94	70-130
124-48-1	Dibromochloromethane	50	47.4	95	70-130
106-93-4	1,2-Dibromoethane	50	48.4	97	70-130
95-50-1	1,2-Dichlorobenzene	50	51.3	103	70-130
541-73-1	1,3-Dichlorobenzene	50	51.0	102	70-130
106-46-7	1,4-Dichlorobenzene	50	51.0	102	70-130
75-71-8	Dichlorodifluoromethane	50	51.0	102	70-130
75-34-3	1,1-Dichloroethane	50	48.7	97	70-130
107-06-2	1,2-Dichloroethane	50	45.8	92	70-130
75-35-4	1,1-Dichloroethene	50	49.8	100	70-130
156-59-2	cis-1,2-Dichloroethene	50	48.9	98	70-130
156-60-5	trans-1,2-Dichloroethene	50	49.1	98	70-130
78-87-5	1,2-Dichloropropane	50	48.1	96	70-130
142-28-9	1,3-Dichloropropane	50	46.1	92	70-130
594-20-7	2,2-Dichloropropane	50	35.6	71	70-130
563-58-6	1,1-Dichloropropene	50	52.2	104	70-130
10061-01-5	cis-1,3-Dichloropropene	50	44.3	89	70-130



Page 2 of 3

Blank Spike Summary Job Number: MC9052

Account: LEA Loureiro Eng. Associates

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
MSN2314-BS	N61851.D	1	03/29/12	JP	n/a	n/a	MSN2314

The QC reported here applies to the following samples: **Method:** SW846 8260B

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
10061 02 6	tuono 1 2 Diablonomenana	50	45.2	0.1	70 120
	trans-1,3-Dichloropropene	50	45.3	91	70-130
100-41-4	Ethylbenzene	50	51.6	103	70-130
76-13-1	Freon 113	50	51.2	102	70-130
87-68-3	Hexachlorobutadiene	50	53.5	107	70-130
591-78-6	2-Hexanone	50	67.2	134* a	70-130
98-82-8	Isopropylbenzene	50	61.3	123	70-130
99-87-6	p-Isopropyltoluene	50	55.3	111	70-130
1634-04-4	Methyl Tert Butyl Ether	50	33.5	67* a	70-130
108-10-1	4-Methyl-2-pentanone (MIBK)	50	47.7	95	70-130
74-95-3	Methylene bromide	50	49.6	99	70-130
75-09-2	Methylene chloride	50	47.5	95	70-130
91-20-3	Naphthalene	50	51.7	103	70-130
103-65-1	n-Propylbenzene	50	53.2	106	70-130
100-42-5	Styrene	50	49.4	99	70-130
630-20-6	1,1,1,2-Tetrachloroethane	50	50.5	101	70-130
79-34-5	1,1,2,2-Tetrachloroethane	50	47.7	95	70-130
127-18-4	Tetrachloroethene	50	53.5	107	70-130
109-99-9	Tetrahydrofuran	50	45.4	91	70-130
108-88-3	Toluene	50	52.6	105	70-130
110-57-6	Trans-1,4-Dichloro-2-Butene	50	41.4	83	70-130
87-61-6	1,2,3-Trichlorobenzene	50	53.5	107	70-130
120-82-1	1,2,4-Trichlorobenzene	50	53.7	107	70-130
71-55-6	1,1,1-Trichloroethane	50	44.2	88	70-130
79-00-5	1,1,2-Trichloroethane	50	48.0	96	70-130
79-01-6	Trichloroethene	50	49.0	98	70-130
75-69-4	Trichlorofluoromethane	50	48.7	97	70-130
96-18-4	1,2,3-Trichloropropane	50	46.0	92	70-130
95-63-6	1,2,4-Trimethylbenzene	50	52.8	106	70-130
108-67-8	1,3,5-Trimethylbenzene	50	52.7	105	70-130
75-01-4	Vinyl chloride	50	44.9	90	70-130
	m,p-Xylene	100	110	110	70-130
95-47-6	o-Xylene	50	50.4	101	70-130



Page 3 of 3

Method: SW846 8260B

Blank Spike Summary

Job Number: MC9052

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample MSN2314-BS	File ID N61851.D	DF 1	Analyzed 03/29/12	By JP	Prep Date n/a	Prep Batch n/a	Analytical Batch MSN2314

The QC reported here applies to the following samples:

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	80%	70-130%
2037-26-5	Toluene-D8	85%	70-130%
460-00-4	4-Bromofluorobenzene	83%	70-130%

- (a) Outside control limits. Blank Spike meets program technical requirements.
- (b) Outside control limits. Associated samples are non-detect for this compound.

Page 1 of 1

Volatile Internal Standard Area Summary

Job Number: MC9052

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

 Check Std:
 MSN2310-CC2292
 Injection Date:
 03/27/12

 Lab File ID:
 N61757.D
 Injection Time:
 14:05

Instrument ID: GCMSN **Method:** SW846 8260B

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
Check Std Upper Limit ^a Lower Limit ^b	316876 633752 158438	9.02 9.52 8.52	556613 1113226 278307	9.89 10.39 9.39	298708 597416 149354	13.15 13.65 12.65	231711 463422 115856	15.71 16.21 15.21	144803 289606 72402	6.57 7.07 6.07
Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
MSN2310-BS MSN2310-MB ZZZZZZ ZZZZZZ MC9052-1 MC9052-3 MC9052-5 MC9052-6 MC9052-8 MC9052-10 ZZZZZZ ZZZZZZZZZZZZZZZZZZZZZZZZZZZZZ	322973 303864 293419 286451 269222 269013 260840 260508 256488 249201 247841 242976 240482 243997 238338 236212 232486	9.02 9.02 9.02 9.02 9.02 9.02 9.02 9.02	566811 534626 521374 512682 493557 484026 473137 469880 466064 449473 455926 440726 441292 449513 439472 438663 434402	9.89 9.89 9.89 9.89 9.89 9.89 9.89 9.89	309381 276004 276694 267570 259619 255681 248011 249658 244807 236787 239908 231647 234007 236960 233421 232703 231262	13.15 13.15 13.15 13.15 13.15 13.15 13.15 13.15 13.15 13.15 13.15 13.15 13.15 13.15 13.15	237512 179465 171003 164355 154295 154840 144999 144790 142112 137731 145705 139269 142850 145800 140951 142316 139190	15.71 15.72 15.71 15.72 15.71 15.71 15.71 15.71 15.71 15.71 15.72 15.71 15.71 15.72 15.71 15.72	167928 132091 119307 114380 105042 101215 113052 103434 109011 113560 117352 108669 119458 103159 100716 98580 103399	6.57 6.59 6.59 6.58 6.59 6.58 6.58 6.58 6.58 6.58 6.58 6.58 6.58
ZZZZZZ MC9005-2 MC9005-2MS MC9005-2MSD	235307 231985 247098 270352	9.02 9.02 9.02 9.02	431860 426583 450592 485079	9.89 9.89 9.89 9.89	230946 224015 252935 277122	13.15 13.15 13.15 13.15	142646 133743 191027 203365	15.71 15.71 15.71 15.71	103565 94492 117145 128694	6.58 6.58 6.57 6.57

IS 1 = Pentafluorobenzene IS 2 = 1,4-Difluorobenzene IS 3 = Chlorobenzene-D5 IS 4 = 1,4-Dichlorobenzene-d4 IS 5 = Tert Butyl Alcohol-D9



⁽a) Upper Limit = +100% of check standard area; Retention time +0.5 minutes.

⁽b) Lower Limit = -50% of check standard area; Retention time -0.5 minutes.

Page 1 of 1

Volatile Internal Standard Area Summary

Job Number: MC9052

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

 Check Std:
 MSN2314-CC2292
 Injection Date:
 03/29/12

 Lab File ID:
 N61850.D
 Injection Time:
 15:16

Instrument ID: GCMSN **Method:** SW846 8260B

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
Check Std	320288	9.02	563873	9.89	316425	13.15	239538	15.71	162547	6.57
Upper Limit ^a	640576	9.52	1127746	10.39	632850	13.65	479076	16.21	325094	7.07
Lower Limit b	160144	8.52	281937	9.39	158213	12.65	119769	15.21	81274	6.07
Lab	IS 1		IS 2		IS 3		IS 4		IS 5	
Sample ID	AREA	RT	AREA	RT	AREA	RT	AREA	RT	AREA	RT
MSN2314-BS	330670	9.02	574918	9.89	321371	13.15	240072	15.71	147599	6.57
MSN2314-MB	309980	9.02	548078	9.89	286207	13.15	193299	15.71	133510	6.58
MC9052-12	300621	9.03	538156	9.90	279451	13.15	187498	15.71	123017	6.59
ZZZZZZ	285270	9.02	515633	9.89	272405	13.15	177439	15.71	131210	6.58
ZZZZZZ	288035	9.02	516713	9.90	270895	13.15	177681	15.71	137639	6.58
ZZZZZZ	284509	9.02	506023	9.89	266677	13.15	173743	15.71	112802	6.58
ZZZZZZ	276153	9.02	498079	9.89	262141	13.15	171575	15.71	106324	6.58
ZZZZZZ	275840	9.02	497396	9.89	260143	13.15	167546	15.71	109768	6.58
ZZZZZZ	271267	9.02	487284	9.89	254565	13.15	166292	15.71	111140	6.58
ZZZZZZ	263845	9.02	477942	9.90	255552	13.15	161828	15.71	126006	6.58
ZZZZZZ	270137	9.02	490795	9.89	258889	13.15	178925	15.71	121505	6.58
ZZZZZZ	259989	9.02	468604	9.89	254541	13.15	162809	15.71	104401	6.58
ZZZZZZ	263856	9.02	479912	9.90	256895	13.15	163661	15.71	116554	6.58
ZZZZZZ	260849	9.02	479661	9.89	250087	13.15	169994	15.71	120044	6.58
ZZZZZZ	268961	9.02	484508	9.89	252819	13.15	165527	15.71	128323	6.58
ZZZZZZ	258999	9.02	470641	9.89	251433	13.15	163293	15.71	113040	6.58
ZZZZZZ	251765	9.02	458733	9.89	241908	13.15	154717	15.71	109752	6.58
ZZZZZZ	251999	9.02	458765	9.90	240997	13.16	155186	15.72	97937	6.58
ZZZZZZ	252842	9.02	451313	9.89	236926	13.15	152038	15.71	104485	6.58
ZZZZZZ	253075	9.02	463216	9.89	240157	13.15	155529	15.71	116652	6.58
ZZZZZZ	244694	9.02	457575	9.90	241085	13.15	149412	15.72	116494	6.58

IS 1 = Pentafluorobenzene IS 2 = 1,4-Difluorobenzene IS 3 = Chlorobenzene-D5 IS 4 = 1,4-Dichlorobenzene-d4 IS 5 = Tert Butyl Alcohol-D9



⁽a) Upper Limit = +100% of check standard area; Retention time +0.5 minutes.

⁽b) Lower Limit = -50% of check standard area; Retention time -0.5 minutes.

Volatile Surrogate Recovery Summary

Job Number: MC9052

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Method: SW846 8260B Matrix: AQ

Samples and QC shown here apply to the above method

Lab	Lab			
Sample ID	File ID	S1	S2	S3
MC9052-1	N61763.D	84.0	84.0	100.0
MC9052-3	N61764.D	82.0	84.0	97.0
MC9052-5	N61765.D	84.0	84.0	101.0
MC9052-6	N61766.D	82.0	85.0	99.0
MC9052-8	N61767.D	84.0	84.0	100.0
MC9052-10	N61768.D	84.0	85.0	100.0
MC9052-12	N61854.D	80.0	84.0	91.0
MSN2310-BS	N61758.D	80.0	85.0	83.0
MSN2310-MB	N61760.D	79.0	84.0	94.0
MSN2314-BS	N61851.D	80.0	85.0	83.0
MSN2314-MB	N61853.D	79.0	84.0	90.0

Surrogate Recovery Compounds Limits

 S1 = Dibromofluoromethane
 70-130%

 S2 = Toluene-D8
 70-130%

 S3 = 4-Bromofluorobenzene
 70-130%





GC Semi-volatiles

QC Data Summaries

Includes the following where applicable:

- · Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries
- Surrogate Recovery Summaries



Page 1 of 1

Method: CT-ETPH 7/06

Method Blank Summary

Job Number: MC9052

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample OP28371-MB	File ID BG34680.D	DF 1	Analyzed 04/01/12	By KN	Prep Date 03/28/12	Prep Batch OP28371	Analytical Batch GBG1276

The QC reported here applies to the following samples:

MC9052-1, MC9052-3, MC9052-6, MC9052-8, MC9052-10

CAS No. Compound Result RL Units Q

CT-ETPH (C9-C36) ND 0.080 mg/l

CAS No. Surrogate Recoveries Limits

84-15-1 o-Terphenyl 116% 50-149%



Page 1 of 1

Method: SW846 8082

6.1.2

Method Blank Summary

Job Number: MC9052

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample OP28373-MB	File ID BE30023.D	DF 1	Analyzed 03/30/12	By AP	Prep Date 03/28/12	Prep Batch OP28373	Analytical Batch GBE1672

The QC reported here applies to the following samples:

CAS No.	Compound	Result	RL	Units Q
12674-11-2	Aroclor 1016	ND	0.25	ug/l
11104-28-2	Aroclor 1221	ND	0.25	ug/l
11141-16-5	Aroclor 1232	ND	0.25	ug/l
53469-21-9	Aroclor 1242	ND	0.25	ug/l
12672-29-6	Aroclor 1248	ND	0.25	ug/l
11097-69-1	Aroclor 1254	ND	0.25	ug/l
11096-82-5	Aroclor 1260	ND	0.25	ug/l
37324-23-5	Aroclor 1262	ND	0.25	ug/l
11100-14-4	Aroclor 1268	ND	0.25	ug/l

CAS No.	Surrogate Recoveries		Limits
877-09-8	Tetrachloro-m-xylene	115%	30-150%
877-09-8	Tetrachloro-m-xylene	117%	30-150%
2051-24-3	Decachlorobiphenyl	117%	30-150%
2051-24-3	Decachlorobiphenyl	120%	30-150%



Method: CT-ETPH 7/06

Blank Spike Summary

o-Terphenyl

84-15-1

Job Number: MC9052

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample OP28371-BS	File ID BG34682.D	DF 1	Analyzed 04/01/12	By KN	Prep Date 03/28/12	Prep Batch OP28371	Analytical Batch GBG1276

50-149%

The QC reported here applies to the following samples:

MC9052-1, MC9052-3, MC9052-6, MC9052-8, MC9052-10

CAS No.	Compound	Spike mg/l	BSP mg/l	BSP %	Limits
	СТ-ЕТРН (С9-С36)	0.7	0.534	76	60-120
CAS No.	Surrogate Recoveries	BSP	Lin	nits	

116%



Method: SW846 8082

Blank Spike Summary

Job Number: MC9052

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample OP28373-BS	File ID BE30024.D	DF 1	Analyzed 03/30/12	By AP	Prep Date 03/28/12	Prep Batch OP28373	Analytical Batch GBE1672

The QC reported here applies to the following samples:

MC9052-1, MC9052-3, MC9052-6, MC9052-8, MC9052-10

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
12674-11-2	Aroclor 1016	2	1.8	90	40-140
11104-28-2	Aroclor 1221		ND		40-140
11141-16-5	Aroclor 1232		ND		40-140
53469-21-9	Aroclor 1242		ND		40-140
12672-29-6	Aroclor 1248		ND		40-140
11097-69-1	Aroclor 1254		ND		40-140
11096-82-5	Aroclor 1260	2	1.7	85	40-140
37324-23-5	Aroclor 1262		ND		40-140
11100-14-4	Aroclor 1268		ND		40-140

CAS No.	Surrogate Recoveries	BSP	Limits
877-09-8	Tetrachloro-m-xylene	116%	30-150%
877-09-8	Tetrachloro-m-xylene	117%	30-150%
2051-24-3	Decachlorobiphenyl	102%	30-150%
2051-24-3	Decachlorobiphenyl	99%	30-150%



Semivolatile Surrogate Recovery Summary

Job Number: MC9052

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Method: CT-ETPH 7/06 Matrix: AQ

Samples and QC shown here apply to the above method

Lab Sample ID	Lab File ID	S1 ^a
MC9052-1	BG34710.D	115.0
MC9052-3	BG34708.D	107.0
MC9052-6	BG34706.D	113.0
MC9052-8	BG34704.D	108.0
MC9052-10	BG34702.D	114.0
OP28371-BS	BG34682.D	116.0
OP28371-MB	BG34680.D	116.0

Surrogate Recovery Compounds Limits

S1 = o-Terphenyl 50-149%

(a) Recovery from GC signal #1



Semivolatile Surrogate Recovery Summary

Job Number: MC9052

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Method: SW846 8082 Matrix: AQ

Samples and QC shown here apply to the above method

Lab	Lab				
Sample ID	File ID	S1 a	S1 b	S2 a	S2 b
MC9052-1	BE29994.D	85.0	82.0	77.0	75.0
MC9052-3	BE29995.D	75.0	71.0	42.0	40.0
MC9052-6	BE29996.D	81.0	75.0	64.0	61.0
MC9052-8	BE29997.D	77.0	79.0	57.0	53.0
MC9052-10	BE29998.D	148.0	146.0	139.0	144.0
OP28373-BS	BE30024.D	116.0	117.0	102.0	99.0
OP28373-MB	BE30023.D	115.0	117.0	117.0	120.0

Surrogate Recovery Compounds Limits

S1 = Tetrachloro-m-xylene 30-150% S2 = Decachlorobiphenyl 30-150%

(a) Recovery from GC signal #1

(b) Recovery from GC signal #2





Metals Analysis

QC Data Summaries

Includes the following where applicable:

- · Method Blank Summaries
- Matrix Spike and Duplicate Summaries
- Blank Spike and Lab Control Sample Summaries
- Serial Dilution Summaries



BLANK RESULTS SUMMARY Part 2 - Method Blanks

Login Number: MC9052

Account: LEA - Loureiro Eng. Associates
Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

QC Batch ID: MP18780 Methods: SW846 6010C Matrix Type: AQUEOUS Units: ug/l

Prep Date: 03/28/12 03/28/12

Metal RL IDL MDL raw final raw final Aluminum 200 12 21 Antimony 6.0 1.1 1.7 Arsenic 4.0 .88 1.9 -0.20 <4.0 0.0 <40 Barium 50 .24 .65 0.0 <50 0.0 <50 Beryllium 4.0 .15 .28 Boron 100 .39 .59					MB	<u> </u>	MB		
Antimony 6.0 1.1 1.7	Metal	RL	IDL	MDL		final		final	
Arsenic 4.0 .88 1.9 -0.20 <4.0 0.0 <4.0 Barium 50 .24 .65 0.0 <50	Aluminum	200	12	21					
Barium 50 .24 .65 0.0 <50 0.0 <50 Beryllium 4.0 .15 .28 .	Antimony	6.0	1.1	1.7					
Beryllium 4.0 .15 .28 Boron 100 .39 .59 Cadmium 4.0 .12 .17 0.10 <4.0	Arsenic	4.0	.88	1.9	-0.20	<4.0	0.0	<4.0	
Boron 100 .39 .59 Cadmium 4.0 .12 .17 0.10 <4.0	Barium	50	.24	.65	0.0	<50	0.0	<50	
Cadmium 4.0 .12 .17 0.10 <4.0	Beryllium	4.0	.15	.28					
Calcium 5000 5.8 17 Chromium 10 .65 .7 0.20 <10	Boron	100	.39	.59					
Chromium 10 .65 .7 0.20 <10 0.30 <10 Cobalt 50 .13 .38 .38 .00 <2	Cadmium	4.0	.12	.17	0.10	<4.0	0.10	<4.0	
Cobalt 50 .13 .38 Copper 25 .48 1.4 0.40 <25	Calcium	5000	5.8	17					
Copper 25 .48 1.4 0.40 <25 0.0 <25 Gold 50 2 2.7	Chromium	10	. 65	.7	0.20	<10	0.30	<10	
Gold 50 2 2.7 Iron 100 3.5 11 Lead 5.0 1.3 2.1 0.20 <5.0 0.10 <5.0 Magnesium 5000 34 60 Manganese 15 .15 .54 Molybdenum 100 .53 1.5 Nickel 40 .22 .7 0.20 <40 0.30 <40 Palladium 50 3.2 7.9 Platinum 50 6.4 9.6 Potassium 5000 42 190 Selenium 10 1.5 2 0.70 <10 0.10 <10 Silicon 100 1.1 8.4 Silver 5.0 .71 1.3 0.80 <5.0 0.50 <5.0 Sodium 5000 14 40 Strontium 10 .19 .35 Thallium 5.0 .71 1.4 Tin 100 .43 .6 Titanium 50 6.9 14 Vanadium 10 0.7 1.3	Cobalt	50	.13	.38					
Iron 100 3.5 11 Lead 5.0 1.3 2.1 0.20 <5.0	Copper	25	.48	1.4	0.40	<25	0.0	<25	
Lead 5.0 1.3 2.1 0.20 <5.0	Gold	50	2	2.7					
Magnesium 5000 34 60 Manganese 15 .15 .54 Molybdenum 100 .53 1.5 Nickel 40 .22 .7 0.20 <40	Iron	100	3.5	11					
Manganese 15 .15 .54 Molybdenum 100 .53 1.5 Nickel 40 .22 .7 0.20 <40	Lead	5.0	1.3	2.1	0.20	<5.0	0.10	<5.0	
Molybdenum 100 .53 1.5 Nickel 40 .22 .7 0.20 <40	Magnesium	5000	34	60					
Nickel 40 .22 .7 0.20 <40	Manganese	15	.15	.54					
Palladium 50 3.2 7.9 Platinum 50 6.4 9.6 Potassium 5000 42 190 Selenium 10 1.5 2 0.70 <10	Molybdenum	100	.53	1.5					
Platinum 50 6.4 9.6 Potassium 5000 42 190 Selenium 10 1.5 2 0.70 <10	Nickel	40	.22	.7	0.20	<40	0.30	<40	
Potassium 5000 42 190 Selenium 10 1.5 2 0.70 <10	Palladium	50	3.2	7.9					
Selenium 10 1.5 2 0.70 <10	Platinum	50	6.4	9.6					
Silicon 100 1.1 8.4 Silver 5.0 .71 1.3 0.80 <5.0	Potassium	5000	42	190					
Silver 5.0 .71 1.3 0.80 <5.0	Selenium	10	1.5	2	0.70	<10	0.10	<10	
Sodium 5000 14 40 Strontium 10 .19 .35 Thallium 5.0 .71 1.4 Tin 100 .43 .6 Titanium 50 .46 .72 Tungsten 100 6.9 14 Vanadium 10 .7 1.3	Silicon	100	1.1	8.4					
Strontium 10 .19 .35 Thallium 5.0 .71 1.4 Tin 100 .43 .6 Titanium 50 .46 .72 Tungsten 100 6.9 14 Vanadium 10 .7 1.3	Silver	5.0	.71	1.3	0.80	<5.0	0.50	<5.0	
Thallium 5.0 .71 1.4 Tin 100 .43 .6 Titanium 50 .46 .72 Tungsten 100 6.9 14 Vanadium 10 .7 1.3	Sodium	5000	14	40					
Tin 100 .43 .6 Titanium 50 .46 .72 Tungsten 100 6.9 14 Vanadium 10 .7 1.3	Strontium	10	.19	.35					
Titanium 50 .46 .72 Tungsten 100 6.9 14 Vanadium 10 .7 1.3	Thallium	5.0	.71	1.4					
Tungsten 100 6.9 14 Vanadium 10 .7 1.3	Tin	100	.43	.6					
Vanadium 10 .7 1.3	Titanium	50	.46	.72					
	Tungsten	100	6.9	14					
Zinc 20 1.2 4 0.20 <20 3.5 <20	Vanadium	10	.7	1.3					
	Zinc	20	1.2	4	0.20	<20	3.5	<20	

Associated samples MP18780: MC9052-2, MC9052-4, MC9052-7, MC9052-9, MC9052-11

BLANK RESULTS SUMMARY Part 2 - Method Blanks

Login Number: MC9052

Account: LEA - Loureiro Eng. Associates
Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

QC Batch ID: MP18780 Methods: SW846 6010C Matrix Type: AQUEOUS Units: ug/l

Prep Date:

Metal

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits (anr) Analyte not requested

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: MC9052

Account: LEA - Loureiro Eng. Associates
Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

QC Batch ID: MP18780 Methods: SW846 6010C Matrix Type: AQUEOUS Units: ug/l

matrix Type.	AQUEUUS					OIII	cs. ug/i		
Prep Date:			03/28/12	2				03/28/12	2
Metal	BSP Result	Spikelot MPICP	t % Rec	QC Limits	BSD Result	Spikelot MPICP	t % Rec	BSD RPD	QC Limit
Aluminum									
Antimony	anr								
Arsenic	521	500	104.2	80-120	522	500	104.4	0.2	20
Barium	2000	2000	100.0	80-120	2000	2000	100.0	0.0	20
Beryllium	anr								
Boron									
Cadmium	507	500	101.4	80-120	509	500	101.8	0.4	20
Calcium									
Chromium	519	500	103.8	80-120	520	500	104.0	0.2	20
Cobalt									
Copper	487	500	97.4	80-120	491	500	98.2	0.8	20
Gold									
Iron	anr								
Lead	1000	1000	100.0	80-120	1000	1000	100.0	0.0	20
Magnesium									
Manganese									
Molybdenum									
Nickel	507	500	101.4	80-120	509	500	101.8	0.4	20
Palladium									
Platinum									
Potassium									
Selenium	505	500	101.0	80-120	505	500	101.0	0.0	20
Silicon									
Silver	204	200	102.0	80-120	204	200	102.0	0.0	20
Sodium									
Strontium									
Thallium	anr								
Tin									
Titanium									
Tungsten									
Vanadium	anr								
Zinc	518	500	103.6	80-120	521	500	104.2	0.6	20

Associated samples MP18780: MC9052-2, MC9052-4, MC9052-7, MC9052-9, MC9052-11

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: MC9052

Account: LEA - Loureiro Eng. Associates
Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

QC Batch ID: MP18780 Methods: SW846 6010C Matrix Type: AQUEOUS Units: ug/l

Prep Date:

Metal

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits (anr) Analyte not requested

SERIAL DILUTION RESULTS SUMMARY

Login Number: MC9052

Account: LEA - Loureiro Eng. Associates
Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

QC Batch ID: MP18780 Methods: SW846 6010C Matrix Type: AQUEOUS Units: ug/l

03/28/12 Prep Date:

Cobalt Copper 2.20 2.50 13.6 (a) 0-10 Gold Iron anr Lead 0.00 0.00 NC 0-10 Magnesium Manganese Molybdenum Nickel 1.00 1.90 90.0 (a) 0-10 Palladium Potassium Selenium 3.00 0.00 100.0(a) 0-10 Silicon Silver 0.00 0.00 NC 0-10 Sodium Strontium Thallium anr Tin Titanium Tungsten Vanadium anr	Prep Date.			03/28/12	<u> </u>	
Antimony anr Arsenic 0.00 0.00 NC 0-10 Barium 181 178 1.7 0-10 Beryllium anr Boron Cadmium 0.200 0.00 NC 0-10 Calcium Chromium 0.00 0.00 NC 0-10 Cobalt Copper 2.20 2.50 13.6 (a) 0-10 Gold Iron anr Lead 0.00 0.00 NC 0-10 Magnesium Manganese Molybdenum Nickel 1.00 1.90 90.0 (a) 0-10 Palladium Platinum Potassium Selenium 3.00 0.00 NC 0-10 Silicon Silver 0.00 0.00 NC 0-10 Sodium Strontium Thallium anr Tin Titanium Tungsten Vanadium anr	Metal			%DIF		
Arsenic 0.00 0.00 NC 0-10 Barium 181 178 1.7 0-10 Beryllium anr Boron Cadmium 0.200 0.00 100.0(a) 0-10 Calcium Chromium 0.00 0.00 NC 0-10 Cobalt Copper 2.20 2.50 13.6 (a) 0-10 Gold Iron anr Lead 0.00 0.00 NC 0-10 Magnesium Manganese Molybdenum Nickel 1.00 1.90 90.0 (a) 0-10 Palladium Platinum Potassium Selenium 3.00 0.00 NC 0-10 Silicon Silver 0.00 0.00 NC 0-10 Sodium Strontium Thallium anr Tin Titanium Tungsten Vanadium anr	Aluminum					
Barium 181 178 1.7 0-10 Beryllium anr Boron Cadmium 0.200 0.00 100.0(a) 0-10 Calcium Chromium 0.00 0.00 NC 0-10 Cobalt Copper 2.20 2.50 13.6 (a) 0-10 Gold Iron anr Lead 0.00 0.00 NC 0-10 Magnesium Manganese Molybdenum Nickel 1.00 1.90 90.0 (a) 0-10 Palladium Platinum Potassium Selenium 3.00 0.00 NC 0-10 Silicon Silver 0.00 0.00 NC 0-10 Sodium Strontium Thallium anr Tin Titanium Tungsten Vanadium anr	Antimony	anr				
Beryllium anr Boron Cadmium 0.200 0.00 100.0(a) 0-10 Calcium Chromium 0.00 0.00 NC 0-10 Cobalt Copper 2.20 2.50 13.6 (a) 0-10 Gold Iron anr Lead 0.00 0.00 NC 0-10 Magnesium Manganese Molybdenum Nickel 1.00 1.90 90.0 (a) 0-10 Palladium Platinum Potassium Selenium 3.00 0.00 NC 0-10 Silicon Silicon Silver 0.00 0.00 NC 0-10 Sodium Strontium Thallium anr Tin Titanium Tungsten Vanadium anr	Arsenic	0.00	0.00	NC	0-10	
Boron Cadmium 0.200 0.00 100.0(a) 0-10 Calcium Chromium 0.00 0.00 NC 0-10 Cobalt Copper 2.20 2.50 13.6 (a) 0-10 Gold Iron anr Lead 0.00 0.00 NC 0-10 Magnesium Manganese Molybdenum Nickel 1.00 1.90 90.0 (a) 0-10 Palladium Platinum Potassium Selenium 3.00 0.00 NC 0-10 Silicon Silver 0.00 0.00 NC 0-10 Sodium Strontium Thallium anr Tin Titanium Tungsten Vanadium anr	Barium	181	178	1.7	0-10	
Cadmium 0.200 0.00 100.0(a) 0-10 Calcium Chromium 0.00 0.00 NC 0-10 Cobalt Copper 2.20 2.50 13.6 (a) 0-10 Gold Iron anr Lead 0.00 0.00 NC 0-10 Magnesium Manganese Molybdenum Nickel 1.00 1.90 90.0 (a) 0-10 Palladium Potassium Selenium 3.00 0.00 100.0(a) 0-10 Silicon Silicon Silicon Sitortium Thallium anr Tin Titanium Tungsten Vanadium A.00 0.00 100.0(a) 0-10	Beryllium	anr				
Calcium Chromium 0.00 0.00 NC 0-10 Cobalt Copper 2.20 2.50 13.6 (a) 0-10 Gold Iron anr Lead 0.00 0.00 NC 0-10 Magnesium Manganese Molybdenum Nickel 1.00 1.90 90.0 (a) 0-10 Palladium Platinum Potassium Selenium 3.00 0.00 NC 0-10 Silicon Silver 0.00 0.00 NC 0-10 Sodium Strontium Thallium anr Tin Titanium Tungsten Vanadium anr	Boron					
Chromium 0.00 0.00 NC 0-10 Cobalt Copper 2.20 2.50 13.6 (a) 0-10 Gold Iron anr Lead 0.00 0.00 NC 0-10 Magnesium Manganese Molybdenum Nickel 1.00 1.90 90.0 (a) 0-10 Palladium Potassium Selenium 3.00 0.00 NC 0-10 Silicon Silver 0.00 0.00 NC 0-10 Sodium Strontium Thallium anr Tin Titanium Tungsten Vanadium anr	Cadmium	0.200	0.00	100.0(a)	0-10	
Cobalt Copper 2.20 2.50 13.6 (a) 0-10 Gold Iron anr Lead 0.00 0.00 NC 0-10 Magnesium Manganese Molybdenum Nickel 1.00 1.90 90.0 (a) 0-10 Palladium Potassium Selenium 3.00 0.00 NC 0-10 Silicon Silver 0.00 0.00 NC 0-10 Sodium Strontium Thallium anr Tin Titanium Tungsten Vanadium anr	Calcium					
Copper 2.20 2.50 13.6 (a) 0-10 Gold Iron anr Lead 0.00 0.00 NC 0-10 Magnesium Manganese Molybdenum Nickel 1.00 1.90 90.0 (a) 0-10 Palladium Platinum Potassium Selenium 3.00 0.00 100.0(a) 0-10 Silicon Silver 0.00 0.00 NC 0-10 Sodium Strontium Thallium anr Tin Titanium Tungsten Vanadium anr	Chromium	0.00	0.00	NC	0-10	
Gold Iron anr Lead 0.00 0.00 NC 0-10 Magnesium Manganese Molybdenum Nickel 1.00 1.90 90.0 (a) 0-10 Palladium Platinum Potassium Selenium 3.00 0.00 100.0(a) 0-10 Silicon Silver 0.00 0.00 NC 0-10 Sodium Strontium Thallium anr Tin Titanium Tungsten Vanadium anr	Cobalt					
Iron anr Lead 0.00 0.00 NC 0-10 Magnesium Manganese Molybdenum Vanadium 0-10 Molybdenum Nickel 1.00 1.90 90.0 (a) 0-10 Palladium Platinum Vanadium 0.00 100.0 (a) 0-10 Selenium 3.00 0.00 NC 0-10 Silver 0.00 0.00 NC 0-10 Sodium Strontium Thallium anr Titanium Tungsten Vanadium anr	Copper	2.20	2.50	13.6 (a)	0-10	
Lead 0.00 0.00 NC 0-10 Magnesium Manganese Molybdenum Nickel 1.00 1.90 90.0 (a) 0-10 Palladium Platinum Potassium Selenium 3.00 0.00 100.0(a) 0-10 Silicon Silver 0.00 0.00 NC 0-10 Sodium Strontium Thallium anr Tin Titanium Tungsten Vanadium anr	Gold					
Magnesium Manganese Molybdenum Nickel 1.00 1.90 90.0 (a) 0-10 Palladium Platinum Potassium Selenium 3.00 0.00 100.0(a) 0-10 Silicon Silver 0.00 0.00 NC 0-10 Sodium Strontium Thallium anr Tin Titanium Tungsten Vanadium anr	Iron	anr				
Manganese Molybdenum Nickel 1.00 1.90 90.0 (a) 0-10 Palladium Platinum Potassium Selenium 3.00 0.00 100.0(a) 0-10 Silicon Silver 0.00 0.00 NC 0-10 Sodium Strontium Thallium anr Tin Titanium Tungsten Vanadium anr	Lead	0.00	0.00	NC	0-10	
Molybdenum Nickel 1.00 1.90 90.0 (a) 0-10 Palladium Platinum Potassium Selenium 3.00 0.00 100.0(a) 0-10 Silicon Silver 0.00 0.00 NC 0-10 Sodium Strontium Thallium anr Tin Titanium Tungsten Vanadium anr	Magnesium					
Nickel 1.00 1.90 90.0 (a) 0-10 Palladium Platinum Potassium Selenium 3.00 0.00 100.0(a) 0-10 Silicon Silver 0.00 0.00 NC 0-10 Sodium Strontium Thallium anr Tin Titanium Tungsten Vanadium anr	Manganese					
Palladium Platinum Potassium Selenium 3.00 0.00 100.0(a) 0-10 Silicon Silver 0.00 0.00 NC 0-10 Sodium Strontium Thallium anr Tin Titanium Tungsten Vanadium anr	Molybdenum					
Platinum Potassium Selenium 3.00 0.00 100.0(a) 0-10 Silicon 0.00 NC 0-10 Sodium Strontium Thallium anr Tin Titanium Tungsten Vanadium anr	Nickel	1.00	1.90	90.0 (a)	0-10	
Potassium Selenium 3.00 0.00 100.0(a) 0-10 Silicon Silver 0.00 0.00 NC 0-10 Sodium Strontium Thallium anr Tin Titanium Tungsten Vanadium anr	Palladium					
Selenium 3.00 0.00 100.0(a) 0-10 Silicon 0.00 0.00 NC 0-10 Sodium Strontium Thallium anr Tin Titanium Tungsten Vanadium anr	Platinum					
Silicon Silver 0.00 0.00 NC 0-10 Sodium Strontium Thallium anr Tin Titanium Tungsten Vanadium anr	Potassium					
Silicon Silver 0.00 0.00 NC 0-10 Sodium Strontium Thallium anr Tin Titanium Tungsten Vanadium anr	Selenium	3.00	0.00	100.0(a)	0-10	
Sodium Strontium Thallium anr Tin Titanium Tungsten Vanadium anr						
Sodium Strontium Thallium anr Tin Titanium Tungsten Vanadium anr	Silver	0.00	0.00	NC	0-10	
Strontium Thallium anr Tin Titanium Tungsten Vanadium anr						
Thallium anr Tin Titanium Tungsten Vanadium anr						
Tin Titanium Tungsten Vanadium anr		anr				
Titanium Tungsten Vanadium anr						
Tungsten Vanadium anr	Titanium					
Vanadium anr	Tungsten					
	Vanadium	anr				
	Zinc	11.5	12.2	6.1	0-10	

Associated samples MP18780: MC9052-2, MC9052-4, MC9052-7, MC9052-9, MC9052-11

SERIAL DILUTION RESULTS SUMMARY

Login Number: MC9052

Account: LEA - Loureiro Eng. Associates
Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

QC Batch ID: MP18780 Methods: SW846 6010C Matrix Type: AQUEOUS Units: ug/l

Prep Date:

Metal

Results < IDL are shown as zero for calculation purposes

(*) Outside of QC limits (anr) Analyte not requested

(a) Percent difference acceptable due to low initial sample concentration (< 50 times IDL).

BLANK RESULTS SUMMARY Part 2 - Method Blanks

Login Number: MC9052

Account: LEA - Loureiro Eng. Associates
Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

QC Batch ID: MP18790 Methods: SW846 7470A Matrix Type: AQUEOUS Units: ug/l

Prep Date: 03/29/12

Associated samples MP18790: MC9052-2, MC9052-4, MC9052-7, MC9052-9, MC9052-11

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits $\bar{\ }$

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: MC9052

Account: LEA - Loureiro Eng. Associates
Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

QC Batch ID: MP18790 Methods: SW846 7470A Matrix Type: AQUEOUS Units: ug/l

Prep Date: 03/29/12

Associated samples MP18790: MC9052-2, MC9052-4, MC9052-7, MC9052-9, MC9052-11

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits $\hfill \hfill$

(N) Matrix Spike Rec. outside of QC limits



MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: MC9052

Account: LEA - Loureiro Eng. Associates
Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

QC Batch ID: MP18790 Methods: SW846 7470A

Matrix Type: AQUEOUS Units: ug/l

Metal	MC9052- Origina		Spikelot HGRWS1	% Rec	MSD RPD	QC Limit
Mercury	0.0	3.0	3	100.0	3.3	20

03/29/12

Associated samples MP18790: MC9052-2, MC9052-4, MC9052-7, MC9052-9, MC9052-11

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits $\hfill \hfill$

Prep Date:

(N) Matrix Spike Rec. outside of QC limits



SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: MC9052

Account: LEA - Loureiro Eng. Associates
Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

QC Batch ID: MP18790 Methods: SW846 7470A

Matrix Type: AQUEOUS Units: ug/l

03/29/12 03/29/12 Prep Date:

Metal	BSP Result	Spikelot HGRWS1	% Rec	QC Limits	BSD Result	Spikelot HGRWS1	% Rec	BSD RPD	QC Limit
Mercury	3.0	3	100.0	80-120	3.0	3	100.0	0.0	20

Associated samples MP18790: MC9052-2, MC9052-4, MC9052-7, MC9052-9, MC9052-11

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits $\bar{\ }$





04/10/12



Technical Report for

Loureiro Eng. Associates

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

88UT230

Accutest Job Number: MC9090

Sampling Date: 03/27/12

Report to:

Loureiro Eng. Associates

ittrzaski@loureiro.com

ATTN: Joseph Trzaski

Total number of pages in report: 119



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.

Client Service contact: Frank DAgostino 508-481-6200

Certifications: MA (M-MA136,SW846 NELAC) CT (PH-0109) NH (250210) RI (00071) ME (MA00136) FL (E87579) NY (11791) NJ (MA926) PA (6801121) ND (R-188) CO MN (11546AA) NC (653) IL (002337) ISO 17025:2005 (L2235) This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories. Test results relate only to samples analyzed.



Lab Director

Sections:

-1-

Table of Contents

Section 1: Sample Summary	3
Section 2: Case Narrative/Conformance Summary	5
Section 3: Sample Results	7
3.1: MC9090-1: 1255891	8
3.2: MC9090-2: 1255891UF	13
3.3: MC9090-3: 1255895	14
3.4: MC9090-4: 1255895UF	19
3.5: MC9090-5: 1255896	20
3.6: MC9090-6: 1255896UF	25
3.7: MC9090-7: 1255897	26
3.8: MC9090-8: 1255897UF	31
3.9: MC9090-9: 1255898	32
3.10: MC9090-10: 1255898UF	37
3.11: MC9090-11: 1255899	38
3.12: MC9090-12: 1255899UF	43
3.13: MC9090-13: 1255900	44
3.14: MC9090-14: 1255900UF	49
3.15: MC9090-15: 1255901	50
3.16: MC9090-16: 1255901UF	55
3.17: MC9090-17: 1255902	56
Section 4: Misc. Forms	59
4.1: Certification Exceptions	60
4.2: Chain of Custody	61
4.3: RCP Form	64
4.4: Sample Tracking Chronicle	65
Section 5: GC/MS Volatiles - QC Data Summaries	69
5.1: Method Blank Summary	70
5.2: Blank Spike Summary	80
5.3: Blank Spike/Blank Spike Duplicate Summary	84
5.4: Matrix Spike/Matrix Spike Duplicate Summary	90
5.5: Internal Standard Area Summaries	93
5.6: Surrogate Recovery Summaries	97
Section 6: GC Semi-volatiles - QC Data Summaries	98
6.1: Method Blank Summary	99
6.2: Blank Spike Summary	102
6.3: Surrogate Recovery Summaries	105
Section 7: Metals Analysis - QC Data Summaries	107
7.1: Prep QC MP18786: As,Ba,Cd,Cr,Cu,Pb,Ni,Se,Ag,Zn	108
7.2: Prep QC MP18790: Hg	118







Sample Summary

Loureiro Eng. Associates

MC9090 Job No:

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT Project No: 88UT230

Sample Number	Collected Date	Time By	Received	Matri Code		Client Sample ID
MC9090-1	03/27/12	13:45 DR	03/27/12	AQ	Ground Water	1255891
MC9090-2	03/27/12	13:45 DR	03/27/12	AQ	Ground Water	1255891UF
MC9090-3	03/27/12	09:45 DR	03/27/12	AQ	Ground Water	1255895
MC9090-4	03/27/12	09:45 DR	03/27/12	AQ	Ground Water	1255895UF
MC9090-5	03/27/12	11:30 DR	03/27/12	AQ	Ground Water	1255896
MC9090-6	03/27/12	11:30 DR	03/27/12	AQ	Ground Water	1255896UF
MC9090-7	03/27/12	09:35 DR	03/27/12	AQ	Ground Water	1255897
MC9090-8	03/27/12	09:35 DR	03/27/12	AQ	Ground Water	1255897UF
MC9090-9	03/27/12	11:20 DR	03/27/12	AQ	Ground Water	1255898
MC9090-10	03/27/12	11:20 DR	03/27/12	AQ	Ground Water	1255898UF
MC9090-11	03/27/12	13:50 DR	03/27/12	AQ	Ground Water	1255899
MC9090-12	03/27/12	13:50 DR	03/27/12	AQ	Ground Water	1255899UF
MC9090-13	03/27/12	15:10 DR	03/27/12	AQ	Ground Water	1255900





Sample Summary (continued)

Loureiro Eng. Associates

Job No:

MC9090

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT Project No: 88UT230

Sample Number	Collected Date	Time By	Received	Matr Code		Client Sample ID
MC9090-14	03/27/12	15:10 DR	03/27/12	AQ	Ground Water	1255900UF
MC9090-15	03/27/12	11:20 DR	03/27/12	AQ	Ground Water	1255901
MC9090-16	03/27/12	11:20 DR	03/27/12	AQ	Ground Water	1255901UF
MC9090-17	03/27/12	09:00 DR	03/27/12	AQ	Ground Water	1255902





SAMPLE DELIVERY GROUP CASE NARRATIVE

Client: Loureiro Eng. Associates Job No MC9090

Site: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, Report Date 4/10/2012 3:46:58 PM

17 Samples were collected on 03/27/2012 and were received at Accutest on 03/27/2012 properly preserved, at 0.9 Deg. C and intact. These Samples received an Accutest job number of MC9090. A listing of the Laboratory Sample ID, Client Sample ID and dates of collection are presented in the Results Summary Section of this report.

Except as noted below, all method specified calibrations and quality control performance criteria were met for this job. For more information, please refer to QC summary pages.

Volatiles by GCMS By Method SW846 8260B

Matrix AQ Batch ID: MSL2090

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- BS/BSD Recovery(s) for Dichlorodifluoromethane are outside control limits. Blank Spike meets program technical requirements.
- MSL2090-BS/BSD for Acetone: Outside control limits. Associated samples are non-detect for this compound.
- Continuing calibration check standard MSL2090-CC2084 for acetone, 2,2-dichloropropane exceeds 30% Difference. This check standard met RCP criteria.

Matrix AQ Batch ID: MSN2321

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) MC9090-7MS, MC9090-7MSD were used as the QC samples indicated.
- Blank Spike Recovery(s) for 2,2-Dichloropropane, 2-Butanone (MEK), 2-Hexanone, Acetone are outside control limits. Blank Spike meets program technical requirements.
- Quadratic regression is employed for initial calibration standard in batch MSN2292-ICC2292 for carbon tetrachloride.
- Initial calibration verification standard MSN2292-ICV2292 for Acetone, 2-butanone, 2-hexanone exceeds 35% Difference.
- MSN2321-BS/MS/MSD for Acrylonitrile: Outside control limits. Associated samples are non-detect for this compound.
- Continuing calibration check standard MSN2321-CC2292 for acetone, 2-butanone, 2,2-Dichloropropane, 2-hexanone exceeds 30% Difference. This check standard met RCP criteria.

Matrix AO Batch ID: MSP1960

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- MC9090-11 for 4-Bromofluorobenzene: Outside control limits due to possible matrix interference. Confirmed by reanalysis.
- MC9090-9 for 4-Bromofluorobenzene: Outside control limits due to possible matrix interference. Confirmed by reanalysis.

Matrix AQ Batch ID: MSV290

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Blank Spike Recovery(s) for 2-Butanone (MEK), Acetone are outside control limits. Blank Spike meets program technical requirements.
- Blank Spike Duplicate Recovery(s) for Dichlorodifluoromethane are outside control limits. Blank Spike meets program technical requirements.
- MSV290-BS/BSD for Acrylonitrile: Outside control limits. Associated samples are non-detect for this compound.

Extractables by GC By Method CT-ETPH 7/06

Matrix AQ Batch ID: OP28390

- All samples were extracted within the recommended method holding time.
- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.

Matrix AQ Batch ID: OP28404

- All samples were extracted within the recommended method holding time.
- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.

Extractables by GC By Method SW846 8082

Matrix AQ Batch ID: OP28373

- All samples were extracted within the recommended method holding time.
- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- MC9090-13 for Tetrachloro-m-xylene: Outside control limits due to possible matrix interference.

Metals By Method SW846 6010C

Matrix AQ Batch ID: MP18786

- All samples were digested within the recommended method holding time.
- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) MC9090-12MS, MC9090-12MSD, MC9090-12SDL were used as the QC samples for metals.
- RPD(s) for Serial Dilution for Cadmium, Chromium, Copper, Nickel are outside control limits for sample MP18786-SD1.
 Percent difference acceptable due to low initial sample concentration (< 50 times IDL).</p>
- Only selected metals requested.

Metals By Method SW846 7470A

Matrix AQ Batch ID: MP18790

- All samples were digested within the recommended method holding time.
- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.

The Accutest Laboratories of New England certifies that all analysis were performed within method specification. It is further recommended that this report to be used in its entirety. The Accutest Laboratories of NE, Laboratory Director or assignee as verified by the signature on the cover page has authorized the release of this report(MC9090).





ple Results
ort of Analysis
<u>*</u>



Client Sample ID: 1255891

 Lab Sample ID:
 MC9090-1
 Date Sampled:
 03/27/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/27/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

File ID DF **Analytical Batch** Analyzed By **Prep Date Prep Batch** Run #1 N62046.D 1 04/04/12 JP n/an/a MSN2321 Run #2

Purge Volume

Run #1 5.0 ml

Run #2

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
67-64-1	Acetone	ND	5.0	ug/l	
107-13-1	Acrylonitrile	ND	5.0	ug/l	
71-43-2	Benzene	ND	0.50	ug/l	
108-86-1	Bromobenzene	ND	5.0	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	ug/l	
75-25-2	Bromoform	ND	1.0	ug/l	
74-83-9	Bromomethane	ND	2.0	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	ug/l	
75-15-0	Carbon disulfide	ND	5.0	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	ug/l	
108-90-7	Chlorobenzene	ND	1.0	ug/l	
75-00-3	Chloroethane	ND	2.0	ug/l	
67-66-3	Chloroform	ND	1.0	ug/l	
74-87-3	Chloromethane	ND	2.0	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l	

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



ယ

Client Sample ID: 1255891

Lab Sample ID: MC9090-1 **Date Sampled:** 03/27/12 Matrix: **Date Received:** 03/27/12 AQ - Ground Water Method: **Percent Solids:** SW846 8260B

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

VOA RCP List

CAS No.	Compound	Result	RL	Units Q)
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l	
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l	
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l	
100-41-4	Ethylbenzene	ND	1.0	ug/l	
76-13-1	Freon 113	ND	5.0	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l	
591-78-6	2-Hexanone	ND	5.0	ug/l	
98-82-8	Isopropylbenzene	ND	5.0	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l	
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l	
74-95-3	Methylene bromide	ND	5.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	ug/l	
91-20-3	Naphthalene	ND	5.0	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	ug/l	
100-42-5	Styrene	ND	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	ug/l	
109-99-9	Tetrahydrofuran	ND	10	ug/l	
108-88-3	Toluene	ND	1.0	ug/l	
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l	
79-01-6	Trichloroethene	ND	1.0	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l	
75-01-4	Vinyl chloride	ND	1.0	ug/l	
	m,p-Xylene	ND	1.0	ug/l	
95-47-6	o-Xylene	ND	1.0	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits	
1868-53-7	Dibromofluoromethane	76%		70-1309	%

1868-53-7 Dibromofluoromethane 76% 70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Client Sample ID: 1255891 Lab Sample ID: MC9090-1

 Lab Sample ID:
 MC9090-1
 Date Sampled:
 03/27/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/27/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

VOA RCP List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	83%		70-130%
460-00-4	4-Bromofluorobenzene	84%		70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

 $B = \ Indicates \ analyte \ found \ in \ associated \ method \ blank$

N = Indicates presumptive evidence of a compound



Report of Analysis

Client Sample ID: 1255891

Lab Sample ID: MC9090-1 **Date Sampled:** 03/27/12 Matrix: AQ - Ground Water **Date Received:** 03/27/12 Method: CT-ETPH 7/06 SW846 3510C **Percent Solids:** n/a

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

File ID DF **Prep Date Analytical Batch** Analyzed By **Prep Batch** 03/29/12 Run #1 BG34601.D 1 03/31/12 KN OP28390 GBG1272

Run #2

Initial Volume Final Volume

Run #1 980 ml 1.0 ml

Run #2

CAS No. Compound Result RLUnits Q

> CT-ETPH (C9-C36) ND 0.082 mg/l

CAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits

84-15-1 o-Terphenyl 140% 50-149%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Client Sample ID: 1255891

 Lab Sample ID:
 MC9090-1
 Date Sampled:
 03/27/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/27/12

 Method:
 SW846 8082
 SW846 3510C
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 BK11162.D 1 04/01/12 AP 03/28/12 OP28373 GBK459

Run #2

Initial Volume Final Volume

Run #1 960 ml 5.0 ml

Run #2

2051-24-3

CT Polychlorinated Biphenyls RCP List

CAS No.	Compound	Result	RL	Units Q
12674-11-2 11104-28-2 11141-16-5 53469-21-9 12672-29-6 11097-69-1 11096-82-5	Aroclor 1016 Aroclor 1221 Aroclor 1232 Aroclor 1242 Aroclor 1248 Aroclor 1254 Aroclor 1260	ND ND ND ND ND ND ND ND ND	0.26 0.26 0.26 0.26 0.26 0.26 0.26	ug/l ug/l ug/l ug/l ug/l ug/l
37324-23-5 11100-14-4	Aroclor 1262 Aroclor 1268	ND ND	0.26 0.26	ug/l ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
877-09-8 877-09-8 2051-24-3	Tetrachloro-m-xylene Tetrachloro-m-xylene Decachlorobiphenyl	121% 92% 80%		30-150% 30-150% 30-150%

86%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

Decachlorobiphenyl

J = Indicates an estimated value

30-150%

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Ć.

Report of Analysis

Client Sample ID: 1255891UF

Lab Sample ID:MC9090-2Date Sampled:03/27/12Matrix:AQ - Ground WaterDate Received:03/27/12Percent Solids:n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	< 4.0	4.0	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Barium	< 50	50	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Cadmium	< 4.0	4.0	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Chromium	< 10	10	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Copper	< 25	25	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Lead	< 5.0	5.0	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Mercury	< 0.20	0.20	ug/l	1	03/29/12	03/30/12 EM	SW846 7470A ¹	SW846 7470A ⁴
Nickel	< 40	40	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Selenium	< 10	10	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Silver	< 5.0	5.0	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Zinc	< 20	20	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³

(1) Instrument QC Batch: MA14117(2) Instrument QC Batch: MA14120(3) Prep QC Batch: MP18786(4) Prep QC Batch: MP18790

Client Sample ID: 1255895

 Lab Sample ID:
 MC9090-3
 Date Sampled:
 03/27/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/27/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 N62047.D 1 04/04/12 JP n/a n/a MSN2321

Run #2

Purge Volume

Run #1 5.0 ml

Run #2

VOA RCP List

CAS No.	Compound	Result	RL	Units (Q
67-64-1	Acetone	ND	5.0	ug/l	
107-13-1	Acrylonitrile	ND	5.0	ug/l	
71-43-2	Benzene	ND	0.50	ug/l	
108-86-1	Bromobenzene	ND	5.0	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	ug/l	
75-25-2	Bromoform	ND	1.0	ug/l	
74-83-9	Bromomethane	ND	2.0	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	ug/l	
75-15-0	Carbon disulfide	ND	5.0	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	ug/l	
108-90-7	Chlorobenzene	ND	1.0	ug/l	
75-00-3	Chloroethane	ND	2.0	ug/l	
67-66-3	Chloroform	ND	1.0	ug/l	
74-87-3	Chloromethane	ND	2.0	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l	
75-34-3	1,1-Dichloroethane	8.5	1.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	3.6	1.0	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l	

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Client Sample ID: 1255895 Lab Sample ID: MC9090-3

 Lab Sample ID:
 MC9090-3
 Date Sampled:
 03/27/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/27/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l	
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l	
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l	
100-41-4	Ethylbenzene	ND	1.0	ug/l	
76-13-1	Freon 113	ND	5.0	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l	
591-78-6	2-Hexanone	ND	5.0	ug/l	
98-82-8	Isopropylbenzene	ND	5.0	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l	
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l	
74-95-3	Methylene bromide	ND	5.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	ug/l	
91-20-3	Naphthalene	ND	5.0	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	ug/l	
100-42-5	Styrene	ND	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	ug/l	
109-99-9	Tetrahydrofuran	ND	10	ug/l	
108-88-3	Toluene	ND	1.0	ug/l	
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l	
79-01-6	Trichloroethene	ND	1.0	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l	
75-01-4	Vinyl chloride	1.2	1.0	ug/l	
	m, p-Xylene	ND	1.0	ug/l	
95-47-6	o-Xylene	ND	1.0	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Lim	its
1868-53-7	Dibromofluoromethane	77%		70-1	30%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Ċ

Report of Analysis

 Client Sample ID:
 1255895

 Lab Sample ID:
 MC9090-3
 Date Sampled:
 03/27/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/27/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

VOA RCP List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	85%		70-130%
460-00-4	4-Bromofluorobenzene	86%		70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

 $B = \ \, \text{Indicates analyte found in associated method blank}$

N = Indicates presumptive evidence of a compound



Client Sample ID: 1255895

 Lab Sample ID:
 MC9090-3
 Date Sampled:
 03/27/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/27/12

 Method:
 CT-ETPH 7/06 SW846 3510C
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 BG34592.D 1 03/30/12 KN 03/29/12 OP28390 GBG1272

Run #2

Initial Volume Final Volume

Run #1 950 ml 1.0 ml

Run #2

CAS No. Compound Result RL Units Q

CT-ETPH (C9-C36) 0.151 0.084 mg/l

CAS No. Surrogate Recoveries Run# 1 Run# 2 Limits

84-15-1 o-Terphenyl 112% 50-149%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

 $B = \ Indicates \ analyte \ found \ in \ associated \ method \ blank$

N = Indicates presumptive evidence of a compound



C

Page 1 of 1

Report of Analysis Page 1 of 1

Client Sample ID: 1255895

 Lab Sample ID:
 MC9090-3
 Date Sampled:
 03/27/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/27/12

 Method:
 SW846 8082
 SW846 3510C
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

File ID DF **Analytical Batch** Analyzed By **Prep Date Prep Batch** Run #1 BK11163.D 1 04/01/12 AP 03/28/12 OP28373 GBK459 Run #2

Initial Volume Final Volume

Run #1 920 ml 5.0 ml

Run #2

CT Polychlorinated Biphenyls RCP List

CAS No.	Compound	Result	RL	Units ()
12674-11-2 11104-28-2 11141-16-5 53469-21-9 12672-29-6 11097-69-1 11096-82-5	Aroclor 1016 Aroclor 1221 Aroclor 1232 Aroclor 1242 Aroclor 1248 Aroclor 1254 Aroclor 1260	ND ND ND ND ND ND ND ND	0.27 0.27 0.27 0.27 0.27 0.27 0.27	ug/l ug/l ug/l ug/l ug/l ug/l ug/l	
37324-23-5 11100-14-4 CAS No.	Aroclor 1262 Aroclor 1268 Surrogate Recoveries	ND ND Run# 1	0.27 0.27 Run# 2	ug/l ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
877-09-8	Tetrachloro-m-xylene	82%		30-150%
877-09-8	Tetrachloro-m-xylene	89%		30-150%
2051-24-3	Decachlorobiphenyl	76%		30-150%
2051-24-3	Decachlorobiphenyl	83%		30-150%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



C

Report of Analysis

Client Sample ID: 1255895UF

Lab Sample ID: MC9090-4 **Date Sampled:** 03/27/12 Matrix: **Date Received:** 03/27/12 AQ - Ground Water Percent Solids: n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	< 4.0	4.0	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Barium	376	50	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Cadmium	< 4.0	4.0	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Chromium	< 10	10	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Copper	< 25	25	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Lead	< 5.0	5.0	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Mercury	< 0.20	0.20	ug/l	1	03/29/12	03/30/12 EM	SW846 7470A ¹	SW846 7470A ⁴
Nickel	< 40	40	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Selenium	< 10	10	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Silver	< 5.0	5.0	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Zinc	< 20	20	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³

(1) Instrument QC Batch: MA14117 (2) Instrument QC Batch: MA14120 (3) Prep QC Batch: MP18786 (4) Prep QC Batch: MP18790

Client Sample ID: 1255896

 Lab Sample ID:
 MC9090-5
 Date Sampled:
 03/27/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/27/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 N62048.D 1 04/04/12 JP n/a n/a MSN2321

Run #2

Purge Volume

Run #1 5.0 ml

Run #2

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
67-64-1	Acetone	ND	5.0	ug/l	
107-13-1	Acrylonitrile	ND	5.0	ug/l	
71-43-2	Benzene	ND	0.50	ug/l	
108-86-1	Bromobenzene	ND	5.0	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	ug/l	
75-25-2	Bromoform	ND	1.0	ug/l	
74-83-9	Bromomethane	ND	2.0	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	ug/l	
75-15-0	Carbon disulfide	ND	5.0	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	ug/l	
108-90-7	Chlorobenzene	ND	1.0	ug/l	
75-00-3	Chloroethane	ND	2.0	ug/l	
67-66-3	Chloroform	ND	1.0	ug/l	
74-87-3	Chloromethane	ND	2.0	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l	

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Client Sample ID: 1255896

Lab Sample ID: MC9090-5 **Date Sampled:** 03/27/12 Matrix: **Date Received:** 03/27/12 AQ - Ground Water Method: **Percent Solids:** SW846 8260B

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l	
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l	
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l	
100-41-4	Ethylbenzene	ND	1.0	ug/l	
76-13-1	Freon 113	ND	5.0	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l	
591-78-6	2-Hexanone	ND	5.0	ug/l	
98-82-8	Isopropylbenzene	ND	5.0	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l	
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l	
74-95-3	Methylene bromide	ND	5.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	ug/l	
91-20-3	Naphthalene	ND	5.0	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	ug/l	
100-42-5	Styrene	ND	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	ug/l	
109-99-9	Tetrahydrofuran	ND	10	ug/l	
108-88-3	Toluene	ND	1.0	ug/l	
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l	
79-01-6	Trichloroethene	ND	1.0	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l	
75-01-4	Vinyl chloride	ND	1.0	ug/l	
	m,p-Xylene	ND	1.0	ug/l	
95-47-6	o-Xylene	ND	1.0	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits	S
1868-53-7	Dibromofluoromethane	77%		70-130	ን‰

1868-53-7 Dibromofluoromethane 77% 70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



C

Report of Analysis

 Client Sample ID:
 1255896

 Lab Sample ID:
 MC9090-5
 Date Sampled:
 03/27/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/27/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

VOA RCP List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	84%		70-130%
460-00-4	4-Bromofluorobenzene	89%		70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

 $B = \ Indicates \ analyte \ found \ in \ associated \ method \ blank$



t **of Analysis** Page 1 of 1

Client Sample ID: 1255896

 Lab Sample ID:
 MC9090-5
 Date Sampled:
 03/27/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/27/12

 Method:
 CT-ETPH 7/06 SW846 3510C
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 BG34593.D 1 03/30/12 KN 03/29/12 OP28390 GBG1272

Run #2

Initial Volume Final Volume

Run #1 950 ml 1.0 ml

Run #2

CAS No. Compound Result RL Units Q

CT-ETPH (C9-C36) ND 0.084 mg/l

CAS No. Surrogate Recoveries Run# 1 Run# 2 Limits

84-15-1 o-Terphenyl 124% 50-149%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



C

Page 1 of 1

n/a

Report of Analysis

Client Sample ID: 1255896 Lab Sample ID: MC9090-5 **Date Sampled:** 03/27/12 Matrix: **Date Received:** 03/27/12 AQ - Ground Water Method: SW846 8082 SW846 3510C **Percent Solids:**

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	BK11165.D	1	04/01/12	AP	03/28/12	OP28373	GBK459
Run #2							

Final Volume Initial Volume Run #1 990 ml 5.0 ml Run #2

CT Polychlorinated Biphenyls RCP List

CAS No.	Compound	Result	RL	Units	Q
12674-11-2	Aroclor 1016	ND	0.25	ug/l	
11104-28-2	Aroclor 1221	ND	0.25	ug/l	
11141-16-5	Aroclor 1232	ND	0.25	ug/l	
53469-21-9	Aroclor 1242	ND	0.25	ug/l	
12672-29-6	Aroclor 1248	ND	0.25	ug/l	
11097-69-1	Aroclor 1254	ND	0.25	ug/l	
11096-82-5	Aroclor 1260	ND	0.25	ug/l	
37324-23-5	Aroclor 1262	ND	0.25	ug/l	
11100-14-4	Aroclor 1268	ND	0.25	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Lim	its
877-09-8	Tetrachloro-m-xylene	90%		30-1	50%
877-09-8	Tetrachloro-m-xylene	80%		30-1	50%
2051-24-3	Decachlorobiphenyl	84%		30-1	50%
2051-24-3	Decachlorobiphenyl	91%		30-1	50%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Page 1 of 1

Client Sample ID: 1255896UF

Lab Sample ID: MC9090-6 **Date Sampled:** 03/27/12 Matrix: **Date Received:** 03/27/12 AQ - Ground Water Percent Solids: n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	< 4.0	4.0	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Barium	< 50	50	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Cadmium	< 4.0	4.0	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Chromium	< 10	10	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Copper	< 25	25	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Lead	< 5.0	5.0	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Mercury	< 0.20	0.20	ug/l	1	03/29/12	03/30/12 EM	SW846 7470A ¹	SW846 7470A ⁴
Nickel	< 40	40	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Selenium	< 10	10	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Silver	< 5.0	5.0	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Zinc	20.9	20	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³

(1) Instrument QC Batch: MA14117 (2) Instrument QC Batch: MA14120 (3) Prep QC Batch: MP18786 (4) Prep QC Batch: MP18790

Client Sample ID: 1255897

 Lab Sample ID:
 MC9090-7
 Date Sampled:
 03/27/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/27/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 N62049.D 1 04/04/12 JP n/a n/a MSN2321

Run #2

Purge Volume

Run #1 5.0 ml

Run #2

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
67-64-1	Acetone	ND	5.0	ug/l	
107-13-1	Acrylonitrile	ND	5.0	ug/l	
71-43-2	Benzene	3.0	0.50	ug/l	
108-86-1	Bromobenzene	ND	5.0	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	ug/l	
75-25-2	Bromoform	ND	1.0	ug/l	
74-83-9	Bromomethane	ND	2.0	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	ug/l	
75-15-0	Carbon disulfide	ND	5.0	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	ug/l	
108-90-7	Chlorobenzene	ND	1.0	ug/l	
75-00-3	Chloroethane	ND	2.0	ug/l	
67-66-3	Chloroform	14.6	1.0	ug/l	
74-87-3	Chloromethane	ND	2.0	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l	
75-34-3	1,1-Dichloroethane	5.7	1.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l	
75-35-4	1,1-Dichloroethene	3.5	1.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	55.9	1.0	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l	

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Page 2 of 3

Report of Analysis

Client Sample ID: 1255897 Lab Sample ID: MC9090-7 **Date Sampled:** 03/27/12 Matrix: **Date Received:** 03/27/12 AQ - Ground Water Method: **Percent Solids:** SW846 8260B

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

VOA RCP List

CAS No.	Compound	Result	RL	Units Q)
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l	
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l	
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l	
100-41-4	Ethylbenzene	ND	1.0	ug/l	
76-13-1	Freon 113	ND	5.0	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l	
591-78-6	2-Hexanone	ND	5.0	ug/l	
98-82-8	Isopropylbenzene	ND	5.0	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	3.5	1.0	ug/l	
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l	
74-95-3	Methylene bromide	ND	5.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	ug/l	
91-20-3	Naphthalene	ND	5.0	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	ug/l	
100-42-5	Styrene	ND	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l	
127-18-4	Tetrachloroethene	185	1.0	ug/l	
109-99-9	Tetrahydrofuran	ND	10	ug/l	
108-88-3	Toluene	ND	1.0	ug/l	
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l	
79-01-6	Trichloroethene	257	1.0	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l	
75-01-4	Vinyl chloride	6.0	1.0	ug/l	
	m,p-Xylene	ND	1.0	ug/l	
95-47-6	o-Xylene	ND	1.0	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits	
1868-53-7	Dibromofluoromethane	77%		70-1309	%

1868-53-7 Dibromofluoromethane 77% 70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Page 3 of 3

Client Sample ID: 1255897

 Lab Sample ID:
 MC9090-7
 Date Sampled:
 03/27/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/27/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

VOA RCP List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	84%		70-130%
460-00-4	4-Bromofluorobenzene	88%		70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

 $B = \ \, \text{Indicates analyte found in associated method blank}$



Client Sample ID: 1255897

Lab Sample ID: MC9090-7 **Date Sampled:** 03/27/12 Matrix: AQ - Ground Water **Date Received:** 03/27/12 Method: CT-ETPH 7/06 SW846 3510C **Percent Solids:** n/a

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By Run #1 BG34703.D 1 04/02/12 KN 03/31/12 OP28404 GBG1275

Run #2

Initial Volume Final Volume

Run #1 930 ml 1.0 ml

Run #2

CAS No. Compound Result RLUnits Q

> CT-ETPH (C9-C36) 0.297 0.086 mg/l

CAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits

84-15-1 o-Terphenyl 91% 50-149%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Page 1 of 1

Client Sample ID: 1255897

Lab Sample ID: MC9090-7 **Date Sampled:** 03/27/12 **Matrix:** AQ - Ground Water **Date Received:** 03/27/12 Method: SW846 8082 SW846 3510C Percent Solids: n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

File ID DF **Analytical Batch** Analyzed By **Prep Date Prep Batch** Run #1 BK11166.D 1 04/01/12 AP 03/28/12 OP28373 GBK459

Run #2

Final Volume Initial Volume

Run #1 1000 ml 5.0 ml

Run #2

2051-24-3

CT Polychlorinated Biphenyls RCP List

CAS No.	Compound	Result	RL	Units Q
12674-11-2 11104-28-2 11141-16-5 53469-21-9	Aroclor 1016 Aroclor 1221 Aroclor 1232 Aroclor 1242	ND ND ND ND	0.25 0.25 0.25 0.25	ug/l ug/l ug/l ug/l
12672-29-6 11097-69-1 11096-82-5 37324-23-5 11100-14-4	Aroclor 1248 Aroclor 1254 Aroclor 1260 Aroclor 1262 Aroclor 1268	ND ND ND ND ND	0.25 0.25 0.25 0.25 0.25 0.25	ug/l ug/l ug/l ug/l ug/l
CAS No. 877-09-8	Surrogate Recoveries Tetrachloro-m-xylene	Run# 1	Run# 2	Limits 30-150%
877-09-8 2051-24-3	Tetrachloro-m-xylene Decachlorobiphenyl	103% 110%		30-150% 30-150% 30-150%

121%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

Decachlorobiphenyl

J = Indicates an estimated value

30-150%

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Page 1 of 1

Client Sample ID: 1255897UF

Lab Sample ID:MC9090-8Date Sampled:03/27/12Matrix:AQ - Ground WaterDate Received:03/27/12Percent Solids:n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	< 4.0	4.0	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Barium	< 50	50	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Cadmium	< 4.0	4.0	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Chromium	< 10	10	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Copper	60.9	25	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Lead	< 5.0	5.0	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Mercury	< 0.20	0.20	ug/l	1	03/29/12	03/30/12 EM	SW846 7470A ¹	SW846 7470A ⁴
Nickel	239	40	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Selenium	< 10	10	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Silver	< 5.0	5.0	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Zinc	< 20	20	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³

(1) Instrument QC Batch: MA14117(2) Instrument QC Batch: MA14120(3) Prep QC Batch: MP18786(4) Prep QC Batch: MP18790

Client Sample ID: 1255898

 Lab Sample ID:
 MC9090-9
 Date Sampled:
 03/27/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/27/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	L61930.D	1	04/04/12	EK	n/a	n/a	MSL2090
Run #2	P60445.D	10	04/05/12	AMY	n/a	n/a	MSP1960

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
67-64-1	Acetone	ND	5.0	ug/l	
107-13-1	Acrylonitrile	ND	5.0	ug/l	
71-43-2	Benzene	0.77	0.50	ug/l	
108-86-1	Bromobenzene	ND	5.0	ug/l	
75-27-4	Bromodichloromethane	6.6	1.0	ug/l	
75-25-2	Bromoform	ND	1.0	ug/l	
74-83-9	Bromomethane	ND	2.0	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	ug/l	
75-15-0	Carbon disulfide	ND	5.0	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	ug/l	
108-90-7	Chlorobenzene	ND	1.0	ug/l	
75-00-3	Chloroethane	26.0	2.0	ug/l	
67-66-3	Chloroform	2.0	1.0	ug/l	
74-87-3	Chloromethane	ND	2.0	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l	
75-34-3	1,1-Dichloroethane	9.6	1.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l	
75-35-4	1,1-Dichloroethene	162	1.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	65.7	1.0	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l	

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



C

Client Sample ID: 1255898

 Lab Sample ID:
 MC9090-9
 Date Sampled:
 03/27/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/27/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

VOA RCP List

CAS No.	Compound	Result	RL	Units Q
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l
100-41-4	Ethylbenzene	ND	1.0	ug/l
76-13-1	Freon 113	ND	5.0	ug/l
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l
591-78-6	2-Hexanone	ND	5.0	ug/l
98-82-8	Isopropylbenzene	ND	5.0	ug/l
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l
74-95-3	Methylene bromide	ND	5.0	ug/l
75-09-2	Methylene chloride	ND	2.0	ug/l
91-20-3	Naphthalene	ND	5.0	ug/l
103-65-1	n-Propylbenzene	ND	5.0	ug/l
100-42-5	Styrene	ND	5.0	ug/l
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l
127-18-4	Tetrachloroethene	71.7	1.0	ug/l
109-99-9	Tetrahydrofuran	ND	10	ug/l
108-88-3	Toluene	ND	1.0	ug/l
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l
71-55-6	1,1,1-Trichloroethane	51.8	1.0	ug/l
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l
79-01-6	Trichloroethene	420 a	10	ug/l
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l
75-01-4	Vinyl chloride	11.1	1.0	ug/l
	m,p-Xylene	ND	1.0	ug/l
95-47-6	o-Xylene	ND	1.0	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	92%	110%	70-130%

ND = Not detected RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Page 3 of 3

Client Sample ID: 1255898

Lab Sample ID: MC9090-9 **Date Sampled:** 03/27/12 Matrix: AQ - Ground Water **Date Received:** 03/27/12 Method: **Percent Solids:** SW846 8260B n/a

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

VOA RCP List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	96%	120%	70-130%
460-00-4	4-Bromofluorobenzene	105%	139% b	70-130%

(a) Result is from Run# 2

(b) Outside control limits due to possible matrix interference. Confirmed by reanalysis.

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank



Page 1 of 1

3.9

Report of Analysis

Client Sample ID: 1255898

Lab Sample ID: MC9090-9 **Date Sampled:** 03/27/12 Matrix: AQ - Ground Water **Date Received:** 03/27/12 Method: CT-ETPH 7/06 SW846 3510C **Percent Solids:** n/a

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By Run #1 BG34709.D 1 04/02/12 KN 03/31/12 OP28404 GBG1275

Run #2

Initial Volume Final Volume

Run #1 1000 ml 1.0 ml

Run #2

CAS No. Compound Result RLUnits Q

> CT-ETPH (C9-C36) 0.228 0.080 mg/l

CAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits

84-15-1 o-Terphenyl 89% 50-149%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank



Page 1 of 1

Report of Analysis

Client Sample ID: 1255898 Lab Sample ID: MC9090-9

 Lab Sample ID:
 MC9090-9
 Date Sampled:
 03/27/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/27/12

 Method:
 SW846 8082
 SW846 3510C
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 BK11167.D 1 04/01/12 AP 03/28/12 OP28373 GBK459

Run #2

Initial Volume Final Volume

Run #1 860 ml 5.0 ml

Run #2

CT Polychlorinated Biphenyls RCP List

CAS No.	Compound	Result	RL	Units Q
12674-11-2	Aroclor 1016	ND	0.29	ug/l
11104-28-2	Aroclor 1221	ND	0.29	ug/l
11141-16-5	Aroclor 1232	ND	0.29	ug/l
53469-21-9	Aroclor 1242	ND	0.29	ug/l
12672-29-6	Aroclor 1248	ND	0.29	ug/l
11097-69-1	Aroclor 1254	ND	0.29	ug/l
11096-82-5	Aroclor 1260	ND	0.29	ug/l
37324-23-5	Aroclor 1262	ND	0.29	ug/l
11100-14-4	Aroclor 1268	ND	0.29	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
877-09-8	Tetrachloro-m-xylene	87%		30-150%
877-09-8	Tetrachloro-m-xylene	91%		30-150%
2051-24-3	Decachlorobiphenyl	79%		30-150%
2051-24-3	Decachlorobiphenyl	88%		30-150%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



ယ

Page 1 of 1

Client Sample ID: 1255898UF

Lab Sample ID:MC9090-10Date Sampled:03/27/12Matrix:AQ - Ground WaterDate Received:03/27/12Percent Solids:n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	6.7	4.0	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Barium	331	50	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Cadmium	< 4.0	4.0	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Chromium	< 10	10	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Copper	< 25	25	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Lead	< 5.0	5.0	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Mercury	< 0.20	0.20	ug/l	1	03/29/12	03/30/12 EM	SW846 7470A ¹	SW846 7470A ⁴
Nickel	< 40	40	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Selenium	< 10	10	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Silver	< 5.0	5.0	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Zinc	< 20	20	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³

(1) Instrument QC Batch: MA14117(2) Instrument QC Batch: MA14120(3) Prep QC Batch: MP18786(4) Prep QC Batch: MP18790

Client Sample ID: 1255899

 Lab Sample ID:
 MC9090-11
 Date Sampled:
 03/27/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/27/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	L61931.D	1	04/04/12	EK	n/a	n/a	MSL2090
Run #2	P60443.D	5	04/05/12	AMY	n/a	n/a	MSP1960

	Purge Volume	
Run #1	5.0 ml	
Run #2	5.0 ml	

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
67-64-1	Acetone	ND	5.0	ug/l	
107-13-1	Acrylonitrile	ND	5.0	ug/l	
71-43-2	Benzene	2.6	0.50	ug/l	
108-86-1	Bromobenzene	ND	5.0	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	ug/l	
75-25-2	Bromoform	ND	1.0	ug/l	
74-83-9	Bromomethane	ND	2.0	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	ug/l	
75-15-0	Carbon disulfide	ND	5.0	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	ug/l	
108-90-7	Chlorobenzene	ND	1.0	ug/l	
75-00-3	Chloroethane	9.5	2.0	ug/l	
67-66-3	Chloroform	ND	1.0	ug/l	
74-87-3	Chloromethane	ND	2.0	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l	
75-34-3	1,1-Dichloroethane	55.8	1.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l	
75-35-4	1,1-Dichloroethene	13.9	1.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	667 a	5.0	ug/l	
156-60-5	trans-1,2-Dichloroethene	3.8	1.0	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l	

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



W

Client Sample ID: 1255899 Lab Sample ID: MC9090-11 **Date Sampled:** 03/27/12 Matrix: **Date Received:** 03/27/12 AQ - Ground Water Method: **Percent Solids:** SW846 8260B

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l	
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l	
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l	
100-41-4	Ethylbenzene	ND	1.0	ug/l	
76-13-1	Freon 113	ND	5.0	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l	
591-78-6	2-Hexanone	ND	5.0	ug/l	
98-82-8	Isopropylbenzene	ND	5.0	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l	
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l	
74-95-3	Methylene bromide	ND	5.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	ug/l	
91-20-3	Naphthalene	ND	5.0	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	ug/l	
100-42-5	Styrene	ND	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l	
127-18-4	Tetrachloroethene	244	1.0	ug/l	
109-99-9	Tetrahydrofuran	ND	10	ug/l	
108-88-3	Toluene	ND	1.0	ug/l	
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l	
71-55-6	1,1,1-Trichloroethane	57.6	1.0	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l	
79-01-6	Trichloroethene	193	1.0	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l	
75-01-4	Vinyl chloride	45.6	1.0	ug/l	
	m,p-Xylene	ND	1.0	ug/l	
95-47-6	o-Xylene	ND	1.0	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits	
1868-53-7	Dibromofluoromethane	89%	114%	70-130	%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Page 3 of 3

Client Sample ID: 1255899

 Lab Sample ID:
 MC9090-11
 Date Sampled:
 03/27/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/27/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

VOA RCP List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	94%	120%	70-130%
460-00-4	4-Bromofluorobenzene	101%	134% b	70-130%

(a) Result is from Run# 2

(b) Outside control limits due to possible matrix interference. Confirmed by reanalysis.

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



C

Page 1 of 1

Client Sample ID: 1255899

 Lab Sample ID:
 MC9090-11
 Date Sampled:
 03/27/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/27/12

 Method:
 CT-ETPH 7/06 SW846 3510C
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 BG34701.D 1 04/02/12 KN 03/31/12 OP28404 GBG1275

Run #2

Initial Volume Final Volume

Run #1 870 ml 1.0 ml

Run #2

CAS No. Compound Result RL Units Q

CT-ETPH (C9-C36) 0.419 0.092 mg/l

CAS No. Surrogate Recoveries Run# 1 Run# 2 Limits

84-15-1 o-Terphenyl 88% 50-149%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank



Page 1 of 1

Client Sample ID: 1255899

 Lab Sample ID:
 MC9090-11
 Date Sampled:
 03/27/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/27/12

 Method:
 SW846 8082
 SW846 3510C
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 BK11168.D 1 04/01/12 AP 03/28/12 OP28373 GBK459

Run #2

Initial Volume Final Volume

Run #1 900 ml 5.0 ml

Run #2

CT Polychlorinated Biphenyls RCP List

CAS No.	Compound	Result	RL	Units Q
12674-11-2	Aroclor 1016	ND	0.28	ug/l
11104-28-2	Aroclor 1221	ND	0.28	ug/l
11141-16-5	Aroclor 1232	ND	0.28	ug/l
53469-21-9	Aroclor 1242	ND	0.28	ug/l
12672-29-6	Aroclor 1248	ND	0.28	ug/l
11097-69-1	Aroclor 1254	ND	0.28	ug/l
11096-82-5	Aroclor 1260	ND	0.28	ug/l
37324-23-5	Aroclor 1262	ND	0.28	ug/l
11100-14-4	Aroclor 1268	ND	0.28	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
CAS NO.	Surrogate Recoveries	Kuli# 1	Kuiiπ 2	Limits
877-09-8	Tetrachloro-m-xylene	82%		30-150%
877-09-8	Tetrachloro-m-xylene	89%		30-150%
2051-24-3	Decachlorobiphenyl	75%		30-150%
2051-24-3	Decachlorobiphenyl	83%		30-150%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



L

Page 1 of 1

Client Sample ID: 1255899UF

Lab Sample ID:MC9090-12Date Sampled:03/27/12Matrix:AQ - Ground WaterDate Received:03/27/12Percent Solids:n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	< 4.0	4.0	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Barium	210	50	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Cadmium	< 4.0	4.0	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Chromium	< 10	10	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Copper	< 25	25	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Lead	< 5.0	5.0	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Mercury	< 0.20	0.20	ug/l	1	03/29/12	03/30/12 EM	SW846 7470A ¹	SW846 7470A ⁴
Nickel	< 40	40	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Selenium	< 10	10	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Silver	< 5.0	5.0	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Zinc	< 20	20	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³

(1) Instrument QC Batch: MA14117(2) Instrument QC Batch: MA14120(3) Prep QC Batch: MP18786(4) Prep QC Batch: MP18790

Client Sample ID: 1255900

 Lab Sample ID:
 MC9090-13
 Date Sampled:
 03/27/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/27/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 V6671.D 1 04/05/12 AMY n/a n/a MSV290

Run #2

Purge Volume

Run #1 5.0 ml

Run #2

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
67-64-1	Acetone	ND	5.0	ug/l	
107-13-1	Acrylonitrile	ND	5.0	ug/l	
71-43-2	Benzene	ND	0.50	ug/l	
108-86-1	Bromobenzene	ND	5.0	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	ug/l	
75-25-2	Bromoform	ND	1.0	ug/l	
74-83-9	Bromomethane	ND	2.0	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	ug/l	
75-15-0	Carbon disulfide	ND	5.0	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	ug/l	
108-90-7	Chlorobenzene	ND	1.0	ug/l	
75-00-3	Chloroethane	ND	2.0	ug/l	
67-66-3	Chloroform	ND	1.0	ug/l	
74-87-3	Chloromethane	ND	2.0	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l	
75-34-3	1,1-Dichloroethane	6.3	1.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	6.9	1.0	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l	

 $ND = \ Not \ detected$

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank



Client Sample ID: 1255900 Lab Sample ID:

MC9090-13 **Date Sampled:** 03/27/12 Matrix: **Date Received:** 03/27/12 AQ - Ground Water Method: Percent Solids: n/a SW846 8260B

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

VOA RCP List

Compound	Result	RL	Units Q
1,3-Dichloropropane	ND	5.0	ug/l
	ND	5.0	ug/l
	ND	5.0	ug/l
	ND	0.50	ug/l
	ND	0.50	ug/l
Ethylbenzene	ND	1.0	ug/l
Freon 113	ND	5.0	ug/l
Hexachlorobutadiene	ND	5.0	ug/l
2-Hexanone	ND	5.0	ug/l
Isopropylbenzene	ND	5.0	ug/l
p-Isopropyltoluene	ND	5.0	ug/l
Methyl Tert Butyl Ether	ND	1.0	ug/l
4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l
Methylene bromide	ND	5.0	ug/l
Methylene chloride	ND	2.0	ug/l
Naphthalene	ND	5.0	ug/l
n-Propylbenzene	ND	5.0	ug/l
Styrene	ND	5.0	ug/l
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l
1,1,2,2-Tetrachloroethane	ND	1.0	ug/l
Tetrachloroethene	2.4	1.0	ug/l
Tetrahydrofuran	ND	10	ug/l
Toluene	ND	1.0	ug/l
Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l
1,2,3-Trichlorobenzene	ND	5.0	ug/l
1,2,4-Trichlorobenzene	ND	5.0	ug/l
1,1,1-Trichloroethane	ND	1.0	ug/l
1,1,2-Trichloroethane	ND	1.0	ug/l
Trichloroethene	6.9	1.0	ug/l
Trichlorofluoromethane	ND	1.0	ug/l
1,2,3-Trichloropropane	ND	5.0	ug/l
1,2,4-Trimethylbenzene	ND	5.0	ug/l
1,3,5-Trimethylbenzene	ND	5.0	ug/l
Vinyl chloride	5.3	1.0	ug/l
m,p-Xylene	ND	1.0	ug/l
o-Xylene	ND	1.0	ug/l
Surrogate Recoveries	Run# 1	Run# 2	Limits
Dibromofluoromethane	91%		70-130%
	1,3-Dichloropropane 2,2-Dichloropropane 1,1-Dichloropropene cis-1,3-Dichloropropene trans-1,3-Dichloropropene Ethylbenzene Freon 113 Hexachlorobutadiene 2-Hexanone Isopropylbenzene p-Isopropyltoluene Methyl Tert Butyl Ether 4-Methyl-2-pentanone (MIBK) Methylene bromide Methylene chloride Naphthalene n-Propylbenzene Styrene 1,1,1,2-Tetrachloroethane 1,1,2,2-Tetrachloroethane Tetrachloroethene Tetrahydrofuran Toluene Trans-1,4-Dichloro-2-Butene 1,2,3-Trichlorobenzene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichlorofluoromethane Trichlorofluoromethane 1,2,3-Trichloropropane 1,2,4-Trimethylbenzene 1,3,5-Trimethylbenzene Vinyl chloride m,p-Xylene o-Xylene Surrogate Recoveries	1,3-Dichloropropane ND 2,2-Dichloropropane ND 1,1-Dichloropropene ND trans-1,3-Dichloropropene ND Ethylbenzene ND Freon 113 ND Hexachlorobutadiene ND 2-Hexanone ND Isopropylbenzene ND Methyl Tert Butyl Ether ND 4-Methyl-2-pentanone (MIBK) ND Methylene bromide ND Methylene chloride ND Naphthalene ND 1,1,1,2-Tetrachloroethane ND 1,1,2,2-Tetrachloroethane ND Tetrachloroethene 2.4 Tetrahydrofuran ND Toluene ND Trans-1,4-Dichloro-2-Butene ND 1,2,3-Trichlorobenzene ND 1,1,1-Trichloroethane ND 1,2,3-Trichloroethane ND Trichloroethene 6.9 Trichlorofluoromethane ND Trichloroethene ND 1,2,3-Trichloropropane ND 1,2,3-Trichloropropane ND 1,2,3-Trichloropropane ND 1,2,3-Trichloropropane ND 1,2,4-Trimethylbenzene ND 1,2,4-Trimethylbenzene ND 1,3,5-Trimethylbenzene ND 1,3,5-Trimethylbenzene ND ND ND Surrogate Recoveries Run# 1	1,3-Dichloropropane ND 5.0 2,2-Dichloropropane ND 5.0 1,1-Dichloropropene ND 5.0 cis-1,3-Dichloropropene ND 0.50 trans-1,3-Dichloropropene ND 0.50 Ethylbenzene ND 1.0 Freon 113 ND 5.0 Hexachlorobutadiene ND 5.0 2-Hexanone ND 5.0 Isopropylbenzene ND 5.0 Isopropylbenzene ND 5.0 Methyl Tert Butyl Ether ND 5.0 4-Methyl-2-pentanone (MIBK) ND 5.0 Methylene bromide ND 5.0 Methylene chloride ND 5.0 Naphthalene ND 5.0 Naphthalene ND 5.0 Naphthalene ND 5.0 Styrene ND 5.0 1,1,2-Tetrachloroethane ND 5.0 1,1,2,2-Tetrachloroethane ND 1.0 Trans-1,4-Dichloro-2-Bu

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Page 3 of 3

Client Sample ID: 1255900

 Lab Sample ID:
 MC9090-13
 Date Sampled:
 03/27/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/27/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

VOA RCP List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	84%		70-130%
460-00-4	4-Bromofluorobenzene	100%		70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

 $B = \ \, \text{Indicates analyte found in associated method blank}$



Page 1 of 1

Client Sample ID: 1255900

 Lab Sample ID:
 MC9090-13
 Date Sampled:
 03/27/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/27/12

 Method:
 CT-ETPH 7/06 SW846 3510C
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 BG34715.D 1 04/02/12 KN 03/31/12 OP28404 GBG1275

Run #2

Initial Volume Final Volume

Run #1 920 ml 1.0 ml

Run #2

CAS No. Compound Result RL Units Q

CT-ETPH (C9-C36) 1.39 0.087 mg/l

CAS No. Surrogate Recoveries Run# 1 Run# 2 Limits

84-15-1 o-Terphenyl 95% 50-149%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank



Page 1 of 1

Client Sample ID: 1255900

 Lab Sample ID:
 MC9090-13
 Date Sampled:
 03/27/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/27/12

 Method:
 SW846 8082
 SW846 3510C
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	BK11169.D	1	04/01/12	AP	03/28/12	OP28373	GBK459
Run #2							

	Initial Volume	Final Volume
Run #1	920 ml	5.0 ml
Run #2		

CT Polychlorinated Biphenyls RCP List

CAS No.	Compound	Result	RL	Units Q
12674-11-2	Aroclor 1016	ND	0.27	ug/l
11104-28-2	Aroclor 1221	ND	0.27	ug/l
11141-16-5	Aroclor 1232	ND	0.27	ug/l
53469-21-9	Aroclor 1242	ND	0.27	ug/l
12672-29-6	Aroclor 1248	ND	0.27	ug/l
11097-69-1	Aroclor 1254	ND	0.27	ug/l
11096-82-5	Aroclor 1260	ND	0.27	ug/l
37324-23-5	Aroclor 1262	ND	0.27	ug/l
11100-14-4	Aroclor 1268	ND	0.27	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
877-09-8	Tetrachloro-m-xylene	92%		30-150%
877-09-8	Tetrachloro-m-xylene	203% a		30-150%
2051-24-3	Decachlorobiphenyl	98%		30-150%
2051-24-3	Decachlorobiphenyl	108%		30-150%

(a) Outside control limits due to possible matrix interference.

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Page 1 of 1

Client Sample ID: 1255900UF

Lab Sample ID: MC9090-14 **Date Sampled:** 03/27/12 Matrix: **Date Received:** 03/27/12 AQ - Ground Water Percent Solids: n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	< 4.0	4.0	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Barium	162	50	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Cadmium	265	4.0	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Chromium	11.0	10	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Copper	275	25	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Lead	< 5.0	5.0	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Mercury	< 0.20	0.20	ug/l	1	03/29/12	03/30/12 EM	SW846 7470A ¹	SW846 7470A ⁴
Nickel	2760	40	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Selenium	< 10	10	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Silver	37.3	5.0	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Zinc	34.5	20	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³

(1) Instrument QC Batch: MA14117 (2) Instrument QC Batch: MA14120 (3) Prep QC Batch: MP18786 (4) Prep QC Batch: MP18790

Page 1 of 3

Report of Analysis

Client Sample ID: 1255901

 Lab Sample ID:
 MC9090-15
 Date Sampled:
 03/27/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/27/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	L61933.D	1	04/04/12	EK	n/a	n/a	MSL2090
Run #2	P60444.D	5	04/05/12	AMY	n/a	n/a	MSP1960

	Purge Volume	
Run #1	5.0 ml	
Run #2	5.0 ml	

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
67-64-1	Acetone	ND	5.0	ug/l	
107-13-1	Acrylonitrile	ND	5.0	ug/l	
71-43-2	Benzene	0.81	0.50	ug/l	
108-86-1	Bromobenzene	ND	5.0	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	ug/l	
75-25-2	Bromoform	ND	1.0	ug/l	
74-83-9	Bromomethane	ND	2.0	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	ug/l	
75-15-0	Carbon disulfide	ND	5.0	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	ug/l	
108-90-7	Chlorobenzene	ND	1.0	ug/l	
75-00-3	Chloroethane	28.2	2.0	ug/l	
67-66-3	Chloroform	2.1	1.0	ug/l	
74-87-3	Chloromethane	ND	2.0	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l	
75-34-3	1,1-Dichloroethane	9.5	1.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l	
75-35-4	1,1-Dichloroethene	153	1.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	64.7	1.0	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l	

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



W

Page 2 of 3

Client Sample ID: 1255901

Lab Sample ID: MC9090-15 **Date Sampled:** 03/27/12 Matrix: **Date Received:** 03/27/12 AQ - Ground Water Method: **Percent Solids:** SW846 8260B

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

VOA RCP List

CAS No.	Compound	Result	RL	Units Q
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l
100-41-4	Ethylbenzene	ND	1.0	ug/l
76-13-1	Freon 113	ND	5.0	ug/l
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l
591-78-6	2-Hexanone	ND	5.0	ug/l
98-82-8	Isopropylbenzene	ND	5.0	ug/l
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l
74-95-3	Methylene bromide	ND	5.0	ug/l
75-09-2	Methylene chloride	ND	2.0	ug/l
91-20-3	Naphthalene	ND	5.0	ug/l
103-65-1	n-Propylbenzene	ND	5.0	ug/l
100-42-5	Styrene	ND	5.0	ug/l
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l
127-18-4	Tetrachloroethene	62.3	1.0	ug/l
109-99-9	Tetrahydrofuran	13.9	10	ug/l
108-88-3	Toluene	ND	1.0	ug/l
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l
71-55-6	1,1,1-Trichloroethane	49.6	1.0	ug/l
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l
79-01-6	Trichloroethene	393 a	5.0	ug/l
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l
75-01-4	Vinyl chloride	10.5	1.0	ug/l
	m,p-Xylene	ND	1.0	ug/l
95-47-6	o-Xylene	ND	1.0	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	88%	101%	70-130%

ND = Not detected RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Page 3 of 3

Client Sample ID: 1255901

 Lab Sample ID:
 MC9090-15
 Date Sampled:
 03/27/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/27/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

VOA RCP List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	92%	107%	70-130%
460-00-4	4-Bromofluorobenzene	100%	112%	70-130%

(a) Result is from Run# 2

ND = Not detected

 $RL = \ Reporting \ Limit$

E = Indicates value exceeds calibration range

J = Indicates an estimated value

 $B = \ Indicates \ analyte \ found \ in \ associated \ method \ blank$

N = Indicates presumptive evidence of a compound



C

Page 1 of 1

Client Sample ID: 1255901

Lab Sample ID: MC9090-15 **Date Sampled:** 03/27/12 Matrix: AQ - Ground Water **Date Received:** 03/27/12 Method: CT-ETPH 7/06 SW846 3510C **Percent Solids:** n/a

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

File ID DF **Prep Date Analytical Batch** Analyzed By **Prep Batch** Run #1 BG34711.D 1 04/02/12 KN 03/31/12 OP28404 GBG1275

Run #2

Initial Volume Final Volume

Run #1 920 ml 1.0 ml

Run #2

CAS No. Compound Result RLUnits Q

> CT-ETPH (C9-C36) 0.234 0.087 mg/l

CAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits

84-15-1 o-Terphenyl 92% 50-149%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank



Page 1 of 1

Client Sample ID: 1255901

 Lab Sample ID:
 MC9090-15
 Date Sampled:
 03/27/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/27/12

 Method:
 SW846 8082
 SW846 3510C
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 BK11170.D 1 04/01/12 AP 03/28/12 OP28373 GBK459

Run #2

Initial Volume Final Volume

Run #1 890 ml 5.0 ml

Run #2

2051-24-3

CT Polychlorinated Biphenyls RCP List

CAS No.	Compound	Result	RL	Units Q
12674-11-2	Aroclor 1016	ND	0.28	ug/l
11104-28-2 11141-16-5	Aroclor 1221 Aroclor 1232	ND ND	0.28 0.28	ug/l ug/l
53469-21-9 12672-29-6	Aroclor 1242 Aroclor 1248	ND ND	0.28 0.28	ug/l ug/l
11097-69-1 11096-82-5	Aroclor 1254 Aroclor 1260	ND ND	0.28 0.28	ug/l ug/l
37324-23-5	Aroclor 1262	ND	0.28	ug/l
11100-14-4	Aroclor 1268	ND	0.28	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
877-09-8 877-09-8	Tetrachloro-m-xylene Tetrachloro-m-xylene	89% 95%		30-150% 30-150%
2051-24-3	Decachlorobiphenyl	97%		30-150%

107%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

Decachlorobiphenyl

J = Indicates an estimated value

30-150%

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



L

Page 1 of 1

Client Sample ID: 1255901UF

 Lab Sample ID:
 MC9090-16
 Date Sampled:
 03/27/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/27/12

 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	6.3	4.0	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Barium	350	50	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Cadmium	< 4.0	4.0	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Chromium	< 10	10	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Copper	< 25	25	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Lead	< 5.0	5.0	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Mercury	< 0.20	0.20	ug/l	1	03/29/12	03/30/12 EM	SW846 7470A ¹	SW846 7470A ⁴
Nickel	< 40	40	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Selenium	< 10	10	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Silver	< 5.0	5.0	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³
Zinc	21.7	20	ug/l	1	03/29/12	03/30/12 EAL	SW846 6010C ²	SW846 3010A ³

(1) Instrument QC Batch: MA14117(2) Instrument QC Batch: MA14120(3) Prep QC Batch: MP18786(4) Prep QC Batch: MP18790

Page 1 of 3

Client Sample ID: 1255902

 Lab Sample ID:
 MC9090-17
 Date Sampled:
 03/27/12

 Matrix:
 AQ - Ground Water
 Date Received:
 03/27/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 V6660.D 1 04/05/12 AMY n/a n/a MSV290

Run #2

Purge Volume

Run #1 5.0 ml

Run #2

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
67-64-1	Acetone	ND	5.0	ug/l	
107-13-1	Acrylonitrile	ND	5.0	ug/l	
71-43-2	Benzene	ND	0.50	ug/l	
108-86-1	Bromobenzene	ND	5.0	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	ug/l	
75-25-2	Bromoform	ND	1.0	ug/l	
74-83-9	Bromomethane	ND	2.0	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	ug/l	
75-15-0	Carbon disulfide	ND	5.0	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	ug/l	
108-90-7	Chlorobenzene	ND	1.0	ug/l	
75-00-3	Chloroethane	ND	2.0	ug/l	
67-66-3	Chloroform	ND	1.0	ug/l	
74-87-3	Chloromethane	ND	2.0	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l	

 $ND = \ Not \ detected$

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



C

Page 2 of 3

Client Sample ID: 1255902

Lab Sample ID: MC9090-17 **Date Sampled:** 03/27/12 Matrix: **Date Received:** 03/27/12 AQ - Ground Water Method: Percent Solids: n/a SW846 8260B

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l	
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l	
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l	
100-41-4	Ethylbenzene	ND	1.0	ug/l	
76-13-1	Freon 113	ND	5.0	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l	
591-78-6	2-Hexanone	ND	5.0	ug/l	
98-82-8	Isopropylbenzene	ND	5.0	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l	
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l	
74-95-3	Methylene bromide	ND	5.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	ug/l	
91-20-3	Naphthalene	ND	5.0	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	ug/l	
100-42-5	Styrene	ND	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	ug/l	
109-99-9	Tetrahydrofuran	ND	10	ug/l	
108-88-3	Toluene	ND	1.0	ug/l	
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l	
79-01-6	Trichloroethene	ND	1.0	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l	
75-01-4	Vinyl chloride	ND	1.0	ug/l	
	m,p-Xylene	ND	1.0	ug/l	
95-47-6	o-Xylene	ND	1.0	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits	3
1868-53-7	Dibromofluoromethane	94%		70-130)%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Report of Analysis

Page 3 of 3

Client Sample ID: 1255902

Lab Sample ID: MC9090-17 **Date Sampled:** 03/27/12 **Date Received:** 03/27/12 Matrix: AQ - Ground Water Method: **Percent Solids:** SW846 8260B n/a

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

VOA RCP List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	87%		70-130%
460-00-4	4-Bromofluorobenzene	97%		70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound





Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Certification Exceptions
- Certification Exceptions (CT)
- · Chain of Custody
- RCP Form
- Sample Tracking Chronicle



Parameter Certification Exceptions

Job Number: MC9090

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

The following parameters included in this report are exceptions to NELAC certification.

The certification status of each is indicated below.

Parameter	CAS#	Method	Mat	Certification Status
Aroclor 1262	37324-23-5	SW846 8082	AQ	Certified by SOP MGC204/GC-ECD
Aroclor 1268	11100-14-4	SW846 8082	AQ	Certified by SOP MGC204/GC-ECD



Page 1 of 1

CHAIN OF CUSTODY

ACCUTEST:		A05.7	ccutest Lab	orator	ies of N	lew Eng	gland	ne			F	EO-EX T	racking	*				Bottle On	ter Contro	i n			
LABORATORIES		TEI	ـ. 508-481	6200	FAX:	508-48	1-775	3			þ	coutest C	Juote #					Accutest Job # M C 9090				90	
					ormatio								Real	ested	Anah	/sis (see Ti	ESTC	DDE st	of the Australia Australia			Matrix Codes
Client / Reporting Information ompany Name	Project Name				On the second		<u> </u>						T		N								
(EA	will	1 w Penc) Pau	SEK) (9	now	<u>سار</u>	<u>w</u>	بىر	٠ ســـ	22.50				2						ı		DW - Drinking Water GW - Ground Water
reel Address	Street:			50000	1000 Ind	ormation	/ 14 A1F	forent	from R	opart to	2)				3						1		WW - Water SW - Surface Water
och retuest Urie	City:				any Name		(if uii	iei eiii	non n	oport to	7		Ì		*	***						[SO - Soil SL- Sludge
Town ti CI Olocob?	Frest	Lillon	J.CT							_	_	M		Ó	المد							į	SED-Sediment OI - Oil
roject Contact E-mail	Project#	The second secon		Stree	Address							3		808	-5	1			-	l	1	į	LIQ - Other Liquid AJR - Air
din re buch	Client PO#	1250	-	City			Sta	te		Zip	\dashv	22	ا	X	Kroelasts+	ĺ			i		1	İ	SOL - Other Solid WP - Wipe
SW-747-6181													I	2	100	l							FB-Field Blank EB- Equipment Blank
ampler(s) Name(s) Prione #	Project Manager			Attent	ion:			PO	O#			3	出	افر	PERA				-				RB- Rinse Blank TB-Trip Blank
MIL the Lower Vycler	1 Over	Treat	<u> </u>		1		N	mher n	f preserved	d Rollies	一		过过	J)									15 mp blom
			Collection	T	1			1	, la	T W	2	Ä	`	RCB	H	ļ			1				
ccutest Field ID / Point of Collection	MECH/DI Vial #	Date	Time	Sampled by	Matrix	# of baldles	Na OH	HNO3	NONE DI Wal	MEOH	Bisult	\supset	7	\mathcal{I}	13						-		LAB USE ONLY
ample # Field ID / Point of Collection					-	<i>ع</i> ا	2	H	Ц	11	\sqcap	X	X	X								\neg	
1 1255891		3.27-12	1345	DD	(XX)	9	7	1	+ 1	++	\forall	-	-		Х								
1 1255589154		 	1345	D2	Cm		-	₩-		++	+†	$\overline{}$	X	X	-					$\neg \uparrow$		\dashv	
1255895			<u> </u>	100	(XY)	0	2	 	4	++-	++	<u> </u>		$\stackrel{\sim}{-}$	×	\dashv		-		\dashv		-	
4 12555950			C845	200	GU			1	1.	++	╁┼	1.6		<u>. </u>	$\stackrel{\frown}{}$				-	\dashv		\dashv	
5 055896			1130	De	Gul	عا	2	\sqcup	4	\vdash	\vdash	X	Х.	X				\vdash					
6 175559 lost			1130	2	Gw	Ĺ.	Ц.	1	4,	$\bot\bot$	\sqcup			_	×				-			-	
11755597			0935	CH.	BW	6	2		14	Ш		X	Х	X									
9 1255592. 8			CR35		GW			1			Ш				X								
9 1255898			1120	T	Gu	10	2	П	44			X	X	X									
	-		1120	130	CXU			1	П	П	П				X								
		+	1350	R	500	6	2	M	4			X	X.	X									
1 1255899	+		1350	10	, ,	1		П	\Box	11	Ħ				X								
125589904		1 4	10220	1	کری	Data	Delive	rable	Informa	tion						C	omme	nts / S	pecial	Instr	uction	5	
Turnaround Time (Business days)	Approved By (Ac	cutest PM): / Date:	A CONTRACTOR OF THE STATE OF TH			cial "A" (L			Towards	YASP C									la	Ç.	17	Ċ	185
Stn. 10 Business Days						cial "B" (L (Level 3+4			-	IYASP C State For		ну В							<u> </u>	7			1130
Std. 5 Business Days (By Contract only)					CT RCP	(Level 51-	• ,		L	DD For													
3 Day EMERGENCY					MA MCP					Other		-											
2 Day EMERGENCY					_	Commerc				ummarv							_						
1 Day EMERGENCY Emergency & Rush T/A gata available VIA Lablink				12														I iitaanaaa		Sastana Sastana	Selve lan	Classical Con-	
	Sa Sa	mple Custody m	ust be bocum	rented t	selow ea	ch time s	Relingu	s chan	ge poss	session	, incl	uding o	courie	r deliv	Date 11	ne:	341	Receive	d By:	<u>~</u>	10041555	2010000	
Relinquished by Sampler: 5-24	12/550	Received By:	1	/,			2		" E	~					3	27	-12	2 1	3 (_			
Retinguished by Sampler: Date Time:		Received By:	uedj				Relinqu	rished E	y:	_		-			Date Tir	ne:		Receive	d By:				

MC9090: Chain of Custody

Preserved where applicable

Page 1 of 3

1.1.0.9°



CHAIN OF CUSTODY

Accutest Laboratories of New England 495 Technology Center West, Building One TEL. 508-481-6200 FAX: 508-481-7753

PAGE	OF	2
------	----	---

		WV	ww.accutes		01 1.55			Accutest Quo	e#			Accutes	# dot II	+	mc	9090
Client / Reporting Information		Proj	ject Informa	ation				Ri	queste	ed Analys	sis (see	TEST	ODE st			Matrix Codes
Company Name	Project Name	770:							T	Lib		T				
LEA	willo	when Pele	J474	<u>(>vc</u>	$2 \sim 2$	cor	<u> بر</u>	4		12						DW - Drinking Wate GW - Ground Water
Streel Address	Street:					<u> </u>		4		2						W/V - Water SW - Surface Water
Cily State	Zip City:_ (Billing Company N	g Informatio	n (If difter	ent from H	Report to)	-		1						SO - Soit
Di ili. M Mar	2 East ()	4 King CT						14	10	1-4						SL- Sludge SED-Sediment
Project Contact , E-mail	Project#		Street Addre	ess		-		RICOR	X	9-3			1 1			OI - Oil LIQ - Other Liquid
To Tyresly	880	1773C)						7	1 6	1 3						AIR - Air
Phone # Fax #	Client PO#		City		State		Zip	7 69		آخذ ک						SOL - Other Solid WP - Wipe
860.747.681						204		1 510	S 1	114				- 1		F8-Field Blank
Sample(s) Name(s) Phone			Attention:			PO#		1319	49	101						EB- Equipment Blant RB- Rinse Blank
- Charles	70-0	radu			Т			1- 1 1	10	الك						TB-Trip Blank
	1	Collection	-		Numb	er of preserve	d Bottles	l 님 !	4 B) –						ļ
Acoutest			Sampled	1	E 8	H2SO4 NONE Of Water	MEOH ENCOR	1 4 5	12	الإب ا	i				1	
Sample # Field ID / Point of Collection	MEOH/DI Viar#	Date Time	by Mat	trix # of bottics	5 보 분 ±		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		100	14	\bot	\perp				LAB USE ONLY
-B 1255900		3.77-17 1510	WG	U 6	2	4		XX	X		ŀ					
-14 1255900uf		3.27-12 1510	A Gu			\Box				X						
-15 1755901		3-27-12 1170	A Co		2	4	111	x x	$\overline{}$	 	\top			_		†
"			XII		++++	+	+++	1010	1	X		+-+	\vdash	+	+	+
1030101		3-27-12 1120	7-7-	41	1.11	++	+++	+	+-			\perp	\vdash			
-17 1755902		3-27-12 0900	() Ou	<u>u</u>	1	\Box	$\sqcup \downarrow$	IX:								
			M/				-								1	
				1					\top			\Box				1
		h	1		f + f	+++	+++	+	+	 	_	+			-	+
			L 1		+++	+++	+++	+-+	+	-		+-+				ļ
			111	1/	$\perp \perp \perp$	$\sqcup \bot$	$\bot \bot \bot$			-		1_1				ļ
			ML													ł
				7			T		T			T		T		
							111					\Box				
				Date	a Deliverab	le Informa	tion				Comm	ents / \$	Special l	nstruc	tions	
Tyrnaround Time (-Business days	s) Approved By (Accu	utest PM): / Date:	Comm	nercial "A" (L			YASP Categ	gory A	T	<u> </u>	participation of the second	allow-filter-	, A		************	
Std./10 Business Days				nercial "B" (L		N	IYASP Categ	louh B	<u></u>							
Std. 5 Business Days (By Contract on	ıly)		FULLY	31 (Level 3+	4 }		tate Forms									
5 Day RUSH			CTRC			_	DD Format									
3 Day EMERGENCY 2 Day EMERGENCY		NAMES AND ASSESSED ASSESSED ASSESSED ASSESSED ASSESSED ASSESSED ASSESSED ASSESSEDA ASSESSED ASSESSED ASSESSED ASSESSED ASSESSED ASSESSED ASSESSEDA	MA MC		cial "A" = Res		Other									
Day EMERGENCY	PRO-10-				cial "B" = Res		ummary		· · · · · ·							
Emergency & Rush T/A data available VIA Lablin	ık	1														
	Sam	nple Custody must be docume	ented below	aach time s			ession, inc	luding cour	ier deliv		1840					
Relinquished by sampler:	2/77 1 /550	Received By:	•		Relinquished	By:	\sim			Date Time:	7-12	Received	βΒy: Æ (_		
	DW.TW	Receiver By:			Relinguished					Date Time:	10	Received	(D) \		,	
Relinquished by Sampler:	Date Time:	Receiveerby:			Reimquisoro	By:			Ī	Date time.		A	1 By:			
Relinquished by:	Date Time:	Received By:			Custody Sea	1 #		Intact	Preserv	ed where app	plicable	14		On Ice	Coole	r Temp.
Consideration of		5						Not intert						OL)		·

MC9090: Chain of Custody

Page 2 of 3





V:508.481.6200

Accutest Laboratories Sample Receipt Summary

Accutest Job Number: MC9090 Client: LEA Immediate Client Services Action Required: No Client Service Action Required at Login: Date / Time Received: 3/27/2012 **Delivery Method:** Nο Project: WILLOW POND No. Coolers: Airbill #'s: 2 Y or N Sample Integrity - Documentation **Cooler Security** Y or N Y or N V П 3. COC Present: **√** 1. Custody Seals Present: ✓ 1. Sample labels present on bottles: ✓ 4. Smpl Dates/Time OK ✓ 2. Custody Seals Intact: ✓ 2. Container labeling complete: 3. Sample container label / COC agree: ✓ Cooler Temperature Y or N 1. Temp criteria achieved: Υ Ν or Sample Integrity - Condition 2. Cooler temp verification: Infared gun 1 1. Sample recvd within HT: 3. Cooler media: Ice (bag) 2. All containers accounted for: 1 **Quality Control Preservatio** Y or N N/A 3. Condition of sample: Intact 1. Trip Blank present / cooler: • Sample Integrity - Instructions or N N/A ✓ 2. Trip Blank listed on COC: 1 1. Analysis requested is clear: 3. Samples preserved properly: ✓ 2. Bottles received for unspecified tests ✓ 4. VOCs headspace free: 3. Sufficient volume recvd for analysis: **✓ ✓** 4. Compositing instructions clear: ✓ 5. Filtering instructions clear: ✓ Comments 495 Technology Center West, Bldg One Accutest Laboratories Marlborough, MA

F: 508.481.7753

MC9090: Chain of Custody

Page 3 of 3



Reasonable Confidence Protocol Laboratory Analysis QA/QC Certification Form

Laboratory Name:	Accutest New England	Client:	Loureiro l	Eng. Associates
Project Location:	UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT	Project N	umber:	88UT230
Sampling Date(s):	3/27/2012			

Laboratory Sample ID(s): MC9090-1, MC9090-2, MC9090-3, MC9090-4, MC9090-5, MC9090-6, MC9090-7, MC9090-8, MC9090-9, MC9090-10, MC9090-11, MC9090-12, MC9090-13, MC9090-14, MC90

MC9090-15, MC9090-16, MC9090-17

Methods: CT-ETPH 7/06, SW846 6010C, SW846 7470A, 8082,8260B

1	For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed, including the requirement to explain any criteria falling outside of acceptable guidelines, as specified in the CTDEP method-specific Reasonable Confidence Protocol documents)?	Yes 🔽 No 🗖
1A	Where all the method specified preservation and holding time requirements met?	Yes 🗹 No 🗖
1B	VPH and EPH mehods only: Was the VPH or EPH method conducted without significant modifications (See section 11.3 of respective methods)	Yes No No NA 🔽
2	Were all samples received by the laboratory in a condition consistent with that described on the associated chain-of-custody document(s)?	Yes 🔽 No 🗖
3	Were samples received at an appropriate temperature (<6° C)?	Yes 🗹 No 🗀
4	Were all QA/QC performance criteria specified in the CTDEP Reasonable Confidence Protocol documents achieved?	Yes No
5	a) Were reporting limits specified or referenced on the chain-of-custody?	Yes 🗆 No 🗹
	b) Were these reporting limits met?	Yes No 🗹
6	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists presented in the Reasonable Confidence Protocol documents?	Yes □ No ⊡
7	Are project-specific matrix spikes and laboratory duplicates included in this data set?	Yes ✓ No ☐

Note: For all questions to which the response was "No" (with the exception of question #7), additional information must be provided in an attached narrative. If the answer to question #1, #1A or #1B is "No", the data package does not meet the requirements for "Reasonable Confidence".

and based up		f perjury that, to the best of my knowledge and belief sible for providing the information contained in this mplete.
Authorized Signature:	from tad	Position: Lab Director

4/10/2012

Date:

Printed Name: Reza Tand
Accutest New England



Loureiro Eng. Associates

MC9090 Job No:

Sample Number	Method	Analyzed	Ву	Prepped	Ву	Test Codes
MC9090-1 1255891	Collected: 27-MAR-12	13:45 By: DR	Receiv	ved: 27-MAR	R-12 By	<i>y</i> :
MC9090-1	CT-ETPH 7/06 SW846 8082 SW846 8260B	31-MAR-12 01:16 01-APR-12 14:13 04-APR-12 12:43	AP	29-MAR-12 28-MAR-12		BCTTPH P8082RCP V8260RCP
MC9090-2 1255891UF	Collected: 27-MAR-12	13:45 By: DR	Receiv	ved: 27-MAR	R-12 By	/:
MC9090-2	SW846 6010C	30-MAR-12 02:57	EAL	29-MAR-12	2 DA	AG, AS, BA, CD, CR, CU, NI, PB, S ZN
MC9090-2	SW846 7470A	30-MAR-12 11:16	EM	29-MAR-12	2 EM	HG
MC9090-3 1255895	Collected: 27-MAR-12	09:45 By: DR	Receiv	ved: 27-MAR	R-12 By	7.
MC9090-3	CT-ETPH 7/06 SW846 8082 SW846 8260B	30-MAR-12 20:01 01-APR-12 14:34 04-APR-12 13:11	AP	29-MAR-12 28-MAR-12		BCTTPH P8082RCP V8260RCP
MC9090-4 1255895UF	Collected: 27-MAR-12	09:45 By: DR	Receiv	ved: 27-MAR	R-12 By	/:
MC9090-4	SW846 6010C	30-MAR-12 03:02	EAL	29-MAR-12	2 DA	AG,AS,BA,CD,CR,CU,NI,PB,S ZN
	SW846 7470A	30-MAR-12 11:18		29-MAR-12		HG
MC9090-5 1255896	Collected: 27-MAR-12	11:30 By: DR	Receiv	ved: 27-MAR	R-12 By	<i>r</i> :
MC9090-5	CT-ETPH 7/06 SW846 8082 SW846 8260B	30-MAR-12 20:36 01-APR-12 15:15 04-APR-12 13:39	AP	29-MAR-12 28-MAR-12		BCTTPH P8082RCP V8260RCP
MC9090-6 1255896UF	Collected: 27-MAR-12	11:30 By: DR	Receiv	ved: 27-MAR	R-12 By	/:
MC9090-6	SW846 6010C	30-MAR-12 03:06	EAL	29-MAR-12	2 DA	AG,AS,BA,CD,CR,CU,NI,PB,S ZN

Loureiro Eng. Associates

MC9090 Job No:

Sample Number	Method	Analyzed	Ву	Prepped	Ву	Test Codes
MC9090-6	SW846 7470A	30-MAR-12 11:21	EM	29-MAR-12	2 EM	HG
MC9090-7 1255897	Collected: 27-MAR-12	09:35 By: DR	Receiv	ved: 27-MAF	R-12 By	<i>y</i> :
MC9090-7	SW846 8082 CT-ETPH 7/06 SW846 8260B	01-APR-12 15:35 02-APR-12 00:40 04-APR-12 14:07	KN	28-MAR-12 31-MAR-12		P8082RCP BCTTPH V8260RCP
MC9090-8 1255897UF	Collected: 27-MAR-12	09:35 By: DR	Receiv	ved: 27-MAF	R-12 By	<i>y</i> :
MC9090-8	SW846 6010C	30-MAR-12 03:37	EAL	29-MAR-12	2 DA	AG,AS,BA,CD,CR,CU,NI,PB,S ZN
MC9090-8	SW846 7470A	30-MAR-12 11:23	EM	29-MAR-12	2 EM	HG
MC9090-9 1255898	Collected: 27-MAR-12	11:20 By: DR	Receiv	ved: 27-MAF	R-12 By	<i>/</i> :
MC9090-9 MC9090-9	SW846 8082 CT-ETPH 7/06 SW846 8260B SW846 8260B	01-APR-12 15:56 02-APR-12 02:26 04-APR-12 18:27 05-APR-12 14:27	KN EK	28-MAR-12 31-MAR-12		P8082RCP BCTTPH V8260RCP V8260RCP
MC9090-10 1255898UF	Collected: 27-MAR-12	11:20 By: DR	Receiv	ved: 27-MAF	R-12 By	<i>r</i> :
MC9090-10	SW846 6010C	30-MAR-12 03:42	EAL	29-MAR-12	2 DA	AG,AS,BA,CD,CR,CU,NI,PB,S ZN
MC9090-10	SW846 7470A	30-MAR-12 11:25	EM	29-MAR-12	2 EM	HG
MC9090-11 1255899	Collected: 27-MAR-12	13:50 By: DR	Receiv	ved: 27-MAF	R-12 By	<i>T</i> :
MC9090-11 MC9090-11	SW846 8082 CT-ETPH 7/06 SW846 8260B SW846 8260B	01-APR-12 16:16 02-APR-12 00:04 04-APR-12 18:55 05-APR-12 13:29	KN EK	28-MAR-12 31-MAR-12		P8082RCP BCTTPH V8260RCP V8260RCP

Loureiro Eng. Associates

MC9090 Job No:

Sample Number	Method	Analyzed	Ву	Prepped	Ву	Test Codes
MC9090-12 1255899UF	2 Collected: 27-MAR-12	13:50 By: DR	Receiv	ed: 27-MAF	R-12 By	<i>r</i> :
MC9090-12	2 SW846 6010C	30-MAR-12 02:44	EAL	29-MAR-12	2 DA	AG, AS, BA, CD, CR, CU, NI, PB, SE ZN
MC9090-12	2 SW846 7470A	30-MAR-12 11:28	EM	29-MAR-12	2 EM	HG
MC9090-13 1255900	Collected: 27-MAR-12	15:10 By: DR	Receiv	ed: 27-MAF	R-12 By	r:
MC9090-13	3 SW846 8082 3 CT-ETPH 7/06 3 SW846 8260B	01-APR-12 16:37 02-APR-12 04:12 05-APR-12 17:33	KN	28-MAR-12 31-MAR-12		P8082RCP BCTTPH V8260RCP
MC9090-14 1255900UF	Collected: 27-MAR-12	15:10 By: DR	Receiv	ed: 27-MAF	R-12 By	r:
MC9090-14	SW846 6010C	30-MAR-12 03:46	EAL	29-MAR-12	2 DA	AG, AS, BA, CD, CR, CU, NI, PB, SE ZN
MC9090-14	SW846 7470A	30-MAR-12 11:30	EM	29-MAR-12	2 EM	HG
MC9090-15 1255901	Collected: 27-MAR-12	11:20 By: DR	Receiv	ed: 27-MAF	R-12 By	<i>r</i> :
MC9090-15 MC9090-15	5 SW846 8082 5 CT-ETPH 7/06 5 SW846 8260B 5 SW846 8260B	01-APR-12 16:57 02-APR-12 03:01 04-APR-12 19:54 05-APR-12 13:58	KN EK	28-MAR-12 31-MAR-12		P8082RCP BCTTPH V8260RCP V8260RCP
MC9090-16 1255901UF	Collected: 27-MAR-12	11:20 By: DR	Receiv	ed: 27-MAF	R-12 By	<i>r</i> :
MC9090-16	5 SW846 6010C	30-MAR-12 03:51	EAL	29-MAR-12	2 DA	AG,AS,BA,CD,CR,CU,NI,PB,SE ZN
MC9090-16	5 SW846 7470A	30-MAR-12 11:38	EM	29-MAR-12	2 EM	HG
MC9090-17 1255902	Collected: 27-MAR-12	09:00 By: DR	Receiv	ed: 27-MAF	R-12 By	<i>r</i> :

Loureiro Eng. Associates

MC9090 Job No:

Sample Number Method	Analyzed	Ву	Prepped	Ву	Test Codes	
MC9090-17 SW846 8260B	05-APR-12 12:10	AMY			V8260RCP	



GC/MS Volatiles

QC Data Summaries

Includes the following where applicable:

- · Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries
- Internal Standard Area Summaries
- Surrogate Recovery Summaries

Method Blank Summary

Job Number: MC9090

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
MSN2321-MB	N62033.D	1	04/04/12	JP	n/a	n/a	MSN2321

The QC reported here applies to the following samples:

CAS No.	Compound	Result	RL	Units Q
67-64-1	Acetone	ND	5.0	ug/l
107-13-1	Acrylonitrile	ND	5.0	ug/l
71-43-2	Benzene	ND	0.50	ug/l
108-86-1	Bromobenzene	ND	5.0	ug/l
75-27-4	Bromodichloromethane	ND	1.0	ug/l
75-25-2	Bromoform	ND	1.0	ug/l
74-83-9	Bromomethane	ND	2.0	ug/l
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l
104-51-8	n-Butylbenzene	ND	5.0	ug/l
135-98-8	sec-Butylbenzene	ND	5.0	ug/l
98-06-6	tert-Butylbenzene	ND	5.0	ug/l
75-15-0	Carbon disulfide	ND	5.0	ug/l
56-23-5	Carbon tetrachloride	ND	1.0	ug/l
108-90-7	Chlorobenzene	ND	1.0	ug/l
75-00-3	Chloroethane	ND	2.0	ug/l
67-66-3	Chloroform	ND	1.0	ug/l
74-87-3	Chloromethane	ND	2.0	ug/l
95-49-8	o-Chlorotoluene	ND	5.0	ug/l
106-43-4	p-Chlorotoluene	ND	5.0	ug/l
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l
124-48-1	Dibromochloromethane	ND	1.0	ug/l
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l
75-34-3	1,1-Dichloroethane	ND	1.0	ug/l
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l
156-59-2	cis-1,2-Dichloroethene	ND	1.0	ug/l
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l



Method Blank Summary

Job Number: MC9090

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
MSN2321-MB	N62033.D	1	04/04/12	JP	n/a	n/a	MSN2321

The QC reported here applies to the following samples:

CAS No.	Compound	Result	RL	Units Q
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l
100-41-4	Ethylbenzene	ND	1.0	ug/l
76-13-1	Freon 113	ND	5.0	ug/l
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l
591-78-6	2-Hexanone	ND	5.0	ug/l
98-82-8	Isopropylbenzene	ND	5.0	ug/l
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l
74-95-3	Methylene bromide	ND	5.0	ug/l
75-09-2	Methylene chloride	ND	2.0	ug/l
91-20-3	Naphthalene	ND	5.0	ug/l
103-65-1	n-Propylbenzene	ND	5.0	ug/l
100-42-5	Styrene	ND	5.0	ug/l
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l
127-18-4	Tetrachloroethene	ND	1.0	ug/l
109-99-9	Tetrahydrofuran	ND	10	ug/l
108-88-3	Toluene	ND	1.0	ug/l
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l
79-01-6	Trichloroethene	ND	1.0	ug/l
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l
75-01-4	Vinyl chloride	ND	1.0	ug/l
	m,p-Xylene	ND	1.0	ug/l
95-47-6	o-Xylene	ND	1.0	ug/l



Method Blank Summary

Job Number: MC9090

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample MSN2321-MB	File ID N62033.D	DF 1	Analyzed 04/04/12	By JP	Prep Date n/a	Prep Batch n/a	Analytical Batch MSN2321

The QC reported here applies to the following samples:

CAS No.	Surrogate Recoveries		Limits
1868-53-7	Dibromofluoromethane	75%	70-130%
2037-26-5	Toluene-D8	85%	70-130%
460-00-4	4-Bromofluorobenzene	87%	70-130%



Method Blank Summary

Job Number: MC9090

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample	File ID	DF	Analyzed	$\mathbf{B}\mathbf{y}$	Prep Date	Prep Batch	Analytical Batch
MSL2090-MB	L61929.D	1	04/04/12	EK	n/a	n/a	MSL2090

The QC reported here applies to the following samples:

CAS No.	Compound	Result	RL	Units Q
67-64-1	Acetone	ND	5.0	ug/l
107-13-1	Acrylonitrile	ND	5.0	ug/l
71-43-2	Benzene	ND	0.50	ug/l
108-86-1	Bromobenzene	ND	5.0	ug/l
75-27-4	Bromodichloromethane	ND	1.0	ug/l
75-25-2	Bromoform	ND	1.0	ug/l
74-83-9	Bromomethane	ND	2.0	ug/l
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l
104-51-8	n-Butylbenzene	ND	5.0	ug/l
135-98-8	sec-Butylbenzene	ND	5.0	ug/l
98-06-6	tert-Butylbenzene	ND	5.0	ug/l
75-15-0	Carbon disulfide	ND	5.0	ug/l
56-23-5	Carbon tetrachloride	ND	1.0	ug/l
108-90-7	Chlorobenzene	ND	1.0	ug/l
75-00-3	Chloroethane	ND	2.0	ug/l
67-66-3	Chloroform	ND	1.0	ug/l
74-87-3	Chloromethane	ND	2.0	ug/l
95-49-8	o-Chlorotoluene	ND	5.0	ug/l
106-43-4	p-Chlorotoluene	ND	5.0	ug/l
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l
124-48-1	Dibromochloromethane	ND	1.0	ug/l
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l
75-34-3	1,1-Dichloroethane	ND	1.0	ug/l
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l
156-59-2	cis-1,2-Dichloroethene	ND	1.0	ug/l
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l

Method Blank Summary

Job Number: MC9090

Account: LEA Loureiro Eng. Associates

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
MSL2090-MB	L61929.D	1	04/04/12	EK	n/a	n/a	MSL2090

The QC reported here applies to the following samples:

CAS No.	Compound	Result	RL	Units Q
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l
100-41-4	Ethylbenzene	ND	1.0	ug/l
76-13-1	Freon 113	ND	5.0	ug/l
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l
591-78-6	2-Hexanone	ND	5.0	ug/l
98-82-8	Isopropylbenzene	ND	5.0	ug/l
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l
74-95-3	Methylene bromide	ND	5.0	ug/l
75-09-2	Methylene chloride	ND	2.0	ug/l
91-20-3	Naphthalene	ND	5.0	ug/l
103-65-1	n-Propylbenzene	ND	5.0	ug/l
100-42-5	Styrene	ND	5.0	ug/l
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l
127-18-4	Tetrachloroethene	ND	1.0	ug/l
109-99-9	Tetrahydrofuran	ND	10	ug/l
108-88-3	Toluene	ND	1.0	ug/l
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l
79-01-6	Trichloroethene	ND	1.0	ug/l
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l
75-01-4	Vinyl chloride	ND	1.0	ug/l
	m,p-Xylene	ND	1.0	ug/l
95-47-6	o-Xylene	ND	1.0	ug/l

Page 3 of 3

Method: SW846 8260B

Method Blank Summary

Job Number: MC9090

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample MSL2090-MB	File ID L61929.D	DF 1	Analyzed 04/04/12	By EK	Prep Date n/a	Prep Batch n/a	Analytical Batch MSL2090

The QC reported here applies to the following samples:

CAS No.	Surrogate Recoveries		Limits
1868-53-7	Dibromofluoromethane	92%	70-130%
2037-26-5	Toluene-D8	95%	70-130%
460-00-4	4-Bromofluorobenzene	104%	70-130%

Method Blank Summary

Job Number: MC9090

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample MSV290-MB	File ID V6658.D	DF 1	Analyzed 04/05/12	By AMY	Prep Date n/a	Prep Batch n/a	Analytical Batch MSV290

The QC reported here applies to the following samples:

CAS No.	Compound	Result	RL	Units Q
67-64-1	Acetone	ND	5.0	ug/l
107-13-1	Acrylonitrile	ND	5.0	ug/l
71-43-2	Benzene	ND	0.50	ug/l
108-86-1	Bromobenzene	ND	5.0	ug/l
75-27-4	Bromodichloromethane	ND	1.0	ug/l
75-25-2	Bromoform	ND	1.0	ug/l
74-83-9	Bromomethane	ND	2.0	ug/l
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l
104-51-8	n-Butylbenzene	ND	5.0	ug/l
135-98-8	sec-Butylbenzene	ND	5.0	ug/l
98-06-6	tert-Butylbenzene	ND	5.0	ug/l
75-15-0	Carbon disulfide	ND	5.0	ug/l
56-23-5	Carbon tetrachloride	ND	1.0	ug/l
108-90-7	Chlorobenzene	ND	1.0	ug/l
75-00-3	Chloroethane	ND	2.0	ug/l
67-66-3	Chloroform	ND	1.0	ug/l
74-87-3	Chloromethane	ND	2.0	ug/l
95-49-8	o-Chlorotoluene	ND	5.0	ug/l
106-43-4	p-Chlorotoluene	ND	5.0	ug/l
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l
124-48-1	Dibromochloromethane	ND	1.0	ug/l
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l
75-34-3	1,1-Dichloroethane	ND	1.0	ug/l
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l
156-59-2	cis-1,2-Dichloroethene	ND	1.0	ug/l
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l

Method Blank Summary

Job Number: MC9090

Account: LEA Loureiro Eng. Associates

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
MSV290-MB	V6658.D	1	04/05/12	AMY	n/a	n/a	MSV290

The QC reported here applies to the following samples:

CAS No.	Compound	Result	RL	Units Q
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l
100-41-4	Ethylbenzene	ND	1.0	ug/l
76-13-1	Freon 113	ND	5.0	ug/l
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l
591-78-6	2-Hexanone	ND	5.0	ug/l
98-82-8	Isopropylbenzene	ND	5.0	ug/l
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l
74-95-3	Methylene bromide	ND	5.0	ug/l
75-09-2	Methylene chloride	ND	2.0	ug/l
91-20-3	Naphthalene	ND	5.0	ug/l
103-65-1	n-Propylbenzene	ND	5.0	ug/l
100-42-5	Styrene	ND	5.0	ug/l
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l
127-18-4	Tetrachloroethene	ND	1.0	ug/l
109-99-9	Tetrahydrofuran	ND	10	ug/l
108-88-3	Toluene	ND	1.0	ug/l
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l
79-01-6	Trichloroethene	ND	1.0	ug/l
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l
75-01-4	Vinyl chloride	ND	1.0	ug/l
	m,p-Xylene	ND	1.0	ug/l
95-47-6	o-Xylene	ND	1.0	ug/l



Page 3 of 3

Method: SW846 8260B

Method Blank Summary

Job Number: MC9090

Account: LEA Loureiro Eng. Associates

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

Sample MSV290-MB	File ID V6658.D	DF 1	Analyzed 04/05/12	By AMY	Prep Date n/a	Prep Batch n/a	Analytical Batch MSV290

The QC reported here applies to the following samples:

CAS No.	Surrogate Recoveries		Limits
1868-53-7	Dibromofluoromethane	87%	70-130%
2037-26-5	Toluene-D8	84%	70-130%
460-00-4	4-Bromofluorobenzene	96%	70-130%

Method Blank Summary

Job Number: MC9090

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample MSP1960-MB	File ID P60440.D	DF 1	Analyzed 04/05/12	By AMY	Prep Date n/a	Prep Batch n/a	Analytical Batch MSP1960

The QC reported here applies to the following samples:

CAS No.	Compound	Result	RL	Units	Q
156-59-2 79-01-6	cis-1,2-Dichloroethene Trichloroethene	ND ND	1.0 1.0	ug/l ug/l	
CAS No.	Surrogate Recoveries		Limits		
	S				



Blank Spike Summary Job Number: MC9090

Account: LEA Loureiro Eng. Associates

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
MSN2321-BS	N62031.D	1	04/04/12	JP	n/a	n/a	MSN2321

The QC reported here applies to the following samples:

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
67-64-1	Acetone	50	72.2	144* a	70-130
107-13-1	Acrylonitrile	50	225	450* b	70-130
71-43-2	Benzene	50	48.2	96	70-130
108-86-1	Bromobenzene	50	49.7	99	70-130
75-27-4	Bromodichloromethane	50	49.4	99	70-130
75-25-2	Bromoform	50	47.8	96	70-130
74-83-9	Bromomethane	50	43.8	88	70-130
78-93-3	2-Butanone (MEK)	50	71.8	144* a	70-130
104-51-8	n-Butylbenzene	50	50.2	100	70-130
135-98-8	sec-Butylbenzene	50	52.3	105	70-130
98-06-6	tert-Butylbenzene	50	49.5	99	70-130
75-15-0	Carbon disulfide	50	50.0	100	70-130
56-23-5	Carbon tetrachloride	50	40.0	80	70-130
108-90-7	Chlorobenzene	50	51.8	104	70-130
75-00-3	Chloroethane	50	45.1	90	70-130
67-66-3	Chloroform	50	45.3	91	70-130
74-87-3	Chloromethane	50	41.6	83	70-130
95-49-8	o-Chlorotoluene	50	47.6	95	70-130
106-43-4	p-Chlorotoluene	50	50.6	101	70-130
96-12-8	1,2-Dibromo-3-chloropropane	50	45.8	92	70-130
124-48-1	Dibromochloromethane	50	48.9	98	70-130
106-93-4	1,2-Dibromoethane	50	50.9	102	70-130
95-50-1	1,2-Dichlorobenzene	50	50.5	101	70-130
541-73-1	1,3-Dichlorobenzene	50	49.7	99	70-130
106-46-7	1,4-Dichlorobenzene	50	50.0	100	70-130
75-71-8	Dichlorodifluoromethane	50	51.1	102	70-130
75-34-3	1,1-Dichloroethane	50	44.5	89	70-130
107-06-2	1,2-Dichloroethane	50	44.3	89	70-130
75-35-4	1,1-Dichloroethene	50	45.7	91	70-130
156-59-2	cis-1,2-Dichloroethene	50	46.4	93	70-130
156-60-5	trans-1,2-Dichloroethene	50	47.7	95	70-130
78-87-5	1,2-Dichloropropane	50	45.9	92	70-130
142-28-9	1,3-Dichloropropane	50	47.0	94	70-130
594-20-7	2,2-Dichloropropane	50	29.1	58* a	70-130
563-58-6	1,1-Dichloropropene	50	49.5	99	70-130
10061-01-5	cis-1,3-Dichloropropene	50	41.8	84	70-130



Blank Spike Summary Job Number: MC9090

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
MSN2321-BS	N62031.D	1	04/04/12	JP	n/a	n/a	MSN2321

The QC reported here applies to the following samples:

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
10061-02-6	trans-1,3-Dichloropropene	50	44.3	89	70-130
100-41-4	Ethylbenzene	50	52.7	105	70-130
76-13-1	Freon 113	50	46.8	94	70-130
87-68-3	Hexachlorobutadiene	50	49.2	98	70-130
591-78-6	2-Hexanone	50	66.8	134* a	70-130
98-82-8	Isopropylbenzene	50	59.6	119	70-130
99-87-6	p-Isopropyltoluene	50	52.7	105	70-130
1634-04-4	Methyl Tert Butyl Ether	50	38.8	78	70-130
108-10-1	4-Methyl-2-pentanone (MIBK)	50	46.7	93	70-130
74-95-3	Methylene bromide	50	49.1	98	70-130
75-09-2	Methylene chloride	50	44.6	89	70-130
91-20-3	Naphthalene	50	53.7	107	70-130
103-65-1	n-Propylbenzene	50	50.3	101	70-130
100-42-5	Styrene	50	52.5	105	70-130
630-20-6	1,1,1,2-Tetrachloroethane	50	53.2	106	70-130
79-34-5	1,1,2,2-Tetrachloroethane	50	45.5	91	70-130
127-18-4	Tetrachloroethene	50	54.7	109	70-130
109-99-9	Tetrahydrofuran	50	43.0	86	70-130
108-88-3	Toluene	50	51.8	104	70-130
110-57-6	Trans-1,4-Dichloro-2-Butene	50	41.4	83	70-130
87-61-6	1,2,3-Trichlorobenzene	50	53.3	107	70-130
120-82-1	1,2,4-Trichlorobenzene	50	54.0	108	70-130
71-55-6	1,1,1-Trichloroethane	50	42.7	85	70-130
79-00-5	1,1,2-Trichloroethane	50	47.3	95	70-130
79-01-6	Trichloroethene	50	48.7	97	70-130
75-69-4	Trichlorofluoromethane	50	45.9	92	70-130
96-18-4	1,2,3-Trichloropropane	50	44.9	90	70-130
95-63-6	1,2,4-Trimethylbenzene	50	51.2	102	70-130
108-67-8	1,3,5-Trimethylbenzene	50	51.0	102	70-130
75-01-4	Vinyl chloride	50	39.1	78	70-130
	m,p-Xylene	100	112	112	70-130
95-47-6	o-Xylene	50	53.2	106	70-130



Page 3 of 3

Method: SW846 8260B

Blank Spike Summary

Job Number: MC9090

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample MSN2321-BS	File ID N62031.D	DF 1	Analyzed 04/04/12	By JP	Prep Date n/a	Prep Batch n/a	Analytical Batch MSN2321

The QC reported here applies to the following samples:

CAS No.	Surrogate Recoveries	BSP	Limits
	Dibromofluoromethane	75%	70-130%
2037-26-5	Toluene-D8	85%	70-130%
460-00-4	4-Bromofluorobenzene	80%	70-130%

- (a) Outside control limits. Blank Spike meets program technical requirements.
- (b) Outside control limits. Associated samples are non-detect for this compound.

Page 1 of 1

Method: SW846 8260B

Blank Spike Summary Job Number: MC9090

Account: LEA Loureiro Eng. Associates

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

ample ISP1960-BS	File ID P60438.D	DF 1	Analyzed 04/05/12	By AMY	Prep Date n/a	Prep Batch n/a	Analytical Batch MSP1960

The QC reported here applies to the following samples:

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
156-59-2	cis-1,2-Dichloroethene	50	53.5	107	70-130
79-01-6	Trichloroethene	50	53.6	107	70-130

CAS No.	Surrogate Recoveries	BSP	Limits
	Dibromofluoromethane	113%	70-130%
	Toluene-D8	117%	70-130%
	4-Bromofluorobenzene	126%	70-130%

Page 1 of 3

Method: SW846 8260B

Blank Spike/Blank Spike Duplicate Summary

Job Number: MC9090

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample	File ID	DF	Analyzed	Ву	Prep Date	Prep Batch	Analytical Batch
MSL2090-BS	L61926.D	1	04/04/12	EK	n/a	n/a	MSL2090
MSL2090-BSD	L61927.D	1	04/04/12	EK	n/a	n/a	MSL2090

The QC reported here applies to the following samples:

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	BSD ug/l	BSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	50	88.9	178* a	86.1	172* a	3	70-130/25
107-13-1	Acrylonitrile	50	52.7	105	52.0	104	1	70-130/25
71-43-2	Benzene	50	52.0	104	49.7	99	5	70-130/25
108-86-1	Bromobenzene	50	53.0	106	50.1	100	6	70-130/25
75-27-4	Bromodichloromethane	50	54.3	109	52.4	105	4	70-130/25
75-25-2	Bromoform	50	62.1	124	62.6	125	1	70-130/25
74-83-9	Bromomethane	50	52.5	105	55.5	111	6	70-130/25
78-93-3	2-Butanone (MEK)	50	55.0	110	54.5	109	1	70-130/25
104-51-8	n-Butylbenzene	50	59.2	118	55.6	111	6	70-130/25
135-98-8	sec-Butylbenzene	50	56.2	112	53.0	106	6	70-130/25
98-06-6	tert-Butylbenzene	50	55.8	112	52.3	105	6	70-130/25
75-15-0	Carbon disulfide	50	58.2	116	55.6	111	5	70-130/25
56-23-5	Carbon tetrachloride	50	54.2	108	52.0	104	4	70-130/25
108-90-7	Chlorobenzene	50	55.0	110	53.6	107	3	70-130/25
75-00-3	Chloroethane	50	52.7	105	48.1	96	9	70-130/25
67-66-3	Chloroform	50	54.2	108	52.0	104	4	70-130/25
74-87-3	Chloromethane	50	65.2	130	58.2	116	11	70-130/25
95-49-8	o-Chlorotoluene	50	53.6	107	50.2	100	7	70-130/25
106-43-4	p-Chlorotoluene	50	56.4	113	52.6	105	7	70-130/25
96-12-8	1,2-Dibromo-3-chloropropane	50	60.1	120	58.6	117	3	70-130/25
124-48-1	Dibromochloromethane	50	63.3	127	62.4	125	1	70-130/25
106-93-4	1,2-Dibromoethane	50	56.9	114	56.3	113	1	70-130/25
95-50-1	1,2-Dichlorobenzene	50	56.8	114	54.3	109	5	70-130/25
541-73-1	1,3-Dichlorobenzene	50	56.5	113	53.8	108	5	70-130/25
106-46-7	1,4-Dichlorobenzene	50	55.4	111	51.4	103	7	70-130/25
75-71-8	Dichlorodifluoromethane	50	70.5	141* b	65.8	132* b	7	70-130/25
75-34-3	1,1-Dichloroethane	50	54.1	108	51.9	104	4	70-130/25
107-06-2	1,2-Dichloroethane	50	52.7	105	50.6	101	4	70-130/25
75-35-4	1,1-Dichloroethene	50	56.0	112	53.7	107	4	70-130/25
156-59-2	cis-1,2-Dichloroethene	50	54.4	109	52.6	105	3	70-130/25
156-60-5	trans-1,2-Dichloroethene	50	54.4	109	51.1	102	6	70-130/25
78-87-5	1,2-Dichloropropane	50	49.8	100	48.4	97	3	70-130/25
142-28-9	1,3-Dichloropropane	50	52.9	106	51.2	102	3	70-130/25
594-20-7	2,2-Dichloropropane	50	50.9	102	47.5	95	7	70-130/25
563-58-6	1,1-Dichloropropene	50	54.2	108	52.0	104	4	70-130/25
10061-01-5	cis-1,3-Dichloropropene	50	49.5	99	47.4	95	4	70-130/25

Page 2 of 3

Method: SW846 8260B

Blank Spike/Blank Spike Duplicate Summary

Job Number: MC9090

Account: LEA Loureiro Eng. Associates

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
MSL2090-BS	L61926.D	1	04/04/12	EK	n/a	n/a	MSL2090
MSL2090-BSD	L61927.D	1	04/04/12	EK	n/a	n/a	MSL2090

The QC reported here applies to the following samples:

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	BSD ug/l	BSD %	RPD	Limits Rec/RPD
10061-02-6	trans-1,3-Dichloropropene	50	51.1	102	49.5	99	3	70-130/25
100-41-4	Ethylbenzene	50	55.8	112	53.3	107	5	70-130/25
76-13-1	Freon 113	50	58.4	117	55.0	110	6	70-130/25
87-68-3	Hexachlorobutadiene	50	57.4	115	52.7	105	9	70-130/25
591-78-6	2-Hexanone	50	56.5	113	55.4	111	2	70-130/25
98-82-8	Isopropylbenzene	50	64.0	128	61.0	122	5	70-130/25
99-87-6	p-Isopropyltoluene	50	58.6	117	54.7	109	7	70-130/25
1634-04-4	Methyl Tert Butyl Ether	50	53.8	108	52.2	104	3	70-130/25
108-10-1	4-Methyl-2-pentanone (MIBK)	50	53.2	106	51.1	102	4	70-130/25
74-95-3	Methylene bromide	50	56.7	113	54.9	110	3	70-130/25
75-09-2	Methylene chloride	50	51.1	102	48.8	98	5	70-130/25
91-20-3	Naphthalene	50	57.1	114	54.8	110	4	70-130/25
103-65-1	n-Propylbenzene	50	55.5	111	51.9	104	7	70-130/25
100-42-5	Styrene	50	57.6	115	56.4	113	2	70-130/25
630-20-6	1,1,1,2-Tetrachloroethane	50	57.7	115	56.6	113	2	70-130/25
79-34-5	1,1,2,2-Tetrachloroethane	50	54.6	109	51.2	102	6	70-130/25
127-18-4	Tetrachloroethene	50	58.3	117	56.6	113	3	70-130/25
109-99-9	Tetrahydrofuran	50	52.3	105	51.9	104	1	70-130/25
108-88-3	Toluene	50	56.3	113	54.7	109	3	70-130/25
110-57-6	Trans-1,4-Dichloro-2-Butene	50	56.4	113	54.7	109	3	70-130/25
87-61-6	1,2,3-Trichlorobenzene	50	54.2	108	52.3	105	4	70-130/25
120-82-1	1,2,4-Trichlorobenzene	50	55.0	110	52.6	105	4	70-130/25
71-55-6	1,1,1-Trichloroethane	50	54.5	109	52.0	104	5	70-130/25
79-00-5	1,1,2-Trichloroethane	50	54.6	109	53.0	106	3	70-130/25
79-01-6	Trichloroethene	50	56.1	112	53.5	107	5	70-130/25
75-69-4	Trichlorofluoromethane	50	56.1	112	53.0	106	6	70-130/25
96-18-4	1,2,3-Trichloropropane	50	56.4	113	54.6	109	3	70-130/25
95-63-6	1,2,4-Trimethylbenzene	50	55.1	110	52.4	105	5	70-130/25
108-67-8	1,3,5-Trimethylbenzene	50	54.3	109	50.9	102	6	70-130/25
75-01-4	Vinyl chloride	50	58.9	118	55.8	112	5	70-130/25
	m,p-Xylene	100	114	114	111	111	3	70-130/25
95-47-6	o-Xylene	50	59.1	118	56.5	113	4	70-130/25

Page 3 of 3

Method: SW846 8260B

Blank Spike/Blank Spike Duplicate Summary

Job Number: MC9090

LEA Loureiro Eng. Associates Account:

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample MSL2090-BS MSL2090-BSD	File ID L61926.D L61927.D	DF 1 1	Analyzed 04/04/12 04/04/12	By EK EK	Prep Date n/a n/a	Prep Batch n/a n/a	Analytical Batch MSL2090 MSL2090

The QC reported here applies to the following samples:

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
1868-53-7	Dibromofluoromethane	92%	91%	70-130%
2037-26-5	Toluene-D8	96%	97%	70-130%
460-00-4	4-Bromofluorobenzene	96%	96%	70-130%

- (a) Outside control limits. Associated samples are non-detect for this compound.
- (b) Outside control limits. Blank Spike meets program technical requirements.

Page 1 of 3

Method: SW846 8260B

Blank Spike/Blank Spike Duplicate Summary

Job Number: MC9090

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample	File ID	DF	Analyzed	Ву	Prep Date	Prep Batch	Analytical Batch
MSV290-BS	V6655.D	1	04/05/12	AMY	n/a	n/a	MSV290
MSV290-BSD	V6656.D	1	04/05/12	AMY	n/a	n/a	MSV290

The QC reported here applies to the following samples:

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	BSD ug/l	BSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	50	66.0	132* a	56.7	113	15	70-130/25
107-13-1	Acrylonitrile	50	283	566* b	262	524* b	8	70-130/25
71-43-2	Benzene	50	46.3	93	50.7	101	9	70-130/25
108-86-1	Bromobenzene	50	48.7	97	48.9	98	0	70-130/25
75-27-4	Bromodichloromethane	50	54.5	109	53.8	108	1	70-130/25
75-25-2	Bromoform	50	44.0	88	44.7	89	2	70-130/25
74-83-9	Bromomethane	50	49.6	99	50.9	102	3	70-130/25
78-93-3	2-Butanone (MEK)	50	67.0	134* a	62.7	125	7	70-130/25
104-51-8	n-Butylbenzene	50	52.9	106	52.8	106	0	70-130/25
135-98-8	sec-Butylbenzene	50	51.3	103	55.7	111	8	70-130/25
98-06-6	tert-Butylbenzene	50	50.3	101	54.4	109	8	70-130/25
75-15-0	Carbon disulfide	50	48.8	98	50.2	100	3	70-130/25
56-23-5	Carbon tetrachloride	50	46.8	94	50.2	100	7	70-130/25
108-90-7	Chlorobenzene	50	48.7	97	49.2	98	1	70-130/25
75-00-3	Chloroethane	50	44.5	89	46.5	93	4	70-130/25
67-66-3	Chloroform	50	49.6	99	50.8	102	2	70-130/25
74-87-3	Chloromethane	50	52.8	106	56.9	114	7	70-130/25
95-49-8	o-Chlorotoluene	50	48.0	96	48.2	96	0	70-130/25
106-43-4	p-Chlorotoluene	50	51.0	102	49.6	99	3	70-130/25
96-12-8	1,2-Dibromo-3-chloropropane	50	47.0	94	49.4	99	5	70-130/25
124-48-1	Dibromochloromethane	50	46.4	93	47.1	94	1	70-130/25
106-93-4	1,2-Dibromoethane	50	50.7	101	53.0	106	4	70-130/25
95-50-1	1,2-Dichlorobenzene	50	48.9	98	48.5	97	1	70-130/25
541-73-1	1,3-Dichlorobenzene	50	49.5	99	50.4	101	2	70-130/25
106-46-7	1,4-Dichlorobenzene	50	48.0	96	50.1	100	4	70-130/25
75-71-8	Dichlorodifluoromethane	50	64.3	129	67.2	134* a	4	70-130/25
75-34-3	1,1-Dichloroethane	50	48.6	97	49.6	99	2	70-130/25
107-06-2	1,2-Dichloroethane	50	45.9	92	49.1	98	7	70-130/25
75-35-4	1,1-Dichloroethene	50	51.1	102	52.7	105	3	70-130/25
156-59-2	cis-1,2-Dichloroethene	50	47.2	94	48.6	97	3	70-130/25
156-60-5	trans-1,2-Dichloroethene	50	47.6	95	50.7	101	6	70-130/25
78-87-5	1,2-Dichloropropane	50	48.3	97	52.9	106	9	70-130/25
142-28-9	1,3-Dichloropropane	50	48.7	97	49.7	99	2	70-130/25
594-20-7	2,2-Dichloropropane	50	55.2	110	55.9	112	1	70-130/25
563-58-6	1,1-Dichloropropene	50	50.5	101	56.9	114	12	70-130/25
10061-01-5	cis-1,3-Dichloropropene	50	44.8	90	47.0	94	5	70-130/25

Page 2 of 3

Method: SW846 8260B

Blank Spike/Blank Spike Duplicate Summary

Job Number: MC9090

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

le ID 🔠 🛚 I	DF .	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
6655.D 1	1 (04/05/12	AMY	n/a	n/a	MSV290
6656.D 1	1 (04/05/12	AMY	n/a	n/a	MSV290

The QC reported here applies to the following samples:

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	BSD ug/l	BSD %	RPD	Limits Rec/RPD
10061-02-6	trans-1,3-Dichloropropene	50	48.3	97	50.6	101	5	70-130/25
100-41-4	Ethylbenzene	50	50.0	100	51.0	102	2	70-130/25
76-13-1	Freon 113	50	48.2	96	48.2	96	0	70-130/25
87-68-3	Hexachlorobutadiene	50	49.3	99	48.2	96	2	70-130/25
591-78-6	2-Hexanone	50	59.0	118	56.3	113	5	70-130/25
98-82-8	Isopropylbenzene	50	64.2	128	59.7	119	7	70-130/25
99-87-6	p-Isopropyltoluene	50	52.4	105	56.6	113	8	70-130/25
1634-04-4	Methyl Tert Butyl Ether	50	47.1	94	50.6	101	7	70-130/25
108-10-1	4-Methyl-2-pentanone (MIBK)	50	48.9	98	51.6	103	5	70-130/25
74-95-3	Methylene bromide	50	48.8	98	51.5	103	5	70-130/25
75-09-2	Methylene chloride	50	45.6	91	47.7	95	5	70-130/25
91-20-3	Naphthalene	50	54.8	110	54.0	108	1	70-130/25
103-65-1	n-Propylbenzene	50	50.8	102	51.5	103	1	70-130/25
100-42-5	Styrene	50	51.9	104	53.6	107	3	70-130/25
630-20-6	1,1,1,2-Tetrachloroethane	50	51.4	103	52.7	105	2	70-130/25
79-34-5	1,1,2,2-Tetrachloroethane	50	49.3	99	50.6	101	3	70-130/25
127-18-4	Tetrachloroethene	50	52.8	106	53.7	107	2	70-130/25
109-99-9	Tetrahydrofuran	50	47.5	95	56.5	113	17	70-130/25
108-88-3	Toluene	50	50.4	101	50.4	101	0	70-130/25
110-57-6	Trans-1,4-Dichloro-2-Butene	50	52.7	105	51.3	103	3	70-130/25
87-61-6	1,2,3-Trichlorobenzene	50	51.0	102	49.5	99	3	70-130/25
120-82-1	1,2,4-Trichlorobenzene	50	49.0	98	48.5	97	1	70-130/25
71-55-6	1,1,1-Trichloroethane	50	56.6	113	56.1	112	1	70-130/25
79-00-5	1,1,2-Trichloroethane	50	44.1	88	47.7	95	8	70-130/25
79-01-6	Trichloroethene	50	46.4	93	51.9	104	11	70-130/25
75-69-4	Trichlorofluoromethane	50	48.8	98	50.7	101	4	70-130/25
96-18-4	1,2,3-Trichloropropane	50	48.9	98	53.8	108	10	70-130/25
95-63-6	1,2,4-Trimethylbenzene	50	49.8	100	49.4	99	1	70-130/25
108-67-8	1,3,5-Trimethylbenzene	50	50.9	102	52.6	105	3	70-130/25
75-01-4	Vinyl chloride	50	51.9	104	53.8	108	4	70-130/25
	m,p-Xylene	100	101	101	102	102	1	70-130/25
95-47-6	o-Xylene	50	50.9	102	52.6	105	3	70-130/25

Page 3 of 3

Method: SW846 8260B

Blank Spike/Blank Spike Duplicate Summary

Job Number: MC9090

LEA Loureiro Eng. Associates Account:

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample	File ID	DF	Analyzed	Ву	Prep Date	Prep Batch	Analytical Batch
MSV290-BS	V6655.D	1	04/05/12	AMY	n/a	n/a	MSV290
MSV290-BSD	V6656.D	1	04/05/12	AMY	n/a	n/a	MSV290

The QC reported here applies to the following samples:

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
1868-53-7	Dibromofluoromethane	94%	91%	70-130%
2037-26-5	Toluene-D8	94%	92%	70-130%
460-00-4	4-Bromofluorobenzene	93%	91%	70-130%

- (a) Outside control limits. Blank Spike meets program technical requirements.
- (b) Outside control limits. Associated samples are non-detect for this compound.

Page 1 of 3

Method: SW846 8260B

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: MC9090

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
MC9090-7MS	N62050.D	5	04/04/12	JP	n/a	n/a	MSN2321
MC9090-7MSD	N62051.D	5	04/04/12	JP	n/a	n/a	MSN2321
MC9090-7	N62049.D	1	04/04/12	JP	n/a	n/a	MSN2321

The QC reported here applies to the following samples:

CAS No.	Compound	MC9090 ug/l)-7 Q	Spike ug/l	MS ug/l	MS %	MSD ug/l	MSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	ND		250	182	73	201	80	10	70-130/30
107-13-1	Acrylonitrile	ND		250	1280	512* a	1210	484* a	6	70-130/30
71-43-2	Benzene	3.0		250	254	100	250	99	2	70-130/30
108-86-1	Bromobenzene	ND		250	247	99	251	100	2	70-130/30
75-27-4	Bromodichloromethane	ND		250	262	105	253	101	3	70-130/30
75-25-2	Bromoform	ND		250	248	99	246	98	1	70-130/30
74-83-9	Bromomethane	ND		250	234	94	235	94	0	70-130/30
78-93-3	2-Butanone (MEK)	ND		250	262	105	259	104	1	70-130/30
104-51-8	n-Butylbenzene	ND		250	264	106	264	106	0	70-130/30
135-98-8	sec-Butylbenzene	ND		250	266	106	271	108	2	70-130/30
98-06-6	tert-Butylbenzene	ND		250	252	101	256	102	2	70-130/30
75-15-0	Carbon disulfide	ND		250	273	109	266	106	3	70-130/30
56-23-5	Carbon tetrachloride	ND		250	211	84	209	84	1	70-130/30
108-90-7	Chlorobenzene	ND		250	269	108	260	104	3	70-130/30
75-00-3	Chloroethane	ND		250	241	96	238	95	1	70-130/30
67-66-3	Chloroform	14.6		250	256	97	254	96	1	70-130/30
74-87-3	Chloromethane	ND		250	208	83	217	87	4	70-130/30
95-49-8	o-Chlorotoluene	ND		250	245	98	246	98	0	70-130/30
106-43-4	p-Chlorotoluene	ND		250	260	104	260	104	0	70-130/30
96-12-8	1,2-Dibromo-3-chloropropane	ND		250	251	100	268	107	7	70-130/30
124-48-1	Dibromochloromethane	ND		250	254	102	246	98	3	70-130/30
106-93-4	1,2-Dibromoethane	ND		250	267	107	263	105	2	70-130/30
95-50-1	1,2-Dichlorobenzene	ND		250	252	101	255	102	1	70-130/30
541-73-1	1,3-Dichlorobenzene	ND		250	251	100	254	102	1	70-130/30
106-46-7	1,4-Dichlorobenzene	ND		250	249	100	259	104	4	70-130/30
75-71-8	Dichlorodifluoromethane	ND		250	284	114	271	108	5	70-130/30
75-34-3	1,1-Dichloroethane	5.7		250	246	96	240	94	2	70-130/30
107-06-2	1,2-Dichloroethane	ND		250	239	96	232	93	3	70-130/30
75-35-4	1,1-Dichloroethene	3.5		250	247	97	242	95	2	70-130/30
156-59-2	cis-1,2-Dichloroethene	55.9		250	305	100	299	97	2	70-130/30
156-60-5	trans-1,2-Dichloroethene	ND		250	253	101	245	98	3	70-130/30
78-87-5	1,2-Dichloropropane	ND		250	242	97	237	95	2	70-130/30
142-28-9	1,3-Dichloropropane	ND		250	251	100	241	96	4	70-130/30
594-20-7	2,2-Dichloropropane	ND		250	191	76	189	76	1	70-130/30
563-58-6	1,1-Dichloropropene	ND		250	266	106	255	102	4	70-130/30
10061-01-5	cis-1,3-Dichloropropene	ND		250	225	90	220	88	2	70-130/30

Page 2 of 3

Method: SW846 8260B

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: MC9090

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
MC9090-7MS	N62050.D	5	04/04/12	JР	n/a	n/a	MSN2321
MC9090-7MSD	N62051.D	5	04/04/12	JP	n/a	n/a	MSN2321
MC9090-7	N62049.D	1	04/04/12	JP	n/a	n/a	MSN2321

The QC reported here applies to the following samples:

CAS No.	Compound	MC9090-7 ug/l Q	Spike ug/l	MS ug/l	MS %	MSD ug/l	MSD %	RPD	Limits Rec/RPD
10061 02 6	trans-1,3-Dichloropropene	ND	250	233	93	235	94	1	70-130/30
100-41-4	Ethylbenzene	ND	250	273	109	262	105	4	70-130/30
76-13-1	Freon 113	ND	250	263	105	251	100	5	70-130/30
87-68-3	Hexachlorobutadiene	ND	250	249	100	262	105	5	70-130/30
591-78-6	2-Hexanone	ND	250	257	103	254	102	1	70-130/30
98-82-8	Isopropylbenzene	ND	250	306	122	307	123	0	70-130/30
99-87-6	p-Isopropyltoluene	ND	250	273	109	274	110	0	70-130/30
1634-04-4	Methyl Tert Butyl Ether	3.5	250	217	85	222	87	2	70-130/30
108-10-1	4-Methyl-2-pentanone (MIBK)		250	258	103	255	102	1	70-130/30
74-95-3	Methylene bromide	ND	250	258	103	254	102	2	70-130/30
75-09-2	Methylene chloride	ND	250	240	96	237	95	1	70-130/30
91-20-3	Naphthalene	ND	250	259	104	282	113	9	70-130/30
103-65-1	n-Propylbenzene	ND	250	261	104	261	104	0	70-130/30
100-42-5	Styrene	ND	250	264	106	256	102	3	70-130/30
630-20-6	1,1,1,2-Tetrachloroethane	ND	250	272	109	266	106	2	70-130/30
79-34-5	1,1,2,2-Tetrachloroethane	ND	250	256	102	261	104	2	70-130/30
127-18-4	Tetrachloroethene	185	250	443	103	425	96	4	70-130/30
109-99-9	Tetrahydrofuran	ND	250	259	104	243	97	6	70-130/30
108-88-3	Toluene	ND	250	272	109	265	106	3	70-130/30
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	250	228	91	228	91	0	70-130/30
87-61-6	1,2,3-Trichlorobenzene	ND	250	258	103	274	110	6	70-130/30
120-82-1	1,2,4-Trichlorobenzene	ND	250	260	104	273	109	5	70-130/30
71-55-6	1,1,1-Trichloroethane	ND	250	236	94	232	93	2	70-130/30
79-00-5	1,1,2-Trichloroethane	ND	250	250	100	246	98	2	70-130/30
79-01-6	Trichloroethene	257	250	482	90	470	85	3	70-130/30
75-69-4	Trichlorofluoromethane	ND	250	253	101	243	97	4	70-130/30
96-18-4	1,2,3-Trichloropropane	ND	250	244	98	251	100	3	70-130/30
95-63-6	1,2,4-Trimethylbenzene	ND	250	263	105	262	105	0	70-130/30
108-67-8	1,3,5-Trimethylbenzene	ND	250	257	103	260	104	1	70-130/30
75-01-4	Vinyl chloride	6.0	250	231	90	232	90	0	70-130/30
	m,p-Xylene	ND	500	586	117	564	113	4	70-130/30
95-47-6	o-Xylene	ND	250	274	110	261	104	5	70-130/30

Page 3 of 3

Method: SW846 8260B

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: MC9090

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
MC9090-7MS	N62050.D	5	04/04/12	JР	n/a	n/a	MSN2321
MC9090-7MSD	N62051.D	5	04/04/12	JP	n/a	n/a	MSN2321
MC9090-7	N62049.D	1	04/04/12	JP	n/a	n/a	MSN2321

The QC reported here applies to the following samples:

MC9090-1, MC9090-3, MC9090-5, MC9090-7

CAS No.	Surrogate Recoveries	MS	MSD	MC9090-7	Limits
	Dibromofluoromethane Toluene-D8 4-Bromofluorobenzene	79% 85% 81%	78% 86% 82%	77% 84% 88%	70-130% 70-130% 70-130%

(a) Outside control limits. Associated samples are non-detect for this compound.

Page 1 of 1

Volatile Internal Standard Area Summary

Job Number: MC9090

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

 Check Std:
 MSL2090-CC2084
 Injection Date:
 04/04/12

 Lab File ID:
 L61925.D
 Injection Time:
 15:59

Instrument ID: GCMSL **Method:** SW846 8260B

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
Check Std	79599	8.18	134550	9.01	79522	12.24	62615	14.80	46951	5.88
Upper Limit ^a	159198	8.68	269100	9.51	159044	12.74	125230	15.30	93902	6.38
Lower Limit b	39800	7.68	67275	8.51	39761	11.74	31308	14.30	23476	5.38
Lab	IS 1		IS 2		IS 3		IS 4		IS 5	
Sample ID	AREA	RT	AREA	RT	AREA	RT	AREA	RT	AREA	RT
MSL2090-BS	87125	8.17	146164	9.00	88852	12.24	70321	14.80	49916	5.88
MSL2090-BSD	88859	8.17	148136	9.00	89072	12.24	71221	14.80	53405	5.88
MSL2090-MB	84684	8.18	142945	9.01	80899	12.25	56849	14.80	47633	5.90
MC9090-9	85111	8.18	144898	9.01	84491	12.25	58941	14.81	48449	5.90
MC9090-11	82822	8.17	141524	9.01	82409	12.25	57314	14.80	47157	5.91
MC9090-15	82831	8.18	140578	9.01	81455	12.25	57427	14.81	41261	5.91
ZZZZZZ	84916	8.17	144415	9.01	86534	12.24	94550	14.80	46067	5.91
ZZZZZZ	85631	8.17	143607	9.00	90121	12.24	93969	14.80	43000	5.88
ZZZZZZ	80699	8.18	137143	9.01	80468	12.25	56596	14.81	47348	5.92
ZZZZZZ	77718	8.18	134612	9.01	77844	12.25	54242	14.81	47581	5.91
ZZZZZZ	82658	8.17	140511	9.00	90522	12.24	95427	14.80	45055	5.87

IS 1 = Pentafluorobenzene
IS 2 = 1,4-Difluorobenzene
IS 3 = Chlorobenzene-D5
IS 4 = 1,4-Dichlorobenzene-d4
IS 5 = Tert Butyl Alcohol-D9

- (a) Upper Limit = + 100% of check standard area; Retention time + 0.5 minutes.
- (b) Lower Limit = -50% of check standard area; Retention time -0.5 minutes.

Volatile Internal Standard Area Summary

Job Number: MC9090

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

 Check Std:
 MSN2321-CC2292
 Injection Date:
 04/04/12

 Lab File ID:
 N62030.D
 Injection Time:
 05:10

Instrument ID: GCMSN **Method:** SW846 8260B

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
Check Std	342532	9.02	579538	9.89	317934	13.15	250704	15.71	155859	6.57
Upper Limit ^a	685064	9.52	1159076	10.39	635868	13.65	501408	16.21	311718	7.07
Lower Limit b	171266	8.52	289769	9.39	158967	12.65	125352	15.21	77930	6.07
Lab	IS 1		IS 2		IS 3		IS 4		IS 5	
Sample ID	AREA	RT	AREA	RT	AREA	RT	AREA	RT	AREA	RT
MSN2321-BS	344350	9.02	582182	9.89	313312	13.15	249639	15.71	153534	6.57
MSN2321-MB	330357	9.02	558348	9.89	285650	13.15	203461	15.71	143464	6.58
ZZZZZZ	324643	9.02	551132	9.89	298855	13.15	243183	15.71	146442	6.57
ZZZZZZ	335886	9.02	568562	9.89	313571	13.15	241712	15.71	146349	6.58
ZZZZZZ	343548	9.02	579585	9.89	301500	13.15	231431	15.71	133209	6.58
ZZZZZZ	338409	9.02	571706	9.89	292861	13.15	226777	15.71	139252	6.58
ZZZZZZ	336511	9.02	572727	9.89	294876	13.15	222642	15.71	152030	6.58
ZZZZZZ	335810	9.02	570296	9.89	292265	13.15	219074	15.71	141405	6.58
ZZZZZZ	330800	9.02	566129	9.89	287629	13.15	209963	15.71	147000	6.58
ZZZZZZ	326487	9.02	548049	9.89	281085	13.15	209228	15.71	152301	6.58
ZZZZZZ	322765	9.02	547194	9.89	282769	13.15	209631	15.71	154021	6.58
ZZZZZZ	307092	9.02	528310	9.89	273482	13.15	192629	15.71	148783	6.58
ZZZZZZ	325617	9.02	561855	9.89	327455	13.15	266476	15.71	169196	6.57
MC9090-1	326093	9.02	561049	9.89	287434	13.15	213437	15.71	176811	6.58
MC9090-3	320883	9.02	551410	9.89	284025	13.15	207641	15.71	171461	6.58
MC9090-5	314163	9.02	547998	9.89	284909	13.15	198592	15.71	158253	6.58
MC9090-7	315149	9.02	540159	9.89	281870	13.15	198442	15.71	164928	6.58
MC9090-7MS	317789	9.02	547105	9.89	294840	13.15	239921	15.71	173667	6.57
MC9090-7MSD	323536	9.02	560488	9.89	306663	13.15	237906	15.71	177869	6.57

IS 1 = Pentafluorobenzene
IS 2 = 1,4-Difluorobenzene
IS 3 = Chlorobenzene-D5
IS 4 = 1,4-Dichlorobenzene-d4
IS 5 = Tert Butyl Alcohol-D9

- (a) Upper Limit = + 100% of check standard area; Retention time + 0.5 minutes.
- (b) Lower Limit = -50% of check standard area; Retention time -0.5 minutes.



Volatile Internal Standard Area Summary

Job Number: MC9090

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

 Check Std:
 MSP1960-CC1956
 Injection Date:
 04/05/12

 Lab File ID:
 P60438.D
 Injection Time:
 11:06

Instrument ID: GCMSP **Method:** SW846 8260B

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
Check Std Upper Limit ^a Lower Limit ^b	80413 160826 40207	8.47 8.97 7.97	128932 257864 64466	9.33 9.83 8.83	65279 130558 32640	12.55 13.05 12.05	63472 126944 31736		28558 57116 14279	6.15 6.65 5.65
Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
MSP1960-BS MSP1960-MB ZZZZZZ MC9090-11 MC9090-15 MC9090-9 ZZZZZZ ZZZZZZ ZZZZZZ ZZZZZZ ZZZZZZZZZ	80413 72365 74779 67211 75447 61760 72946 74438 60209 78311 77977 64171	8.47 8.48 8.48 8.48 8.48 8.48 8.48 8.48	128932 114014 117413 104872 120802 96473 112676 117315 91587 123266 123651 97211	9.33 9.34 9.34 9.34 9.34 9.34 9.34 9.34	65279 55125 58000 50341 58766 46950 56140 58800 46962 63058 60910 48341	12.56 12.56 12.56 12.56 12.56 12.56 12.56 12.56 12.56	63472 45353 54753 44467 56980 38585 57012 62968 49622 65890 60077 43463	15.12 15.12 15.12 15.12 15.12 15.11 15.11 15.11 15.11	27330 27077 37582 25268 27664	6.15 6.17 6.25 6.17 6.27 6.17 6.16 6.17 6.16 6.17 6.16
ZZZZZZ ZZZZZZ ZZZZZZ GP14339-LB1 ZZZZZZ ZZZZZZ MC9291-3 MC9291-3MS MC9291-3MSD	74393 73888 72946 72866 71597 65793 62609 74360 72108	8.48 8.48 8.48 8.48 8.48 8.48 8.48 8.48	116982 118106 115429 115288 112678 104450 99216 117976 118110	9.34 9.34 9.34 9.34 9.34 9.34 9.33 9.33	57358 56221 57146 57231 54753 50801 48555 62135 62362	12.56 12.56 12.56 12.56 12.56 12.56 12.56 12.55	54058 59381 55742 47899 47125 42125 41871 62907 58334	15.12 15.11 15.11 15.12 15.12 15.12 15.12 15.11	32721 26198 22110 25666	6.16 6.16 6.16 6.17 6.17 6.17 6.18 6.16 6.16

IS 1 = Pentafluorobenzene IS 2 = 1,4-Difluorobenzene IS 3 = Chlorobenzene-D5 IS 4 = 1,4-Dichlorobenzene-d4 IS 5 = Tert Butyl Alcohol-D9



⁽a) Upper Limit = +100% of check standard area; Retention time +0.5 minutes.

⁽b) Lower Limit = -50% of check standard area; Retention time -0.5 minutes.

Volatile Internal Standard Area Summary

Job Number: MC9090

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

 Check Std:
 MSV290-CC285
 Injection Date:
 04/05/12

 Lab File ID:
 V6654.D
 Injection Time:
 09:12

Instrument ID: GCMSV **Method:** SW846 8260B

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
Check Std	437719	6.54	721023	7.73	438757	11.08	383461	13.32	250292	3.50
Upper Limit ^a	875438	7.04	1442046	8.23	877514	11.58	766922	13.82	500584	4.00
Lower Limit b	218860	6.04	360512	7.23	219379	10.58	191731	12.82	125146	3.00
Lab	IS 1		IS 2		IS 3		IS 4		IS 5	
Sample ID	AREA	RT	AREA	RT	AREA	RT	AREA	RT	AREA	RT
MSV290-BS	469777	6.54	757261	7.73	445012	11.08	404566	13.32	249349	3.50
MSV290-BSD	478976	6.54	738055	7.73	460347	11.08	422775	13.32	293637	3.50
MSV290-MB	456873	6.54	754706	7.73	450505	11.08	381077	13.32	265626	3.50
ZZZZZZ	443545	6.54	692064	7.73	432689	11.08	382178	13.32	250988	3.49
MC9090-17	438152	6.53	726495	7.72	439182	11.08	370944	13.32	226126	3.49
MC9165-3	437917	6.53	695768	7.72	427767	11.08	375910	13.32	227480	3.48
ZZZZZZ	437672	6.54	715805	7.73	443785	11.08	399032	13.32	255545	3.50
ZZZZZZ	440333	6.54	683570	7.73	443565	11.08	362116	13.32		3.49
ZZZZZZ	434605	6.53	695342	7.72	422838	11.08	389220	13.32	201876	3.48
ZZZZZZ	438160	6.54	689045	7.73	439153	11.08	375154	13.32	209900	3.49
ZZZZZZ	478268	6.54	780135	7.73	460539	11.08	432717	13.32	226845	3.49
ZZZZZZ	425313	6.54	726159	7.72	451777	11.08	373310	13.32		3.49
ZZZZZZ	432836	6.54	685252	7.73	427753	11.08	365447	13.32	214251	3.49
ZZZZZZ	452064	6.54	725979	7.72	426186	11.08	363774	13.32		3.49
ZZZZZZ	447105	6.53	691380	7.72	430729	11.08	386565	13.32		3.48
MC9090-13	437639	6.54	728789	7.73	456798	11.08	368137		274839	3.49
ZZZZZZ	454580	6.54	696326	7.73	429458	11.08	402584	13.32	211523	3.50
ZZZZZZ	462083	6.54	771811	7.73	474143	11.08	390555	13.32	185057	3.49
ZZZZZZ	455758	6.54	701229	7.72	443338	11.08	387424	13.32	206956	3.49
ZZZZZZ	456810	6.53	720210	7.72	462463	11.08	411474	13.31	223073	3.49
MC9165-3MS	463459	6.54	721813	7.72	478342	11.08	404625	13.31		3.49
MC9165-3MSD	489716	6.54	742026	7.72	454035	11.08	403716	13.31	227381	3.49

IS 1 = Pentafluorobenzene IS 2 = 1,4-Difluorobenzene IS 3 = Chlorobenzene-D5 IS 4 = 1,4-Dichlorobenzene-d4 IS 5 = Tert Butyl Alcohol-D9



⁽a) Upper Limit = + 100% of check standard area; Retention time + 0.5 minutes.

⁽b) Lower Limit = -50% of check standard area; Retention time -0.5 minutes.

Volatile Surrogate Recovery Summary

Job Number: MC9090

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Method: SW846 8260B Matrix: AQ

Samples and QC shown here apply to the above method

Lab	Lab			
Sample ID	File ID	S1	S2	S3
MC9090-1	N62046.D	76.0	83.0	84.0
MC9090-3	N62047.D	77.0	85.0	86.0
MC9090-5	N62048.D	77.0	84.0	89.0
MC9090-7	N62049.D	77.0	84.0	88.0
MC9090-9	P60445.D	110.0	120.0	139.0* a
MC9090-9	L61930.D	92.0	96.0	105.0
MC9090-11	P60443.D	114.0	120.0	134.0* a
MC9090-11	L61931.D	89.0	94.0	101.0
MC9090-13	V6671.D	91.0	84.0	100.0
MC9090-15	P60444.D	101.0	107.0	112.0
MC9090-15	L61933.D	88.0	92.0	100.0
MC9090-17	V6660.D	94.0	87.0	97.0
MC9090-7MS	N62050.D	79.0	85.0	81.0
MC9090-7MSD	N62051.D	78.0	86.0	82.0
MSL2090-BS	L61926.D	92.0	96.0	96.0
MSL2090-BSD	L61927.D	91.0	97.0	96.0
MSL2090-MB	L61929.D	92.0	95.0	104.0
MSN2321-BS	N62031.D	75.0	85.0	80.0
MSN2321-MB	N62033.D	75.0	85.0	87.0
MSP1960-BS	P60438.D	113.0	117.0	126.0
MSP1960-MB	P60440.D	98.0	106.0	121.0
MSV290-BS	V6655.D	94.0	94.0	93.0
MSV290-BSD	V6656.D	91.0	92.0	91.0
MSV290-MB	V6658.D	87.0	84.0	96.0

Surrogate Recovery Compounds Limits

 S1 = Dibromofluoromethane
 70-130%

 S2 = Toluene-D8
 70-130%

 S3 = 4-Bromofluorobenzene
 70-130%

(a) Outside control limits due to possible matrix interference. Confirmed by reanalysis.





GC Semi-volatiles

QC Data Summaries

Includes the following where applicable:

- · Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries
- Surrogate Recovery Summaries

Method: CT-ETPH 7/06

Method Blank Summary

Job Number: MC9090

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample OP28390-MB	File ID BG34588.D	DF 1	Analyzed 03/30/12	By KN	Prep Date 03/29/12	Prep Batch OP28390	Analytical Batch GBG1272

The QC reported here applies to the following samples:

MC9090-1, MC9090-3, MC9090-5

CAS No. Compound Result RL Units Q

CT-ETPH (C9-C36) ND 0.080 mg/l

CAS No. Surrogate Recoveries Limits

84-15-1 o-Terphenyl 133% 50-149%

Method: CT-ETPH 7/06

Method Blank Summary

Job Number: MC9090

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample OP28404-MB	File ID BG34675.D	DF 1	Analyzed 04/01/12	By KN	Prep Date 03/31/12	Prep Batch OP28404	Analytical Batch GBG1275

The QC reported here applies to the following samples:

MC9090-7, MC9090-9, MC9090-11, MC9090-13, MC9090-15

 CAS No.
 Compound
 Result
 RL
 Units
 Q

 CT-ETPH (C9-C36)
 ND
 0.080
 mg/l

CAS No. Surrogate Recoveries Limits

84-15-1 o-Terphenyl 86% 50-149%



Method: SW846 8082

Method Blank Summary

Job Number: MC9090

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP28373-MB	BE30023.D	1	03/30/12	AP	03/28/12	OP28373	GBE1672

The QC reported here applies to the following samples:

MC9090-1, MC9090-3, MC9090-5, MC9090-7, MC9090-9, MC9090-11, MC9090-13, MC9090-15

CAS No.	Compound	Result	RL	Units Q
12674-11-2	Aroclor 1016	ND	0.25	ug/l
11104-28-2	Aroclor 1221	ND	0.25	ug/l
11141-16-5	Aroclor 1232	ND	0.25	ug/l
53469-21-9	Aroclor 1242	ND	0.25	ug/l
12672-29-6	Aroclor 1248	ND	0.25	ug/l
11097-69-1	Aroclor 1254	ND	0.25	ug/l
11096-82-5	Aroclor 1260	ND	0.25	ug/l
37324-23-5	Aroclor 1262	ND	0.25	ug/l
11100-14-4	Aroclor 1268	ND	0.25	ug/l

CAS No.	Surrogate Recoveries		Limits
877-09-8	Tetrachloro-m-xylene	115%	30-150%
877-09-8	Tetrachloro-m-xylene	117%	30-150%
2051-24-3	Decachlorobiphenyl	117%	30-150%
2051-24-3	Decachlorobiphenyl	120%	30-150%



Method: CT-ETPH 7/06

Blank Spike Summary

Job Number: MC9090

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample OP28390-BS	File ID BG34589.D	DF	Analyzed 03/30/12	By KN	Prep Date 03/29/12	Prep Batch OP28390	Analytical Batch GBG1272

50-149%

The QC reported here applies to the following samples:

MC9090-1, MC9090-3, MC9090-5

o-Terphenyl

84-15-1

CAS No.	Compound	Spike mg/l	BSP mg/l	BSP %	Limits
	СТ-ЕТРН (С9-С36)	0.7	0.640	91	60-120
CAS No.	Surrogate Recoveries	BSP	Lin	nits	

132%

Method: CT-ETPH 7/06

Blank Spike Summary

Job Number: MC9090

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample OP28404-BS	File ID BG34677.D	DF 1	Analyzed 04/01/12	By KN	Prep Date 03/31/12	Prep Batch OP28404	Analytical Batch GBG1275

The QC reported here applies to the following samples:

MC9090-7, MC9090-9, MC9090-11, MC9090-13, MC9090-15

CAS No.	Compound	Spike mg/l	BSP mg/l	BSP %	Limits
	СТ-ЕТРН (С9-С36)	0.7	0.623	89	60-120
CAS No.	Surrogate Recoveries	BSP	Lin	iits	
84-15-1	o-Terphenyl	101%	50-1	149%	



Method: SW846 8082

Blank Spike Summary

Job Number: MC9090

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample OP28373-BS	File ID BE30024.D	DF 1	Analyzed 03/30/12	By AP	Prep Date 03/28/12	Prep Batch OP28373	Analytical Batch GBE1672

The QC reported here applies to the following samples:

MC9090-1, MC9090-3, MC9090-5, MC9090-7, MC9090-9, MC9090-11, MC9090-13, MC9090-15

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
12674-11-2	Aroclor 1016	2	1.8	90	40-140
11104-28-2	Aroclor 1221		ND		40-140
11141-16-5	Aroclor 1232		ND		40-140
53469-21-9	Aroclor 1242		ND		40-140
12672-29-6	Aroclor 1248		ND		40-140
11097-69-1	Aroclor 1254		ND		40-140
11096-82-5	Aroclor 1260	2	1.7	85	40-140
37324-23-5	Aroclor 1262		ND		40-140
11100-14-4	Aroclor 1268		ND		40-140

CAS No.	Surrogate Recoveries	BSP	Limits
877-09-8	Tetrachloro-m-xylene	116%	30-150%
877-09-8	Tetrachloro-m-xylene	117%	30-150%
2051-24-3	Decachlorobiphenyl	102%	30-150%
2051-24-3	Decachlorobiphenyl	99%	30-150%



Semivolatile Surrogate Recovery Summary

Job Number: MC9090

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Method: CT-ETPH 7/06 Matrix: AQ

Samples and QC shown here apply to the above method

Lab	Lab	
Sample ID	File ID	S1 a
MC9090-1	BG34601.D	140.0
MC9090-3	BG34592.D	112.0
MC9090-5	BG34593.D	124.0
MC9090-7	BG34703.D	91.0
MC9090-9	BG34709.D	89.0
MC9090-11	BG34701.D	88.0
MC9090-13	BG34715.D	95.0
MC9090-15	BG34711.D	92.0
OP28390-BS	BG34589.D	132.0
OP28390-MB	BG34588.D	133.0
OP28404-BS	BG34677.D	101.0
OP28404-MB	BG34675.D	86.0

Surrogate Recovery Compounds Limits

S1 = o-Terphenyl 50-149%

(a) Recovery from GC signal #1



Semivolatile Surrogate Recovery Summary

Job Number: MC9090

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Method: SW846 8082 Matrix: AQ

Samples and QC shown here apply to the above method

Lab	Lab				
Sample ID	File ID	S1 a	S1 b	S2 a	S2 b
MC9090-1	BK11162.D	121.0	92.0	80.0	86.0
MC9090-3	BK11163.D	82.0	89.0	76.0	83.0
MC9090-5	BK11165.D	90.0	80.0	84.0	91.0
MC9090-7	BK11166.D	88.0	103.0	110.0	121.0
MC9090-9	BK11167.D	87.0	91.0	79.0	88.0
MC9090-11	BK11168.D	82.0	89.0	75.0	83.0
MC9090-13	BK11169.D	92.0	203.0* c	98.0	108.0
MC9090-15	BK11170.D	89.0	95.0	97.0	107.0
OP28373-BS	BE30024.D	116.0	117.0	102.0	99.0
OP28373-MB	BE30023.D	115.0	117.0	117.0	120.0

Surrogate Recovery Compounds Limits

S1 = Tetrachloro-m-xylene 30-150% S2 = Decachlorobiphenyl 30-150%

- (a) Recovery from GC signal #1
- (b) Recovery from GC signal #2
- (c) Outside control limits due to possible matrix interference.





Metals Analysis

QC Data Summaries

Includes the following where applicable:

- · Method Blank Summaries
- Matrix Spike and Duplicate Summaries
- Blank Spike and Lab Control Sample Summaries
- Serial Dilution Summaries



BLANK RESULTS SUMMARY Part 2 - Method Blanks

Login Number: MC9090

Account: LEA - Loureiro Eng. Associates
Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

QC Batch ID: MP18786 Methods: SW846 6010C Matrix Type: AQUEOUS Units: ug/l

Prep Date:

03/29/12

-					
Metal	RL	IDL	MDL	MB raw	final
Aluminum	200	12	21		
Antimony	6.0	1.1	1.7		
Arsenic	4.0	.88	1.9	0.10	<4.0
Barium	50	.24	.65	0.20	<50
Beryllium	4.0	.15	.28		
Boron	100	.39	.59		
Cadmium	4.0	.12	.17	0.20	<4.0
Calcium	5000	5.8	17		
Chromium	10	.65	.7	0.40	<10
Cobalt	50	.13	.38		
Copper	25	.48	1.4	0.60	<25
Gold	50	2	2.7		
Iron	100	3.5	11		
Lead	5.0	1.3	2.1	0.60	<5.0
Magnesium	5000	34	60		
Manganese	15	.15	.54		
Molybdenum	100	.53	1.5		
Nickel	40	. 22	.7	0.30	<40
Palladium	50	3.2	7.9		
Platinum	50	6.4	9.6		
Potassium	5000	42	190		
Selenium	10	1.5	2	0.30	<10
Silicon	100	1.1	8.4		
Silver	5.0	.71	1.3	0.40	<5.0
Sodium	5000	14	40		
Strontium	10	.19	.35		
Thallium	5.0	.71	1.4		
Tin	100	.43	.6		
Titanium	50	.46	.72		
Tungsten	100	6.9	14		
Vanadium	10	.7	1.3		
Zinc	20	1.2	4	0.30	<20

Associated samples MP18786: MC9090-2, MC9090-4, MC9090-6, MC9090-8, MC9090-10, MC9090-12, MC9090-14, MC9090-16

108 of 119
ACCUTEST
MC9090
LABORATORIES

BLANK RESULTS SUMMARY Part 2 - Method Blanks

Login Number: MC9090

Account: LEA - Loureiro Eng. Associates
Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

QC Batch ID: MP18786 Methods: SW846 6010C Matrix Type: AQUEOUS Units: ug/l

Prep Date:

Metal

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits (anr) Analyte not requested

Login Number: MC9090

Account: LEA - Loureiro Eng. Associates
Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

QC Batch ID: MP18786 Methods: SW846 6010C Matrix Type: AQUEOUS Units: ug/l

Prep Date: 03/29/12

MCQ1Q1	-12	Snikelo	_	QC
		MPICP	% Rec	Limits
0.0	528	500	105.6	75-125
210	2250	2000	102.0	75-125
0.50	516	500	103.1	75-125
anr				
2.3	523	500	104.1	75-125
1.4	508	500	101.3	75-125
anr				
0.0	996	1000	99.6	75-125
anr				
4.3	511	500	101.3	75-125
0.0	508	500	101.6	75-125
0.0	211	200	105.5	75-125
anr				
			104.0	
	0.0 210 0.50 anr 2.3 1.4 anr 0.0 anr	210 2250 0.50 516 anr 2.3 523 1.4 508 anr 0.0 996 anr 4.3 511 0.0 508 0.0 211	Original MS MPICP 0.0 528 500 210 2250 2000 0.50 516 500 anr 2.3 523 500 1.4 508 500 anr 0.0 996 1000 anr 4.3 511 500 0.0 508 500 0.0 211 200	Original MS MPICP % Rec 0.0 528 500 105.6 210 2250 2000 102.0 0.50 516 500 103.1 anr 508 500 101.3 anr 0.0 996 1000 99.6 anr 4.3 511 500 101.3 0.0 508 500 101.6 0.0 211 200 105.5

Associated samples MP18786: MC9090-2, MC9090-4, MC9090-6, MC9090-8, MC9090-10, MC9090-12, MC9090-14, MC9090-16

ACCUTEST

MC9090

Login Number: MC9090

Account: LEA - Loureiro Eng. Associates
Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

QC Batch ID: MP18786 Methods: SW846 6010C Units: ug/l Matrix Type: AQUEOUS

Prep Date:

Metal

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits $% \left(1,0\right) =0$ (N) Matrix Spike Rec. outside of QC limits (anr) Analyte not requested

Login Number: MC9090

Account: LEA - Loureiro Eng. Associates
Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

QC Batch ID: MP18786 Methods: SW846 6010C Matrix Type: AQUEOUS Units: ug/l

Prep Date:

03/29/12

Metal	MC9090- Origina		Spikelo:	t % Rec	MSD RPD	QC Limit
Aluminum						
Antimony						
Arsenic	0.0	527	500	105.4	0.2	20
Barium	210	2220	2000	100.5	1.3	20
Beryllium						
Boron						
Cadmium	0.50	514	500	102.7	0.4	20
Calcium	anr					
Chromium	2.3	518	500	103.1	1.0	20
Cobalt						
Copper	1.4	501	500	99.9	1.4	20
Gold						
Iron	anr					
Lead	0.0	993	1000	99.3	0.3	20
Magnesium	anr					
Manganese						
Molybdenum						
Nickel	4.3	510	500	101.1	0.2	20
Palladium						
Platinum						
Potassium						
Selenium	0.0	507	500	101.4	0.2	20
Silicon						
Silver	0.0	207	200	103.5	1.9	20
Sodium	anr					
Strontium						
Thallium						
Tin						
Titanium						
Tungsten						
Vanadium						
Zinc	15.8	532	500	103.2	0.7	20

Associated samples MP18786: MC9090-2, MC9090-4, MC9090-6, MC9090-8, MC9090-10, MC9090-12, MC9090-14, MC9090-16

> ACCUTEST MC9090

Login Number: MC9090

Account: LEA - Loureiro Eng. Associates
Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

QC Batch ID: MP18786 Methods: SW846 6010C Units: ug/l Matrix Type: AQUEOUS

Prep Date:

Metal

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits $% \left(1,0\right) =0$ (N) Matrix Spike Rec. outside of QC limits (anr) Analyte not requested

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: MC9090 Account: LEA - Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

QC Batch ID: MP18786 Methods: SW846 6010C Matrix Type: AQUEOUS Units: ug/l

03/29/12 Prep Date: 03/29/12 BSP Spikelot BSD Spikelot BSD QC OC MPICP Limits Limit Metal Result % Rec Result MPICP % Rec RPD Aluminum Antimony 102.6 500 0.6 Arsenic 513 500 80-120 516 103.2 2.0 Barium 1980 2000 99.0 80-120 1990 2000 99.5 0.5 20 Beryllium Boron Cadmium 499 500 99.8 80-120 503 500 100.6 0.8 20 Calcium anr Chromium 511 500 102.2 80-120 525 500 105.0 2.7 20 Cobalt Copper 481 500 96.2 80-120 494 500 98.8 2.7 20 Gold Iron anr Lead 997 1000 99.7 80-120 1000 98.2 1.5 20 Magnesium anr Manganese Molybdenum Nickel 501 500 100.2 80-120 503 500 100.6 0.4 20 Palladium Platinum Potassium 0.8 Selenium 496 500 99.2 80-120 500 500 100.0 20 Silicon 101.0 Silver 202 200 80-120 204 200 102.0 1.0 20 Sodium anr Strontium Thallium Tin Titanium Tungsten

Associated samples MP18786: MC9090-2, MC9090-4, MC9090-6, MC9090-8, MC9090-10, MC9090-12, MC9090-14, MC9090-16

102.8 80-120

Vanadium Zinc

514

500

114 of 119
ACCUTEST

MC9090

LABORATORIES

516

500

103.2

0.4

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: MC9090 Account: LEA - Loureiro Eng. Associates
Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

QC Batch ID: MP18786 Methods: SW846 6010C Matrix Type: AQUEOUS Units: ug/l

Prep Date:

Metal

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits (anr) Analyte not requested

SERIAL DILUTION RESULTS SUMMARY

Login Number: MC9090

Account: LEA - Loureiro Eng. Associates
Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

QC Batch ID: MP18786 Methods: SW846 6010C Matrix Type: AQUEOUS Units: ug/l

Prep Date: 03/29/12

TICP Date:			03/23/12	
Metal	MC9090-1 Original	.2 . SDL 1:5	%DIF	QC Limits
Aluminum				
Antimony				
Arsenic	0.00	0.00	NC	0-10
Barium	210	205	2.4	0-10
Beryllium				
Boron				
Cadmium	0.500	0.900	80.0 (a)	0-10
Calcium	anr			
Chromium	2.30	0.00	100.0(a)	0-10
Cobalt				
Copper	1.40	0.00	100.0(a)	0-10
Gold				
Iron	anr			
Lead	0.00	0.00	NC	0-10
Magnesium	anr			
Manganese				
Molybdenum				
Nickel	4.30	4.90	14.0 (a)	0-10
Palladium				
Platinum				
Potassium				
Selenium	0.00	0.00	NC	0-10
Silicon				
Silver	0.00	0.00	NC	0-10
Sodium	anr			
Strontium				
Thallium				
Tin				
Titanium				
Tungsten				
Vanadium				
Zinc	15.8	15.3	3.2	0-10

Associated samples MP18786: MC9090-2, MC9090-4, MC9090-6, MC9090-8, MC9090-10, MC9090-12, MC9090-14, MC9090-16

SERIAL DILUTION RESULTS SUMMARY

Login Number: MC9090

Account: LEA - Loureiro Eng. Associates
Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

QC Batch ID: MP18786 Methods: SW846 6010C Matrix Type: AQUEOUS Units: ug/l

Prep Date:

Metal

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits $% \left(1,0\right) =0$

(anr) Analyte not requested

(a) Percent difference acceptable due to low initial sample $\,$ concentration (< 50 times IDL).

BLANK RESULTS SUMMARY Part 2 - Method Blanks

Login Number: MC9090

Account: LEA - Loureiro Eng. Associates
Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

QC Batch ID: MP18790 Methods: SW846 7470A

Matrix Type: AQUEOUS Units: ug/l

Prep Date: 03/29/12

Metal	RL	IDL	MDL	MB raw	final
Mercury	0.20	.021	.062	-0.077	<0.20

Associated samples MP18790: MC9090-2, MC9090-4, MC9090-6, MC9090-8, MC9090-10, MC9090-12, MC9090-14,

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits (anr) Analyte not requested



SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: MC9090

Account: LEA - Loureiro Eng. Associates
Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

QC Batch ID: MP18790 Methods: SW846 7470A

Matrix Type: AQUEOUS Units: ug/l

03/29/12

Metal	BSP Result	Spikelo HGRWS1	t % Rec	QC Limits	BSD Result	Spikelo	t % Rec	BSD RPD	QC Limit	
Mercury	3.0	3	100.0	80-120	3.0	3	100.0	0.0	20	

03/29/12

Associated samples MP18790: MC9090-2, MC9090-4, MC9090-6, MC9090-8, MC9090-10, MC9090-12, MC9090-14, MC9090-16

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits (anr) Analyte not requested

Prep Date:



09/21/12



Technical Report for

Loureiro Eng. Associates

PWCTEH: Willow Brook - Pond W. East Hartford

88UT059

Accutest Job Number: MC13777

Sampling Date: 09/06/12

Report to:

Loureiro Eng 100 Northwest Dr. Plainville, CT 06062 jttrzaski@loureiro.com; rlmckinney@loureiro.com

ATTN: Joe Trzaski

Total number of pages in report: 110



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.

Client Service contact: Frank DAgostino 508-481-6200

Certifications: MA (M-MA136,SW846 NELAC) CT (PH-0109) NH (250210) RI (00071) ME (MA00136) FL (E87579) NY (11791) NJ (MA926) PA (6801121) ND (R-188) CO MN (11546AA) NC (653) IL (002337) WI (399080220) ISO 17025:2005 (L2235)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories. Test results relate only to samples analyzed.

Lab Director

Sections:

-1-

Table of Contents

Section 1: Sample Summary	3
Section 2: Case Narrative/Conformance Summary	5
Section 3: Summary of Hits	7
Section 4: Sample Results	10
4.1: MC13777-1: 1264979	
4.2: MC13777-2: 1264979UF	16
4.3: MC13777-3: 1264991	17
4.4: MC13777-4: 1264991UF	22
4.5: MC13777-5: 1264990	23
4.6: MC13777-6: 1264980	26
4.7: MC13777-7: 1264980UF	31
4.8: MC13777-8: 1264889	32
4.9: MC13777-9: 1264889UF	37
4.10: MC13777-10: 1264977	38
4.11: MC13777-11: 1264977UF	43
4.12: MC13777-12: 1264981	44
4.13: MC13777-13: 1264981UF	49
4.14: MC13777-14: 1264978	50
4.15: MC13777-15: 1264978UF	55
4.16: MC13777-16: 1264976	56
4.17: MC13777-17: 1264976UF	61
Section 5: Misc. Forms	62
5.1: Chain of Custody	63
5.2: RCP Form	66
5.3: Sample Tracking Chronicle	67
Section 6: GC/MS Volatiles - QC Data Summaries	70
6.1: Method Blank Summary	71
6.2: Blank Spike Summary	
6.3: Matrix Spike/Matrix Spike Duplicate Summary	
6.4: Internal Standard Area Summaries	86
6.5: Surrogate Recovery Summaries	88
Section 7: GC Semi-volatiles - QC Data Summaries	89
7.1: Method Blank Summary	
7.2: Blank Spike Summary	
7.3: Surrogate Recovery Summaries	
Section 8: Metals Analysis - QC Data Summaries	
8.1: Prep QC MP19630: As,Ba,Cd,Cr,Cu,Pb,Ni,Se,Ag,Zn	
8.2: Prep QC MP19637: Hg	107



Sample Summary

Job No:

MC13777

Loureiro Eng. Associates

PWCTEH: Willow Brook - Pond W. East Hartford Project No: 88UT059

Sample Number	Collected Date	Time By	Received	Matri Code		Client Sample ID
MC13777-1	09/06/12	10:46 JCSR	09/06/12	AQ	Ground Water	1264979
MC13777-2	09/06/12	10:46 JCSR	09/06/12	AQ	Ground Water	1264979UF
MC13777-3	09/06/12	10:46 JCSR	09/06/12	AQ	Ground Water	1264991
MC13777-4	09/06/12	10:46 JCSR	09/06/12	AQ	Ground Water	1264991UF
MC13777-5	09/06/12	10:51 JCSR	09/06/12	AQ	Trip Blank Water	1264990
MC13777-6	09/06/12	13:36 JCSR	09/06/12	AQ	Ground Water	1264980
MC13777-7	09/06/12	13:36 JCSR	09/06/12	AQ	Ground Water	1264980UF
MC13777-8	09/06/12	15:30 JCSR	09/06/12	AQ	Ground Water	1264889
MC13777-9	09/06/12	15:30 JCSR	09/06/12	AQ	Ground Water	1264889UF
MC13777-10	09/06/12	12:35 JCSR	09/06/12	AQ	Ground Water	1264977
MC13777-11	09/06/12	12:35 JCSR	09/06/12	AQ	Ground Water	1264977UF
MC13777-12	09/06/12	15:16 JCSR	09/06/12	AQ	Ground Water	1264981
MC13777-13	09/06/12	15:16 JCSR	09/06/12	AQ	Ground Water	1264981UF





Sample Summary (continued)

Loureiro Eng. Associates

Job No: MC13777

PWCTEH: Willow Brook - Pond W. East Hartford Project No: 88UT059

Sample Number	Collected Date	Time By	Received	Matr Code		Client Sample ID
MC13777-14	09/06/12	15:05 JCSR	09/06/12	AQ	Ground Water	1264978
MC13777-15	09/06/12	15:05 JCSR	09/06/12	AQ	Ground Water	1264978UF
MC13777-16	09/06/12	10:35 JCSR	09/06/12	AQ	Ground Water	1264976
MC13777-17	09/06/12	10:35 JCSR	09/06/12	AQ	Ground Water	1264976UF





SAMPLE DELIVERY GROUP CASE NARRATIVE

Client: Loureiro Eng. Associates Job No MC13777

Site: PWCTEH:Willow Brook - Pond W. East Hartford Report Date 9/21/2012 12:02:22 PM

16 Sample(s), 1 Trip Blank(s) and 0 Field Blank(s) were collected on 09/06/2012 and were received at Accutest on 09/06/2012 properly preserved, at 2.1 Deg. C and intact. These Samples received an Accutest job number of MC13777. A listing of the Laboratory Sample ID, Client Sample ID and dates of collection are presented in the Results Summary Section of this report.

Except as noted below, all method specified calibrations and quality control performance criteria were met for this job. For more information, please refer to QC summary pages.

Volatiles by GCMS By Method SW846 8260B

Matrix: AQ Batch ID: MSL3186

- All samples were analyzed within the recommended method holding time.
- Sample(s) MC13777-1MS, MC13777-1MSD were used as the QC samples indicated.
- All method blanks for this batch meet method specific criteria.
- MSL3186-BS for Acetone, Bromomethane are outside control limits. Blank Spike meets program technical requirements.
- MC13777-1MS/MSD for Trichloroethene, Acetone, Bromomethane are outside control limits. Blank Spike meets program technical requirements.
- MC13777-1MS/MSD for Trichloroethene are outside control limits due to possible matrix interference. Refer to Blank Spike.
- RPD(s) for MC13777-1MSD for Bromomethane are outside control limits. Blank Spike meets program technical requirements.
- MC13777-6 for Dibromofluoromethane: Outside control limits due to possible matrix interference.
- Continuing calibration check standard MSL3186-CC3152 for bromomethane, acetone exceed 30% Difference. This check standard met RCP criteria.

Matrix: AQ Batch ID: MSP2106

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- MSP2106-BS for 2-Hexanone, Acetone are outside control limits. Blank Spike meets program technical requirements.
- Initial calibration verification MSP2106-ICV2106 for acetone exceeds 35% Difference.
- Continuing calibration check standard MSP2106-CC2106 for acetone, 2-hexanone exceed 30% Difference. This check standard met RCP criteria.
- Quadratic regression is employed for initial calibration standard MSP2106-ICC2106 for 2,2-dichloropropane, 1,1,2-trichloroethane, 1,3-dichloropropane, bromoform, 1,2-dibromo-3-chloropropane.

Extractables by GC By Method CT-ETPH 7/06

Matrix: AQ Batch ID: OP30303

- All samples were extracted within the recommended method holding time.
- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.

Extractables by GC By Method SW846 8082

Matrix: AQ Batch ID: OP30302

- All samples were extracted within the recommended method holding time.
- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.

Metals By Method SW846 6010C

Matrix: AQ Batch ID: MP19630

- All samples were digested within the recommended method holding time.
- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) MC13777-15MS, MC13777-15MSD, MC13777-15SDL were used as the QC samples for metals.
- RPD(s) for Serial Dilution for Chromium, Copper, Nickel are outside control limits for sample MP19630-SD1. Percent difference acceptable due to low initial sample concentration (< 50 times IDL).
- Only selected metals requested.

Metals By Method SW846 7470A

Matrix: AQ Batch ID: MP19637

- All samples were digested within the recommended method holding time.
- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) MC13777-7MS, MC13777-7MSD were used as the QC samples for metals.

The Accutest Laboratories of New England certifies that all analysis were performed within method specification. It is further recommended that this report to be used in its entirety. The Accutest Laboratories of NE, Laboratory Director or assignee as verified by the signature on the cover page has authorized the release of this report (MC13777).

Summary of Hits Job Number: MC13777

Account: Loureiro Eng. Associates

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Collected: 09/06/12

Lab Sample ID Client Sample ID Analyte	Result/ Qual	RL	MDL	Units	Method
MC13777-1 1264979					
Chloroethane Chloroform 1,1-Dichloroethane 1,1-Dichloroethene cis-1,2-Dichloroethene Tetrachloroethene Tetrahydrofuran	12.0 1.5 8.0 74.8 60.9 27.6 56.1	2.0 1.0 1.0 1.0 1.0 1.0		ug/l ug/l ug/l ug/l ug/l ug/l ug/l	SW846 8260B SW846 8260B SW846 8260B SW846 8260B SW846 8260B SW846 8260B SW846 8260B
1,1,1-Trichloroethane Trichloroethene Vinyl chloride CT-ETPH (C9-C36) MC13777-2 1264979UF	17.8 199 11.3 0.100	1.0 1.0 1.0 0.080		ug/l ug/l ug/l ug/l mg/l	SW846 8260B SW846 8260B SW846 8260B CT-ETPH 7/06
Arsenic Barium	5.1 344	4.0 50		ug/l ug/l	SW846 6010C SW846 6010C
MC13777-3 1264991					
Chloroethane 1,1-Dichloroethane 1,1-Dichloroethene cis-1,2-Dichloroethene Tetrachloroethene Tetrahydrofuran 1,1,1-Trichloroethane Trichloroethene Vinyl chloride CT-ETPH (C9-C36)	6.1 8.4 115 69.4 57.3 23.5 28.0 332 10.1 0.0942	4.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 0.080		ug/l ug/l ug/l ug/l ug/l ug/l ug/l ug/l	SW846 8260B SW846 8260B SW846 8260B SW846 8260B SW846 8260B SW846 8260B SW846 8260B SW846 8260B SW846 8260B SW846 8260B
MC13777-4 1264991UF					
Arsenic Barium	5.3 331	4.0 50		ug/l ug/l	SW846 6010C SW846 6010C
MC13777-5 1264990					
No hits reported in this sample.					
MC13777-6 1264980					
Benzene Chloroethane	16.1 20.1	0.50 2.0		ug/l ug/l	SW846 8260B SW846 8260B



Summary of Hits Job Number: MC13777

Account: Loureiro Eng. Associates

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Collected: 09/06/12

Lab Sample ID Client Sample ID Analyte	Result/ Qual	RL	MDL	Units	Method
1,1-Dichloroethane	98.4	1.0		ug/l	SW846 8260B
1,1-Dichloroethene	28.8	1.0		ug/l	SW846 8260B
cis-1,2-Dichloroethene	1250	10		ug/l	SW846 8260B
trans-1,2-Dichloroethene	2.6	1.0		ug/l	SW846 8260B
Tetrachloroethene	187	1.0		ug/l	SW846 8260B
1,1,1-Trichloroethane	52.0	1.0		ug/l	SW846 8260B
Trichloroethene	320	1.0		ug/l	SW846 8260B
Vinyl chloride	200	1.0		ug/l	SW846 8260B
CT-ETPH (C9-C36)	0.182	0.080		mg/l	CT-ETPH 7/06
MC13777-7 1264980UF					
Barium	395	50		ug/l	SW846 6010C
MC13777-8 1264889					
No hits reported in this sample.					
MC13777-9 1264889UF					
No hits reported in this sample.					
MC13777-10 1264977					
1,1-Dichloroethane	8.0	1.0		ug/l	SW846 8260B
cis-1,2-Dichloroethene	7.6	1.0		ug/l	SW846 8260B
Tetrachloroethene	2.9	1.0		ug/l	SW846 8260B
Trichloroethene	7.2	1.0		ug/l	SW846 8260B
Vinyl chloride	5.7	1.0		ug/l	SW846 8260B
CT-ETPH (C9-C36)	0.908	0.082		mg/l	CT-ETPH 7/06
	0.700	0.002		g ·	01 2111 // 00
MC13777-11 1264977UF					
Barium	192	50		ug/l	SW846 6010C
Cadmium	467	4.0		ug/l	SW846 6010C
Chromium	10.7	10		ug/l	SW846 6010C
Copper	302	25		ug/l	SW846 6010C
Nickel	2440	40		ug/l	SW846 6010C
Silver	64.5	5.0		ug/l	SW846 6010C
Zinc	39.1	20		ug/l	SW846 6010C
MC13777-12 1264981					
Benzene	2.9	0.50		ug/l	SW846 8260B
Chloroform	16.0	1.0		ug/l	SW846 8260B
	10.0	1.0		~B/ ±	2010 02002



Summary of Hits Job Number: MC13777

Account: Loureiro Eng. Associates

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Collected: 09/06/12

Result/ Qual	RL	MDL	Units	Method				
7.8	1.0		ug/l	SW846 8260B				
			-	SW846 8260B				
			-	SW846 8260B				
162	1.0			SW846 8260B				
228	1.0		ug/l	SW846 8260B				
13.3	1.0		ug/l	SW846 8260B				
0.147	0.080		mg/l	CT-ETPH 7/06				
				SW846 6010C				
207	40		ug/l	SW846 6010C				
MC13777-14 1264978								
11.4	1.0		ug/l	SW846 8260B				
4.9	1.0		ug/l	SW846 8260B				
7.3	1.0		ug/l	SW846 8260B				
0.0855	0.080		mg/l	CT-ETPH 7/06				
312	50		ug/l	SW846 6010C				
	Qual 7.8 2.8 60.4 162 228 13.3 0.147 46.2 207	Qual RL 7.8 1.0 2.8 1.0 60.4 1.0 162 1.0 228 1.0 13.3 1.0 0.147 0.080 46.2 25 207 40 11.4 4.9 7.3 1.0 0.0855 0.080	Qual RL MDL 7.8 1.0 2.8 1.0 60.4 1.0 162 1.0 228 1.0 13.3 1.0 0.147 0.080 46.2 25 207 40 11.4 1.0 4.9 1.0 7.3 1.0 0.0855 0.080	Qual RL MDL Units 7.8 1.0 ug/l 2.8 1.0 ug/l 60.4 1.0 ug/l 162 1.0 ug/l 228 1.0 ug/l 13.3 1.0 ug/l 0.147 0.080 mg/l 46.2 25 ug/l 207 40 ug/l 11.4 1.0 ug/l 4.9 1.0 ug/l 7.3 1.0 ug/l 0.0855 0.080 mg/l				

MC13777-16 1264976

No hits reported in this sample.

MC13777-17 1264976UF

No hits reported in this sample.





Sample Results	
Report of Analysis	



Report of Analysis

 Client Sample ID:
 1264979

 Lab Sample ID:
 MC13777-1
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch	
Run #1	L66883.D	1	09/17/12	JM	n/a	n/a	MSL3186	
Run #2								

	Purge Volume	
Run #1	5.0 ml	
Run #2		

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
67-64-1	Acetone	ND	5.0	ug/l	
107-13-1	Acrylonitrile	ND	5.0	ug/l	
71-43-2	Benzene	ND	0.50	ug/l	
108-86-1	Bromobenzene	ND	5.0	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	ug/l	
75-25-2	Bromoform	ND	1.0	ug/l	
74-83-9	Bromomethane	ND	2.0	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	ug/l	
75-15-0	Carbon disulfide	ND	5.0	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	ug/l	
108-90-7	Chlorobenzene	ND	1.0	ug/l	
75-00-3	Chloroethane	12.0	2.0	ug/l	
67-66-3	Chloroform	1.5	1.0	ug/l	
74-87-3	Chloromethane	ND	2.0	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l	
75-34-3	1,1-Dichloroethane	8.0	1.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l	
75-35-4	1,1-Dichloroethene	74.8	1.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	60.9	1.0	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l	

ND = Not detected RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank



Report of Analysis

 Client Sample ID:
 1264979

 Lab Sample ID:
 MC13777-1
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

VOA RCP List

CAS No.	Compound	Result	RL	Units Q)
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l	
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l	
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l	
100-41-4	Ethylbenzene	ND	1.0	ug/l	
76-13-1	Freon 113	ND	5.0	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l	
591-78-6	2-Hexanone	ND	5.0	ug/l	
98-82-8	Isopropylbenzene	ND	5.0	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l	
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l	
74-95-3	Methylene bromide	ND	5.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	ug/l	
91-20-3	Naphthalene	ND	5.0	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	ug/l	
100-42-5	Styrene	ND	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l	
127-18-4	Tetrachloroethene	27.6	1.0	ug/l	
109-99-9	Tetrahydrofuran	56.1	10	ug/l	
108-88-3	Toluene	ND	1.0	ug/l	
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l	
71-55-6	1,1,1-Trichloroethane	17.8	1.0	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l	
79-01-6	Trichloroethene	199	1.0	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l	
75-01-4	Vinyl chloride	11.3	1.0	ug/l	
	m,p-Xylene	ND	1.0	ug/l	
95-47-6	o-Xylene	ND	1.0	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits	
1868-53-7	Dibromofluoromethane	84%		70-1309	6

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 3 of 3

4

Report of Analysis

Client Sample ID: 1264979 Lab Sample ID: MC13777-1

 Lab Sample ID:
 MC13777-1
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

VOA RCP List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	90%		70-130%
460-00-4	4-Bromofluorobenzene	88%		70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank



Report of Analysis

Client Sample ID: 1264979 Lab Sample ID: MC13777

 Lab Sample ID:
 MC13777-1
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Matheday
 CT FTDU 7/06 SW946 35100
 Process SW140 states

Method: CT-ETPH 7/06 SW846 3510C Percent Solids: n/a

Project: PWCTEH:Willow Brook - Pond W. East Hartford

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 BC645210.D 1 09/10/12 KN 09/08/12 OP30303 GBC3114

Run #2

Initial Volume Final Volume

Run #1 1000 ml 1.0 ml

Run #2

CAS No. Compound Result RL Units Q

CT-ETPH (C9-C36) 0.100 0.080 mg/l

CAS No. Surrogate Recoveries Run# 1 Run# 2 Limits

84-15-1 o-Terphenyl 68% 50-149%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank



4

Report of Analysis

Client Sample ID: 1264979

 Lab Sample ID:
 MC13777-1
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Method:
 SW846 8082
 SW846 3510C
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

File IDDFAnalyzedByPrep DatePrep BatchAnalytical BatchRun #1BK16902.D109/13/12AP09/08/12OP30302GBK633

Run #2

Initial Volume Final Volume

Run #1 1000 ml 5.0 ml

Run #2

2051-24-3

2051-24-3

CT Polychlorinated Biphenyls RCP List

CAS No.	Compound	Result	RL	Units Q
12674-11-2	Aroclor 1016	ND	0.25	ug/l
11104-28-2	Aroclor 1221	ND	0.25	ug/l
11141-16-5	Aroclor 1232	ND	0.25	ug/l
53469-21-9	Aroclor 1242	ND	0.25	ug/l
12672-29-6	Aroclor 1248	ND	0.25	ug/l
11097-69-1	Aroclor 1254	ND	0.25	ug/l
11096-82-5	Aroclor 1260	ND	0.25	ug/l
37324-23-5	Aroclor 1262	ND	0.25	ug/l
11100-14-4	Aroclor 1268	ND	0.25	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
877-09-8	Tetrachloro-m-xylene	88%		30-150%
877-09-8	Tetrachloro-m-xylene	57%		30-150%

69%

45%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

Decachlorobiphenyl

Decachlorobiphenyl

J = Indicates an estimated value

30-150%

30-150%



Report of Analysis

Client Sample ID: 1264979UF

Lab Sample ID: MC13777-2

Matrix: AQ - Ground Water

Date Sampled: 09/06/12 Date Received: 09/06/12 Percent Solids: n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	5.1	4.0	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Barium	344	50	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Cadmium	< 4.0	4.0	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Chromium	< 10	10	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Copper	< 25	25	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Lead	< 5.0	5.0	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Mercury	< 0.20	0.20	ug/l	1	09/10/12	09/11/12 ЕМ	SW846 7470A ¹	SW846 7470A ⁴
Nickel	< 40	40	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Selenium	< 10	10	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Silver	< 5.0	5.0	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Zinc	< 20	20	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³

(1) Instrument QC Batch: MA14696(2) Instrument QC Batch: MA14700(3) Prep QC Batch: MP19630(4) Prep QC Batch: MP19637

Report of Analysis

 Client Sample ID:
 1264991

 Lab Sample ID:
 MC13777-3
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

	File ID	DF	Analyzed	$\mathbf{B}\mathbf{y}$	Prep Date	Prep Batch	Analytical Batch
Run #1	L66889.D	2	09/17/12	JM	n/a	n/a	MSL3186
Run #2							

Purge Volume
Run #1 5.0 ml
Run #2

VOA RCP List

CAS No.	Compound	Result	RL	Units Q
67-64-1	Acetone	ND	10	ug/l
107-13-1	Acrylonitrile	ND	10	ug/l
71-43-2	Benzene	ND	1.0	ug/l
108-86-1	Bromobenzene	ND	10	ug/l
75-27-4	Bromodichloromethane	ND	2.0	ug/l
75-25-2	Bromoform	ND	2.0	ug/l
74-83-9	Bromomethane	ND	4.0	ug/l
78-93-3	2-Butanone (MEK)	ND	10	ug/l
104-51-8	n-Butylbenzene	ND	10	ug/l
135-98-8	sec-Butylbenzene	ND	10	ug/l
98-06-6	tert-Butylbenzene	ND	10	ug/l
75-15-0	Carbon disulfide	ND	10	ug/l
56-23-5	Carbon tetrachloride	ND	2.0	ug/l
108-90-7	Chlorobenzene	ND	2.0	ug/l
75-00-3	Chloroethane	6.1	4.0	ug/l
67-66-3	Chloroform	ND	2.0	ug/l
74-87-3	Chloromethane	ND	4.0	ug/l
95-49-8	o-Chlorotoluene	ND	10	ug/l
106-43-4	p-Chlorotoluene	ND	10	ug/l
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	ug/l
124-48-1	Dibromochloromethane	ND	2.0	ug/l
106-93-4	1,2-Dibromoethane	ND	4.0	ug/l
95-50-1	1,2-Dichlorobenzene	ND	2.0	ug/l
541-73-1	1,3-Dichlorobenzene	ND	2.0	ug/l
106-46-7	1,4-Dichlorobenzene	ND	2.0	ug/l
75-71-8	Dichlorodifluoromethane	ND	4.0	ug/l
75-34-3	1,1-Dichloroethane	8.4	2.0	ug/l
107-06-2	1,2-Dichloroethane	ND	2.0	ug/l
75-35-4	1,1-Dichloroethene	115	2.0	ug/l
156-59-2	cis-1,2-Dichloroethene	69.4	2.0	ug/l
156-60-5	trans-1,2-Dichloroethene	ND	2.0	ug/l
78-87-5	1,2-Dichloropropane	ND	4.0	ug/l

ND = Not detected RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank



Page 2 of 3

4

Report of Analysis

 Client Sample ID:
 1264991

 Lab Sample ID:
 MC13777-3
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

VOA RCP List

CAS No.	Compound	Result	RL	Units Q
142-28-9	1,3-Dichloropropane	ND	10	ug/l
594-20-7	2,2-Dichloropropane	ND	10	ug/l
563-58-6	1,1-Dichloropropene	ND	10	ug/l
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	ug/l
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	ug/l
100-41-4	Ethylbenzene	ND	2.0	ug/l
76-13-1	Freon 113	ND	10	ug/l
87-68-3	Hexachlorobutadiene	ND	10	ug/l
591-78-6	2-Hexanone	ND	10	ug/l
98-82-8	Isopropylbenzene	ND	10	ug/l
99-87-6	p-Isopropyltoluene	ND	10	ug/l
1634-04-4	Methyl Tert Butyl Ether	ND	2.0	ug/l
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	10	ug/l
74-95-3	Methylene bromide	ND	10	ug/l
75-09-2	Methylene chloride	ND	4.0	ug/l
91-20-3	Naphthalene	ND	10	ug/l
103-65-1	n-Propylbenzene	ND	10	ug/l
100-42-5	Styrene	ND	10	ug/l
630-20-6	1,1,1,2-Tetrachloroethane	ND	10	ug/l
79-34-5	1,1,2,2-Tetrachloroethane	ND	2.0	ug/l
127-18-4	Tetrachloroethene	57.3	2.0	ug/l
109-99-9	Tetrahydrofuran	23.5	20	ug/l
108-88-3	Toluene	ND	2.0	ug/l
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	10	ug/l
87-61-6	1,2,3-Trichlorobenzene	ND	10	ug/l
120-82-1	1,2,4-Trichlorobenzene	ND	10	ug/l
71-55-6	1,1,1-Trichloroethane	28.0	2.0	ug/l
79-00-5	1,1,2-Trichloroethane	ND	2.0	ug/l
79-01-6	Trichloroethene	332	2.0	ug/l
75-69-4	Trichlorofluoromethane	ND	2.0	ug/l
96-18-4	1,2,3-Trichloropropane	ND	10	ug/l
95-63-6	1,2,4-Trimethylbenzene	ND	10	ug/l
108-67-8	1,3,5-Trimethylbenzene	ND	10	ug/l
75-01-4	Vinyl chloride	10.1	2.0	ug/l
	m, p-Xylene	ND	2.0	ug/l
95-47-6	o-Xylene	ND	2.0	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	70%		70-130%

ND = Not detected RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 3 of 3

Report of Analysis

 Client Sample ID:
 1264991

 Lab Sample ID:
 MC13777-3
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

VOA RCP List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	76%		70-130%
460-00-4	4-Bromofluorobenzene	74%		70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank



Report of Analysis

 Client Sample ID:
 1264991

 Lab Sample ID:
 MC13777-3
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Method:
 CT-ETPH 7/06 SW846 3510C
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 BC645212.D 1 09/10/12 KN 09/08/12 OP30303 GBC3114

Run #2

Run #1 1000 ml 1.0 ml
Run #2

CAS No. Compound Result RLUnits Q CT-ETPH (C9-C36) 0.0942 0.080 mg/lCAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits 84-15-1 o-Terphenyl 68% 50-149%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

 $B = \ Indicates \ analyte \ found \ in \ associated \ method \ blank$



Report of Analysis

 Client Sample ID:
 1264991

 Lab Sample ID:
 MC13777-3
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Method:
 SW846 8082
 SW846 3510C
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

	File ID	DF	Analyzed	$\mathbf{B}\mathbf{y}$	Prep Date	Prep Batch	Analytical Batch
Run #1	BK16903.D	1	09/13/12	AP	09/08/12	OP30302	GBK633
Run #2							

Initial Volume Final Volume
Run #1 980 ml 5.0 ml
Run #2

CT Polychlorinated Biphenyls RCP List

CAS No.	Compound	Result	RL	Units Q
12674-11-2	Aroclor 1016	ND	0.26	ug/l
11104-28-2	Aroclor 1221	ND	0.26	ug/l
11141-16-5	Aroclor 1232	ND	0.26	ug/l
53469-21-9	Aroclor 1242	ND	0.26	ug/l
12672-29-6	Aroclor 1248	ND	0.26	ug/l
11097-69-1	Aroclor 1254	ND	0.26	ug/l
11096-82-5	Aroclor 1260	ND	0.26	ug/l
37324-23-5	Aroclor 1262	ND	0.26	ug/l
11100-14-4	Aroclor 1268	ND	0.26	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
877-09-8	Tetrachloro-m-xylene	80%		30-150%
877-09-8	Tetrachloro-m-xylene	51%		30-150%
2051-24-3	Decachlorobiphenyl	68%		30-150%
2051-24-3	Decachlorobiphenyl	43%		30-150%

ND = Not detected J = 1

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Report of Analysis

 Client Sample ID:
 1264991UF

 Lab Sample ID:
 MC13777-4
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	5.3	4.0	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Barium	331	50	ug/l	1		09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Cadmium	< 4.0	4.0	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Chromium	< 10	10	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Copper	< 25	25	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Lead	< 5.0	5.0	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Mercury	< 0.20	0.20	ug/l	1	09/10/12	09/11/12 ЕМ	SW846 7470A ¹	SW846 7470A ⁴
Nickel	< 40	40	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Selenium	< 10	10	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Silver	< 5.0	5.0	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Zinc	< 20	20	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³

(1) Instrument QC Batch: MA14696(2) Instrument QC Batch: MA14700(3) Prep QC Batch: MP19630(4) Prep QC Batch: MP19637

Report of Analysis

Client Sample ID: 1264990 Lab Sample ID: MC13777

 Lab Sample ID:
 MC13777-5
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Trip Blank Water
 Date Received:
 09/06/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

File ID DF **Prep Date Analytical Batch** Analyzed By **Prep Batch** Run #1 L66882.D 1 09/17/12 JM n/aMSL3186 n/aRun #2

Purge Volume Run #1 5.0 ml

Run #2

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
67-64-1	Acetone	ND	5.0	ug/l	
107-13-1	Acrylonitrile	ND	5.0	ug/l	
71-43-2	Benzene	ND	0.50	ug/l	
108-86-1	Bromobenzene	ND	5.0	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	ug/l	
75-25-2	Bromoform	ND	1.0	ug/l	
74-83-9	Bromomethane	ND	2.0	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	ug/l	
75-15-0	Carbon disulfide	ND	5.0	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	ug/l	
108-90-7	Chlorobenzene	ND	1.0	ug/l	
75-00-3	Chloroethane	ND	2.0	ug/l	
67-66-3	Chloroform	ND	1.0	ug/l	
74-87-3	Chloromethane	ND	2.0	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l	

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Report of Analysis

Client Sample ID: 1264990 Lab Sample ID: MC13777-5

Date Sampled: 09/06/12 Matrix: AQ - Trip Blank Water **Date Received:** 09/06/12 Method: SW846 8260B **Percent Solids:**

PWCTEH: Willow Brook - Pond W. East Hartford **Project:**

VOA RCP List

CAS No.	Compound	Result	RL	Units Q
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l
100-41-4	Ethylbenzene	ND	1.0	ug/l
76-13-1	Freon 113	ND	5.0	ug/l
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l
591-78-6	2-Hexanone	ND	5.0	ug/l
98-82-8	Isopropylbenzene	ND	5.0	ug/l
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l
74-95-3	Methylene bromide	ND	5.0	ug/l
75-09-2	Methylene chloride	ND	2.0	ug/l
91-20-3	Naphthalene	ND	5.0	ug/l
103-65-1	n-Propylbenzene	ND	5.0	ug/l
100-42-5	Styrene	ND	5.0	ug/l
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l
127-18-4	Tetrachloroethene	ND	1.0	ug/l
109-99-9	Tetrahydrofuran	ND	10	ug/l
108-88-3	Toluene	ND	1.0	ug/l
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l
71-55-6	1, 1, 1-Trichloroethane	ND	1.0	ug/l
79-00-5	1, 1, 2-Trichloroethane	ND	1.0	ug/l
79-01-6	Trichloroethene	ND	1.0	ug/l
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l
75-01-4	Vinyl chloride	ND	1.0	ug/l
	m,p-Xylene	ND	1.0	ug/l
95-47-6	o-Xylene	ND	1.0	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	83%		70-130%

70-130% 1868-53-7 Dibromofluoromethane 83%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 3 of 3

Report of Analysis

Client Sample ID: 1264990 Lab Sample ID: MC13777-5

 Lab Sample ID:
 MC13777-5
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Trip Blank Water
 Date Received:
 09/06/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

VOA RCP List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	91%		70-130%
460-00-4	4-Bromofluorobenzene	86%		70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank



+

Report of Analysis

 Client Sample ID:
 1264980

 Lab Sample ID:
 MC13777-6
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: PWCTEH:Willow Brook - Pond W. East Hartford

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch	
Run #1	P64528.D	1	09/14/12	TT	n/a	n/a	MSP2106	
Run #2	L66890.D	10	09/17/12	JM	n/a	n/a	MSL3186	

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
67-64-1	Acetone	ND	5.0	ug/l	
107-13-1	Acrylonitrile	ND	5.0	ug/l	
71-43-2	Benzene	16.1	0.50	ug/l	
108-86-1	Bromobenzene	ND	5.0	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	ug/l	
75-25-2	Bromoform	ND	1.0	ug/l	
74-83-9	Bromomethane	ND	2.0	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	ug/l	
75-15-0	Carbon disulfide	ND	5.0	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	ug/l	
108-90-7	Chlorobenzene	ND	1.0	ug/l	
75-00-3	Chloroethane	20.1	2.0	ug/l	
67-66-3	Chloroform	ND	1.0	ug/l	
74-87-3	Chloromethane	ND	2.0	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l	
75-34-3	1,1-Dichloroethane	98.4	1.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l	
75-35-4	1,1-Dichloroethene	28.8	1.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	1250 a	10	ug/l	
156-60-5	trans-1,2-Dichloroethene	2.6	1.0	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l	

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



4

Report of Analysis

 Client Sample ID:
 1264980

 Lab Sample ID:
 MC13777-6
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

VOA RCP List

CAS No.	Compound	Result	RL	Units Q
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l
100-41-4	Ethylbenzene	ND	1.0	ug/l
76-13-1	Freon 113	ND	5.0	ug/l
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l
591-78-6	2-Hexanone	ND	5.0	ug/l
98-82-8	Isopropylbenzene	ND	5.0	ug/l
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l
74-95-3	Methylene bromide	ND	5.0	ug/l
75-09-2	Methylene chloride	ND	2.0	ug/l
91-20-3	Naphthalene	ND	5.0	ug/l
103-65-1	n-Propylbenzene	ND	5.0	ug/l
100-42-5	Styrene	ND	5.0	ug/l
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l
127-18-4	Tetrachloroethene	187	1.0	ug/l
109-99-9	Tetrahydrofuran	ND	10	ug/l
108-88-3	Toluene	ND	1.0	ug/l
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l
71-55-6	1,1,1-Trichloroethane	52.0	1.0	ug/l
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l
79-01-6	Trichloroethene	320	1.0	ug/l
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l
75-01-4	Vinyl chloride	200	1.0	ug/l
	m,p-Xylene	ND	1.0	ug/l
95-47-6	o-Xylene	ND	1.0	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	113%	69% b	70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 3 of 3

4

Report of Analysis

 Client Sample ID:
 1264980

 Lab Sample ID:
 MC13777-6
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

VOA RCP List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	99%	74%	70-130%
460-00-4	4-Bromofluorobenzene	124%	72%	70-130%

(a) Result is from Run# 2

(b) Outside control limits due to possible matrix interference.

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Report of Analysis

Client Sample ID: 1264980

 Lab Sample ID:
 MC13777-6
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Method:
 CT-ETPH 7/06 SW846 3510C
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

 File ID
 DF
 Analyzed
 By
 Prep Date
 Prep Batch
 Analytical Batch

 Run #1
 BC645204.D
 1
 09/10/12
 KN
 09/08/12
 OP30303
 GBC3114

Run #2

Initial Volume Final Volume

Run #1 1000 ml 1.0 ml

Run #2

CAS No. Compound Result RL Units Q

CT-ETPH (C9-C36) 0.182 0.080 mg/l

CAS No. Surrogate Recoveries Run# 1 Run# 2 Limits

84-15-1 o-Terphenyl 65% 50-149%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

 $B = \ Indicates \ analyte \ found \ in \ associated \ method \ blank$



4

Report of Analysis

 Client Sample ID:
 1264980

 Lab Sample ID:
 MC13777-6
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Method:
 SW846 8082
 SW846 3510C
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

File ID **Prep Date Analytical Batch** DF Analyzed By **Prep Batch** Run #1 BK16904.D 1 09/13/12 AP 09/08/12 OP30302 GBK633 Run #2

Run #1 990 ml 5.0 ml
Run #2

CT Polychlorinated Biphenyls RCP List

CAS No.	Compound	Result	RL	Units Q
12674-11-2	Aroclor 1016	ND	0.25	ug/l
11104-28-2	Aroclor 1221	ND	0.25	ug/l
11141-16-5	Aroclor 1232	ND	0.25	ug/l
53469-21-9	Aroclor 1242	ND	0.25	ug/l
12672-29-6	Aroclor 1248	ND	0.25	ug/l
11097-69-1	Aroclor 1254	ND	0.25	ug/l
11096-82-5	Aroclor 1260	ND	0.25	ug/l
37324-23-5	Aroclor 1262	ND	0.25	ug/l
11100-14-4	Aroclor 1268	ND	0.25	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
877-09-8	Tetrachloro-m-xylene	73%		30-150%
877-09-8	Tetrachloro-m-xylene	48%		30-150%
2051-24-3	Decachlorobiphenyl	60%		30-150%
2051-24-3	Decachlorobiphenyl	39%		30-150%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Report of Analysis

Client Sample ID: 1264980UF
Lab Sample ID: MC13777-7
Matrix: AQ - Ground Water

Date Sampled: 09/06/12 **Date Received:** 09/06/12 **Percent Solids:** n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	< 4.0	4.0	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Barium	395	50	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Cadmium	< 4.0	4.0	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Chromium	< 10	10	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Copper	< 25	25	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Lead	< 5.0	5.0	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Mercury	< 0.20	0.20	ug/l	1	09/10/12	09/11/12 ЕМ	SW846 7470A ¹	SW846 7470A ⁴
Nickel	< 40	40	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Selenium	< 10	10	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Silver	< 5.0	5.0	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Zinc	< 20	20	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³

(1) Instrument QC Batch: MA14696(2) Instrument QC Batch: MA14700(3) Prep QC Batch: MP19630(4) Prep QC Batch: MP19637

Report of Analysis

 Client Sample ID:
 1264889

 Lab Sample ID:
 MC13777-8
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	L66884.D	1	09/17/12	JM	n/a	n/a	MSL3186
Run #2							

Purge Volume
Run #1 5.0 ml
Run #2

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
67-64-1	Acetone	ND	5.0	ug/l	
107-13-1	Acrylonitrile	ND	5.0	ug/l	
71-43-2	Benzene	ND	0.50	ug/l	
108-86-1	Bromobenzene	ND	5.0	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	ug/l	
75-25-2	Bromoform	ND	1.0	ug/l	
74-83-9	Bromomethane	ND	2.0	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	ug/l	
75-15-0	Carbon disulfide	ND	5.0	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	ug/l	
108-90-7	Chlorobenzene	ND	1.0	ug/l	
75-00-3	Chloroethane	ND	2.0	ug/l	
67-66-3	Chloroform	ND	1.0	ug/l	
74-87-3	Chloromethane	ND	2.0	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l	

ND = Not detected RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Report of Analysis

 Client Sample ID:
 1264889

 Lab Sample ID:
 MC13777-8
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

VOA RCP List

CAS No.	Compound	Result	RL	Units Q
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l
100-41-4	Ethylbenzene	ND	1.0	ug/l
76-13-1	Freon 113	ND	5.0	ug/l
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l
591-78-6	2-Hexanone	ND	5.0	ug/l
98-82-8	Isopropylbenzene	ND	5.0	ug/l
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l
74-95-3	Methylene bromide	ND	5.0	ug/l
75-09-2	Methylene chloride	ND	2.0	ug/l
91-20-3	Naphthalene	ND	5.0	ug/l
103-65-1	n-Propylbenzene	ND	5.0	ug/l
100-42-5	Styrene	ND	5.0	ug/l
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l
127-18-4	Tetrachloroethene	ND	1.0	ug/l
109-99-9	Tetrahydrofuran	ND	10	ug/l
108-88-3	Toluene	ND	1.0	ug/l
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l
79-01-6	Trichloroethene	ND	1.0	ug/l
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l
75-01-4	Vinyl chloride	ND	1.0	ug/l
	m,p-Xylene	ND	1.0	ug/l
95-47-6	o-Xylene	ND	1.0	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	85%		70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 3 of 3

Report of Analysis

Client Sample ID: 1264889 Lab Sample ID: MC13777-8 **Date Sampled:** 09/06/12 **Date Received:** 09/06/12 Matrix: AQ - Ground Water Method: SW846 8260B **Percent Solids:** n/a

PWCTEH: Willow Brook - Pond W. East Hartford **Project:**

VOA RCP List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	90%		70-130%
460-00-4	4-Bromofluorobenzene	88%		70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank



Report of Analysis

 Client Sample ID:
 1264889

 Lab Sample ID:
 MC13777-8
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Method:
 CT-ETPH 7/06 SW846 3510C
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 BC645206.D 1 09/10/12 KN 09/08/12 OP30303 GBC3114

Run #2

Run #1 850 ml 1.0 ml

Run #2

CAS No. Compound Result RLUnits Q CT-ETPH (C9-C36) ND 0.094 mg/lCAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits 84-15-1 o-Terphenyl 71% 50-149%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank



4

Report of Analysis

 Client Sample ID:
 1264889

 Lab Sample ID:
 MC13777-8
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Method:
 SW846 8082
 SW846 3510C
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch	
Run #1	BK16905.D	1	09/13/12	AP	09/08/12	OP30302	GBK633	
Run #2								

	Initial Volume	Final Volume
Run #1	950 ml	5.0 ml
Run #2		

CT Polychlorinated Biphenyls RCP List

CAS No.	Compound	Result	RL	Units Q
12674-11-2	Aroclor 1016	ND	0.26	ug/l
11104-28-2	Aroclor 1221	ND	0.26	ug/l
11141-16-5	Aroclor 1232	ND	0.26	ug/l
53469-21-9	Aroclor 1242	ND	0.26	ug/l
12672-29-6	Aroclor 1248	ND	0.26	ug/l
11097-69-1	Aroclor 1254	ND	0.26	ug/l
11096-82-5	Aroclor 1260	ND	0.26	ug/l
37324-23-5	Aroclor 1262	ND	0.26	ug/l
11100-14-4	Aroclor 1268	ND	0.26	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
877-09-8	Tetrachloro-m-xylene	73%		30-150%
877-09-8	Tetrachloro-m-xylene	50%		30-150%
2051-24-3	Decachlorobiphenyl	48%		30-150%
2051-24-3	Decachlorobiphenyl	32%		30-150%

ND = Not detected J = Indicates an estimated value

RL = Reporting Limit B = Indicates analyte found in associated method blank <math>E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound



Report of Analysis

 Client Sample ID:
 1264889UF

 Lab Sample ID:
 MC13777-9
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	< 4.0	4.0	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Barium	< 50	50	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Cadmium	< 4.0	4.0	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Chromium	< 10	10	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Copper	< 25	25	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Lead	< 5.0	5.0	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Mercury	< 0.20	0.20	ug/l	1	09/10/12	09/11/12 ЕМ	SW846 7470A ¹	SW846 7470A ⁴
Nickel	< 40	40	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Selenium	< 10	10	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Silver	< 5.0	5.0	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Zinc	< 20	20	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³

(1) Instrument QC Batch: MA14696(2) Instrument QC Batch: MA14700(3) Prep QC Batch: MP19630(4) Prep QC Batch: MP19637

4

Report of Analysis

 Client Sample ID:
 1264977

 Lab Sample ID:
 MC13777-10
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

File ID DF **Prep Date Analytical Batch** Analyzed By **Prep Batch** Run #1 L66885.D 1 09/17/12 JM n/a MSL3186 n/aRun #2

Run #1 5.0 ml Run #2

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
67-64-1	Acetone	ND	5.0	ug/l	
107-13-1	Acrylonitrile	ND	5.0	ug/l	
71-43-2	Benzene	ND	0.50	ug/l	
108-86-1	Bromobenzene	ND	5.0	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	ug/l	
75-25-2	Bromoform	ND	1.0	ug/l	
74-83-9	Bromomethane	ND	2.0	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	ug/l	
75-15-0	Carbon disulfide	ND	5.0	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	ug/l	
108-90-7	Chlorobenzene	ND	1.0	ug/l	
75-00-3	Chloroethane	ND	2.0	ug/l	
67-66-3	Chloroform	ND	1.0	ug/l	
74-87-3	Chloromethane	ND	2.0	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l	
75-34-3	1,1-Dichloroethane	8.0	1.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	7.6	1.0	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l	

ND = Not detected RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 2 of 3

4

Report of Analysis

 Client Sample ID:
 1264977

 Lab Sample ID:
 MC13777-10
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

VOA RCP List

CAS No.	Compound	Result	RL	Units Q
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l
100-41-4	Ethylbenzene	ND	1.0	ug/l
76-13-1	Freon 113	ND	5.0	ug/l
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l
591-78-6	2-Hexanone	ND	5.0	ug/l
98-82-8	Isopropylbenzene	ND	5.0	ug/l
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l
74-95-3	Methylene bromide	ND	5.0	ug/l
75-09-2	Methylene chloride	ND	2.0	ug/l
91-20-3	Naphthalene	ND	5.0	ug/l
103-65-1	n-Propylbenzene	ND	5.0	ug/l
100-42-5	Styrene	ND	5.0	ug/l
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l
127-18-4	Tetrachloroethene	2.9	1.0	ug/l
109-99-9	Tetrahydrofuran	ND	10	ug/l
108-88-3	Toluene	ND	1.0	ug/l
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l
79-01-6	Trichloroethene	7.2	1.0	ug/l
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l
75-01-4	Vinyl chloride	5.7	1.0	ug/l
	m,p-Xylene	ND	1.0	ug/l
95-47-6	o-Xylene	ND	1.0	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	83%		70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 3 of 3

Report of Analysis

 Client Sample ID:
 1264977

 Lab Sample ID:
 MC13777-10
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

VOA RCP List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	88%		70-130%
460-00-4	4-Bromofluorobenzene	85%		70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank



Report of Analysis

Client Sample ID: 1264977 Lab Sample ID: MC13777-10 Matrix:

Method: CT-ETPH 7/06 SW846 3510C

AQ - Ground Water **Date Received:** 09/06/12 **Percent Solids:** n/a

Date Sampled:

09/06/12

Project: PWCTEH: Willow Brook - Pond W. East Hartford

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By 09/08/12 Run #1 BC645248.D 1 09/11/12 KN OP30303 GBC3114

Run #2

Initial Volume Final Volume

Run #1 980 ml 1.0 ml

Run #2

CAS No. Compound Result RLUnits Q

> CT-ETPH (C9-C36) 0.908 0.082 mg/l

CAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits

84-15-1 o-Terphenyl 62% 50-149%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank



Report of Analysis

Client Sample ID: 1264977 Lab Sample ID: MC13777-10 **Date Sampled:** 09/06/12 Matrix: AQ - Ground Water **Date Received:** 09/06/12 Method: SW846 8082 SW846 3510C Percent Solids: n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

	File ID	DF	Analyzed	$\mathbf{B}\mathbf{y}$	Prep Date	Prep Batch	Analytical Batch	
Run #1	BK16906.D	1	09/13/12	AP	09/08/12	OP30302	GBK633	
Run #2								

	Initial Volume	Final Volume
Run #1	970 ml	5.0 ml
Run #2		

CT Polychlorinated Biphenyls RCP List

CAS No.	Compound	Result	RL	Units Q
12674-11-2	Aroclor 1016	ND	0.26	ug/l
11104-28-2	Aroclor 1221	ND	0.26	ug/l
11141-16-5	Aroclor 1232	ND	0.26	ug/l
53469-21-9	Aroclor 1242	ND	0.26	ug/l
12672-29-6	Aroclor 1248	ND	0.26	ug/l
11097-69-1	Aroclor 1254	ND	0.26	ug/l
11096-82-5	Aroclor 1260	ND	0.26	ug/l
37324-23-5	Aroclor 1262	ND	0.26	ug/l
11100-14-4	Aroclor 1268	ND	0.26	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
CAS NO.	Surrogate Recoveries	Kull# 1	Kuiiπ 2	Limits
877-09-8	Tetrachloro-m-xylene	66%		30-150%
877-09-8	Tetrachloro-m-xylene	40%		30-150%
2051-24-3	Decachlorobiphenyl	53%		30-150%
2051-24-3	Decachlorobiphenyl	36%		30-150%

ND = Not detected J = Indicates an estimated value

RL = Reporting Limit B = Indicates analyte found in associated method blank E = Indicates value exceeds calibration range



Report of Analysis

 Client Sample ID:
 1264977UF

 Lab Sample ID:
 MC13777-11

 Matrix:
 AQ - Ground Water

 Date Sampled:
 09/06/12

 Date Received:
 09/06/12

 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	< 4.0	4.0	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Barium	192	50	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Cadmium	467	4.0	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Chromium	10.7	10	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Copper	302	25	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Lead	< 5.0	5.0	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Mercury	< 0.20	0.20	ug/l	1	09/10/12	09/11/12 EM	SW846 7470A ¹	SW846 7470A ⁴
Nickel	2440	40	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Selenium	< 10	10	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Silver	64.5	5.0	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Zinc	39.1	20	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³

(1) Instrument QC Batch: MA14696(2) Instrument QC Batch: MA14700(3) Prep QC Batch: MP19630(4) Prep QC Batch: MP19637

Report of Analysis

Client Sample ID: 1264981 Lab Sample ID: MC13777-12 **Date Sampled:** 09/06/12 Matrix: AQ - Ground Water **Date Received:** 09/06/12 Method: SW846 8260B Percent Solids: n/a

PWCTEH: Willow Brook - Pond W. East Hartford **Project:**

File ID DF **Prep Date Analytical Batch** Analyzed By **Prep Batch** Run #1 L66888.D 1 09/17/12 JM MSL3186 n/an/aRun #2

Purge Volume Run #1 5.0 ml

Run #2

VOA RCP List

CAS No.	Compound	Result	RL	Units Q	
67-64-1	Acetone	ND	5.0	ug/l	
107-13-1	Acrylonitrile	ND	5.0	ug/l	
71-43-2	Benzene	2.9	0.50	ug/l	
108-86-1	Bromobenzene	ND	5.0	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	ug/l	
75-25-2	Bromoform	ND	1.0	ug/l	
74-83-9	Bromomethane	ND	2.0	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	ug/l	
75-15-0	Carbon disulfide	ND	5.0	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	ug/l	
108-90-7	Chlorobenzene	ND	1.0	ug/l	
75-00-3	Chloroethane	ND	2.0	ug/l	
67-66-3	Chloroform	16.0	1.0	ug/l	
74-87-3	Chloromethane	ND	2.0	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l	
75-34-3	1,1-Dichloroethane	7.8	1.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l	
75-35-4	1,1-Dichloroethene	2.8	1.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	60.4	1.0	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l	

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 2 of 3

4

Report of Analysis

 Client Sample ID:
 1264981

 Lab Sample ID:
 MC13777-12
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

VOA RCP List

CAS No.	Compound	Result	RL	Units Q
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l
100-41-4	Ethylbenzene	ND	1.0	ug/l
76-13-1	Freon 113	ND	5.0	ug/l
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l
591-78-6	2-Hexanone	ND	5.0	ug/l
98-82-8	Isopropylbenzene	ND	5.0	ug/l
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l
74-95-3	Methylene bromide	ND	5.0	ug/l
75-09-2	Methylene chloride	ND	2.0	ug/l
91-20-3	Naphthalene	ND	5.0	ug/l
103-65-1	n-Propylbenzene	ND	5.0	ug/l
100-42-5	Styrene	ND	5.0	ug/l
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l
127-18-4	Tetrachloroethene	162	1.0	ug/l
109-99-9	Tetrahydrofuran	ND	10	ug/l
108-88-3	Toluene	ND	1.0	ug/l
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l
79-01-6	Trichloroethene	228	1.0	ug/l
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l
75-01-4	Vinyl chloride	13.3	1.0	ug/l
	m,p-Xylene	ND	1.0	ug/l
95-47-6	o-Xylene	ND	1.0	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	83%		70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Client Sample ID: 1264981

Page 3 of 3

Report of Analysis

Date Sampled: 09/06/12 **Date Received:** 09/06/12 AQ - Ground Water

Method: SW846 8260B **Percent Solids:** n/a

PWCTEH: Willow Brook - Pond W. East Hartford **Project:**

MC13777-12

VOA RCP List

Lab Sample ID:

Matrix:

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	88%		70-130%
460-00-4	4-Bromofluorobenzene	86%		70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank



Report of Analysis

Client Sample ID: 1264981 Lab Sample ID:

MC13777-12 Date Sampled: 09/06/12 Matrix: AQ - Ground Water Date Received: 09/06/12 n/a

Method: CT-ETPH 7/06 SW846 3510C **Percent Solids:**

Project: PWCTEH: Willow Brook - Pond W. East Hartford

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By 09/08/12 Run #1 BC645240.D 1 09/11/12 KN OP30303 GBC3114

Run #2

Initial Volume Final Volume

Run #1 1000 ml 1.0 ml

Run #2

CAS No. Compound Result RLUnits Q

> CT-ETPH (C9-C36) 0.147 0.080 mg/l

CAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits

84-15-1 o-Terphenyl 71% 50-149%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Lab Sample ID:

Client Sample ID: 1264981

Page 1 of 1

Report of Analysis

Date Sampled: 09/06/12 AQ - Ground Water **Date Received:** 09/06/12

Method: SW846 8082 SW846 3510C **Percent Solids:** n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

MC13777-12

File ID **Prep Date Analytical Batch** DF Analyzed By **Prep Batch** Run #1 BK16907.D 1 09/13/12 AP 09/08/12 OP30302 **GBK633**

Run #2

Matrix:

Final Volume Initial Volume Run #1 990 ml 5.0 ml

Run #2

2051-24-3

2051-24-3

CT Polychlorinated Biphenyls RCP List

CAS No.	Compound	Result	RL	Units	Q
12674-11-2	Aroclor 1016	ND	0.25	ug/l	
11104-28-2	Aroclor 1221	ND	0.25	ug/l	
11141-16-5	Aroclor 1232	ND	0.25	ug/l	
53469-21-9	Aroclor 1242	ND	0.25	ug/l	
12672-29-6	Aroclor 1248	ND	0.25	ug/l	
11097-69-1	Aroclor 1254	ND	0.25	ug/l	
11096-82-5	Aroclor 1260	ND	0.25	ug/l	
37324-23-5	Aroclor 1262	ND	0.25	ug/l	
11100-14-4	Aroclor 1268	ND	0.25	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limi	ts
877-09-8	Tetrachloro-m-xylene	79%		30-15	50%
877-09-8	Tetrachloro-m-xylene	51%		30-15	50%

86%

57%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

Decachlorobiphenyl

Decachlorobiphenyl

J = Indicates an estimated value

30-150%

30-150%

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Report of Analysis

 Client Sample ID:
 1264981UF

 Lab Sample ID:
 MC13777-13

 Matrix:
 AQ - Ground Water

 Date Sampled:
 09/06/12

 Date Received:
 09/06/12

 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	< 4.0	4.0	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Barium	< 50	50	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Cadmium	< 4.0	4.0	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Chromium	< 10	10	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Copper	46.2	25	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Lead	< 5.0	5.0	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Mercury	< 0.20	0.20	ug/l	1	09/10/12	09/11/12 EM	SW846 7470A ¹	SW846 7470A ⁴
Nickel	207	40	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Selenium	< 10	10	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Silver	< 5.0	5.0	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Zinc	< 20	20	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³

(1) Instrument QC Batch: MA14696(2) Instrument QC Batch: MA14700(3) Prep QC Batch: MP19630(4) Prep QC Batch: MP19637

1

Report of Analysis

 Client Sample ID:
 1264978

 Lab Sample ID:
 MC13777-14
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

File ID DF **Prep Date Analytical Batch** Analyzed By **Prep Batch** Run #1 L66886.D 1 09/17/12 JM n/aMSL3186 n/aRun #2

Run #1 5.0 ml Run #2

VOA RCP List

CAS No.	Compound	Result	RL	Units Q
67-64-1	Acetone	ND	5.0	ug/l
107-13-1	Acrylonitrile	ND	5.0	ug/l
71-43-2	Benzene	ND	0.50	ug/l
108-86-1	Bromobenzene	ND	5.0	ug/l
75-27-4	Bromodichloromethane	ND	1.0	ug/l
75-25-2	Bromoform	ND	1.0	ug/l
74-83-9	Bromomethane	ND	2.0	ug/l
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l
104-51-8	n-Butylbenzene	ND	5.0	ug/l
135-98-8	sec-Butylbenzene	ND	5.0	ug/l
98-06-6	tert-Butylbenzene	ND	5.0	ug/l
75-15-0	Carbon disulfide	ND	5.0	ug/l
56-23-5	Carbon tetrachloride	ND	1.0	ug/l
108-90-7	Chlorobenzene	ND	1.0	ug/l
75-00-3	Chloroethane	ND	2.0	ug/l
67-66-3	Chloroform	ND	1.0	ug/l
74-87-3	Chloromethane	ND	2.0	ug/l
95-49-8	o-Chlorotoluene	ND	5.0	ug/l
106-43-4	p-Chlorotoluene	ND	5.0	ug/l
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l
124-48-1	Dibromochloromethane	ND	1.0	ug/l
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l
75-34-3	1,1-Dichloroethane	11.4	1.0	ug/l
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l
156-59-2	cis-1,2-Dichloroethene	4.9	1.0	ug/l
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Page 2 of 3

Report of Analysis

 Client Sample ID:
 1264978

 Lab Sample ID:
 MC13777-14

 Matrix:
 AQ - Ground Water

 Date Sampled:
 09/06/12

 Date Received:
 09/06/12

Method: SW846 8260B Percent Solids:

Project: PWCTEH: Willow Brook - Pond W. East Hartford

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l	
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l	
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l	
100-41-4	Ethylbenzene	ND	1.0	ug/l	
76-13-1	Freon 113	ND	5.0	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l	
591-78-6	2-Hexanone	ND	5.0	ug/l	
98-82-8	Isopropylbenzene	ND	5.0	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l	
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l	
74-95-3	Methylene bromide	ND	5.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	ug/l	
91-20-3	Naphthalene	ND	5.0	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	ug/l	
100-42-5	Styrene	ND	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	ug/l	
109-99-9	Tetrahydrofuran	ND	10	ug/l	
108-88-3	Toluene	ND	1.0	ug/l	
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l	
79-01-6	Trichloroethene	ND	1.0	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l	
75-01-4	Vinyl chloride	7.3	1.0	ug/l	
	m,p-Xylene	ND	1.0	ug/l	
95-47-6	o-Xylene	ND	1.0	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limi	ts
1868-53-7	Dibromofluoromethane	85%		70-13	80%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Page 3 of 3

Report of Analysis

 Client Sample ID:
 1264978

 Lab Sample ID:
 MC13777-14
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

VOA RCP List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	89%		70-130%
460-00-4	4-Bromofluorobenzene	86%		70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

 $B = \ Indicates \ analyte \ found \ in \ associated \ method \ blank$

N = Indicates presumptive evidence of a compound



1

Report of Analysis

Client Sample ID: 1264978 Lab Sample ID: MC13777-14 Date Sampled: 09/06/12 Matrix: AQ - Ground Water Date Received: 09/06/12 Method: CT-ETPH 7/06 SW846 3510C **Percent Solids:** n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By 09/08/12 Run #1 BC645238.D 1 09/11/12 KN OP30303 GBC3114

Run #2

Initial Volume Final Volume Run #1 1000 ml 1.0 ml

Run #2

CAS No. Compound Result RLUnits Q CT-ETPH (C9-C36) 0.0855 0.080 mg/lCAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits 84-15-1 o-Terphenyl 79% 50-149%

ND = Not detected J = Indicates an estimated value

RL = Reporting Limit B = Indicates analyte found in associated method blank E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound



Report of Analysis

 Client Sample ID:
 1264978

 Lab Sample ID:
 MC13777-14
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Method:
 SW846 8082
 SW846 3510C
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch	
Run #1	BK16908.D	1	09/13/12	AP	09/08/12	OP30302	GBK633	
Run #2								

Initial Volume Final Volume
Run #1 1000 ml 5.0 ml
Run #2

CT Polychlorinated Biphenyls RCP List

CAS No.	Compound	Result	RL	Units Q
12674-11-2	Aroclor 1016	ND	0.25	ug/l
11104-28-2	Aroclor 1221	ND	0.25	ug/l
11141-16-5 53469-21-9	Aroclor 1232 Aroclor 1242	ND ND	0.25	ug/l
12672-29-6	Aroclor 1248	ND ND	0.25	ug/l ug/l
11097-69-1	Aroclor 1254	ND	0.25	ug/l
11096-82-5	Aroclor 1260	ND	0.25	ug/l
37324-23-5	Aroclor 1262	ND	0.25	ug/l
11100-14-4	Aroclor 1268	ND	0.25	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
877-09-8	Tetrachloro-m-xylene	72%		30-150%
877-09-8	Tetrachloro-m-xylene	48%		30-150%
2051-24-3	Decachlorobiphenyl	62%		30-150%
2051-24-3	Decachlorobiphenyl	41%		30-150%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Report of Analysis

 Client Sample ID:
 1264978UF

 Lab Sample ID:
 MC13777-15

 Matrix:
 AQ - Ground Water

 Date Sampled:
 09/06/12

 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	< 4.0	4.0	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Barium	312	50	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Cadmium	< 4.0	4.0	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Chromium	< 10	10	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Copper	< 25	25	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Lead	< 5.0	5.0	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Mercury	< 0.20	0.20	ug/l	1	09/10/12	09/11/12 EM	SW846 7470A ¹	SW846 7470A ⁴
Nickel	< 40	40	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Selenium	< 10	10	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Silver	< 5.0	5.0	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Zinc	< 20	20	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³

(1) Instrument QC Batch: MA14696(2) Instrument QC Batch: MA14700(3) Prep QC Batch: MP19630(4) Prep QC Batch: MP19637

Report of Analysis

 Client Sample ID:
 1264976

 Lab Sample ID:
 MC13777-16
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	L66887.D	1	09/17/12	JM	n/a	n/a	MSL3186
Run #2							

Purge Volume
Run #1 5.0 ml
Run #2

VOA RCP List

CAS No.	Compound	Result	RL	Units C)
67-64-1	Acetone	ND	5.0	ug/l	
107-13-1	Acrylonitrile	ND	5.0	ug/l	
71-43-2	Benzene	ND	0.50	ug/l	
108-86-1	Bromobenzene	ND	5.0	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	ug/l	
75-25-2	Bromoform	ND	1.0	ug/l	
74-83-9	Bromomethane	ND	2.0	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	ug/l	
75-15-0	Carbon disulfide	ND	5.0	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	ug/l	
108-90-7	Chlorobenzene	ND	1.0	ug/l	
75-00-3	Chloroethane	ND	2.0	ug/l	
67-66-3	Chloroform	ND	1.0	ug/l	
74-87-3	Chloromethane	ND	2.0	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l	

ND = Not detected RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Page 2 of 3

Report of Analysis

Client Sample ID: 1264976 Lab Sample ID: MC13777-16 **Date Sampled:** 09/06/12 Matrix: AQ - Ground Water **Date Received:** 09/06/12 Method: SW846 8260B Percent Solids: n/a

PWCTEH: Willow Brook - Pond W. East Hartford **Project:**

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l	
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l	
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l	
100-41-4	Ethylbenzene	ND	1.0	ug/l	
76-13-1	Freon 113	ND	5.0	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l	
591-78-6	2-Hexanone	ND	5.0	ug/l	
98-82-8	Isopropylbenzene	ND	5.0	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l	
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l	
74-95-3	Methylene bromide	ND	5.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	ug/l	
91-20-3	Naphthalene	ND	5.0	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	ug/l	
100-42-5	Styrene	ND	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	ug/l	
109-99-9	Tetrahydrofuran	ND	10	ug/l	
108-88-3	Toluene	ND	1.0	ug/l	
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l	
79-01-6	Trichloroethene	ND	1.0	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l	
75-01-4	Vinyl chloride	ND	1.0	ug/l	
	m,p-Xylene	ND	1.0	ug/l	
95-47-6	o-Xylene	ND	1.0	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limit	ts
1868-53-7	Dibromofluoromethane	80%		70-13	0%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Page 3 of 3

4

Report of Analysis

 Client Sample ID:
 1264976

 Lab Sample ID:
 MC13777-16
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

VOA RCP List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	84%		70-130%
460-00-4	4-Bromofluorobenzene	79%		70-130%


ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank





Client Sample ID: 1264976

Page 1 of 1

Report of Analysis

Report of Analysis

 Lab Sample ID:
 MC13777-16
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Method:
 CT-ETPH 7/06 SW846 3510C
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 BC645236.D 1 09/11/12 KN 09/08/12 OP30303 GBC3114

Run #2

Initial Volume Final Volume
Run #1 1000 ml 1.0 ml

Run #2

CAS No. Compound Result RL Units Q

CT-ETPH (C9-C36) ND 0.080 mg/l

CAS No. Surrogate Recoveries Run# 1 Run# 2 Limits

84-15-1 o-Terphenyl 59% 50-149%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Report of Analysis

 Client Sample ID:
 1264976

 Lab Sample ID:
 MC13777-16
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Method:
 SW846 8082
 SW846 3510C
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 BK16909.D 1 09/13/12 AP 09/08/12 OP30302 GBK633

Run #2

2051-24-3

Run #1 970 ml 5.0 ml
Run #2

CT Polychlorinated Biphenyls RCP List

CAS No.	Compound	Result	RL	Units Q
12674-11-2	Aroclor 1016	ND	0.26	ug/l
11104-28-2	Aroclor 1221	ND	0.26	ug/l
11141-16-5	Aroclor 1232	ND	0.26	ug/l
53469-21-9	Aroclor 1242	ND	0.26	ug/l
12672-29-6	Aroclor 1248	ND	0.26	ug/l
11097-69-1	Aroclor 1254	ND	0.26	ug/l
11096-82-5	Aroclor 1260	ND	0.26	ug/l
37324-23-5	Aroclor 1262	ND	0.26	ug/l
11100-14-4	Aroclor 1268	ND	0.26	ug/l
				C
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
877-09-8	Tetrachloro-m-xylene	64%		30-150%
877-09-8	Tetrachloro-m-xylene	46%		30-150%
2051-24-3	Decachlorobiphenyl	72%		30-150%

49%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

Decachlorobiphenyl

J = Indicates an estimated value

30-150%

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Report of Analysis

 Client Sample ID:
 1264976UF

 Lab Sample ID:
 MC13777-17
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	< 4.0	4.0	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Barium	< 50	50	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Cadmium	< 4.0	4.0	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Chromium	< 10	10	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Copper	< 25	25	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Lead	< 5.0	5.0	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Mercury	< 0.20	0.20	ug/l	1	09/10/12	09/11/12 EM	SW846 7470A ¹	SW846 7470A ⁴
Nickel	< 40	40	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Selenium	< 10	10	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Silver	< 5.0	5.0	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³
Zinc	< 20	20	ug/l	1	09/07/12	09/10/12 EAL	SW846 6010C ²	SW846 3010A ³

(1) Instrument QC Batch: MA14696(2) Instrument QC Batch: MA14700(3) Prep QC Batch: MP19630(4) Prep QC Batch: MP19637



Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- · Chain of Custody
- RCP Form
- Sample Tracking Chronicle



PAGE __ OF __

	IT	E	S	T.	

CHA	IN	OF	CUS	FODY

	LABORATORII	\$ ** : =:		5 Technolog									FED-EX	Tracker	eg #		***************************************	80	ille Order	r Control #			
	LABORATORIE	. 10		EL. 508-48	1-6200		: 508-4						Accuse	t Quote	ž	3		Ac	culest Jol	6* m	C13	12	7
55/55-0	Client / Reporting Information					formati			(month)	100000000	waters!	decession.	$+$ Γ				رىح					<u>77</u>	
Compa	any Name	Project Na	ime _				UII				340000	1000000		Kec	lueste	d Ana	ilysis (see TES	1 COL	JE Snee	1)		Matrix Codes
Lo	ureiro Engineering A	ssoc lu	11110U BI	onk (Su	m							İ			5			- 1	-			DW - Drinking Water
		Street:			22.2		2000000	operient								Ü							GW - Ground Water WW - Water
10	O Northwest Dr.	\rightarrow				Billing Ir	formation	ya (‼fd	liffere	nt fror	n Rep	ort to)	_			+	١.						SW - Surface Water SO - Soil
Ď,	Si Wa CT	City:			Com	рапу пап	ie de la constant de								Ì	7	9)						SL- Sludge
Projec	Contact E-mail	Project#	$\overline{}$		Stree	et Address	/ 						-			ø	7		1				SED-Sediment OI - Oil
F	Contact E-mail					- 1				6	9	,	100			3	0.		ŀ				LIQ - Other Liquid AIR - Air
Phone	# F#X#	Client PO#		\	City	- (Yis	1919	1	Z	igue de la companya d	8	7	100	00	1, 5						SOL - Other Solid WP - Wipe
86	0 - 747 - 3000 er(s) Name(s) Phone #							M	1.	1			_ હ		10	4	1						FB-Field Blank
Sample	er(s) Name(s) Phone #	Project Mar	nager	_	Atter	ition:				PO#			8261	7	100	U	$ \cdot $						EB- Equipment Blank RB- Rinse Blank
<u>U</u>	Corcoras San Koose	/ 	1				1	_					~ ~	TP	и	Œ,	1 X						TB-Trip Blank
		Į	-	Collection	T	-			Number	r of prese	Tall	***********	Ö	U	8	F ~	12						
Accordes Sample &	Field ID / Point of Collection	MEOH/OI	√ial# Date	Time	Sample:	Matrix	# of bottle	5 F	HNO3	H2SO4 NONE	Di Wate	ENCORE	7	5	8	102	-						LAB USE ONLY
-1	1264979		9/6/12	10:46	JC	60	7	2		5	П	11	X	X	X	*	X		\top		1		
-2	1264979 UF		- I I	10:45		1	1	TT				П				V							
-3	1264991			10:46	-	Π	7	2.	Ħ	5		\top	¥	ע	30		ابرا		\top			一十	
-4	1264991UF			10:46	30	11	1	††	,	T	TT	11		~\.	-	×					+	\sqcap	
-5	1264990			10:51	25	+	1	1	11	+		\top	V			~	\vdash		+	_	1	\Box	
				13:36		+++		++	++	5	\vdash	++	(x)		X	_	X		-	+	+	\vdash	
	1264980				JC.	+-	7	2	+	0	H	++	<u>1</u>	X	1		^		+		+	\vdash	
7	1264980 UF			13:36	E	Н_	1	1	ı		<u> </u>	+-			<u> </u>	1			\perp	_	\perp	\vdash	
8	1264889			12:30	25	Ц_	7	2	\perp	5		11	12	×	¥		X					$oldsymbol{\sqcup}$	17D, 2H1
-9	1264889 UF	ļ		15:30	20		1		1							ょ						ı l	9A,5D
10	1264977			12:35	SR		7	2	П	S	П	TT	4	بد	7		$ \mathcal{Y} $				T		
-11	1264977VF			25:51	SR	П	1	П	,							~			\top		\Box		
	1264981			15:16	Je	1/	24	2	1	¥		 	4	~	' بد	7		_	_	\top	\dagger		
	1281101			70.10	Ĭ	V	Date Date		erable		matio	n					C	mment	s / Spc	cial Ins	truction	ıs İ	
	Turnaround Time (Business days)	Approved By	(Accutest PM): / Date:			Commer	cial "A" (Level 1)			NYA	SP Cate	зогу А		ſ	Ple		_	A	٠	10	_	T
	Std. 10 Business Days		***************************************				cial "B" (I		1			SP Cate	gory B		-	10	<u> ४</u> >		AAC	<u>oivio</u>	10	<u> </u>	[
	Std. 5 Business Days (By Contract only) 5 Day RUSH					CTRCP	(Level 3+	4)				Forms Format			H	- /	Pa	7~	-1	+	-	السمامة ة	(= 0.0)
	3 Day EMERGENCY					MA MCP				П	Othe					- /	7	1	1				1 UNIV
	2 Day EMERGENCY					1	Commen										22	970	<u>L</u>		K	21	Applytia
	1 Day EMERGENCY				17		Commen	cial "B" =	≂ Resu	its + QC	Sumn	nary			11	ナ	$\overline{}$						· '
Eme	argency & Rush T/A data available V/A Lablink		Sample Custody n	rust be docum	nented h	elow ear	ch time s	amples	s cha	nge po	ssess	sion, in	cluding	courie	4 .	,	<u></u>	_ 160	Sections		anavier.	Markey	
Relin		Time: 1 - 16	20 Received By:	1000	-			Relingu)		<u>s</u>			Date Tie	ne: []	Se Rec	elved By	0			
1 3	ay in	16/12	1/30	SIN				2		<u></u>	<u>, </u>	<u></u>					6-18			<u> </u>			
Ritin	quished by Sampler: Date	Time:	Received By:					1	uished l	Ву:						Date Tit	ne:	Rec	ceived By	:			
Palin	quished by: Date	Time:	Received By:					4 Custod	lv Sagi	#			Intact		Preserv	ed wher	e applicat	4 la		On k		Cooler T	emo.
veill	guianta oy.	******	The second state of the se					1	, Juli			ā					- Melinon			- CAT N		-5000	. E C

MC13777: Chain of Custody
Page 1 of 3



CHAIN OF CUSTODY

Accutest Laboratories of New England 495 Technology Center West, Building One

PAGE	- n	OF	2
1 401		OI-	

FED-EX Tracking #

LABORATOR		495	Technolog	borato:	ries of ter We	New E	nglanc	l Ine				FED-E	X Trackin	ig#			Биве	Order Co	oniral #		
CABORATOR	166		EL. 508-481	-6200	FAX	508-4						Acorder	stΩφole				Accus	est Job #			
				ww.acc								F	-01	/2	-510	215		031 JOO N	m	C13	717
Client / Reporting Information Company Name			Pro	ject Inf	ormati	on							Rec	veste	Analys	sis (se	e TEST	CODE	sheet)		Matrix Codes
Company Marine	Project Name	, D	~	•																	
Laureiro Engineering As	Sirger Sirger	10w Br	001	YM	И	45400000000	246650000	2000	7.65000000	9000000000	en kilome	7									DW - Drinking Wate GW - Ground Wate
Propos Contact Robin McKinney Propos Front				T.						_		1			1			1			WW - Water
City State	Zip City:				billing in Dany Nam	formatic	in (It di	tterer	nt from	Repo	rt to)	1			И					1 1	SW - Surface Water SO - Soil
Plain, 11e CT		\				_									Ē		-			1 1	SL- Sludge SED-Sediment
Project Contact E-mail	Project#			Stree	l Address						***************************************	1 .			6						OI - Oil
Robin McKinnex)						00	ĺ		≥]	- 1					LIQ - Other Liquid AIR - Air
Phone # Fax # Fax # Sampler(s) Name(s) Phone #	Client PO#			City		11	100	ite /	γ	Zip		0		$ \Delta$	D 00	ļ		İ			SOL - Other Solid WP - Wipe
Sampler(s) Name(s) Phone #			<u> </u>			7	<u> </u>	1				8560	I	Bog	∢ M						FB-Field Blank
Sampler(s) Name(s) Phone #	Project Manage	ar .		Atleni	tion:	•	i		20#	_		4	4	4	8. c						EB- Equipment Blan RB- Rinse Blank
Jeorgan/5 Romey	<u> </u>	1		↲			_					A	<u> -</u>	J	act			ļ			TB-Trip Blank
			Collection	-	-		N	umber	of preser	ved Bottl		v	2	8	7.3						
Acutoss				Sampled			_ E	8	HZSO4 NONE	Di Water MEOH	ENCORE	7005	CTETPH	P.B.	FO.					1	1
Field ID / Point of Collection	MEOH/DI Vial #		Time	by	hiairix	# of bottle	위 N	Ĭ.	원	ã ¥	2 8	-7	Ŭ	¥	F-						LAB USE ONLY
-13 1264981 UF		9/6/12	15:16	ا کرتا	Sa	1		1							\mathbf{x}						
14 1264978			15:05	SP	60	Ć	2	П	4			4	V	ي سرد				1			
-15 1264978UP	***************************************		15:05		-	1	Ħ	,	++		\vdash	· V	7	1	1-	+	+-	+-	+		
- 100417001		+	12 02.		Gω	-	+	7	107	+	-				4			\vdash	\vdash		<u> </u>
3		-	10:32	1	هد	6	2	<u> </u>	4	-	4	X	4-	+		_	-		\sqcup		
1264976UF			75:01	5.6	٥س	1		1	11					_	41						
							1			$\Lambda \Box$											
						11	1			1											
			***************************************	Transportation.		\vee	-	1	$\perp \angle$	\overline{M}	1					_	1	\vdash	\vdash		
		<u> </u>		_		<u> </u>	h	-	1/	/ Q					_	+	+	-	\vdash	_	
			 	-		1	14	Н	VV		4		-	-	\Rightarrow	_	$\pm -$	\vdash			
		ļ				1		Щ	AA	\perp					_					-	
									$Y \perp$				1								_
	ļ							1/	41				- 1								
				927 H ()		Data	Deliver	rable	Inform	ation						Com	ments / :	Specia	al Instru	ictions	1
Turnaround Time (Business days)	Approved By (Acc	cutest PM); / Date:				iał "A" (L			_		Catego		ļ	5	¥	_ ~		حاء		- ^-	ΛA -
Std. 10 Business Days Std. 5 Business Days (By Contract only)						ial "B" (L Level 3+					Catego	ory B	-		ras	9	21001	00		KU	report
5 Day RUSH						Level 3+	•,		-	State F			- 1	+=	-11	ء'جہ	ي سم «	~ ¥	4 Q) -	a Repost
3 Day EMERGENCY	***************************************				MA MCP				-	Other_	OT INC.		_ t			س	~Yn	XZ#_		-> <u>-</u>	<u>nu </u>
2 Day EMERGENCY						Commerc	al "A" ≖ l	Result	s Only	_		_		CT	* X		An	als	カン	, / /	ists
1 Day EMERGENCY				1	_/	Commerc	ial "B" = I	Result	s + QC	Summa	ry.				_			7			
Emergency & Rush T/A data available VIA Lablink	Car	mple Custody mu						- 6									- Intercepts	procession of		and the same	
Relinquished by Samples Da	ste Tigne: //12	Received By:	is the diction	ented be	now eac	ii time s	Relinguis			-		uaing	courie		ry. late Time:	183	Receive	ed Bv:			
1 dayer	16/12	1 Bell	11/1/				2			B	~			İ	4-6	12	2	Bo	,		
Resifiquished by Sampler: Da	ite Time:	Received By:	re				Relinquis	shed By	y:	0				n	ate Time:		Receive	d By:			
2 /		3					4				`			$_{\perp}$			4				
Relinquished by: Da	ite Time;	Received By:					Custody	Seal #			Π.	Intact			where app	olicable			On Ice	Coole	r Temp.
[3		5					1					Not intact			-				Litte		

MC13777: Chain of Custody Page 2 of 3







Accutest Laboratories

V:508.481.6200

Accutest Laboratories Sample Receipt Summary

Client: LEA Accutest Job Number: MC13777 Immediate Client Services Action Required: No Client Service Action Required at Login: Date / Time Received: 9/6/2012 **Delivery Method:** Nο Project: WILLOW BROOK GWM No. Coolers: Airbill #'s: Y or N Sample Integrity - Documentation **Cooler Security** Y or N Y or N П 3. COC Present: **√** 1. Custody Seals Present: ✓ 1. Sample labels present on bottles: ✓ 4. Smpl Dates/Time OK ✓ 2. Custody Seals Intact: ✓ 2. Container labeling complete: 3. Sample container label / COC agree: ✓ **Cooler Temperature** Y or N 1. Temp criteria achieved: Υ Ν or Sample Integrity - Condition 2. Cooler temp verification: Infared gun 1 1. Sample recvd within HT: 3. Cooler media: Ice (bag) 2. All containers accounted for: 1 **Quality Control Preservatio** Y or N N/A 3. Condition of sample: Intact 1. Trip Blank present / cooler: **√** Sample Integrity - Instructions or N N/A ✓ 2. Trip Blank listed on COC: 1 1. Analysis requested is clear: 3. Samples preserved properly: ✓ 2. Bottles received for unspecified tests ✓ 4. VOCs headspace free: 3. Sufficient volume recvd for analysis: **✓ ✓** 4. Compositing instructions clear: ✓ 5. Filtering instructions clear: ✓ Comments

495 Technology Center West, Bldg One

F: 508.481.7753

MC13777: Chain of Custody Page 3 of 3

Marlborough, MA



Reasonable Confidence Protocol Laboratory Analysis QA/QC Certification Form

Laboratory Name:	Accutest	New England	Client:	Loureiro Eng. Associates
Project Location:	PWCTEH: Hartford	:Willow Brook - Pond W. East	Project N	umber:
Sampling Date(s):	9/6/2012			
Laboratory Sample ID(s):	•	,	3777-4, MC13777-5, MC13777-6, MC13777- IC13777-11, MC13777-12, MC13777-13,

MC13777-14, MC13777-15, MC13777-16, MC13777-17

Methods: CT-ETPH 7/06, SW846 6010C, SW846 7470A, SW846 8082, SW846 8260B

wethous:	C1-E1PH 7/06, SW846 6010C, SW846 7470A, SW846 8082, SW846 8260B		
1	For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed, including the requirement to explain any criteria falling outside of acceptable guidelines, as specified in the CTDEP method-specific Reasonable Confidence Protocol documents)?	Yes 🔽	No 🗖
1A	Where all the method specified preservation and holding time requirements met?	Yes 🔽	No 🗖
1B	VPH and EPH mehods only: Was the VPH or EPH method conducted without significant modifications (See section 11.3 of respective methods)	Yes 🗖	No I
2	Were all samples received by the laboratory in a condition consistent with that described on the associated chain-of-custody document(s)?	Yes 🗹	No 🗖
3	Were samples received at an appropriate temperature (<6° C)?	Yes 🗹	No 🗆
4	Were all QA/QC performance criteria specified in the CTDEP Reasonable Confidence Protocol documents achieved?	Yes 🗖	No 🔽
5	a) Were reporting limits specified or referenced on the chain-of-custody?	Yes 🗖	No 🗹
	b) Were these reporting limits met?	Yes 🗀	No 🔽
6	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists presented in the Reasonable Confidence Protocol documents?	Yes 🗖	No 🔽
7	Are project-specific matrix spikes and laboratory duplicates included in this data set?	Yes 🔽	No 🗖

Note: For all questions to which the response was "No" (with the exception of question #7), additional information must be provided in an attached narrative. If the answer to question #1, #1A or #1B is "No", the data package does not meet the requirements for "Reasonable Confidence".

I, the undersigned, attest under pains and penalties of pe and based upon my personal inquiry of those responsible analytical report, such information is accurate and compl	e for providing the in	
Authorized		
Signature: And	Position:	Lab Director
Printed Name: Reza Tand Accutest New England	Date:	9/21/2012



Internal Sample Tracking Chronicle

Loureiro Eng. Associates

Job No: MC13777

PWCTEH: Willow Brook - Pond W. East Hartford

Project No: 88UT059

Sample Number	Method	Analyzed	Ву	Prepped	By	Test Codes
MC13777-1 1264979	Collected: 06-SEP-12 1	<u> </u>		ved: 06-SEP-	12 By:	
MC13777-1 MC13777-1	CT-ETPH 7/06 SW846 8082 SW846 8260B	10-SEP-12 22:49 13-SEP-12 15:08 17-SEP-12 11:58	KN AP JM	08-SEP-12 08-SEP-12		BCTTPH P8082RCP V8260RCP
MC13777-2 1264979UF	Collected: 06-SEP-12 1	0:46 By: JCSR	Receiv	ved: 06-SEP-	12 By:	
MC13777-2	SW846 6010C	10-SEP-12 13:33	EAL	07-SEP-12	DA	AG, AS, BA, CD, CR, CU, NI, PB, ZN
MC13777-2	SW846 7470A	11-SEP-12 11:22	EM	10-SEP-12	EM	HG
MC13777-3 1264991	Collected: 06-SEP-12 1	0:46 By: JCSR	Receiv	ved: 06-SEP-	12 By:	
MC13777-3	CT-ETPH 7/06 SW846 8082 SW846 8260B	10-SEP-12 23:21 13-SEP-12 15:27 17-SEP-12 14:53	KN AP JM	08-SEP-12 08-SEP-12		BCTTPH P8082RCP V8260RCP
MC13777-4 1264991UF	Collected: 06-SEP-12 1	0:46 By: JCSR	Receiv	ved: 06-SEP-	12 By:	
	SW846 6010C	10-SEP-12 13:38	EAL	07-SEP-12		AG, AS, BA, CD, CR, CU, NI, PB, ZN
	SW846 7470A	11-SEP-12 11:24	EM	10-SEP-12		HG
MC13777-5 1264990	Collected: 06-SEP-12 1	.0:51 By: JCSR	Receiv	ved: 06-SEP-	12 By:	
MC13777-5	SW846 8260B	17-SEP-12 11:29	JM			V8260RCP
MC13777-6 1264980	Collected: 06-SEP-12 1	3:36 By: JCSR	Receiv	ved: 06-SEP-	12 By:	
MC13777-6 MC13777-6	CT-ETPH 7/06 SW846 8082 SW846 8260B SW846 8260B	10-SEP-12 21:13 13-SEP-12 15:46 14-SEP-12 20:20 17-SEP-12 15:23	KN AP TT JM	08-SEP-12 08-SEP-12		BCTTPH P8082RCP V8260RCP V8260RCP



Internal Sample Tracking Chronicle

Loureiro Eng. Associates

Job No: MC13777

PWCTEH: Willow Brook - Pond W. East Hartford

Project No: 88UT059

Sample Number	Method	Analyzed	Ву	Prepped	Ву	Test Codes
MC13777-7 1264980UF	Collected: 06-SEP-12	13:36 By: JCSR	Receiv	ved: 06-SEP-	12 By:	
MC13777-7	SW846 6010C	10-SEP-12 13:43	EAL	07-SEP-12	DA	AG, AS, BA, CD, CR, CU, NI, PB, S ZN
MC13777-7	SW846 7470A	11-SEP-12 10:59	EM	10-SEP-12	EM	HG
MC13777-8 1264889	Collected: 06-SEP-12	15:30 By: JCSR	Receiv	ved: 06-SEP-	12 By:	
MC13777-8	S CT-ETPH 7/06 S SW846 8082 S SW846 8260B	10-SEP-12 21:45 13-SEP-12 16:05 17-SEP-12 12:27	KN AP JM	08-SEP-12 08-SEP-12		BCTTPH P8082RCP V8260RCP
MC13777-9 1264889UF	Collected: 06-SEP-12	15:30 By: JCSR	Receiv	ved: 06-SEP-	12 By:	
MC13777-9	SW846 6010C	10-SEP-12 13:48	EAL	07-SEP-12	DA	AG,AS,BA,CD,CR,CU,NI,PB,S
MC13777-9	SW846 7470A	11-SEP-12 11:27	EM	10-SEP-12	EM	HG
MC13777-1 1264977	Collected: 06-SEP-12	12:35 By: JCSR	Receiv	ved: 06-SEP-	12 By:	
MC13777-1	0CT-ETPH 7/06 0SW846 8082 0SW846 8260B	11-SEP-12 08:53 13-SEP-12 16:24 17-SEP-12 12:55	KN AP JM	08-SEP-12 08-SEP-12		BCTTPH P8082RCP V8260RCP
MC13777-1 1264977UF	Collected: 06-SEP-12	12:35 By: JCSR	Receiv	ed: 06-SEP-	12 By:	
MC13777-1	ISW846 6010C	10-SEP-12 13:53	EAL	07-SEP-12	DA	AG,AS,BA,CD,CR,CU,NI,PB,S
MC13777-1	ISW846 7470A	11-SEP-12 11:29	EM	10-SEP-12	EM	HG
MC13777-1 1264981	Collected: 06-SEP-12	15:16 By: JCSR	Receiv	ed: 06-SEP-	12 By:	
MC13777-1	2CT-ETPH 7/06	11-SEP-12 06:46	KN	08-SEP-12	MEW	ВСТТРН



MC13777

Job No:

Internal Sample Tracking Chronicle

Loureiro Eng. Associates

PWCTEH: Willow Brook - Pond W. East Hartford

Project No: 88UT059

Sample					
Number Method	Analyzed	By	Prepped	Ву	Test Codes
MC13777-128W846 8082 MC13777-128W846 8260B	13-SEP-12 16:43 17-SEP-12 14:22	AP JM	08-SEP-12	PA	P8082RCP V8260RCP
MC13777-13Collected: 06-SE 1264981UF	EP-12 15:16 By: JCSR	Receiv	ved: 06-SEP-	12 By:	
MC13777-13SW846 6010C	10-SEP-12 13:58	EAL	07-SEP-12	DA	AG, AS, BA, CD, CR, CU, NI, PB, SE ZN
MC13777-13SW846 7470A	11-SEP-12 11:32	EM	10-SEP-12	EM	HG
MC13777-14Collected: 06-SE 1264978	EP-12 15:05 By: JCSR	Receiv	ved: 06-SEP-	12 By:	
MC13777-14CT-ETPH 7/06 MC13777-14SW846 8082 MC13777-14SW846 8260B	11-SEP-12 06:14 13-SEP-12 17:02 17-SEP-12 13:24	KN AP JM	08-SEP-12 08-SEP-12		BCTTPH P8082RCP V8260RCP
MC13777-15Collected: 06-SE 1264978UF	EP-12 15:05 By: JCSR	Receiv	ved: 06-SEP-	12 By:	
MC13777-1 5 SW846 6010C	10-SEP-12 13:03	EAL	07-SEP-12	DA	AG,AS,BA,CD,CR,CU,NI,PB,SE ZN
MC13777-15SW846 7470A	11-SEP-12 11:34	EM	10-SEP-12	EM	HG
MC13777-16Collected: 06-SE 1264976	EP-12 10:35 By: JCSR	Receiv	ved: 06-SEP-	12 By:	
MC13777-16CT-ETPH 7/06 MC13777-16SW846 8082 MC13777-16SW846 8260B	11-SEP-12 05:43 13-SEP-12 17:21 17-SEP-12 13:53	KN AP JM	08-SEP-12 08-SEP-12		BCTTPH P8082RCP V8260RCP
MC13777-17Collected: 06-SE 1264976UF	EP-12 10:35 By: JCSR	Receiv	ved: 06-SEP-	12 By:	
MC13777-175W846 6010C	10-SEP-12 14:03	EAL	07-SEP-12	DA	AG,AS,BA,CD,CR,CU,NI,PB,SE ZN
MC13777-178W846 7470A	11-SEP-12 11:37	EM	10-SEP-12	EM	HG



GC/MS Volatiles

QC Data Summaries

Includes the following where applicable:

- · Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries
- Internal Standard Area Summaries
- Surrogate Recovery Summaries



Method: SW846 8260B

Method Blank Summary

Job Number: MC13777

Account: LEA Loureiro Eng. Associates

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Sample MSP2106-MB	File ID P64518.D	DF 1	Analyzed 09/14/12	By TT	Prep Date n/a	Prep Batch n/a	Analytical Batch MSP2106

The QC reported here applies to the following samples:

MC13777-6

CAS No.	Compound	Result	RL	Units Q
67-64-1	Acetone	ND	5.0	ug/l
107-13-1	Acrylonitrile	ND	5.0	ug/l
71-43-2	Benzene	ND	0.50	ug/l
108-86-1	Bromobenzene	ND	5.0	ug/l
75-27-4	Bromodichloromethane	ND	1.0	ug/l
75-25-2	Bromoform	ND	1.0	ug/l
74-83-9	Bromomethane	ND	2.0	ug/l
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l
104-51-8	n-Butylbenzene	5.2	5.0	ug/l
135-98-8	sec-Butylbenzene	ND	5.0	ug/l
98-06-6	tert-Butylbenzene	ND	5.0	ug/l
75-15-0	Carbon disulfide	ND	5.0	ug/l
56-23-5	Carbon tetrachloride	ND	1.0	ug/l
108-90-7	Chlorobenzene	ND	1.0	ug/l
75-00-3	Chloroethane	ND	2.0	ug/l
67-66-3	Chloroform	ND	1.0	ug/l
74-87-3	Chloromethane	ND	2.0	ug/l
95-49-8	o-Chlorotoluene	ND	5.0	ug/l
106-43-4	p-Chlorotoluene	ND	5.0	ug/l
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l
124-48-1	Dibromochloromethane	ND	1.0	ug/l
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l
75-34-3	1,1-Dichloroethane	ND	1.0	ug/l
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l
	cis-1,3-Dichloropropene	ND	0.50	ug/l
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l



Method: SW846 8260B

Method Blank Summary

Job Number: MC13777

Account: LEA Loureiro Eng. Associates

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Sample MSP2106-MB	File ID P64518.D	DF 1	Analyzed 09/14/12	By TT	Prep Date n/a	Prep Batch n/a	Analytical Batch MSP2106

The QC reported here applies to the following samples:

MC13777-6

CAS No.	Compound	Result	RL	Units Q
100-41-4	Ethylbenzene	ND	1.0	ug/l
76-13-1	Freon 113	ND	5.0	ug/l
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l
591-78-6	2-Hexanone	ND	5.0	ug/l
98-82-8	Isopropylbenzene	ND	5.0	ug/l
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l
74-95-3	Methylene bromide	ND	5.0	ug/l
75-09-2	Methylene chloride	ND	2.0	ug/l
91-20-3	Naphthalene	11.1	5.0	ug/l
103-65-1	n-Propylbenzene	ND	5.0	ug/l
100-42-5	Styrene	ND	5.0	ug/l
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l
127-18-4	Tetrachloroethene	ND	1.0	ug/l
109-99-9	Tetrahydrofuran	ND	10	ug/l
108-88-3	Toluene	ND	1.0	ug/l
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l
79-01-6	Trichloroethene	ND	1.0	ug/l
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l
75-01-4	Vinyl chloride	ND	1.0	ug/l
	m,p-Xylene	ND	1.0	ug/l
95-47-6	o-Xylene	ND	1.0	ug/l

CAS No. Surrogate Recoveries

Limits

1868-53-7 Dibromofluoromethane 103% 70-130%



Page 3 of 3

Method: SW846 8260B

Method Blank Summary

Job Number: MC13777

Account: LEA Loureiro Eng. Associates

PWCTEH: Willow Brook - Pond W. East Hartford **Project:**

Sample MSP2106-MB	File ID P64518.D	DF 1	Analyzed 09/14/12	By TT	Prep Date n/a	Prep Batch n/a	Analytical Batch MSP2106

The QC reported here applies to the following samples:

MC13777-6

CAS No. **Surrogate Recoveries** Limits 97% 2037-26-5 Toluene-D8 70-130% 116% 460-00-4 4-Bromofluorobenzene 70-130%



Method: SW846 8260B

Method Blank Summary

Job Number: MC13777

Account: LEA Loureiro Eng. Associates

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Sample	File ID	DF	Analyzed 09/17/12	By	Prep Date	Prep Batch	Analytical Batch
MSL3186-MB	L66880.D	1		JM	n/a	n/a	MSL3186

The QC reported here applies to the following samples:

CAS No.	Compound	Result	RL	Units Q
67-64-1	Acetone	ND	5.0	ug/l
107-13-1	Acrylonitrile	ND	5.0	ug/l
71-43-2	Benzene	ND	0.50	ug/l
108-86-1	Bromobenzene	ND	5.0	ug/l
75-27-4	Bromodichloromethane	ND	1.0	ug/l
75-25-2	Bromoform	ND	1.0	ug/l
74-83-9	Bromomethane	ND	2.0	ug/l
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l
104-51-8	n-Butylbenzene	ND	5.0	ug/l
135-98-8	sec-Butylbenzene	ND	5.0	ug/l
98-06-6	tert-Butylbenzene	ND	5.0	ug/l
75-15-0	Carbon disulfide	ND	5.0	ug/l
56-23-5	Carbon tetrachloride	ND	1.0	ug/l
108-90-7	Chlorobenzene	ND	1.0	ug/l
75-00-3	Chloroethane	ND	2.0	ug/l
67-66-3	Chloroform	ND	1.0	ug/l
74-87-3	Chloromethane	ND	2.0	ug/l
95-49-8	o-Chlorotoluene	ND	5.0	ug/l
106-43-4	p-Chlorotoluene	ND	5.0	ug/l
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l
124-48-1	Dibromochloromethane	ND	1.0	ug/l
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l
75-34-3	1,1-Dichloroethane	ND	1.0	ug/l
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l
156-59-2	cis-1,2-Dichloroethene	ND	1.0	ug/l
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l

Page 2 of 3

Method: SW846 8260B

Method Blank Summary

Job Number: MC13777

Account: LEA Loureiro Eng. Associates

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Sample	File ID	DF	Analyzed 09/17/12	By	Prep Date	Prep Batch	Analytical Batch
MSL3186-MB	L66880.D	1		JM	n/a	n/a	MSL3186

The QC reported here applies to the following samples:

CAS No.	Compound	Result	RL	Units Q
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l
100-41-4	Ethylbenzene	ND	1.0	ug/l
76-13-1	Freon 113	ND	5.0	ug/l
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l
591-78-6	2-Hexanone	ND	5.0	ug/l
98-82-8	Isopropylbenzene	ND	5.0	ug/l
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l
74-95-3	Methylene bromide	ND	5.0	ug/l
75-09-2	Methylene chloride	ND	2.0	ug/l
91-20-3	Naphthalene	ND	5.0	ug/l
103-65-1	n-Propylbenzene	ND	5.0	ug/l
100-42-5	Styrene	ND	5.0	ug/l
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l
127-18-4	Tetrachloroethene	ND	1.0	ug/l
109-99-9	Tetrahydrofuran	ND	10	ug/l
108-88-3	Toluene	ND	1.0	ug/l
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l
79-01-6	Trichloroethene	ND	1.0	ug/l
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l
75-01-4	Vinyl chloride	ND	1.0	ug/l
	m,p-Xylene	ND	1.0	ug/l
95-47-6	o-Xylene	ND	1.0	ug/l

Page 3 of 3

Method: SW846 8260B

Method Blank Summary

Job Number: MC13777

Account: LEA Loureiro Eng. Associates

PWCTEH: Willow Brook - Pond W. East Hartford **Project:**

Sample MSL3186-MB	File ID L66880.D	DF 1	Analyzed 09/17/12	By JM	Prep Date n/a	Prep Batch n/a	Analytical Batch MSL3186

The QC reported here applies to the following samples:

CAS No.	Surrogate Recoveries		Limits
1868-53-7	Dibromofluoromethane	80%	70-130%
2037-26-5	Toluene-D8	86%	70-130%
460-00-4	4-Bromofluorobenzene	83%	70-130%

Method: SW846 8260B

Blank Spike Summary Job Number: MC13777

Account: LEA Loureiro Eng. Associates

PWCTEH: Willow Brook - Pond W. East Hartford **Project:**

Sample MSP2106-BS	File ID P64515.D	DF 1	Analyzed 09/14/12	By TT	Prep Date n/a	Prep Batch n/a	Analytical Batch MSP2106

The QC reported here applies to the following samples:

MC13777-6

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
67-64-1	Acetone	50	74.4	149* a	70-130
107-13-1	Acrylonitrile	50	46.3	93	70-130
71-43-2	Benzene	50	45.5	91	70-130
108-86-1	Bromobenzene	50	51.3	103	70-130
75-27-4	Bromodichloromethane	50	51.5	103	70-130
75-25-2	Bromoform	50	40.4	81	70-130
74-83-9	Bromomethane	50	52.5	105	70-130
78-93-3	2-Butanone (MEK)	50	61.1	122	70-130
104-51-8	n-Butylbenzene	50	56.1	112	70-130
135-98-8	sec-Butylbenzene	50	57.8	116	70-130
98-06-6	tert-Butylbenzene	50	56.3	113	70-130
75-15-0	Carbon disulfide	50	50.3	101	70-130
56-23-5	Carbon tetrachloride	50	55.2	110	70-130
108-90-7	Chlorobenzene	50	53.9	108	70-130
75-00-3	Chloroethane	50	53.0	106	70-130
67-66-3	Chloroform	50	49.9	100	70-130
74-87-3	Chloromethane	50	53.4	107	70-130
95-49-8	o-Chlorotoluene	50	53.1	106	70-130
106-43-4	p-Chlorotoluene	50	57.4	115	70-130
96-12-8	1,2-Dibromo-3-chloropropane	50	59.4	119	70-130
124-48-1	Dibromochloromethane	50	50.3	101	70-130
106-93-4	1,2-Dibromoethane	50	52.8	106	70-130
95-50-1	1,2-Dichlorobenzene	50	55.2	110	70-130
541-73-1	1,3-Dichlorobenzene	50	55.8	112	70-130
106-46-7	1,4-Dichlorobenzene	50	51.2	102	70-130
75-71-8	Dichlorodifluoromethane	50	62.0	124	70-130
75-34-3	1,1-Dichloroethane	50	47.9	96	70-130
107-06-2	1,2-Dichloroethane	50	48.8	98	70-130
75-35-4	1,1-Dichloroethene	50	54.3	109	70-130
156-60-5	trans-1,2-Dichloroethene	50	43.5	87	70-130
78-87-5	1,2-Dichloropropane	50	48.2	96	70-130
142-28-9	1,3-Dichloropropane	50	44.4	89	70-130
594-20-7	2,2-Dichloropropane	50	40.1	80	70-130
563-58-6	1,1-Dichloropropene	50	53.1	106	70-130
10061-01-5	cis-1,3-Dichloropropene	50	44.8	90	70-130
10061-02-6	trans-1,3-Dichloropropene	50	44.2	88	70-130

^{* =} Outside of Control Limits.



Page 2 of 3

Method: SW846 8260B

Blank Spike Summary

Job Number: MC13777

Account: LEA Loureiro Eng. Associates

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Sample MSP2106-BS	File ID P64515.D	DF 1	Analyzed 09/14/12	By TT	Prep Date n/a	Prep Batch n/a	Analytical Batch MSP2106

The QC reported here applies to the following samples:

MC13777-6

G 1 G 27	~ .	Spike	BSP	BSP	
CAS No.	Compound	ug/l	ug/l	%	Limits
100-41-4	Ethylbenzene	50	51.3	103	70-130
76-13-1	Freon 113	50	53.2	106	70-130
87-68-3	Hexachlorobutadiene	50	55.3	111	70-130
591-78-6	2-Hexanone	50	69.2	138* a	70-130
98-82-8	Isopropylbenzene	50	57.6	115	70-130
99-87-6	p-Isopropyltoluene	50	57.6	115	70-130
1634-04-4	Methyl Tert Butyl Ether	50	42.1	84	70-130
108-10-1	4-Methyl-2-pentanone (MIBK)	50	54.8	110	70-130
74-95-3	Methylene bromide	50	50.5	101	70-130
75-09-2	Methylene chloride	50	44.9	90	70-130
91-20-3	Naphthalene	50	64.0	128	70-130
103-65-1	n-Propylbenzene	50	55.8	112	70-130
100-42-5	Styrene	50	50.6	101	70-130
630-20-6	1,1,1,2-Tetrachloroethane	50	52.6	105	70-130
79-34-5	1,1,2,2-Tetrachloroethane	50	51.6	103	70-130
127-18-4	Tetrachloroethene	50	54.9	110	70-130
109-99-9	Tetrahydrofuran	50	45.0	90	70-130
108-88-3	Toluene	50	46.5	93	70-130
110-57-6	Trans-1,4-Dichloro-2-Butene	50	56.5	113	70-130
87-61-6	1,2,3-Trichlorobenzene	50	62.8	126	70-130
120-82-1	1,2,4-Trichlorobenzene	50	55.0	110	70-130
71-55-6	1,1,1-Trichloroethane	50	48.6	97	70-130
79-00-5	1,1,2-Trichloroethane	50	41.5	83	70-130
79-01-6	Trichloroethene	50	49.5	99	70-130
75-69-4	Trichlorofluoromethane	50	55.9	112	70-130
96-18-4	1,2,3-Trichloropropane	50	53.1	106	70-130
95-63-6	1,2,4-Trimethylbenzene	50	51.2	102	70-130
108-67-8	1,3,5-Trimethylbenzene	50	52.0	104	70-130
75-01-4	Vinyl chloride	50	55.8	112	70-130
	m,p-Xylene	100	103	103	70-130
95-47-6	o-Xylene	50	54.0	108	70-130

CAS No.	Surrogate Recoveries	BSP	Limits
---------	----------------------	-----	--------

1868-53-7 Dibromofluoromethane 101% 70-130%



^{* =} Outside of Control Limits.

Page 3 of 3

Method: SW846 8260B

Blank Spike Summary

Job Number: MC13777

Account: LEA Loureiro Eng. Associates

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Sample MSP2106-BS	File ID P64515.D	DF 1	Analyzed 09/14/12	By TT	Prep Date n/a	Prep Batch n/a	Analytical Batch MSP2106

The QC reported here applies to the following samples:

MC13777-6

 CAS No.
 Surrogate Recoveries
 BSP
 Limits

 2037-26-5
 Toluene-D8
 95%
 70-130%

 460-00-4
 4-Bromofluorobenzene
 106%
 70-130%

(a) Outside control limits. Blank Spike meets program technical requirements.



^{* =} Outside of Control Limits.

Method: SW846 8260B

Blank Spike Summary Job Number: MC13777

Account: LEA Loureiro Eng. Associates

PWCTEH: Willow Brook - Pond W. East Hartford **Project:**

Sample MSL3186-BS	File ID L66877.D	DF 1	Analyzed 09/17/12	By JM	Prep Date n/a	Prep Batch n/a	Analytical Batch MSL3186

The QC reported here applies to the following samples:

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
67-64-1	Acetone	50	66.8	134* a	70-130
107-13-1	Acrylonitrile	50	53.9	108	70-130
71-43-2	Benzene	50	49.2	98	70-130
108-86-1	Bromobenzene	50	47.3	95	70-130
75-27-4	Bromodichloromethane	50	53.8	108	70-130
75-25-2	Bromoform	50	53.0	106	70-130
74-83-9	Bromomethane	50	29.5	59* a	70-130
78-93-3	2-Butanone (MEK)	50	52.4	105	70-130
104-51-8	n-Butylbenzene	50	47.2	94	70-130
135-98-8	sec-Butylbenzene	50	52.4	105	70-130
98-06-6	tert-Butylbenzene	50	49.1	98	70-130
75-15-0	Carbon disulfide	50	54.0	108	70-130
56-23-5	Carbon tetrachloride	50	50.5	101	70-130
108-90-7	Chlorobenzene	50	51.5	103	70-130
75-00-3	Chloroethane	50	41.8	84	70-130
67-66-3	Chloroform	50	46.2	92	70-130
74-87-3	Chloromethane	50	42.0	84	70-130
95-49-8	o-Chlorotoluene	50	49.4	99	70-130
106-43-4	p-Chlorotoluene	50	52.1	104	70-130
96-12-8	1,2-Dibromo-3-chloropropane	50	48.1	96	70-130
124-48-1	Dibromochloromethane	50	50.0	100	70-130
106-93-4	1,2-Dibromoethane	50	47.1	94	70-130
95-50-1	1,2-Dichlorobenzene	50	53.2	106	70-130
541-73-1	1,3-Dichlorobenzene	50	53.4	107	70-130
106-46-7	1,4-Dichlorobenzene	50	47.5	95	70-130
75-71-8	Dichlorodifluoromethane	50	45.5	91	70-130
75-34-3	1,1-Dichloroethane	50	51.9	104	70-130
107-06-2	1,2-Dichloroethane	50	50.5	101	70-130
75-35-4	1,1-Dichloroethene	50	47.1	94	70-130
156-59-2	cis-1,2-Dichloroethene	50	44.6	89	70-130
156-60-5	trans-1,2-Dichloroethene	50	45.4	91	70-130
78-87-5	1,2-Dichloropropane	50	51.7	103	70-130
142-28-9	1,3-Dichloropropane	50	49.5	99	70-130
594-20-7	2,2-Dichloropropane	50	57.2	114	70-130
563-58-6	1,1-Dichloropropene	50	49.1	98	70-130
10061-01-5	cis-1,3-Dichloropropene	50	45.7	91	70-130

^{* =} Outside of Control Limits.



Page 2 of 3

Method: SW846 8260B

Blank Spike Summary

Job Number: MC13777

Account: LEA Loureiro Eng. Associates

PWCTEH: Willow Brook - Pond W. East Hartford **Project:**

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
MSL3186-BS	L66877.D	1	09/17/12	JM	n/a	n/a	MSL3186

The QC reported here applies to the following samples:

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
10061-02-6	trans-1,3-Dichloropropene	50	48.2	96	70-130
100-41-4	Ethylbenzene	50	47.9	96	70-130
76-13-1	Freon 113	50	47.5	95	70-130
87-68-3	Hexachlorobutadiene	50	54.6	109	70-130
591-78-6	2-Hexanone	50	61.8	124	70-130
98-82-8	Isopropylbenzene	50	50.4	101	70-130
99-87-6	p-Isopropyltoluene	50	51.4	103	70-130
1634-04-4	Methyl Tert Butyl Ether	50	44.1	88	70-130
108-10-1	4-Methyl-2-pentanone (MIBK)	50	52.7	105	70-130
74-95-3	Methylene bromide	50	47.7	95	70-130
75-09-2	Methylene chloride	50	46.5	93	70-130
91-20-3	Naphthalene	50	40.6	81	70-130
103-65-1	n-Propylbenzene	50	50.3	101	70-130
100-42-5	Styrene	50	47.7	95	70-130
630-20-6	1,1,1,2-Tetrachloroethane	50	54.7	109	70-130
79-34-5	1,1,2,2-Tetrachloroethane	50	46.6	93	70-130
127-18-4	Tetrachloroethene	50	53.5	107	70-130
109-99-9	Tetrahydrofuran	50	44.3	89	70-130
108-88-3	Toluene	50	49.6	99	70-130
110-57-6	Trans-1,4-Dichloro-2-Butene	50	60.5	121	70-130
87-61-6	1,2,3-Trichlorobenzene	50	48.3	97	70-130
120-82-1	1,2,4-Trichlorobenzene	50	49.2	98	70-130
71-55-6	1,1,1-Trichloroethane	50	45.6	91	70-130
79-00-5	1,1,2-Trichloroethane	50	49.1	98	70-130
79-01-6	Trichloroethene	50	47.4	95	70-130
75-69-4	Trichlorofluoromethane	50	37.8	76	70-130
96-18-4	1,2,3-Trichloropropane	50	49.3	99	70-130
95-63-6	1,2,4-Trimethylbenzene	50	46.4	93	70-130
108-67-8	1,3,5-Trimethylbenzene	50	46.0	92	70-130
75-01-4	Vinyl chloride	50	44.3	89	70-130
	m,p-Xylene	100	98.7	99	70-130
95-47-6	o-Xylene	50	53.5	107	70-130



^{* =} Outside of Control Limits.

Page 3 of 3

Method: SW846 8260B

Blank Spike Summary Job Number: MC13777

Account: LEA Loureiro Eng. Associates

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Sample MSL3186-BS	File ID L66877.D	DF 1	Analyzed 09/17/12	By JM	Prep Date	Prep Batch n/a	Analytical Batch MSL3186

The QC reported here applies to the following samples:

MC13777-1, MC13777-3, MC13777-5, MC13777-6, MC13777-8, MC13777-10, MC13777-12, MC13777-14, MC13777-16

CAS No.	Surrogate Recoveries	BSP	Limits
	Dibromofluoromethane	75%	70-130%
	Toluene-D8 4-Bromofluorobenzene	85% 81%	70-130% 70-130%

(a) Outside control limits. Blank Spike meets program technical requirements.



^{* =} Outside of Control Limits.

Method: SW846 8260B

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: MC13777

Account: LEA Loureiro Eng. Associates

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
MC13777-1MS	L66900.D	5	09/17/12	JM	n/a	n/a	MSL3186
MC13777-1MSD	L66901.D	5	09/17/12	JM	n/a	n/a	MSL3186
MC13777-1	L66883.D	1	09/17/12	JM	n/a	n/a	MSL3186

The QC reported here applies to the following samples:

MC13777-1, MC13777-3, MC13777-5, MC13777-6, MC13777-8, MC13777-10, MC13777-12, MC13777-14, MC13777-16

CAS No. Compound ug/l Q ug/l ug/l % ug/l % PRD Rec/RPD 67-64-1 Acetone ND 250 505 202* a 390 156* a 26 70-130/30 107-13-1 Acrylonitrile ND 250 299 120 318 127 6 70-130/30 108-86-1 Bromobenzene ND 250 238 95 247 99 4 70-130/30 75-27-4 Bromodichloromethane ND 250 290 116 289 116 0 70-130/30 75-27-2 Bromomethane ND 250 220 113 287 115 2 70-130/30 78-93-3 2-Butanone (MEK) ND 250 245 98 240 96 2 70-130/30 78-93-3 2-Butanone (MEK) ND 250 245 98 240 96 2 70-130/30 104-13-18 nsec-Butylbenzene ND 250 241			MC1377	7-1	Spike	MS	MS	MSD	MSD		Limits
107-13-1 Acrylonitrile	CAS No.	Compound	ug/l	Q	ug/l	ug/l	%	ug/l	%	RPD	Rec/RPD
107-13-1 Acrylonitrile	67.64.1	A	ND		250	505	202* 8	200	1 <i>5 (</i> \ 2	26	70 120/20
71-43-2 Benzene ND 250 262 105 260 104 1 70-130/30 108-86-1 Bromodenzene ND 250 238 95 247 99 4 70-130/30 75-27-4 Bromoform ND 250 290 116 289 116 0 70-130/30 75-25-2 Bromoform ND 250 292.7 37*a 115 2 70-130/30 74-83-9 Bromomethane ND 250 92.7 37*a 131 52*a 34*a 70-130/30 78-93-3 2-Butanone (MEK) ND 250 245 98 240 96 2 70-130/30 104-51-8 n-Butylbenzene ND 250 234 94 235 94 0 70-130/30 135-98-8 sec-Butylbenzene ND 250 246 98 250 100 2 70-130/30 75-15-0 Carbon disulfide ND 2											
108-86-1 Bromobenzene ND 250 238 95 247 99 4 70-130/30 75-27-4 Bromodichloromethane ND 250 290 116 289 116 0 70-130/30 75-25-2 Bromoform ND 250 282 113 287 115 2 70-130/30 74-83-9 Bromomethane ND 250 92.7 37* a 131 52* a 34* a 70-130/30 78-93-3 2-Butanone (MEK) ND 250 245 98 240 96 2 70-130/30 78-93-3 2-Butanone (MEK) ND 250 245 98 240 96 2 70-130/30 70-135-8 n-Butylbenzene ND 250 234 94 235 94 0 70-130/30 70-135-98-8 sec-Butylbenzene ND 250 246 98 250 100 2 70-130/30 75-15-0 Carbon disulfide ND 250 293 117 294 118 0 70-130/30 75-10-3 Chlorobenzene ND 250 261 104 262 105 0 70-130/30 75-00-3 Chlorobenzene ND 250 227 109 272 109 0 70-130/30 75-00-3 Chlorobenzene ND 250 227 86 232 88 2 70-130/30 74-87-3 Chloroform 1.5 250 250 99 255 101 2 70-130/30 76-48-4 p-Chlorotoluene ND 250 255 102 257 103 1 70-130/30 76-43-4 p-Chlorotoluene ND 250 255 102 257 103 1 70-130/30 76-93-4 1,2-Dibromo-3-chloropropane ND 250 255 102 257 103 1 70-130/30 75-11-8 Dibromochlane ND 250 255 102 258 103 1 70-130/30 75-35-4 1,1-Dichlorobenzene ND 250 250 261 104 262 105 104 70-130/30 75-33-4 1,1-Dichlorobenzene ND 250 255 102 258 103 1 70-130/30 75-35-4 1,1-Dichlorobenzene ND 250 255 102 258 103 1 70-130/30 75-35-4 1,1-Dichlorobenzene ND 250 250 261 106 267 111 1 70-130/30 75-35-4 1,1-Dichlorobenzene ND 250 238 95 237 95 0 70-130/30 75-35-4 1,1-Dichlorobenzene ND 250 238 95 237 95 0 70-130/30 75-35-4 1,1-Dichlorobenzene ND 250 238 95 237 95 0 70-130/30 75-35-4 1,1-Dichlorobenzene ND 250 238 95 237 95 0 70-130/30 75-35-4 1,1-Dichlorobenzene		•									
75-27-4 Bromodichloromethane ND 250 290 116 289 116 0 70-130/30 75-25-2 Bromoform ND 250 282 113 287 115 2 70-130/30 74-83-9 Bromomethane ND 250 92.7 37*a 131 52*a 34*a 70-130/30 104-51-8 n-Butylbenzene ND 250 245 98 240 96 2 70-130/30 135-98-8 sec-Butylbenzene ND 250 261 104 270 108 3 70-130/30 98-06-6 tert-Butylbenzene ND 250 261 104 270 108 3 70-130/30 56-23-5 Carbon disulfide ND 250 261 104 262 105 0 70-130/30 56-23-5 Carbon tetrachloride ND 250 272 109 272 109 0 70-130/30 75-00-3 Chlo											
75-25-2 Bromoform ND 250 282 113 287 115 2 70-130/30 74-83-9 Bromomethane ND 250 92.7 37* a 131 52* a 34* a 70-130/30 78-93-3 2-Butanone (MEK) ND 250 245 98 240 96 2 70-130/30 104-51-8 n-Butylbenzene ND 250 234 94 235 94 0 70-130/30 135-98-8 sec-Butylbenzene ND 250 261 104 270 108 3 70-130/30 98-06-6 tert-Butylbenzene ND 250 246 98 250 100 2 70-130/30 75-15-0 Carbon disulfide ND 250 293 117 294 118 0 70-130/30 108-90-7 Chlorobenzene ND 250 227 109 272 109 0 70-130/30 75-00-3 Chloroform <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>											
74-83-9 Bromomethane ND 250 92.7 37* a 131 52* a 34* a 70-130/30 78-93-3 2-Butanone (MEK) ND 250 245 98 240 96 2 70-130/30 104-51-8 n-Butylbenzene ND 250 234 94 235 94 0 70-130/30 135-98-8 sec-Butylbenzene ND 250 261 104 270 108 3 70-130/30 98-06-6 tert-Butylbenzene ND 250 246 98 250 100 2 70-130/30 75-15-0 Carbon disulfide ND 250 293 117 294 118 0 70-130/30 56-23-5 Carbon tetrachloride ND 250 227 109 272 109 0 70-130/30 75-00-3 Chlorotehane 12.0 250 227 109 255 101 2 70-130/30 76-66-3 Chl											
78-93-3 2-Butanone (MEK) ND 250 245 98 240 96 2 70-130/30 104-51-8 n-Butylbenzene ND 250 234 94 235 94 0 70-130/30 135-98-8 sec-Butylbenzene ND 250 261 104 270 108 3 70-130/30 98-06-6 tert-Butylbenzene ND 250 246 98 250 100 2 70-130/30 75-15-0 Carbon disulfide ND 250 293 117 294 118 0 70-130/30 56-23-5 Carbon tetrachloride ND 250 261 104 262 105 0 70-130/30 75-00-3 Chlorothane 12.0 250 272 109 272 109 0 70-130/30 74-87-3 Chlorotothane ND 250 250 99 255 101 2 70-130/30 74-87-8 O-Chlorotolue											
104-51-8 n-Butylbenzene ND 250 234 94 235 94 0 70-130/30 135-98-8 sec-Butylbenzene ND 250 261 104 270 108 3 70-130/30 98-06-6 tert-Butylbenzene ND 250 246 98 250 100 2 70-130/30 75-15-0 Carbon disulfide ND 250 293 117 294 118 0 70-130/30 56-23-5 Carbon tetrachloride ND 250 227 109 272 109 0 70-130/30 18-90-7 Chlorobenzene ND 250 227 109 272 109 0 70-130/30 75-00-3 Chlorotethane 12.0 250 227 86 232 88 2 70-130/30 74-87-3 Chlorotethane ND 250 255 102 257 103 1 70-130/30 106-43-4 p-Chlorotolu											
135-98-8 sec-Butylbenzene ND 250 261 104 270 108 3 70-130/30 98-06-6 tert-Butylbenzene ND 250 246 98 250 100 2 70-130/30 75-15-0 Carbon disulfide ND 250 293 117 294 118 0 70-130/30 56-23-5 Carbon disulfide ND 250 261 104 262 105 0 70-130/30 108-90-7 Chlorobenzene ND 250 227 109 272 109 0 70-130/30 75-00-3 Chloroform 1.5 250 227 86 232 88 2 70-130/30 67-66-3 Chloroform 1.5 250 250 99 255 101 2 70-130/30 95-49-8 o-Chlorotoluene ND 250 255 102 257 103 1 70-130/30 96-12-8 1,2-Dibromochane											
98-06-6 tert-Buylbenzene ND 250 246 98 250 100 2 70-130/30 75-15-0 Carbon disulfide ND 250 293 117 294 118 0 70-130/30 56-23-5 Carbon tetrachloride ND 250 261 104 262 105 0 70-130/30 75-00-3 Chlorobenzene ND 250 227 109 272 109 0 70-130/30 75-00-3 Chloroform 1.5 250 227 86 232 88 2 70-130/30 74-87-3 Chloroform 1.5 250 255 102 257 103 1 70-130/30 95-49-8 o-Chlorotoluene ND 250 255 102 257 103 1 70-130/30 96-12-8 1,2-Dibromo-3-chloropropane ND 250 265 106 266 106 0 70-130/30 126-93-4 1,2-Dib		· · · · · · · · · · · · · · · · · · ·									
75-15-0 Carbon disulfide ND 250 293 117 294 118 0 70-130/30 56-23-5 Carbon tetrachloride ND 250 261 104 262 105 0 70-130/30 108-90-7 Chlorobenzene ND 250 272 109 272 109 0 70-130/30 75-00-3 Chloroferm 1.5 250 227 86 232 88 2 70-130/30 67-66-3 Chloroform 1.5 250 250 99 255 101 2 70-130/30 74-87-3 Chlorotoluene ND 250 255 102 257 103 1 70-130/30 95-49-8 o-Chlorotoluene ND 250 255 102 257 103 1 70-130/30 106-43-4 p-Chlorotoluene ND 250 265 106 266 106 0 70-130/30 12-4-8 1,2-Dibromocallorometh											
56-23-5 Carbon tetrachloride ND 250 261 104 262 105 0 70-130/30 108-90-7 Chlorobenzene ND 250 272 109 272 109 0 70-130/30 75-00-3 Chlorothane 12.0 250 227 86 232 88 2 70-130/30 67-66-3 Chloroform 1.5 250 250 99 255 101 2 70-130/30 74-87-3 Chlorotoluene ND 250 185 74 215 86 15 70-130/30 95-49-8 o-Chlorotoluene ND 250 255 102 257 103 1 70-130/30 96-12-8 1,2-Dibromo-3-chloropropane ND 250 265 106 266 106 0 70-130/30 106-93-4 1,2-Dibromochlare ND 250 266 106 269 108 1 70-130/30 55-50-1 1,2-Dic		•									
108-90-7 Chlorobenzene ND 250 272 109 272 109 0 70-130/30 75-00-3 Chloroethane 12.0 250 227 86 232 88 2 70-130/30 67-66-3 Chloroform 1.5 250 250 99 255 101 2 70-130/30 74-87-3 Chlorotoluene ND 250 185 74 215 86 15 70-130/30 95-49-8 o-Chlorotoluene ND 250 255 102 257 103 1 70-130/30 96-12-8 1,2-Dibromo-3-chloropropane ND 250 265 106 266 106 0 70-130/30 124-48-1 Dibromochloromethane ND 250 263 105 275 110 4 70-130/30 106-93-4 1,2-Dibromoethane ND 250 255 102 258 103 1 70-130/30 55-0-1 1,2-Di											
75-00-3 Chloroethane 12.0 250 227 86 232 88 2 70-130/30 67-66-3 Chloroform 1.5 250 250 99 255 101 2 70-130/30 74-87-3 Chloromethane ND 250 185 74 215 86 15 70-130/30 95-49-8 o-Chlorotoluene ND 250 255 102 257 103 1 70-130/30 106-43-4 p-Chlorotoluene ND 250 265 106 266 106 0 70-130/30 96-12-8 1,2-Dibromo-3-chloropropane ND 250 263 105 275 110 4 70-130/30 124-48-1 Dibromochloromethane ND 250 266 106 269 108 1 70-130/30 106-93-4 1,2-Dichlorobenzene ND 250 255 102 258 103 1 70-130/30 95-50-1 1											
67-66-3 Chloroform 1.5 250 250 99 255 101 2 70-130/30 74-87-3 Chloromethane ND 250 185 74 215 86 15 70-130/30 95-49-8 o-Chlorotoluene ND 250 255 102 257 103 1 70-130/30 106-43-4 p-Chlorotoluene ND 250 265 106 266 106 0 70-130/30 96-12-8 1,2-Dibromo-3-chloropropane ND 250 263 105 275 110 4 70-130/30 124-48-1 Dibromochloromethane ND 250 266 106 269 108 1 70-130/30 106-93-4 1,2-Dibromoethane ND 250 255 102 258 103 1 70-130/30 95-50-1 1,2-Dichlorobenzene ND 250 267 107 277 111 4 70-130/30 106-46-7											
74-87-3 Chloromethane ND 250 185 74 215 86 15 70-130/30 95-49-8 o-Chlorotoluene ND 250 255 102 257 103 1 70-130/30 106-43-4 p-Chlorotoluene ND 250 265 106 266 106 0 70-130/30 96-12-8 1,2-Dibromo-3-chloropropane ND 250 263 105 275 110 4 70-130/30 124-48-1 Dibromochloromethane ND 250 266 106 269 108 1 70-130/30 106-93-4 1,2-Dibromoethane ND 250 255 102 258 103 1 70-130/30 95-50-1 1,2-Dichlorobenzene ND 250 267 107 277 111 4 70-130/30 541-73-1 1,3-Dichlorobenzene ND 250 238 107 277 111 3 70-130/30 75-71-8 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>											
95-49-8 o-Chlorotoluene ND 250 255 102 257 103 1 70-130/30 106-43-4 p-Chlorotoluene ND 250 265 106 266 106 0 70-130/30 96-12-8 1,2-Dibromo-3-chloropropane ND 250 263 105 275 110 4 70-130/30 124-48-1 Dibromochloromethane ND 250 266 106 269 108 1 70-130/30 106-93-4 1,2-Dibromoethane ND 250 255 102 258 103 1 70-130/30 95-50-1 1,2-Dichlorobenzene ND 250 267 107 277 111 4 70-130/30 541-73-1 1,3-Dichlorobenzene ND 250 268 107 277 111 3 70-130/30 75-71-8 Dichlorodifluoromethane ND 250 238 95 237 95 0 70-130/30 10											
106-43-4 p-Chlorotoluene ND 250 265 106 266 106 0 70-130/30 96-12-8 1,2-Dibromo-3-chloropropane ND 250 263 105 275 110 4 70-130/30 124-48-1 Dibromochloromethane ND 250 266 106 269 108 1 70-130/30 106-93-4 1,2-Dibromoethane ND 250 255 102 258 103 1 70-130/30 95-50-1 1,2-Dichlorobenzene ND 250 267 107 277 111 4 70-130/30 541-73-1 1,3-Dichlorobenzene ND 250 268 107 277 111 3 70-130/30 106-46-7 1,4-Dichlorobenzene ND 250 239 96 243 97 2 70-130/30 75-34-3 1,1-Dichloroethane 8.0 250 283 110 286 111 1 70-130/30 7											
96-12-8 1,2-Dibromo-3-chloropropane ND 250 263 105 275 110 4 70-130/30 124-48-1 Dibromochloromethane ND 250 266 106 269 108 1 70-130/30 106-93-4 1,2-Dibromoethane ND 250 255 102 258 103 1 70-130/30 95-50-1 1,2-Dichlorobenzene ND 250 267 107 277 111 4 70-130/30 541-73-1 1,3-Dichlorobenzene ND 250 268 107 277 111 3 70-130/30 106-46-7 1,4-Dichlorobenzene ND 250 239 96 243 97 2 70-130/30 75-71-8 Dichlorodifluoromethane ND 250 238 95 237 95 0 70-130/30 75-34-3 1,1-Dichloroethane 8.0 250 283 110 286 111 1 70-130/30											
124-48-1 Dibromochloromethane ND 250 266 106 269 108 1 70-130/30 106-93-4 1,2-Dibromoethane ND 250 255 102 258 103 1 70-130/30 95-50-1 1,2-Dichlorobenzene ND 250 267 107 277 111 4 70-130/30 541-73-1 1,3-Dichlorobenzene ND 250 268 107 277 111 3 70-130/30 106-46-7 1,4-Dichlorobenzene ND 250 239 96 243 97 2 70-130/30 75-71-8 Dichlorodifluoromethane ND 250 238 95 237 95 0 70-130/30 75-34-3 1,1-Dichloroethane 8.0 250 283 110 286 111 1 70-130/30 107-06-2 1,2-Dichloroethane ND 250 273 79 273 79 0 70-130/30 156-59											
106-93-4 1,2-Dibromoethane ND 250 255 102 258 103 1 70-130/30 95-50-1 1,2-Dichlorobenzene ND 250 267 107 277 111 4 70-130/30 541-73-1 1,3-Dichlorobenzene ND 250 268 107 277 111 3 70-130/30 106-46-7 1,4-Dichlorobenzene ND 250 239 96 243 97 2 70-130/30 75-71-8 Dichlorodifluoromethane ND 250 238 95 237 95 0 70-130/30 75-34-3 1,1-Dichloroethane 8.0 250 283 110 286 111 1 70-130/30 107-06-2 1,2-Dichloroethane ND 250 275 110 277 111 1 70-130/30 75-35-4 1,1-Dichloroethene 74.8 250 273 79 273 79 0 70-130/30 156-59-											
95-50-1 1,2-Dichlorobenzene ND 250 267 107 277 111 4 70-130/30 541-73-1 1,3-Dichlorobenzene ND 250 268 107 277 111 3 70-130/30 106-46-7 1,4-Dichlorobenzene ND 250 239 96 243 97 2 70-130/30 75-71-8 Dichlorodifluoromethane ND 250 238 95 237 95 0 70-130/30 75-34-3 1,1-Dichloroethane 8.0 250 283 110 286 111 1 70-130/30 107-06-2 1,2-Dichloroethane ND 250 275 110 277 111 1 70-130/30 75-35-4 1,1-Dichloroethene 74.8 250 273 79 273 79 0 70-130/30 156-59-2 cis-1,2-Dichloroethene 60.9 250 273 85 278 87 2 70-130/30 78											
541-73-1 1,3-Dichlorobenzene ND 250 268 107 277 111 3 70-130/30 106-46-7 1,4-Dichlorobenzene ND 250 239 96 243 97 2 70-130/30 75-71-8 Dichlorodifluoromethane ND 250 238 95 237 95 0 70-130/30 75-34-3 1,1-Dichloroethane 8.0 250 283 110 286 111 1 70-130/30 107-06-2 1,2-Dichloroethane ND 250 275 110 277 111 1 70-130/30 75-35-4 1,1-Dichloroethene 74.8 250 273 79 273 79 0 70-130/30 156-59-2 cis-1,2-Dichloroethene 60.9 250 273 85 278 87 2 70-130/30 156-60-5 trans-1,2-Dichloroethene ND 250 243 97 249 100 2 70-130/30 <											
106-46-7 1,4-Dichlorobenzene ND 250 239 96 243 97 2 70-130/30 75-71-8 Dichlorodifluoromethane ND 250 238 95 237 95 0 70-130/30 75-34-3 1,1-Dichloroethane 8.0 250 283 110 286 111 1 70-130/30 107-06-2 1,2-Dichloroethane ND 250 275 110 277 111 1 70-130/30 75-35-4 1,1-Dichloroethene 74.8 250 273 79 273 79 0 70-130/30 156-59-2 cis-1,2-Dichloroethene 60.9 250 273 85 278 87 2 70-130/30 156-60-5 trans-1,2-Dichloroethene ND 250 243 97 249 100 2 70-130/30 78-87-5 1,2-Dichloropropane ND 250 277 111 276 110 0 70-130/30 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>											
75-71-8 Dichlorodifluoromethane ND 250 238 95 237 95 0 70-130/30 75-34-3 1,1-Dichloroethane 8.0 250 283 110 286 111 1 70-130/30 107-06-2 1,2-Dichloroethane ND 250 275 110 277 111 1 70-130/30 75-35-4 1,1-Dichloroethene 74.8 250 273 79 273 79 0 70-130/30 156-59-2 cis-1,2-Dichloroethene 60.9 250 273 85 278 87 2 70-130/30 156-60-5 trans-1,2-Dichloroethene ND 250 243 97 249 100 2 70-130/30 78-87-5 1,2-Dichloropropane ND 250 277 111 276 110 0 70-130/30 142-28-9 1,3-Dichloropropane ND 250 266 106 269 108 1 70-130/30											
75-34-3 1,1-Dichloroethane 8.0 250 283 110 286 111 1 70-130/30 107-06-2 1,2-Dichloroethane ND 250 275 110 277 111 1 70-130/30 75-35-4 1,1-Dichloroethene 74.8 250 273 79 273 79 0 70-130/30 156-59-2 cis-1,2-Dichloroethene 60.9 250 273 85 278 87 2 70-130/30 156-60-5 trans-1,2-Dichloroethene ND 250 243 97 249 100 2 70-130/30 78-87-5 1,2-Dichloropropane ND 250 277 111 276 110 0 70-130/30 142-28-9 1,3-Dichloropropane ND 250 266 106 269 108 1 70-130/30											
107-06-2 1,2-Dichloroethane ND 250 275 110 277 111 1 70-130/30 75-35-4 1,1-Dichloroethene 74.8 250 273 79 273 79 0 70-130/30 156-59-2 cis-1,2-Dichloroethene 60.9 250 273 85 278 87 2 70-130/30 156-60-5 trans-1,2-Dichloroethene ND 250 243 97 249 100 2 70-130/30 78-87-5 1,2-Dichloropropane ND 250 277 111 276 110 0 70-130/30 142-28-9 1,3-Dichloropropane ND 250 266 106 269 108 1 70-130/30											
75-35-4 1,1-Dichloroethene 74.8 250 273 79 273 79 0 70-130/30 156-59-2 cis-1,2-Dichloroethene 60.9 250 273 85 278 87 2 70-130/30 156-60-5 trans-1,2-Dichloroethene ND 250 243 97 249 100 2 70-130/30 78-87-5 1,2-Dichloropropane ND 250 277 111 276 110 0 70-130/30 142-28-9 1,3-Dichloropropane ND 250 266 106 269 108 1 70-130/30		*									
156-59-2 cis-1,2-Dichloroethene 60.9 250 273 85 278 87 2 70-130/30 156-60-5 trans-1,2-Dichloroethene ND 250 243 97 249 100 2 70-130/30 78-87-5 1,2-Dichloropropane ND 250 277 111 276 110 0 70-130/30 142-28-9 1,3-Dichloropropane ND 250 266 106 269 108 1 70-130/30											
156-60-5 trans-1,2-Dichloroethene ND 250 243 97 249 100 2 70-130/30 78-87-5 1,2-Dichloropropane ND 250 277 111 276 110 0 70-130/30 142-28-9 1,3-Dichloropropane ND 250 266 106 269 108 1 70-130/30		*									
78-87-5 1,2-Dichloropropane ND 250 277 111 276 110 0 70-130/30 142-28-9 1,3-Dichloropropane ND 250 266 106 269 108 1 70-130/30											
142-28-9 1,3-Dichloropropane ND 250 266 106 269 108 1 70-130/30							97				70-130/30
	78-87-5		ND		250	277	111		110	0	70-130/30
594-20-7 2.2-Dichloropropane ND 250 273 109 280 112 3 70-130/30											
	594-20-7	2,2-Dichloropropane	ND		250	273	109	280	112	3	70-130/30
563-58-6 1,1-Dichloropropene ND 250 257 103 259 104 1 70-130/30											
10061-01-5 cis-1,3-Dichloropropene ND 250 233 93 240 96 3 70-130/30	10061-01-5	cis-1,3-Dichloropropene	ND		250	233	93	240	96	3	70-130/30

^{* =} Outside of Control Limits.



Page 2 of 3

Method: SW846 8260B

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: MC13777

Account: LEA Loureiro Eng. Associates

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Sample	File ID	DF	Analyzed	Ву	Prep Date	Prep Batch	Analytical Batch
MC13777-1MS	L66900.D	5	09/17/12	JM	n/a	n/a	MSL3186
MC13777-1MSD	L66901.D	5	09/17/12	JM	n/a	n/a	MSL3186
MC13777-1	L66883.D	1	09/17/12	JM	n/a	n/a	MSL3186

The QC reported here applies to the following samples:

MC13777-1, MC13777-3, MC13777-5, MC13777-6, MC13777-8, MC13777-10, MC13777-12, MC13777-14, MC13777-16

CAS No.	Compound	MC13777- ug/l Q		Spike ug/l	MS ug/l	MS %	MSD ug/l	MSD %	RPD	Limits Rec/RPD
C115 110.	Compound	ug/i	4	ug/1	ug/I	70	ug/1	70	МЪ	Rec/RID
10061-02-6	trans-1,3-Dichloropropene	ND		250	247	99	256	102	4	70-130/30
100-41-4	Ethylbenzene	ND		250	250	100	247	99	1	70-130/30
76-13-1	Freon 113	ND		250	249	100	250	100	0	70-130/30
87-68-3	Hexachlorobutadiene	ND		250	270	108	278	111	3	70-130/30
591-78-6	2-Hexanone	ND		250	291	116	300	120	3	70-130/30
98-82-8	Isopropylbenzene	ND		250	254	102	259	104	2	70-130/30
99-87-6	p-Isopropyltoluene	ND		250	255	102	260	104	2	70-130/30
1634-04-4	Methyl Tert Butyl Ether	ND		250	238	95	254	102	7	70-130/30
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		250	305	122	316	126	4	70-130/30
74-95-3	Methylene bromide	ND		250	259	104	259	104	0	70-130/30
75-09-2	Methylene chloride	ND		250	253	101	259	104	2	70-130/30
91-20-3	Naphthalene	ND		250	214	86	226	90	5	70-130/30
103-65-1	n-Propylbenzene	ND		250	254	102	257	103	1	70-130/30
100-42-5	Styrene	ND		250	248	99	246	98	1	70-130/30
630-20-6	1,1,1,2-Tetrachloroethane	ND		250	288	115	291	116	1	70-130/30
79-34-5	1,1,2,2-Tetrachloroethane	ND		250	254	102	265	106	4	70-130/30
127-18-4	Tetrachloroethene	27.6		250	275	99	276	99	0	70-130/30
109-99-9	Tetrahydrofuran	56.1		250	315	104	356	120	12	70-130/30
108-88-3	Toluene	ND		250	263	105	260	104	1	70-130/30
110-57-6	Trans-1,4-Dichloro-2-Butene	ND		250	322	129	324	130	1	70-130/30
87-61-6	1,2,3-Trichlorobenzene	ND		250	250	100	260	104	4	70-130/30
120-82-1	1,2,4-Trichlorobenzene	ND		250	246	98	253	101	3	70-130/30
71-55-6	1,1,1-Trichloroethane	17.8		250	251	93	250	93	0	70-130/30
79-00-5	1,1,2-Trichloroethane	ND		250	263	105	273	109	4	70-130/30
79-01-6	Trichloroethene	199		250	307	43* b	305	42* b	1	70-130/30
75-69-4	Trichlorofluoromethane	ND		250	204	82	203	81	0	70-130/30
96-18-4	1,2,3-Trichloropropane	ND		250	265	106	273	109	3	70-130/30
95-63-6	1,2,4-Trimethylbenzene	ND		250	230	92	237	95	3	70-130/30
108-67-8	1,3,5-Trimethylbenzene	ND		250	231	92	231	92	0	70-130/30
75-01-4	Vinyl chloride	11.3		250	246	94	249	95	1	70-130/30
	m,p-Xylene	ND		500	525	105	521	104	1	70-130/30
95-47-6	o-Xylene	ND		250	284	114	282	113	1	70-130/30



^{* =} Outside of Control Limits.

Page 3 of 3

Method: SW846 8260B

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: MC13777

Account: LEA Loureiro Eng. Associates

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
MC13777-1MS	L66900.D	5	09/17/12	JM	n/a	n/a	MSL3186
MC13777-1MSD	L66901.D	5	09/17/12	JM	n/a	n/a	MSL3186
MC13777-1	L66883.D	1	09/17/12	JM	n/a	n/a	MSL3186

The QC reported here applies to the following samples:

MC13777-1, MC13777-3, MC13777-5, MC13777-6, MC13777-8, MC13777-10, MC13777-12, MC13777-14, MC13777-16

CAS No.	Surrogate Recoveries	MS	MSD	MC13777-1	Limits
1868-53-7	Dibromofluoromethane	84%	87%	84%	70-130%
2037-26-5	Toluene-D8	92%	92%	90%	70-130%
460-00-4	4-Bromofluorobenzene	86%	88%	88%	70-130%

⁽a) Outside control limits. Blank Spike meets program technical requirements.



⁽b) Outside control limits due to possible matrix interference. Refer to Blank Spike.

^{* =} Outside of Control Limits.

Volatile Internal Standard Area Summary

Job Number: MC13777

Account: LEA Loureiro Eng. Associates

Project: PWCTEH:Willow Brook - Pond W. East Hartford

 Check Std:
 MSL3186-CC3152
 Injection Date:
 09/17/12

 Lab File ID:
 L66877.D
 Injection Time:
 09:05

Instrument ID: GCMSL Method: SW846 8260B

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
Check Std	202565	8.17	285426	9.00	155491	12.23	154113		62169	5.81
Upper Limit ^a	405130	8.67	570852	9.50	310982	12.73	308226	15.29		6.31
Lower Limit ^b	101283	7.67	142713	8.50	77746	11.73	77057	14.29	31085	5.31
Lab	IS 1		IS 2		IS 3		IS 4		IS 5	
Sample ID	AREA	RT	AREA	RT	AREA	RT	AREA	RT	AREA	RT
MSL3186-BS	202565	8.17	285426	9.00	155491	12.23	154113	14.79	62169	5.81
MSL3186-MB	202410	8.17	284297	9.00	149021	12.24	144224	14.80	66869	5.81
MC13777-5	189493	8.17	265553	9.00	141686	12.24	138412	14.80	66777	5.85
MC13777-1	191977	8.17	271339	9.00	140349	12.24	135580	14.80	68871	5.81
MC13777-8	190358	8.17	273064	9.00	142899	12.24	136665	14.80	56078	5.82
MC13777-10	191324	8.17	270103	9.00	141567	12.24	136380	14.80		5.81
MC13777-14	190443	8.17	273525	9.00	142703	12.24	138989	14.80	63260	5.81
MC13777-16	187532	8.17	269835	9.00	143119	12.24	140914	14.79	66894	5.85
MC13777-12	190528	8.17	270883	9.00	141334	12.24	136607	14.80	68521	5.81
MC13777-3	226813	8.17	320141	9.00	165861	12.24	158113	14.80	79409	5.81
MC13777-6	224761	8.17	320528	9.00	167352	12.24	157099	14.80	84516	5.81
ZZZZZZ	191178	8.17	271624	9.00	143585	12.24	137158	14.80	55882	5.81
ZZZZZZ	191113	8.17	276349	9.00	146239	12.24	137997	14.80	58394	5.81
ZZZZZZ	189255	8.17	272106	9.00	146585	12.24	137799	14.80	68054	5.81
ZZZZZZ	193420	8.17	278838	9.00	147104	12.24	143119	14.80		5.81
ZZZZZZ	187145	8.17	268492	9.00	142990	12.24	136275	14.80	57232	5.81
ZZZZZZ	187373	8.17	269047	9.00	142175	12.24	134949	14.80	64362	5.81
ZZZZZZ	183789	8.17	260544	9.00	139117	12.23	145347	14.79	57424	5.80
ZZZZZZ	181735	8.17	258213	9.00	136950	12.24	131255	14.80	57941	5.81
MC13777-1MS	187442	8.17	266916	9.00	145828	12.23	148892	14.79	68456	5.81
MC13777-1MSD	182491	8.17	262865	9.00	144496	12.23	144698	14.79	70454	5.81

IS 1 = Pentafluorobenzene IS 2 = 1,4-Difluorobenzene IS 3 = Chlorobenzene-D5 IS 4 = 1,4-Dichlorobenzene-d4 IS 5 = Tert Butyl Alcohol-D9



⁽a) Upper Limit = +100% of check standard area; Retention time +0.5 minutes.

⁽b) Lower Limit = -50% of check standard area; Retention time -0.5 minutes.

Volatile Internal Standard Area Summary

Job Number: MC13777

Account: LEA Loureiro Eng. Associates

Project: PWCTEH: Willow Brook - Pond W. East Hartford

 Check Std:
 MSP2106-CC2106
 Injection Date:
 09/14/12

 Lab File ID:
 P64515.D
 Injection Time:
 14:20

Instrument ID: GCMSP **Method:** SW846 8260B

_	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
Check Std Upper Limit ^a	548312 1096624	8.25 8.75	904944 1809888	9.09 9.59	454669 909338	12.31 12.81	392353 784706	14.87 15.37	207132 414264	5.94 6.44
Lower Limit b	274156	7.75	452472	8.59	227335	11.81	196177	14.37	103566	5.44
Lab	IS 1		IS 2		IS 3		IS 4		IS 5	
Sample ID	AREA	RT	AREA	RT	AREA	RT	AREA	RT	AREA	RT
MSP2106-BS	548312	8.25	904944	9.09	454669	12.31	392353	14.87	207132	5.94
MSP2106-MB	677536	8.26	1201849	9.10	599419	12.31	478385	14.87	194217	5.96
MC13755-2A	682322	8.26	1086978	9.10	527284	12.31	446982	14.87	174495	5.96
MC13755-3A	627490	8.25	840036	9.10	566588	12.31	488542	14.87	188236	5.95
ZZZZZZ	687854	8.25	1154604	9.10	572174	12.31	389454	14.87	185235	5.96
ZZZZZZ	649299	8.26	1002811	9.10	557582	12.31	434782	14.87	169983	5.96
ZZZZZZ	595474	8.25	1089024	9.10	544083	12.31	456964	14.87	187696	5.95
ZZZZZZ	552549	8.25	1110317	9.09	566637	12.31	447775	14.87	147597	5.95
MC13777-6	433715	8.25	717038	9.10	344409	12.31	421693	14.87	137387	5.96
MC13755-2AMS	551744	8.25	844940	9.10	573848	12.31	519024	14.87	211852	5.94
MC13755-2AMSI	D463634	8.25	867145	9.10	563056	12.31	484993	14.87	152402	5.93
MC13755-3AMS	466919	8.25	887019	9.10	532825	12.31	496740	14.87	152194	5.93
MC13755-3AMSI	D444557	8.25	990661	9.09	553233	12.31	480320	14.87	152101	5.94

IS 1 = Pentafluorobenzene IS 2 = 1,4-Difluorobenzene IS 3 = Chlorobenzene-D5 IS 4 = 1,4-Dichlorobenzene-d4 IS 5 = Tert Butyl Alcohol-D9

- (a) Upper Limit = + 100% of check standard area; Retention time + 0.5 minutes.
- (b) Lower Limit = -50% of check standard area; Retention time -0.5 minutes.



Volatile Surrogate Recovery Summary

Job Number: MC13777

Account: LEA Loureiro Eng. Associates

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Method: SW846 8260B Matrix: AQ

Samples and QC shown here apply to the above method

Lab	Lab			
Sample ID	File ID	S1	S2	S3
MC13777-1	L66883.D	84.0	90.0	88.0
MC13777-3	L66889.D	70.0	76.0	74.0
MC13777-5	L66882.D	83.0	91.0	86.0
MC13777-6	P64528.D	113.0	99.0	124.0
MC13777-6	L66890.D	69.0* a	74.0	72.0
MC13777-8	L66884.D	85.0	90.0	88.0
MC13777-10	L66885.D	83.0	88.0	85.0
MC13777-12	L66888.D	83.0	88.0	86.0
MC13777-14	L66886.D	85.0	89.0	86.0
MC13777-16	L66887.D	80.0	84.0	79.0
MC13777-1MS	L66900.D	84.0	92.0	86.0
MC13777-1MSD	L66901.D	87.0	92.0	88.0
MSL3186-BS	L66877.D	75.0	85.0	81.0
MSL3186-MB	L66880.D	80.0	86.0	83.0
MSP2106-BS	P64515.D	101.0	95.0	106.0
MSP2106-MB	P64518.D	103.0	97.0	116.0

Surrogate Recovery Compounds Limits

S1 = Dibromofluoromethane	70-130%
S2 = Toluene-D8	70-130%
S3 = 4-Bromofluorobenzene	70-130%

(a) Outside control limits due to possible matrix interference.





GC Semi-volatiles

QC Data Summaries

Includes the following where applicable:

- · Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries
- Surrogate Recovery Summaries



Method: CT-ETPH 7/06

Method Blank Summary

Job Number: MC13777

Account: LEA Loureiro Eng. Associates

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Sample OP30303-MB	File ID D BC645188.D 1	Analyzed 09/10/12	By KN	Prep Date 09/08/12	Prep Batch OP30303	Analytical Batch GBC3114

The QC reported here applies to the following samples:

MC13777-1, MC13777-3, MC13777-6, MC13777-8, MC13777-10, MC13777-12, MC13777-14, MC13777-16

 CAS No.
 Compound
 Result
 RL
 Units
 Q

 CT-ETPH (C9-C36)
 ND
 0.080
 mg/l

CAS No. Surrogate Recoveries Limits

84-15-1 o-Terphenyl 96% 50-149%

Method: SW846 8082

Method Blank Summary

Job Number: MC13777

Account: LEA Loureiro Eng. Associates

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Sample OP30302-MB	File ID BK16886.D	DF 1	Analyzed 09/13/12	By AP	Prep Date 09/08/12	Prep Batch OP30302	Analytical Batch GBK633

The QC reported here applies to the following samples:

MC13777-1, MC13777-3, MC13777-6, MC13777-8, MC13777-10, MC13777-12, MC13777-14, MC13777-16

CAS No.	Compound	Result	RL	Units Q
12674-11-2	Aroclor 1016	ND	0.25	ug/l
11104-28-2	Aroclor 1221	ND	0.25	ug/l
11141-16-5	Aroclor 1232	ND	0.25	ug/l
53469-21-9	Aroclor 1242	ND	0.25	ug/l
12672-29-6	Aroclor 1248	ND	0.25	ug/l
11097-69-1	Aroclor 1254	ND	0.25	ug/l
11096-82-5	Aroclor 1260	ND	0.25	ug/l
37324-23-5	Aroclor 1262	ND	0.25	ug/l
11100-14-4	Aroclor 1268	ND	0.25	ug/l

CAS No.	Surrogate Recoveries	Limits	
877-09-8	Tetrachloro-m-xylene	103%	30-150%
877-09-8	Tetrachloro-m-xylene	85%	30-150%
2051-24-3	Decachlorobiphenyl	116%	30-150%
2051-24-3	Decachlorobiphenyl	89%	30-150%



Method: CT-ETPH 7/06

Account: LEA Loureiro Eng. Associates

PWCTEH: Willow Brook - Pond W. East Hartford **Project:**

Sample OP30303-BS	File ID BC645190.D	DF	Analyzed 09/10/12	By KN	Prep Date 09/08/12	Prep Batch OP30303	Analytical Batch GBC3114

The QC reported here applies to the following samples:

MC13777-1, MC13777-3, MC13777-6, MC13777-8, MC13777-10, MC13777-12, MC13777-14, MC13777-16

CAS No.	Compound	Spike mg/l	BSP mg/l	BSP %	Limits
	СТ-ЕТРН (С9-С36)	0.7	0.470	67	60-120

CAS No.	Surrogate Recoveries	BSP	Limits
84-15-1	o-Terphenyl	87%	50-149%



^{* =} Outside of Control Limits.

Method: SW846 8082

Blank Spike Summary Job Number: MC13777

Account: LEA Loureiro Eng. Associates

PWCTEH: Willow Brook - Pond W. East Hartford **Project:**

Sample OP30302-BS	File ID BK16887.D	DF 1	Analyzed 09/13/12	By AP	Prep Date 09/08/12	Prep Batch OP30302	Analytical Batch GBK633

The QC reported here applies to the following samples:

MC13777-1, MC13777-3, MC13777-6, MC13777-8, MC13777-10, MC13777-12, MC13777-14, MC13777-16

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
12674-11-2	Aroclor 1016	2	1.7	85	40-140
11104-28-2	Aroclor 1221		ND		40-140
11141-16-5	Aroclor 1232		ND		40-140
53469-21-9	Aroclor 1242		ND		40-140
12672-29-6	Aroclor 1248		ND		40-140
11097-69-1	Aroclor 1254		ND		40-140
11096-82-5	Aroclor 1260	2	1.6	80	40-140
37324-23-5	Aroclor 1262		ND		40-140
11100-14-4	Aroclor 1268		ND		40-140

CAS No.	Surrogate Recoveries	BSP	Limits
	Tetrachloro-m-xylene	92%	30-150%
	Tetrachloro-m-xylene	77%	30-150%
	Decachlorobiphenyl	111%	30-150%
	Decachlorobiphenyl	85%	30-150%



^{* =} Outside of Control Limits.

Semivolatile Surrogate Recovery Summary

Job Number: MC13777

Account: LEA Loureiro Eng. Associates

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Method: CT-ETPH 7/06 Matrix: AQ

Samples and QC shown here apply to the above method

Lab	Lab	
Sample ID	File ID	S1 a
MC13777-1	BC645210.D	68.0
MC13777-3	BC645212.D	68.0
MC13777-6	BC645204.D	65.0
MC13777-8	BC645206.D	71.0
MC13777-10	BC645248.D	62.0
MC13777-12	BC645240.D	71.0
MC13777-14	BC645238.D	79.0
MC13777-16	BC645236.D	59.0
OP30303-BS	BC645190.D	87.0
OP30303-MB	BC645188.D	96.0

Surrogate Recovery Compounds Limits

S1 = o-Terphenyl 50-149%

(a) Recovery from GC signal #1



Semivolatile Surrogate Recovery Summary

Job Number: MC13777

Account: LEA Loureiro Eng. Associates

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Method: SW846 8082 Matrix: AQ

Samples and QC shown here apply to the above method

Lab	Lab				
Sample ID	File ID	S1 a	S1 b	S2 a	S2 b
MC13777-1	BK16902.D	88.0	57.0	69.0	45.0
MC13777-3	BK16903.D	80.0	51.0	68.0	43.0
MC13777-6	BK16904.D	73.0	48.0	60.0	39.0
MC13777-8	BK16905.D	73.0	50.0	48.0	32.0
MC13777-10	BK16906.D	66.0	40.0	53.0	36.0
MC13777-12	BK16907.D	79.0	51.0	86.0	57.0
MC13777-14	BK16908.D	72.0	48.0	62.0	41.0
MC13777-16	BK16909.D	64.0	46.0	72.0	49.0
OP30302-BS	BK16887.D	92.0	77.0	111.0	85.0
OP30302-MB	BK16886.D	103.0	85.0	116.0	89.0

Surrogate Recovery Compounds Limits

S1 = Tetrachloro-m-xylene 30-150% S2 = Decachlorobiphenyl 30-150%

(a) Recovery from GC signal #1(b) Recovery from GC signal #2





Metals Analysis

QC Data Summaries

Includes the following where applicable:

- · Method Blank Summaries
- Matrix Spike and Duplicate Summaries
- Blank Spike and Lab Control Sample Summaries
- Serial Dilution Summaries



BLANK RESULTS SUMMARY Part 2 - Method Blanks

Login Number: MC13777 Account: LEA - Loureiro Eng. Associates Project: PWCTEH:Willow Brook - Pond W. East Hartford

QC Batch ID: MP19630 Methods: SW846 6010C Matrix Type: AQUEOUS

Prep Date:

09/07/12

Units: ug/l

Trep bace.					03/01/12
Metal	RL	IDL	MDL	MB raw	final
Aluminum	200	13	21		
Antimony	6.0	.8	1.7		
Arsenic	4.0	.99	1.9	-0.20	<4.0
Barium	50	.28	.65	0.10	<50
Beryllium	4.0	.13	.28		
Boron	100	.58	.59		
Cadmium	4.0	.19	.19	0.0	<4.0
Calcium	5000	34	36		
Chromium	10	.6	.83	0.10	<10
Cobalt	50	.15	. 4		
Copper	25	.85	1.4	0.0	<25
Gold	50	1.8	2.7		
Iron	100	4.2	11		
Lead	5.0	1.3	2.1	-0.20	<5.0
Magnesium	5000	36	60		
Manganese	15	.05	.54		
Molybdenum	100	. 23	1.5		
Nickel	40	. 25	.7	0.10	<40
Palladium	50	2.4	7.9		
Platinum	50	6.6	19		
Potassium	5000	45	190		
Selenium	10	1.4	2	-0.20	<10
Silicon	100	4.8	8.4		
Silver	5.0	.69	1.3	-0.30	<5.0
Sodium	5000	13	40		
Strontium	10	.11	.35		
Thallium	5.0	.99	1.4		
Tin	100	.34	.75		
Titanium	50	.55	.88		
Tungsten	100	5.9	14		
Vanadium	10	.95	1.3		
Zinc	20	.33	4	1.3	<20

Associated samples MP19630: MC13777-2, MC13777-4, MC13777-7, MC13777-9, MC13777-11, MC13777-13, MC13777-15, MC13777-17



BLANK RESULTS SUMMARY Part 2 - Method Blanks

Login Number: MC13777
Account: LEA - Loureiro Eng. Associates
Project: PWCTEH:Willow Brook - Pond W. East Hartford

QC Batch ID: MP19630 Methods: SW846 6010C Matrix Type: AQUEOUS Units: ug/l

Prep Date:

Metal

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits (anr) Analyte not requested

Login Number: MC13777 Account: LEA - Loureiro Eng. Associates Project: PWCTEH:Willow Brook - Pond W. East Hartford

QC Batch ID: MP19630 Methods: SW846 6010C Matrix Type: AQUEOUS Units: ug/l

Prep Date:

09/07/12

Prep Date:				09/07/12	2
Metal	MC1377		Spikelo MPICP	t % Rec	QC Limits
Aluminum					
Antimony					
Arsenic	0.0	515	500	103.0	75-125
Barium	312	2270	2000	97.9	75-125
Beryllium					
Boron					
Cadmium	0.0	511	500	102.2	75-125
Calcium					
Chromium	0.80	494	500	98.6	75-125
Cobalt					
Copper	0.90	483	500	96.4	75-125
Gold					
Iron					
Lead	0.0	965	1000	96.5	75-125
Magnesium					
Manganese					
Molybdenum					
Nickel	1.0	482	500	96.2	75-125
Palladium					
Platinum					
Potassium					
Selenium	0.0	493	500	98.6	75-125
Silicon					
Silver	0.0	206	200	103.0	75-125
Sodium					
Strontium					
Thallium					
Tin					
Titanium					
Tungsten					
Vanadium					
Zinc	16.8	504	500	97.4	75-125

Associated samples MP19630: MC13777-2, MC13777-4, MC13777-7, MC13777-9, MC13777-11, MC13777-13, MC13777-15, MC13777-17



Login Number: MC13777
Account: LEA - Loureiro Eng. Associates
Project: PWCTEH:Willow Brook - Pond W. East Hartford

QC Batch ID: MP19630 Methods: SW846 6010C Matrix Type: AQUEOUS Units: ug/l

Prep Date:

Metal

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits (N) Matrix Spike Rec. outside of QC limits (anr) Analyte not requested

Login Number: MC13777 Account: LEA - Loureiro Eng. Associates Project: PWCTEH:Willow Brook - Pond W. East Hartford

QC Batch ID: MP19630 Methods: SW846 6010C Matrix Type: AQUEOUS Units: ug/l

Prep Date:

09/07/12

rrep bace.					05/01/12	
Metal	MC13777- Original		Spikelot MPICP	% Rec	MSD RPD	QC Limit
Aluminum						
Antimony						
Arsenic	0.0	519	500	103.8	0.8	20
Barium	312	2290	2000	98.9	0.9	20
Beryllium						
Boron						
Cadmium	0.0	514	500	102.8	0.6	20
Calcium						
Chromium	0.80	498	500	99.4	0.8	20
Cobalt						
Copper	0.90	489	500	97.6	1.2	20
Gold						
Iron						
Lead	0.0	965	1000	96.5	0.0	20
Magnesium						
Manganese						
Molybdenum						
Nickel	1.0	485	500	96.8	0.6	20
Palladium						
Platinum						
Potassium						
Selenium	0.0	500	500	100.0	1.4	20
Silicon						
Silver	0.0	208	200	104.0	1.0	20
Sodium						
Strontium						
Thallium						
Tin						
Titanium						
Tungsten						
Vanadium						
Zinc	16.8	509	500	98.4	1.0	20

Associated samples MP19630: MC13777-2, MC13777-4, MC13777-7, MC13777-9, MC13777-11, MC13777-13, MC13777-15, MC13777-17



Login Number: MC13777
Account: LEA - Loureiro Eng. Associates
Project: PWCTEH:Willow Brook - Pond W. East Hartford

QC Batch ID: MP19630 Methods: SW846 6010C Matrix Type: AQUEOUS Units: ug/l

Prep Date:

Metal

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits (N) Matrix Spike Rec. outside of QC limits (anr) Analyte not requested

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: MC13777 Account: LEA - Loureiro Eng. Associates Project: PWCTEH:Willow Brook - Pond W. East Hartford

09/07/12

0.4

1.0

0.2 20

20

20

97.4

101.0

100.2

QC Batch ID: MP19630 Methods: SW846 6010C Matrix Type: AQUEOUS Units: ug/l

09/07/12

Prep Date:

Selenium

Silicon

Silver

Sodium
Strontium
Thallium
Tin
Titanium
Tungsten
Vanadium
Zinc

485

200

502

500

200

500

97.0

100.0

100.4 80-120

80-120

80-120

487

202

500

200

500

BSP Spikelot BSD Spikelot BSD QC OC MPICP Limits Limit Metal Result % Rec Result MPICP % Rec RPD Aluminum Antimony 100.6 500 Arsenic 503 500 80-120 498 99.6 1.0 20 Barium 1920 2000 96.0 80-120 1950 2000 97.5 1.6 20 Beryllium Boron Cadmium 492 500 98.4 80-120 493 500 98.6 0.2 20 Calcium Chromium 504 500 100.8 80-120 509 500 101.8 1.0 20 Cobalt Copper 470 500 94.0 80-120 474 500 94.8 0.8 20 Gold Iron Lead 988 1000 98.8 80-120 1000 98.5 0.3 20 Magnesium Manganese Molybdenum Nickel 495 500 99.0 500 98.6 0.4 20 80-120 493 Palladium Platinum Potassium

Associated samples MP19630: MC13777-2, MC13777-4, MC13777-7, MC13777-9, MC13777-11, MC13777-13, MC13777-15, MC13777-17

501



SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: MC13777
Account: LEA - Loureiro Eng. Associates
Project: PWCTEH:Willow Brook - Pond W. East Hartford

QC Batch ID: MP19630 Methods: SW846 6010C Matrix Type: AQUEOUS Units: ug/l

Prep Date:

Metal

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits (anr) Analyte not requested

SERIAL DILUTION RESULTS SUMMARY

Login Number: MC13777 Account: LEA - Loureiro Eng. Associates Project: PWCTEH:Willow Brook - Pond W. East Hartford

QC Batch ID: MP19630 Methods: SW846 6010C Matrix Type: AQUEOUS Units: ug/l

Prep Date: 09/07/12

Prep Date:		09/07/12				
Metal	MC13777- Original	15 SDL 1:5	%DIF	QC Limits		
Aluminum						
Antimony						
Arsenic	0.00	0.00	NC	0-10		
Barium	312	305	2.1	0-10		
Beryllium						
Boron						
Cadmium	0.00	0.00	NC	0-10		
Calcium						
Chromium	0.800	0.00	100.0(a)	0-10		
Cobalt						
Copper	0.900	0.00	100.0(a)	0-10		
Gold						
Iron						
Lead	0.00	0.00	NC	0-10		
Magnesium						
Manganese						
Molybdenum						
Nickel	1.00	1.30	30.0 (a)	0-10		
Palladium						
Platinum						
Potassium						
Selenium	0.00	0.00	NC	0-10		
Silicon						
Silver	0.00	0.00	NC	0-10		
Sodium						
Strontium						
Thallium						
Tin						
Titanium						
Tungsten						
Vanadium						
Zinc	16.8	18.4	9.5	0-10		

Associated samples MP19630: MC13777-2, MC13777-4, MC13777-7, MC13777-9, MC13777-11, MC13777-13, MC13777-15, MC13777-17

SERIAL DILUTION RESULTS SUMMARY

Login Number: MC13777

Account: LEA - Loureiro Eng. Associates

Project: PWCTEH:Willow Brook - Pond W. East Hartford

QC Batch ID: MP19630 Methods: SW846 6010C Matrix Type: AQUEOUS Units: ug/l

Prep Date:

Metal

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits

(anr) Analyte not requested

(a) Percent difference acceptable due to low initial sample $\,$ concentration (< 50 times IDL).

BLANK RESULTS SUMMARY Part 2 - Method Blanks

Login Number: MC13777

Account: LEA - Loureiro Eng. Associates
Project: PWCTEH:Willow Brook - Pond W. East Hartford

QC Batch ID: MP19637 Methods: SW846 7470A Matrix Type: AQUEOUS Units: ug/1

Prep Date: 09/10/12

Associated samples MP19637: MC13777-2, MC13777-4, MC13777-7, MC13777-9, MC13777-11, MC13777-13, MC13777-15, MC13777-17

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits (anr) Analyte not requested

Login Number: MC13777 Account: LEA - Loureiro Eng. Associates Project: PWCTEH:Willow Brook - Pond W. East Hartford

QC Batch ID: MP19637 Methods: SW846 7470A Matrix Type: AQUEOUS Units: ug/l

09/10/12 Prep Date:

Metal	MC13777 Origina		Spikelot HGRWS1	t % Rec	QC Limits
Mercury	0.0	3.2	3	106.7	75-125

Associated samples MP19637: MC13777-2, MC13777-4, MC13777-7, MC13777-9, MC13777-11, MC13777-13, MC13777-15, MC13777-17

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits

- (N) Matrix Spike Rec. outside of QC limits
- (anr) Analyte not requested

Login Number: MC13777 Account: LEA - Loureiro Eng. Associates
Project: PWCTEH:Willow Brook - Pond W. East Hartford

QC Batch ID: MP19637 Methods: SW846 7470A Matrix Type: AQUEOUS Units: ug/l

Prep Date:

09/10/12

Metal	MC13777- Original		Spikelot HGRWS1	% Rec	MSD RPD	QC Limit	
Mercury	0.0	3.2	3	106.7	0.0	20	

Associated samples MP19637: MC13777-2, MC13777-4, MC13777-7, MC13777-9, MC13777-11, MC13777-13, MC13777-15, MC13777-17

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits

- (N) Matrix Spike Rec. outside of QC limits
- (anr) Analyte not requested



SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: MC13777

Account: LEA - Loureiro Eng. Associates

Project: PWCTEH:Willow Brook - Pond W. East Hartford

QC Batch ID: MP19637 Methods: SW846 7470A Matrix Type: AQUEOUS Units: ug/1

Prep Date: 09/10/12 09/10/12

Metal	BSP Result	Spikelot HGRWS1	% Rec	QC Limits	BSD Result	Spikelot HGRWS1	% Rec	BSD RPD	QC Limit
Mercury	2.9	3	96.7	80-120	2.9	3	96.7	0.0	20

Associated samples MP19637: MC13777-2, MC13777-4, MC13777-7, MC13777-9, MC13777-11, MC13777-13, MC13777-15, MC13777-17

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits (anr) Analyte not requested



09/20/12



Technical Report for

Loureiro Eng. Associates

PWCTEH: Willow Brook - Pond W. East Hartford

88UT059

Accutest Job Number: MC13777A

Sampling Date: 09/06/12

Report to:

Loureiro Eng 100 Northwest Dr. Plainville, CT 06062 jttrzaski@loureiro.com; rlmckinney@loureiro.com

ATTN: Joe Trzaski

Total number of pages in report: 21



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.

Client Service contact: Frank DAgostino 508-481-6200

Certifications: MA (M-MA136,SW846 NELAC) CT (PH-0109) NH (250210) RI (00071) ME (MA00136) FL (E87579) NY (11791) NJ (MA926) PA (6801121) ND (R-188) CO MN (11546AA) NC (653) IL (002337) WI (399080220) ISO 17025:2005 (L2235)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories. Test results relate only to samples analyzed.

Lab Director

Sections:

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Case Narrative/Conformance Summary	4
Section 3: Summary of Hits	
Section 4: Sample Results	6
4.1: MC13777-1A: 1264979	7
4.2: MC13777-3A: 1264991	8
4.3: MC13777-6A: 1264980	9
4.4: MC13777-8A: 1264889	10
4.5: MC13777-10A: 1264977	11
Section 5: Misc. Forms	12
5.1: Chain of Custody	13
5.2: RCP Form	15
5.3: Sample Tracking Chronicle	16
Section 6: General Chemistry - QC Data Summaries	17
6.1: Method Blank and Spike Results Summary	18
6.2: Blank Spike Duplicate Results Summary	19
6.3: Duplicate Results Summary	20
6.4: Matrix Spike Results Summary	



G

O



Sample Summary

Loureiro Eng. Associates

Job No: MC13777A

PWCTEH: Willow Brook - Pond W. East Hartford Project No: 88UT059

Sample Number	Collected Date	Time By	Received	Matri Code		Client Sample ID
MC13777-1A	09/06/12	10:46 JCSR	09/06/12	AQ	Ground Water	1264979
MC13777-3A	09/06/12	10:46 JCSR	09/06/12	AQ	Ground Water	1264991
MC13777-6A	09/06/12	13:36 JCSR	09/06/12	AQ	Ground Water	1264980
MC13777-8A	09/06/12	15:30 JCSR	09/06/12	AQ	Ground Water	1264889
MC13777-10A	A09/06/12	12:35 JCSR	09/06/12	AQ	Ground Water	1264977





SAMPLE DELIVERY GROUP CASE NARRATIVE

Client: Loureiro Eng. Associates Job No MC13777A

Site: PWCTEH:Willow Brook - Pond W. East Hartford Report Date 9/20/2012 2:56:42 PM

5 Sample(s), 0 Trip Blank(s) and 0 Field Blank(s) were collected on 09/06/2012 and were received at Accutest on 09/06/2012 properly preserved, at 2.1 Deg. C and intact. These Samples received an Accutest job number of MC13777A. A listing of the Laboratory Sample ID, Client Sample ID and dates of collection are presented in the Results Summary Section of this report.

Except as noted below, all method specified calibrations and quality control performance criteria were met for this job. For more information, please refer to QC summary pages.

Wet Chemistry By Method SW846 7196A

Matrix: AQ Batch ID: GN40073

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.

Matrix: AQ Batch ID: GN40074

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) MC13777-8ADUP, MC13777-8AMS were used as the QC samples for Chromium, Hexavalent.

The Accutest Laboratories of New England certifies that all analysis were performed within method specification. It is further recommended that this report to be used in its entirety. The Accutest Laboratories of NE, Laboratory Director or assignee as verified by the signature on the cover page has authorized the release of this report(MC13777A).



Summary of Hits

Job Number: MC13777A

Account: Loureiro Eng. Associates

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Collected: 09/06/12

Lab Sample ID Client Sample ID Result/
Analyte Qual RL MDL Units Method

MC13777-1A 1264979

No hits reported in this sample.

MC13777-3A 1264991

No hits reported in this sample.

MC13777-6A 1264980

No hits reported in this sample.

MC13777-8A 1264889

No hits reported in this sample.

MC13777-10A 1264977

No hits reported in this sample.



Sample Results	
Report of Analysis	



Report of Analysis

 Client Sample ID:
 1264979

 Lab Sample ID:
 MC13777-1A
 Date Sampled:
 09/06/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/06/12

 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Chromium, Hexavalent	< 0.010	0.010	mg/l	1	09/07/12 08:58	MA	SW846 7196A

Report of Analysis

Client Sample ID: 1264991 Lab Sample ID: MC13777-3A

Matrix: AQ - Ground Water

Date Sampled: 09/06/12 **Date Received:** 09/06/12 **Percent Solids:** n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method	
Chromium Hexavalent	< 0.010	0.010	ma/1	1	09/07/12 09:1	1 MA	CW1946 7106	. ,

Report of Analysis

 Client Sample ID:
 1264980

 Lab Sample ID:
 MC13777-6A

 Matrix:
 AQ - Ground Water

 Date Sampled:
 09/06/12

 Date Received:
 09/06/12

Percent Solids: n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Chromium Hexavalent	< 0.010	0.010	mø/l	1	09/07/12 09:1	1 ма	SW846 71964

4

Report of Analysis

Client Sample ID: 1264889

Lab Sample ID: MC13777-8A
Matrix: AQ - Ground Water

Date Sampled: 09/06/12 **Date Received:** 09/06/12 **Percent Solids:** n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Chromium, Hexavalent	< 0.010	0.010	mg/l	1	09/07/12 09:11	MA	SW846 7196A

Report of Analysis

Client Sample ID: 1264977

Lab Sample ID: MC13777-10A **Date Sampled:** 09/06/12 Matrix: AQ - Ground Water **Date Received:** 09/06/12 Percent Solids: n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Chromium, Hexavalent	< 0.010	0.010	mg/l	1	09/07/12 09:15	MA	SW846 7196A



Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody
- RCP Form
- Sample Tracking Chronicle



PAGE __ OF __

ACC	UT	EST

CHAIN OF CUSTODY

	LABORATORIES		495	Technolog	y Cente	er Wes	st, Build	ding (One				FED-EX	Trackin	9#			Te le	3ottle Ord	ter Control	#		
	M PA M M PT TE 1 M TE 1 M M			L. 508-481		FAX:	: 508-48						Acquies	t Quote	<i>j</i>		~ ~		Accutest J	lob# m	1013	17	7 0
	Client / Reporting Information	A			ww.acc			Massi	AND ST	948EE	Saute	a solest	F		_		جيح	Z (see TE	erec			77	Matrix Codes
Compa	any Name	Project Name	^				ALI SERIONN	Affilia de la composição de la composiçã	<u> </u>	20000000	21900ms	in a second	Allanger	Rey	ueste	JAna	lysis (See	51:00	DESIN	2et)	894999999	Matrix Coues
<u>Lo</u>	UREITO Engineering Assoc	Will	low Bro	00K (<u> </u>	M										2							DW - Drinking Water
Street A	Address	Street:			27572				Sexual se	354,55990	100000	2000000	4			Ų				ı			GW - Ground Water WW - Water
/ O	00 Northwest Dr.	City:				Billing In	formation	я (lfd	lifferer	at from	Repo	ort to)	-	ĺ		+	l						SW - Surface Water SO - Soil
$\tilde{\rho}_{lo}$	Rinkille CT	City.	\			dily man	Ί.	_						ĺ		4	9						SL- Sludge SED-Sediment
roject	Contact E-mail	Project#	$\overline{}$		Street	t Address	/						1 1	ĺ		Į.	3	1					Q1 - Qil
\mathcal{K}	Contact Cohin McKinney The state of the st		$\overline{}$							_f	2	1	Q	h	N	\$	်						LfQ - Other Liquid AfR - Air
hone :	# 5/k# 50 · 747 - 300 <i>0</i> er(s) Name(s) Phone #	Client PO#		\	City			Yist	Ψ̈́Υ	\mathcal{I}	Z	***	0		80	٠.	1		1				SOL - Other Solid WP - Wipe
O O	or(s) Name(s) Phone #	Project Manager		$\overline{}$	Atlenti	rinn:	/	Δ	<u> </u>	PO#	_			I	õ	a	O	1					FB-Field Blank EB- Equipment Blank
T	Corcoren Som Kooney	, 10,000		`		1011.				**			22	141	~	য়,							RB- Rinse Blank TB-Trip Blank
_	Colon Sun russey		T	Collection				Γ.	Number	of preser	rved Bal	ttles	., –	1	U	22	1 2						10-11th pierw
	. /			T					\top		1	7 1	Locs	W	S	1:	1	1	1				
Acculest Sample #	Field ID / Point of Collection	MEOH/DI Vial#	Date	Time	Sampled by	Matrix	# of bottles	HCI NaOH	NE I	HZSON	MEO	ENCORE	17	5	Q.	105	-	1	1				LAB USE ONLY
-1	1264979		9/6/12	10:46	ょ	60	7	2	\Box	Ś	I	士	X	X.	X	L	X		\top	\top		\Box	
2	1264979 UF			10:46		1	1	П	#	\Box	T	П				X							
	1264991			10:46	50		5	2.	TT	5	7	\Box	1	×	٠,	_	1		\top				
	1264991 UF			10:46	30		1	m	1	T	\top	十		~ ,	1	X		\vdash	\top				
-5	1264990				35		1	1	T		T	\Box	X			•							
6	1264980			-	tc	†	7	2	$\dagger \dagger$	5	\top	11	V	X	X		X		\top	1	\top	1	
7	1264980 UF			13:36	3		1	Ħ	1	Ť	\top	++-	\Box	_		x	-	\vdash	\top	+	+	+	
8	1264889				Œ	П	7	2	\Box	5	\top	\sqcap	x	¥	×	\Box	Y		1	\top		$\dagger \exists$	17D,2H1
$\overline{}$	1264889 UF				5 C	П	,	П	,	П	T			1		1				\top	1		9A,5D
	1264977			12:35	-	П	7	2	$\dagger \dagger$	S	\top		1	٧	~		×		\top	1	\top		11.75-
	1264977VF				5R	П	1		1	\forall	\top	\Box			-	~			\top	\top		+	
	1264981		V		50	V	26	2	$\dagger \dagger$	4			7	×	*				_			1	
100	12.81 10 1					Ì	Data	Deliv	erable	Inform	nation						C	ommen	nts / Sp	ecial fr	nstructio	กร	
	Turnaround Time (Business days)	Approved By (Accu	utest PM): / Date:			Commerc	cial "A" (Le	.evel 1))		NYAS	SP Categ		1	Į Į	صا (g <	0	A	<u>.</u> '	de	-	\overline{T}
	Std. 10 Business Days Std. 5 Business Days (By Contract only)	***************************************					cial "B" (Le (Level 3+4					P Categ	jory B	1	1	<u> </u>	ਕੱ>	ب	11	<u> </u>	پد		<u> </u>
	5 Day RUSH					CT RCP	Teach or a	• ,		믐		Format			K	\mathcal{F}	K	opa,	57	to	15	10	Ks and
	3 Day EMERGENCY					МА МСР				_	Other			_	N	- 6	7	7	1		Λ.	· ^	Δ
	2 Day EMERGENCY				-	1	Commerci				· ~	2.4			$\vdash \Box$		72	97	3	CT	. K c	1	Analytica
	1 Day EMERGENCY argency & Rush T/A data available VIA Lablink				11	/	Commerci	lai "B" =	- Kesui	is + Qu	Summ	iary		1	1/18	1	2				-		•
			nple Custody mu	ust by docum	ented be	elow eac					ssess	ion, inc	luding	courie			15	830					
Reline	equished by Sampler: Date Time:	17 1620	Received By:	(MA)	/			Relinqu	uished E	"R	_					Date Tin	me: 12	16	eceived E	B.			
Selin	iguished by Sampler: Date Time:		Received By:	NIV				Relina	uished B	Bv:						Date Tin			eceived S	tu:			
<i>[</i>	7		3				- 1	4										4		7.			

MC13777A: Chain of Custody Page 1 of 2



LAB USE ONLY

ACC	UTEST	
	LABORATORIES	

Client / Reporting Information

Loureiro Engineering Assoc

Field ID / Point of Collection

MEOH/DI Vial #

CHAIN OF CUSTODY PAGE 2 OF 2 Accutest Laboratories of New England 495 Technology Center West, Building One TEL. 508-481-6200 FAX: 508-481-7753 FEO-EX Tracking # MC13777A FOI/2012-217 www.accutest.com Project Information OW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge SED-Sediment OI - Oil LIO - Oither Liquid AIR - Air SOL - Other Solid WP - Wipe FB-Field Blank EB- Equipment Blank Willow Brook Gym Billing Information (If different from Report to) Metais 41 VOCS 8260 ETPH EB- Equipment Blank RB- Rinse Blank TB-Trip Blank F

9/6/12 15:16 JE 600 -13 1264981 UF -14 1264978 15:05 5R 6W 15:05 5R GW -15 1264978UF 1 -17 1264976 -17 16 1264976 UF 10:35 58 GW 6 10:35 5 B GW Data Deliverable Information Turnaround Time (Business days) Approved By (Accutest PM): / Date: Commercial "A" (Level 1) NYASP Category A Flease provide CT ACP Report Std. 10 Business Days

Std. 5 Business Days (By Contract only) Commercial "B" (Level 2)
FULLT1 (Level 3+4) NYASP Category B State Forms
EDD Format
Other CT RCP 5 Day RUSH 3 Day EMERGENCY RCP Analytica / lists 2 Day EMERGENCY rcial "A" = Results Onfy 1 Day EMERGENCY Commercial "B" = Results + QC Summary Emergency & Rush T/A data available VIA Lablink nented below each time samples change possession, including courier delivery.

linguished By:

☐ Inlact

MC13777A: Chain of Custody Page 2 of 2

Day Time: 12

ceived By:

Date Time:



45

U

Reasonable Confidence Protocol Laboratory Analysis QA/QC Certification Form

Laboratory Name: Accutest New England Client: Loureiro Eng. Associates

Project Location: PWCTEH:Willow Brook - Pond W. East Project Number:

Hartford

Sampling Date(s): 9/6/2012

Laboratory Sample ID(s): MC13777-1A, MC13777-3A, MC13777-6A, MC13777-8A, MC13777-10A

Methods: SW846 7196A For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed, including the requirement to explain any Yes 🗹 No 🗔 1 criteria falling outside of acceptable guidelines, as specified in the CTDEP methodspecific Reasonable Confidence Protocol documents)? Where all the method specified preservation and holding time requirements met? Yes 🗹 1A 1B No VPH and EPH mehods only: Was the VPH or EPH method conducted without significant modifications (See section 11.3 of respective methods) NA 🔽 Were all samples received by the laboratory in a condition consistent with Yes 🗹 No 🗔 2 that described on the associated chain-of-custody document(s)? Yes 🗹 Were samples received at an appropriate temperature (<6° C)? 3 Nο Were all QA/QC performance criteria specified in the CTDEP Reasonable Yes 🗹 4 Nο Confidence Protocol documents achieved? ~ 5 a) Were reporting limits specified or referenced on the chain-of-custody? Nο ~ b) Were these reporting limits met? Nο For each analytical method referenced in this laboratory report package, Yes 🔽 were results reported for all constituents identified in the method-specific No 🗆 6 analyte lists presented in the Reasonable Confidence Protocol documents? Are project-specific matrix spikes and laboratory duplicates included in this Yes 🗹 No 🗔 7 data set?

Note: For all questions to which the response was "No" (with the exception of question #7), additional information must be provided in an attached narrative. If the answer to question #1, #1A or #1B is "No", the data package does not meet the requirements for "Reasonable Confidence".

I, the undersigned, attest under pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete.

Authorized

Signature: from from

Position: Lab Director

nted Name: Reza Tand
Accutest New England

Date:

9/20/2012



MC13777A

Job No:

Internal Sample Tracking Chronicle

Loureiro Eng. Associates

PWCTEH: Willow Brook - Pond W. East Hartford Project No: 88UT059

Sample Number	Method	Analyzed	Ву	Prepped	Ву	Test Codes
MC13777- 1264979	ACollected: 06-SEP-12	10:46 By: JCSR	Receiv	ved: 06-SEP-	12 By:	
MC13777-	1. S W846 7196A	07-SEP-12 08:58	MA			XCR
MC13777-: 1264991	SACollected: 06-SEP-12	10:46 By: JCSR	Receiv	ved: 06-SEP-	12 By:	
MC13777-3	3. \$ W846 7196A	07-SEP-12 09:11	MA			XCR
MC13777-0 1264980	6ACollected: 06-SEP-12	13:36 By: JCSR	Receiv	ved: 06-SEP-	12 By:	
MC13777-0	5 .\$ W846 7196A	07-SEP-12 09:11	MA			XCR
MC13777-8 1264889	SACollected: 06-SEP-12	15:30 By: JCSR	Receiv	ved: 06-SEP-	12 By:	
MC13777-8	8 .\$ W846 7196A	07-SEP-12 09:11	MA			XCR
MC13777- 1264977	102 ollected: 06-SEP-12	12:35 By: JCSR	Receiv	ved: 06-SEP-	12 By:	
MC13777-	10 SW 846 7196A	07-SEP-12 09:15	MA			XCR





General Chemistry

QC Data Summaries

Includes the following where applicable:

- Method Blank and Blank Spike Summaries
- Duplicate Summaries
- Matrix Spike Summaries



METHOD BLANK AND SPIKE RESULTS SUMMARY GENERAL CHEMISTRY

Login Number: MC13777A Account: LEA - Loureiro Eng. Associates
Project: PWCTEH:Willow Brook - Pond W. East Hartford

Analyte	Batch ID	RL	MB Result	Units	Spike Amount	BSP Result	BSP %Recov	QC Limits
Chromium, Hexavalent Chromium, Hexavalent	GN40073 GN40074	0.010 0.010	0.0	mg/l mg/l	.1	0.10 0.10	100.0 100.0	85-115% 85-115%

Associated Samples: Batch GN40073: MC13777-1A Batch GN40074: MC13777-10A, MC13777-3A, MC13777-6A, MC13777-8A

(*) Outside of QC limits



BLANK SPIKE DUPLICATE RESULTS SUMMARY GENERAL CHEMISTRY

Login Number: MC13777A Account: LEA - Loureiro Eng. Associates
Project: PWCTEH:Willow Brook - Pond W. East Hartford

Analyte	Batch ID	Units	Spike Amount	BSD Result	RPD	QC Limit
Chromium, Hexavalent Chromium, Hexavalent	GN40073 GN40074	mg/l mg/l	.1	0.10 0.10	0.0	20% 20%

Associated Samples: Batch GN40073: MC13777-1A Batch GN40074: MC13777-10A, MC13777-3A, MC13777-6A, MC13777-8A

(*) Outside of QC limits



DUPLICATE RESULTS SUMMARY GENERAL CHEMISTRY

Login Number: MC13777A
Account: LEA - Loureiro Eng. Associates
Project: PWCTEH:Willow Brook - Pond W. East Hartford

Analyte	Batch ID	QC Sample	Units	Original Result	DUP Result	RPD	QC Limits
Chromium, Hexavalent	GN40074	MC13777-8A	mg/l	0.0	0.0	0.0	0-20%

Associated Samples: Batch GN40074: MC13777-10A, MC13777-3A, MC13777-6A, MC13777-8A (*) Outside of QC limits



MATRIX SPIKE RESULTS SUMMARY GENERAL CHEMISTRY

Login Number: MC13777A Account: LEA - Loureiro Eng. Associates
Project: PWCTEH:Willow Brook - Pond W. East Hartford

Analyte	Batch ID	QC Sample	Units	Original Result	Spike Amount	MS Result	%Rec	QC Limits
Chromium, Hexavalent	GN40074	MC13777-8A	mg/l	0.0	.1	0.11	110.0	85-115%

Associated Samples:

Batch GN40074: MC13777-10A, MC13777-3A, MC13777-6A, MC13777-8A

- (*) Outside of QC limits
 (N) Matrix Spike Rec. outside of QC limits





09/21/12



Technical Report for

Loureiro Eng. Associates

PWCTEH: Willow Brook - Pond W. East Hartford

Accutest Job Number: MC13829

Sampling Date: 09/07/12

Report to:

Loureiro Eng 100 Northwest Dr. Plainville, CT 06062 jttrzaski@loureiro.com; rlmckinney@loureiro.com

ATTN: Joe Trzaski

Total number of pages in report: 67



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.

Client Service contact: Frank DAgostino 508-481-6200

Certifications: MA (M-MA136,SW846 NELAC) CT (PH-0109) NH (250210) RI (00071) ME (MA00136) FL (E87579) NY (11791) NJ (MA926) PA (6801121) ND (R-188) CO MN (11546AA) NC (653) IL (002337) WI (399080220) ISO 17025:2005 (L2235)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories. Test results relate only to samples analyzed.

Lab Director

Sections:

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Case Narrative/Conformance Summary	4
Section 3: Summary of Hits	
Section 4: Sample Results	
4.1: MC13829-1: 1264982	8
4.2: MC13829-2: 1264982UF	13
4.3: MC13829-3: 1264984	14
4.4: MC13829-4: 1264984UF	19
4.5: MC13829-5: 1264988	20
4.6: MC13829-6: 1264985	23
4.7: MC13829-7: 1264985UF	28
4.8: MC13829-8: 1264986	29
4.9: MC13829-9: 1264986UF	34
Section 5: Misc. Forms	35
5.1: Chain of Custody	36
5.2: RCP Form	38
5.3: Sample Tracking Chronicle	39
Section 6: GC/MS Volatiles - QC Data Summaries	41
6.1: Method Blank Summary	42
6.2: Blank Spike Summary	45
6.3: Internal Standard Area Summaries	48
6.4: Surrogate Recovery Summaries	
Section 7: GC Semi-volatiles - QC Data Summaries	50
7.1: Method Blank Summary	51
7.2: Blank Spike Summary	53
7.3: Surrogate Recovery Summaries	
Section 8: Metals Analysis - QC Data Summaries	57
8.1: Prep QC MP19638: As,Ba,Cd,Cr,Cu,Pb,Ni,Se,Ag,Zn	58
8.2: Prep QC MP19639: Hg	
8.3: Prep QC MP19663: Hg	66



G

=







Sample Summary

Job No:

MC13829

Loureiro Eng. Associates

PWCTEH: Willow Brook - Pond W. East Hartford

Sample Number	Collected Date	Time By	Received	Matr Code		Client Sample ID
MC13829-1	09/07/12	07:20 SRJC	09/07/12	AQ	Ground Water	1264982
MC13829-2	09/07/12	07:20 SRJC	09/07/12	AQ	Ground Water	1264982UF
MC13829-3	09/07/12	09:51 SRJC	09/07/12	AQ	Ground Water	1264984
MC13829-4	09/07/12	09:51 SRJC	09/07/12	AQ	Ground Water	1264984UF
MC13829-5	09/07/12	09:00 SRJC	09/07/12	AQ	Trip Blank Water	1264988
MC13829-6	09/07/12	11:41 SRJC	09/07/12	AQ	Ground Water	1264985
MC13829-7	09/07/12	11:41 SRJC	09/07/12	AQ	Ground Water	1264985UF
MC13829-8	09/07/12	13:16 SRJC	09/07/12	AQ	Ground Water	1264986
MC13829-9	09/07/12	13:16 SRJC	09/07/12	AQ	Ground Water	1264986UF





SAMPLE DELIVERY GROUP CASE NARRATIVE

Client: Loureiro Eng. Associates Job No MC13829

Site: PWCTEH:Willow Brook - Pond W. East Hartford Report Date 9/21/2012 2:52:00 PM

8 Sample(s), 1 Trip Blank(s) and 0 Field Blank(s) were collected on 09/07/2012 and were received at Accutest on 09/07/2012 properly preserved, at 2.2 Deg. C and intact. These Samples received an Accutest job number of MC13829. A listing of the Laboratory Sample ID, Client Sample ID and dates of collection are presented in the Results Summary Section of this report.

Except as noted below, all method specified calibrations and quality control performance criteria were met for this job. For more information, please refer to QC summary pages.

Volatiles by GCMS By Method SW846 8260B

Matrix: AQ Batch ID: MSP2110

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- MSP2110-BS for 2,2-Dichloropropane, Dichlorodifluoromethane, Methyl Tert Butyl Ether, Vinyl chloride are outside control limits. Blank Spike meets program technical requirements.
- Quadratic regression is employed for initial calibration standard MSP2106-ICC2106 for 2,2-dichloropropane, 1,1,2-trichloroethane, 1,3-dichloropropane, bromoform, 1,2-dibromo-3-chloropropane.
- Continuing calibration check standard MSP2110-CC2106 for chloroethane, methyl tert butyl ether, 2,2-dichloropropane, bromochloromethane exceed 30% Difference. This check standard met RCP criteria.
- Initial calibration verification MSP2106-ICV2106 for acetone exceeds 35% Difference.

Extractables by GC By Method CT-ETPH 7/06

Matrix: AQ Batch ID: OP30323

- All samples were extracted within the recommended method holding time.
- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.

Extractables by GC By Method SW846 8082

Matrix: AQ Batch ID: OP30324

- All samples were extracted within the recommended method holding time.
- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.

Metals By Method SW846 6010C

Matrix: AQ Batch ID: MP19638

- All samples were digested within the recommended method holding time.
- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) MC13837-1SDL were used as the QC samples for metals.
- RPD(s) for Serial Dilution for Chromium, Nickel, Selenium, Zinc are outside control limits for sample MP19638-SD1. Percent
 difference acceptable due to low initial sample concentration (< 50 times IDL).
- MP19638-SD1 for Zinc: Serial Dilution RPD acceptable due to low duplicate and sample concentrations.
- Only selected metals requested.

Metals By Method SW846 7470A

Matrix: AQ Batch ID: MP19639

- All samples were digested within the recommended method holding time.
- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.

Matrix: AQ Batch ID: MP19663

- All samples were digested within the recommended method holding time.
- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.

The Accutest Laboratories of New England certifies that all analysis were performed within method specification. It is further recommended that this report to be used in its entirety. The Accutest Laboratories of NE, Laboratory Director or assignee as verified by the signature on the cover page has authorized the release of this report(MC13829).



Summary of Hits Job Number: MC13829

Account: Loureiro Eng. Associates

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Collected: 09/07/12

Lab Sample ID Analyte	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
MC13829-1	1264982					
cis-1,2-Dichloroe Tetrachloroethen Trichloroethene		3.2 3.0 10.8	1.0 1.0 1.0		ug/l ug/l ug/l	SW846 8260B SW846 8260B SW846 8260B
MC13829-2	1264982UF					
Barium		204	50		ug/l	SW846 6010C
MC13829-3	1264984					
CT-ETPH (C9-C36)		0.130	0.082		mg/l	CT-ETPH 7/06
MC13829-4	1264984UF					
Arsenic Barium		11.2 61.0	4.0 50		ug/l ug/l	SW846 6010C SW846 6010C
MC13829-5	1264988					
No hits reported	in this sample.					
MC13829-6	1264985					
No hits reported	in this sample.					
MC13829-7	1264985UF					
Barium		57.4	50		ug/l	SW846 6010C
MC13829-8	1264986					

No hits reported in this sample.

MC13829-9 1264986UF

No hits reported in this sample.





Sample Results	
Report of Analysis	



Report of Analysis

Client Sample ID: 1264982

 Lab Sample ID:
 MC13829-1
 Date Sampled:
 09/07/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/07/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

	File ID	DF	Analyzed	$\mathbf{B}\mathbf{y}$	Prep Date	Prep Batch	Analytical Batch
Run #1	P64635.D	1	09/19/12	TT	n/a	n/a	MSP2110
Run #2							

Run #1 5.0 ml Run #2

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
67-64-1	Acetone	ND	5.0	ug/l	
107-13-1	Acrylonitrile	ND	5.0	ug/l	
71-43-2	Benzene	ND	0.50	ug/l	
108-86-1	Bromobenzene	ND	5.0	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	ug/l	
75-25-2	Bromoform	ND	1.0	ug/l	
74-83-9	Bromomethane	ND	2.0	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	ug/l	
75-15-0	Carbon disulfide	ND	5.0	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	ug/l	
108-90-7	Chlorobenzene	ND	1.0	ug/l	
75-00-3	Chloroethane	ND	2.0	ug/l	
67-66-3	Chloroform	ND	1.0	ug/l	
74-87-3	Chloromethane	ND	2.0	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	3.2	1.0	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l	

ND

2.0

ug/l

ND = Not detected

78-87-5

RL = Reporting Limit

E = Indicates value exceeds calibration range

1,2-Dichloropropane

J = Indicates an estimated value



Report of Analysis

 Client Sample ID:
 1264982

 Lab Sample ID:
 MC13829-1

 Matrix:
 AQ - Ground Water

 Method:
 SW846 8260B

 Date Sampled:
 09/07/12

 Date Received:
 09/07/12

 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

VOA RCP List

CAS No.	Compound	Result	RL	Units Q
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l
100-41-4	Ethylbenzene	ND	1.0	ug/l
76-13-1	Freon 113	ND	5.0	ug/l
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l
591-78-6	2-Hexanone	ND	5.0	ug/l
98-82-8	Isopropylbenzene	ND	5.0	ug/l
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l
74-95-3	Methylene bromide	ND	5.0	ug/l
75-09-2	Methylene chloride	ND	2.0	ug/l
91-20-3	Naphthalene	ND	5.0	ug/l
103-65-1	n-Propylbenzene	ND	5.0	ug/l
100-42-5	Styrene	ND	5.0	ug/l
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l
127-18-4	Tetrachloroethene	3.0	1.0	ug/l
109-99-9	Tetrahydrofuran	ND	10	ug/l
108-88-3	Toluene	ND	1.0	ug/l
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l
79-01-6	Trichloroethene	10.8	1.0	ug/l
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l
75-01-4	Vinyl chloride	ND	1.0	ug/l
	m,p-Xylene	ND	1.0	ug/l
95-47-6	o-Xylene	ND	1.0	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		70-130%

1808-53-7 Dibromoffuoromethane 98% 70-130%

ND = Not detected RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 3 of 3

4

Report of Analysis

Client Sample ID: 1264982

 Lab Sample ID:
 MC13829-1
 Date Sampled:
 09/07/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/07/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

VOA RCP List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	93%		70-130%
460-00-4	4-Bromofluorobenzene	111%		70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Report of Analysis

Client Sample ID: 1264982 Lab Sample ID: MC13829-1 Date Sampled: 09/07/12 Matrix: AQ - Ground Water **Date Received:** 09/07/12 Method: CT-ETPH 7/06 SW846 3510C **Percent Solids:** n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By Run #1 BC645419.D 1 09/14/12 KN 09/10/12 OP30323 GBC3118

Run #2

Initial Volume Final Volume Run #1 960 ml 1.0 ml

Run #2

CAS No. Compound Result RLUnits Q CT-ETPH (C9-C36) ND 0.083 mg/lCAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits 84-15-1 o-Terphenyl 97% 50-149%

ND = Not detected

RL = Reporting Limit B = Indicates analyte found in associated method blank

J = Indicates an estimated value

E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4

Report of Analysis

Client Sample ID: 1264982

 Lab Sample ID:
 MC13829-1
 Date Sampled:
 09/07/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/07/12

 Method:
 SW846 8082
 SW846 3510C
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Prep Date Analytical Batch File ID DF Analyzed By **Prep Batch** Run #1 BK16850.D 1 09/12/12 AP 09/10/12 OP30324 GBK631 Run #2

Run #1 990 ml 5.0 ml

Run #2

2051-24-3

2051-24-3

CT Polychlorinated Biphenyls RCP List

Decachlorobiphenyl

Decachlorobiphenyl

CAS No.	Compound	Result	RL	Units Q
12674-11-2	Aroclor 1016	ND	0.25	ug/l
11104-28-2	Aroclor 1221	ND	0.25	ug/l
11141-16-5	Aroclor 1232	ND	0.25	ug/l
53469-21-9	Aroclor 1242	ND	0.25	ug/l
12672-29-6	Aroclor 1248	ND	0.25	ug/l
11097-69-1	Aroclor 1254	ND	0.25	ug/l
11096-82-5	Aroclor 1260	ND	0.25	ug/l
37324-23-5	Aroclor 1262	ND	0.25	ug/l
11100-14-4	Aroclor 1268	ND	0.25	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
877-09-8	Tetrachloro-m-xylene	85%		30-150%
877-09-8	Tetrachloro-m-xylene	82%		30-150%

ND = Not detected J = Indicates an estimated value

58%

52%

RL = Reporting Limit B = Indicates analyte found in associated method blank <math>E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

30-150%

30-150%



Report of Analysis

Client Sample ID: 1264982UF Lab Sample ID: MC13829-2 Matrix: AQ - Ground Wat

MC13829-2 **Date Sampled:** 09/07/12 AQ - Ground Water **Date Received:** 09/07/12 **Percent Solids:** n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	< 4.0	4.0	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ²	SW846 3010A ³
Barium	204	50	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ²	SW846 3010A ³
Cadmium	< 4.0	4.0	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ²	SW846 3010A ³
Chromium	< 10	10	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ²	SW846 3010A ³
Copper	< 25	25	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ²	SW846 3010A ³
Lead	< 5.0	5.0	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ²	SW846 3010A ³
Mercury	< 0.20	0.20	ug/l	1	09/10/12	09/11/12 EM	SW846 7470A ¹	SW846 7470A ⁴
Nickel	< 40	40	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ²	SW846 3010A ³
Selenium	< 10	10	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ²	SW846 3010A ³
Silver	< 5.0	5.0	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ²	SW846 3010A ³
Zinc	< 20	20	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ²	SW846 3010A ³

(1) Instrument QC Batch: MA14697(2) Instrument QC Batch: MA14702(3) Prep QC Batch: MP19638(4) Prep QC Batch: MP19639

4

Report of Analysis

Client Sample ID: 1264984

 Lab Sample ID:
 MC13829-3
 Date Sampled:
 09/07/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/07/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

File ID DF **Prep Date Analytical Batch** Analyzed By **Prep Batch** MSP2110 Run #1 P64636.D 1 09/19/12 TTn/a n/aRun #2

Purge Volume Run #1 5.0 ml

Run #2

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
67-64-1	Acetone	ND	5.0	ug/l	
107-13-1	Acrylonitrile	ND	5.0	ug/l	
71-43-2	Benzene	ND	0.50	ug/l	
108-86-1	Bromobenzene	ND	5.0	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	ug/l	
75-25-2	Bromoform	ND	1.0	ug/l	
74-83-9	Bromomethane	ND	2.0	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	ug/l	
75-15-0	Carbon disulfide	ND	5.0	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	ug/l	
108-90-7	Chlorobenzene	ND	1.0	ug/l	
75-00-3	Chloroethane	ND	2.0	ug/l	
67-66-3	Chloroform	ND	1.0	ug/l	
74-87-3	Chloromethane	ND	2.0	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l	

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Report of Analysis

 Client Sample ID:
 1264984

 Lab Sample ID:
 MC13829-3

 Matrix:
 AQ - Ground Water

 Method:
 SW846 8260B

 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

VOA RCP List

CAS No.	Compound	Result	RL	Units Q
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l
100-41-4	Ethylbenzene	ND	1.0	ug/l
76-13-1	Freon 113	ND	5.0	ug/l
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l
591-78-6	2-Hexanone	ND	5.0	ug/l
98-82-8	Isopropylbenzene	ND	5.0	ug/l
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l
74-95-3	Methylene bromide	ND	5.0	ug/l
75-09-2	Methylene chloride	ND	2.0	ug/l
91-20-3	Naphthalene	ND	5.0	ug/l
103-65-1	n-Propylbenzene	ND	5.0	ug/l
100-42-5	Styrene	ND	5.0	ug/l
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l
127-18-4	Tetrachloroethene	ND	1.0	ug/l
109-99-9	Tetrahydrofuran	ND	10	ug/l
108-88-3	Toluene	ND	1.0	ug/l
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l
79-01-6	Trichloroethene	ND	1.0	ug/l
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l
75-01-4	Vinyl chloride	ND	1.0	ug/l
	m,p-Xylene	ND	1.0	ug/l
95-47-6	o-Xylene	ND	1.0	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	96%		70-130%

ND = Not detected RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Report of Analysis

 Client Sample ID:
 1264984

 Lab Sample ID:
 MC13829-3
 Date Sampled:
 09/07/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/07/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

VOA RCP List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	91%		70-130%
460-00-4	4-Bromofluorobenzene	111%		70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

 $B = \ Indicates \ analyte \ found \ in \ associated \ method \ blank$

N = Indicates presumptive evidence of a compound



Report of Analysis

Client Sample ID: 1264984 Lab Sample ID: MC13829-3 Date Sampled: 09/07/12 Matrix: AQ - Ground Water **Date Received:** 09/07/12 Method: CT-ETPH 7/06 SW846 3510C **Percent Solids:** n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

File ID DF **Prep Date Prep Batch Analytical Batch** Analyzed By Run #1 BC645421.D 1 09/14/12 KN 09/10/12 OP30323 GBC3118

Run #2

Initial Volume Final Volume Run #1 980 ml 1.0 ml

Run #2

CAS No. Compound Result RLUnits Q CT-ETPH (C9-C36) 0.130 0.082 mg/l CAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits 84-15-1 o-Terphenyl 91% 50-149%

ND = Not detected

J = Indicates an estimated value RL = Reporting Limit B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

1

Report of Analysis

Client Sample ID: 1264984

 Lab Sample ID:
 MC13829-3
 Date Sampled:
 09/07/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/07/12

 Method:
 SW846 8082
 SW846 3510C
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

File IDDFAnalyzedByPrep DatePrep BatchAnalytical BatchRun #1BK16851.D109/12/12AP09/10/12OP30324GBK631

Run #2

Initial Volume Final Volume

Run #1 990 ml 5.0 ml

Run #2

2051-24-3

2051-24-3

CT Polychlorinated Biphenyls RCP List

CAS No.	Compound	Result	RL	Units Q
12674-11-2	Aroclor 1016	ND	0.25	ug/l
11104-28-2	Aroclor 1221	ND	0.25	ug/l
11141-16-5	Aroclor 1232	ND	0.25	ug/l
53469-21-9	Aroclor 1242	ND	0.25	ug/l
12672-29-6	Aroclor 1248	ND	0.25	ug/l
11097-69-1	Aroclor 1254	ND	0.25	ug/l
11096-82-5	Aroclor 1260	ND	0.25	ug/l
37324-23-5	Aroclor 1262	ND	0.25	ug/l
11100-14-4	Aroclor 1268	ND	0.25	ug/l
G 1 G 37		D // 4	D // 0	.
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
877-09-8	Tetrachloro-m-xylene	83%		30-150%
877-09-8	Tetrachloro-m-xylene	74%		30-150%
011 07-0	1 cu acinoro in-xyrene	7-170		30-13070

57%

52%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

Decachlorobiphenyl

Decachlorobiphenyl

J = Indicates an estimated value

30-150%

30-150%



Report of Analysis

Client Sample ID: 1264984UF Lab Sample ID: MC13829-4 Matrix: AQ - Ground V

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	11.2	4.0	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ²	SW846 3010A ³
Barium	61.0	50	ug/l	1	07, -0,	09/11/12 EAL	SW846 6010C ²	SW846 3010A ³
Cadmium	< 4.0	4.0	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ²	SW846 3010A ³
Chromium	< 10	10	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ²	SW846 3010A ³
Copper	< 25	25	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ²	SW846 3010A ³
Lead	< 5.0	5.0	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ²	SW846 3010A ³
Mercury	< 0.20	0.20	ug/l	1	09/10/12	09/11/12 ЕМ	SW846 7470A ¹	SW846 7470A ⁴
Nickel	< 40	40	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ²	SW846 3010A ³
Selenium	< 10	10	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ²	SW846 3010A ³
Silver	< 5.0	5.0	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ²	SW846 3010A ³
Zinc	< 20	20	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ²	SW846 3010A ³

(1) Instrument QC Batch: MA14697(2) Instrument QC Batch: MA14702(3) Prep QC Batch: MP19638(4) Prep QC Batch: MP19639

+

Report of Analysis

Client Sample ID: 1264988

 Lab Sample ID:
 MC13829-5
 Date Sampled:
 09/07/12

 Matrix:
 AQ - Trip Blank Water
 Date Received:
 09/07/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

File ID DF **Prep Date Analytical Batch** Analyzed By **Prep Batch** MSP2110 Run #1 P64621.D 1 09/19/12 TTn/a n/aRun #2

Purge Volume

Run #1 5.0 ml

Run #2

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
67-64-1	Acetone	ND	5.0	ug/l	
107-13-1	Acrylonitrile	ND	5.0	ug/l	
71-43-2	Benzene	ND	0.50	ug/l	
108-86-1	Bromobenzene	ND	5.0	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	ug/l	
75-25-2	Bromoform	ND	1.0	ug/l	
74-83-9	Bromomethane	ND	2.0	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	ug/l	
75-15-0	Carbon disulfide	ND	5.0	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	ug/l	
108-90-7	Chlorobenzene	ND	1.0	ug/l	
75-00-3	Chloroethane	ND	2.0	ug/l	
67-66-3	Chloroform	ND	1.0	ug/l	
74-87-3	Chloromethane	ND	2.0	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l	

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Report of Analysis

Client Sample ID: 1264988 Lab Sample ID: MC13829

 Lab Sample ID:
 MC13829-5
 Date Sampled:
 09/07/12

 Matrix:
 AQ - Trip Blank Water
 Date Received:
 09/07/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l	
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l	
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l	
100-41-4	Ethylbenzene	ND	1.0	ug/l	
76-13-1	Freon 113	ND	5.0	ug/l	
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l	
591-78-6	2-Hexanone	ND	5.0	ug/l	
98-82-8	Isopropylbenzene	ND	5.0	ug/l	
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l	
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l	
74-95-3	Methylene bromide	ND	5.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	ug/l	
91-20-3	Naphthalene	ND	5.0	ug/l	
103-65-1	n-Propylbenzene	ND	5.0	ug/l	
100-42-5	Styrene	ND	5.0	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	ug/l	
109-99-9	Tetrahydrofuran	ND	10	ug/l	
108-88-3	Toluene	ND	1.0	ug/l	
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l	
79-01-6	Trichloroethene	ND	1.0	ug/l	
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l	
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l	
75-01-4	Vinyl chloride	ND	1.0	ug/l	
	m,p-Xylene	ND	1.0	ug/l	
95-47-6	o-Xylene	ND	1.0	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Lim	its
1868-53-7	Dibromofluoromethane	92%		70-1	30%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Page 3 of 3

Report of Analysis

Client Sample ID: 1264988 Lab Sample ID: MC13829

 Lab Sample ID:
 MC13829-5
 Date Sampled:
 09/07/12

 Matrix:
 AQ - Trip Blank Water
 Date Received:
 09/07/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

VOA RCP List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	89%		70-130%
460-00-4	4-Bromofluorobenzene	109%		70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Report of Analysis

 Client Sample ID:
 1264985

 Lab Sample ID:
 MC13829-6
 Date Sampled:
 09/07/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/07/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

	File ID	DF	Analyzed	$\mathbf{B}\mathbf{y}$	Prep Date	Prep Batch	Analytical Batch
Run #1	P64637.D	1	09/19/12	TT	n/a	n/a	MSP2110
Run #2							

Purge Volume
Run #1 5.0 ml
Run #2

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
67-64-1	Acetone	ND	5.0	ug/l	
107-13-1	Acrylonitrile	ND	5.0	ug/l	
71-43-2	Benzene	ND	0.50	ug/l	
108-86-1	Bromobenzene	ND	5.0	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	ug/l	
75-25-2	Bromoform	ND	1.0	ug/l	
74-83-9	Bromomethane	ND	2.0	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	ug/l	
75-15-0	Carbon disulfide	ND	5.0	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	ug/l	
108-90-7	Chlorobenzene	ND	1.0	ug/l	
75-00-3	Chloroethane	ND	2.0	ug/l	
67-66-3	Chloroform	ND	1.0	ug/l	
74-87-3	Chloromethane	ND	2.0	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l	

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value



Report of Analysis

 Client Sample ID:
 1264985

 Lab Sample ID:
 MC13829-6
 Date Sampled:
 09/07/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/07/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

VOA RCP List

CAS No.	Compound	Result	RL	Units Q
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l
100-41-4	Ethylbenzene	ND	1.0	ug/l
76-13-1	Freon 113	ND	5.0	ug/l
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l
591-78-6	2-Hexanone	ND	5.0	ug/l
98-82-8	Isopropylbenzene	ND	5.0	ug/l
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l
74-95-3	Methylene bromide	ND	5.0	ug/l
75-09-2	Methylene chloride	ND	2.0	ug/l
91-20-3	Naphthalene	ND	5.0	ug/l
103-65-1	n-Propylbenzene	ND	5.0	ug/l
100-42-5	Styrene	ND	5.0	ug/l
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l
127-18-4	Tetrachloroethene	ND	1.0	ug/l
109-99-9	Tetrahydrofuran	ND	10	ug/l
108-88-3	Toluene	ND	1.0	ug/l
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l
79-01-6	Trichloroethene	ND	1.0	ug/l
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l
75-01-4	Vinyl chloride	ND	1.0	ug/l
	m,p-Xylene	ND	1.0	ug/l
95-47-6	o-Xylene	ND	1.0	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	93%		70-130%

70 130/0

ND = Not detected RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Page 3 of 3

Report of Analysis

 Client Sample ID:
 1264985

 Lab Sample ID:
 MC13829-6
 Date Sampled:
 09/07/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/07/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

VOA RCP List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	87%		70-130%
460-00-4	4-Bromofluorobenzene	108%		70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

 $B = \ Indicates \ analyte \ found \ in \ associated \ method \ blank$

N = Indicates presumptive evidence of a compound



Report of Analysis

 Client Sample ID:
 1264985

 Lab Sample ID:
 MC13829-6
 Date Sampled:
 09/07/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/07/12

 Method:
 CT-ETPH 7/06 SW846 3510C
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

File IDDFAnalyzedByPrep DatePrep BatchAnalytical BatchRun #1BC645423.D109/14/12KN09/10/12OP30323GBC3118

Run #2

Run #1 1000 ml 1.0 ml

Run #2

CAS No. Compound Result RLUnits Q CT-ETPH (C9-C36) ND 0.080 mg/lCAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits 84-15-1 o-Terphenyl 95% 50-149%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Report of Analysis

 Client Sample ID:
 1264985

 Lab Sample ID:
 MC13829-6

 Matrix:
 AQ - Ground Water

 Date Sampled:
 09/07/12

 Date Received:
 09/07/12

Method: SW846 8082 SW846 3510C Percent Solids: n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

File ID **Prep Date Analytical Batch** DF Analyzed By **Prep Batch** 09/12/12 Run #1 BK16852.D 1 AP 09/10/12 OP30324 GBK631 Run #2

Run #1 980 ml 5.0 ml

Run #2

CT Polychlorinated Biphenyls RCP List

CAS No.	Compound	Result	RL	Units Q
12674-11-2	Aroclor 1016	ND	0.26	ug/l
11104-28-2	Aroclor 1221	ND	0.26	ug/l
11141-16-5	Aroclor 1232	ND	0.26	ug/l
53469-21-9	Aroclor 1242	ND	0.26	ug/l
12672-29-6	Aroclor 1248	ND	0.26	ug/l
11097-69-1	Aroclor 1254	ND	0.26	ug/l
11096-82-5	Aroclor 1260	ND	0.26	ug/l
37324-23-5	Aroclor 1262	ND	0.26	ug/l
11100-14-4	Aroclor 1268	ND	0.26	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
877-09-8	Tetrachloro-m-xylene	86%		30-150%
877-09-8	Tetrachloro-m-xylene	84%		30-150%
2051-24-3	Decachlorobiphenyl	43%		30-150%
2051-24-3	Decachlorobiphenyl	40%		30-150%

ND = Not detected J = Indicates an estimated value

RL = Reporting Limit B = Indicates analyte found in associated method blank <math>E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound



4

Report of Analysis

Client Sample ID: 1264985UF Lab Sample ID: MC13829-7

Lab Sample ID:MC13829-7Date Sampled:09/07/12Matrix:AQ - Ground WaterDate Received:09/07/12Percent Solids:n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	< 4.0	4.0	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ¹	SW846 3010A ³
Barium	57.4	50	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ¹	SW846 3010A ³
Cadmium	< 4.0	4.0	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ¹	SW846 3010A ³
Chromium	< 10	10	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ¹	SW846 3010A ³
Copper	< 25	25	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ¹	SW846 3010A ³
Lead	< 5.0	5.0	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ¹	SW846 3010A ³
Mercury	< 0.20	0.20	ug/l	1	09/14/12	09/17/12 PY	SW846 7470A ²	SW846 7470A ⁴
Nickel	< 40	40	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ¹	SW846 3010A ³
Selenium	< 10	10	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ¹	SW846 3010A ³
Silver	< 5.0	5.0	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ¹	SW846 3010A ³
Zinc	< 20	20	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ¹	SW846 3010A ³

(1) Instrument QC Batch: MA14702(2) Instrument QC Batch: MA14712(3) Prep QC Batch: MP19638(4) Prep QC Batch: MP19663

Report of Analysis

 Client Sample ID:
 1264986

 Lab Sample ID:
 MC13829-8
 Date Sampled:
 09/07/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/07/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

	File ID	DF	Analyzed	$\mathbf{B}\mathbf{y}$	Prep Date	Prep Batch	Analytical Batch
Run #1	P64638.D	1	09/19/12	TT	n/a	n/a	MSP2110
Run #2							

Purge Volume
Run #1 5.0 ml
Run #2

VOA RCP List

CAS No.	Compound	Result	RL	Units C)
67-64-1	Acetone	ND	5.0	ug/l	
107-13-1	Acrylonitrile	ND	5.0	ug/l	
71-43-2	Benzene	ND	0.50	ug/l	
108-86-1	Bromobenzene	ND	5.0	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	ug/l	
75-25-2	Bromoform	ND	1.0	ug/l	
74-83-9	Bromomethane	ND	2.0	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	ug/l	
75-15-0	Carbon disulfide	ND	5.0	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	ug/l	
108-90-7	Chlorobenzene	ND	1.0	ug/l	
75-00-3	Chloroethane	ND	2.0	ug/l	
67-66-3	Chloroform	ND	1.0	ug/l	
74-87-3	Chloromethane	ND	2.0	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l	

ND = Not detected RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Report of Analysis

Client Sample ID: 1264986 Lab Sample ID: MC13829-8 **Date Sampled:** 09/07/12 Matrix: **Date Received:** 09/07/12 AQ - Ground Water Method: SW846 8260B **Percent Solids:** n/a

PWCTEH: Willow Brook - Pond W. East Hartford **Project:**

VOA RCP List

CAS No.	Compound	Result	Units Q	
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l
100-41-4	Ethylbenzene	ND	1.0	ug/l
76-13-1	Freon 113	ND	5.0	ug/l
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l
591-78-6	2-Hexanone	ND	5.0	ug/l
98-82-8	Isopropylbenzene	ND	5.0	ug/l
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l
74-95-3	Methylene bromide	ND	5.0	ug/l
75-09-2	Methylene chloride	ND	2.0	ug/l
91-20-3	Naphthalene	ND	5.0	ug/l
103-65-1	n-Propylbenzene	ND	5.0	ug/l
100-42-5	Styrene	ND	5.0	ug/l
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l
127-18-4	Tetrachloroethene	ND	1.0	ug/l
109-99-9	Tetrahydrofuran	ND	10	ug/l
108-88-3	Toluene	ND	1.0	ug/l
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l
79-01-6	Trichloroethene	ND	1.0	ug/l
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l
75-01-4	Vinyl chloride	ND	1.0	ug/l
	m,p-Xylene	ND	1.0	ug/l
95-47-6	o-Xylene	ND	1.0	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	101%		70-130%

ND = Not detected RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Page 3 of 3

Report of Analysis

 Client Sample ID:
 1264986

 Lab Sample ID:
 MC13829-8
 Date Sampled:
 09/07/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/07/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

VOA RCP List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	96%		70-130%
460-00-4	4-Bromofluorobenzene	118%		70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Report of Analysis

 Client Sample ID:
 1264986

 Lab Sample ID:
 MC13829-8
 Date Sampled:
 09/07/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/07/12

 Method:
 CT-ETPH 7/06 SW846 3510C
 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

File ID DF **Prep Date Analytical Batch** Analyzed By **Prep Batch** Run #1 BC645429.D 1 09/14/12 KN 09/10/12 OP30323 GBC3118 Run #2

Run #1 980 ml 1.0 ml
Run #2

CAS No. Compound Result RLUnits Q CT-ETPH (C9-C36) ND 0.082 mg/lCAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits 84-15-1 o-Terphenyl 88% 50-149%

ND = Not detected J = Indicates an estimated value

RL = Reporting Limit B = Indicates analyte found in associated method blank <math>E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound



Report of Analysis

 Client Sample ID:
 1264986

 Lab Sample ID:
 MC13829-8

 Matrix:
 AQ - Ground Water

 Method:
 SW846 8082

 SW846 3510C
 Percent Solids:

 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

	File ID	DF	Analyzed	$\mathbf{B}\mathbf{y}$	Prep Date	Prep Batch	Analytical Batch
Run #1	BK16853.D	1	09/12/12	AP	09/10/12	OP30324	GBK631
Run #2							

Run #1 990 ml 5.0 ml
Run #2

CT Polychlorinated Biphenyls RCP List

CAS No.	Compound	Result	RL	Units Q
12674-11-2	Aroclor 1016	ND	0.25	ug/l
11104-28-2	Aroclor 1221	ND	0.25	ug/l
11141-16-5	Aroclor 1232	ND	0.25	ug/l
53469-21-9	Aroclor 1242	ND	0.25	ug/l
12672-29-6	Aroclor 1248	ND	0.25	ug/l
11097-69-1	Aroclor 1254	ND	0.25	ug/l
11096-82-5	Aroclor 1260	ND	0.25	ug/l
37324-23-5	Aroclor 1262	ND	0.25	ug/l
11100-14-4	Aroclor 1268	ND	0.25	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
877-09-8	Tetrachloro-m-xylene	88%		30-150%
877-09-8	Tetrachloro-m-xylene	85%		30-150%
2051-24-3	Decachlorobiphenyl	66%		30-150%
2051-24-3	Decachlorobiphenyl	61%		30-150%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Report of Analysis

 Client Sample ID:
 1264986UF

 Lab Sample ID:
 MC13829-9

 Matrix:
 AQ - Ground Water

 Date Sampled:
 09/07/12

 Percent Solids:
 n/a

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	< 4.0	4.0	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ¹	SW846 3010A ³
Barium	< 50	50	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ¹	SW846 3010A ³
Cadmium	< 4.0	4.0	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ¹	SW846 3010A ³
Chromium	< 10	10	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ¹	SW846 3010A ³
Copper	< 25	25	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ¹	SW846 3010A ³
Lead	< 5.0	5.0	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ¹	SW846 3010A ³
Mercury	< 0.20	0.20	ug/l	1	09/14/12	09/17/12 PY	SW846 7470A ²	SW846 7470A ⁴
Nickel	< 40	40	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ¹	SW846 3010A ³
Selenium	< 10	10	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ¹	SW846 3010A ³
Silver	< 5.0	5.0	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ¹	SW846 3010A ³
Zinc	< 20	20	ug/l	1	09/10/12	09/11/12 EAL	SW846 6010C ¹	SW846 3010A ³

(1) Instrument QC Batch: MA14702(2) Instrument QC Batch: MA14712(3) Prep QC Batch: MP19638(4) Prep QC Batch: MP19663



Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody
- RCP Form
- Sample Tracking Chronicle



		C	HAIN	OF	CI	JSTO	DDY									1	PAGI	z <u> </u>	_ 01	F_L
ACCUTES			ccutest Lat								FED-E	X Tracking	king # Bottle Order Control #							
LABORATOR	162		L. 508-48Ĩ	-6200	FAX	508-48					Accute	st Quote #				Accutest J	Job #	MA		
					cutest.c		San San San San San San San San San San	77			E			-217					38	329
Client / Reporting Information Company Name	Project Name		Proj	ect In	formati	on						Req	uestec	l Analys	is (see	TEST CO	DE shee	4)	200	Matrix Codes
Loureiro Engineerin A	1 1	villow	Sto	ok	_ (5W	M	·	1000000	es (Assuran				42'10'05						DW - Drinking Water GW - Ground Water WW - Water
100 Northwest Dr	Zip City:				Billing Ir	formation	n (If diffe	rent 1	from R	eport to)	_			3						SW - Surface Water SO - Soil
Project Contact E-mail	Project#	$\overline{}$		Stree	et Address	_					-			otals +			İ			SL- Sludge SED-Sediment OI - Oil
Robin McKinney	Client PO#			City	(State		_	Zip	40			20,						LIQ - Other Liquid AIR - Air SOL - Other Solid
860-747-3000 Sampler(s) Name(s) Phone #		***************************************		Atter		XQ	ИД	(=	_		\$2,40	ו וכ	8	Cera &					ı	WP - Wipe FB-Field Blank EB- Equipment Slank
JC/AC/SR	Project Manage	т				· ·	, ,				N N		808	3						RB- Rinse Blank TB-Trip Blank
N = 13829			Collection	Sample			T.	. 2	preserved	1 2	Į ģ		49	1 10					Ī	
Field ID / Point of Collection	WEOH/DI Arei #	Date	Time	by	Mairix	# of bottles		E S	NONE DI Wat	MEOH		U	٩	15				\perp	_	LAB USE ONLY
/ 1264982		9/7/12		26	BW	(C)	2	4	4	-	X	12/	×			\perp				
2 1264982 UP		<u> </u>	1	SR.	$\perp \downarrow$	1		Ш	Ш	Ш				$X \!\! \perp$					\dashv	
3 1264984				て	$oldsymbol{\perp}$	6	5	1	4	\Box	7	ト	7			1				
9 1264984UF			9:51	\mathcal{T}_{C}	1	ı								\mathcal{X}						
5 1264988			9:00	I	78	1	1				7									
6 1264985	•		11:41	50	6	6	2		4	ПП	X	\times	X							,
7 1264985UF		11	11:41	32		ī			П		1			X				1	1	18D
8 1264986			13:16	TC		6	2		4		X.	7	7			$\dagger \dagger \dagger$		\top	-4	254 54
9 1264 98605		1	13:16 .	3	V	ĩ	l							~						
				A	1		++		П	†	1		—-ç							
				19	\mathcal{H}	M	5													
		W		7	W	70	\Box		П	ПП				-		-			T	
					(commit		Delivera	ble in							Comm	ents / Sp	occial Ins	truction	s	
Turnaround Time (Business days)	Approved By (Ac	utest PM): / Date:		_		cial "A" (L cial "B" (L			I	YASP Cat YASP Cat			Ple	30<0	· Pa	ولمني	CT	·Pr	PI	Inalytical
Std. 10 Business Days Std. 5 Business Days (By Contract only	y)					Level 3+4				ate Forms		l		-1		DIO C		V- V		Dialy Car
5 Day RUSH					CT RCP			i		DD Forma	at		115	tsti	or V	OC5.	ivg]	CD5	, qx	10
3 Day EMERGENCY					MA MCP	Camman	ial "A" = Re	noulto i		ther			R	ولند. ـ	0 (T	Đ₽	Do	~91	<i>+</i>
2 Day EMERGENCY 1 Day EMERGENCY					_		ial "B" = Re			ımməry		1					<u></u>	-14		
Emergency & Rush T/A data available VIA Lablink			/	2/	/											Processor (1997)	8323343333	55.000000000000000000000000000000000000	Vision or and	
Relinquisted by Sampler:		nple Custody mi	ist be discum	ented b	elow ead		Relinguish		e poss	ession, ir	ncluding	courie		ery. Date Time:	1849	Received E	Бу; _	2200000		
Reinfouried by Sampler:	Pate Time: 1630	1 800	///				2		B	~			1	1-71		2	B			
galingui had by Sampler:	Date Time:	Received By:	d/			****	Relinquish	ed By:					1	Date Time:		Received E	Зу:	-		
B	Data Time	3 Received By:					4 Custody S				Intact			d where ap	-1:61-	4		ice		sm0

MC13829: Chain of Custody Page 1 of 2





Accutest Laboratories

V:508.481.6200

Accutest Laboratories Sample Receipt Summary

Accutest Job Number: MC13829 Client: LEA Immediate Client Services Action Required: No Client Service Action Required at Login: Date / Time Received: 9/7/2012 **Delivery Method:** Nο Project: WILLOW No. Coolers: Airbill #'s: Y or N Sample Integrity - Documentation **Cooler Security** Y or N Y or N П 3. COC Present: **✓** 1. Custody Seals Present: ✓ 1. Sample labels present on bottles: ✓ 4. Smpl Dates/Time OK **√** 2. Custody Seals Intact: ✓ 2. Container labeling complete: 3. Sample container label / COC agree: ✓ **Cooler Temperature** Y or N 1. Temp criteria achieved: Υ or N Sample Integrity - Condition 2. Cooler temp verification: Infared gun 1 1. Sample recvd within HT: 3. Cooler media: Ice (bag) 2. All containers accounted for: 1 **Quality Control Preservatio** Y or N N/A 3. Condition of sample: Intact 1. Trip Blank present / cooler: **√** Sample Integrity - Instructions or N N/A **✓** 2. Trip Blank listed on COC: 1 1. Analysis requested is clear: 3. Samples preserved properly: ✓ 2. Bottles received for unspecified tests **✓** 4. VOCs headspace free: 3. Sufficient volume recvd for analysis: **✓ ✓** 4. Compositing instructions clear: ✓ 5. Filtering instructions clear: ✓ Comments

495 Technology Center West, Bldg One

F: 508.481.7753

MC13829: Chain of Custody

Marlborough, MA

Page 2 of 2



45

0

Reasonable Confidence Protocol Laboratory Analysis QA/QC Certification Form

Laboratory Name:	Accutest New England	Client:	Loureiro Eng. Associates
Project Location:	PWCTEH:Willow Brook - Pond W. East Hartford	Project N	Number:
Sampling Date(s):	9/7/2012		
Laboratory Sample ID(s	MC13829-1, MC13829-2, MC13	829-3, MC1	3829-4, MC13829-5, MC13829-6, MC13829-

Methods: CT-ETPH 7/06, SW846 6010C, SW846 7470A, SW846 8082, SW846 8260B

7, MC13829-8, MC13829-9

Methods:	C1-ETPH 7/06, SW846 6010C, SW846 7470A, SW846 8082, SW846 8260B		
1	For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed, including the requirement to explain any criteria falling outside of acceptable guidelines, as specified in the CTDEP method-specific Reasonable Confidence Protocol documents)?	Yes 🔽	No 🗖
1A	Where all the method specified preservation and holding time requirements met?	Yes 🗹	No 🗖
1B	VPH and EPH mehods only: Was the VPH or EPH method conducted without significant modifications (See section 11.3 of respective methods)	Yes 🗖	No □ NA ☑
2	Were all samples received by the laboratory in a condition consistent with that described on the associated chain-of-custody document(s)?	Yes 🗹	No 🔲
3	Were samples received at an appropriate temperature (<6° C)?	Yes 🗹	No 🗖
4	Were all QA/QC performance criteria specified in the CTDEP Reasonable Confidence Protocol documents achieved?	Yes 🗖	No 🔽
5	a) Were reporting limits specified or referenced on the chain-of-custody?	Yes 🗆	No 🔽
	b) Were these reporting limits met?	Yes 🗖	No 🔽
6	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists presented in the Reasonable Confidence Protocol documents?	Yes 🗖	No 🔽
7	Are project-specific matrix spikes and laboratory duplicates included in this data set?	Yes 🔽	No 🗖

Note: For all questions to which the response was "No" (with the exception of question #7), additional information must be provided in an attached narrative. If the answer to question #1, #1A or #1B is "No", the data package does not meet the requirements for "Reasonable Confidence".

i, the undersigned, attest under pains and penalties of pel and based upon my personal inquiry of those responsible analytical report, such information is accurate and comple	e for providing the information contained in this
Authorized Signature:	Position: Lab Director
Printed Name: Reza Tand Accutest New England	Date: 9/21/2012



Internal Sample Tracking Chronicle

Loureiro Eng. Associates

Job No: MC13829

PWCTEH: Willow Brook - Pond W. East Hartford

Sample Number	Method	Analyzed	Ву	Prepped	Ву	Test Codes
MC13829-1 1264982	Collected: 07-SEP-12 0	7:20 By: SRJC	Receiv	ed: 07-SEP-	12 By:	
MC13829-1	SW846 8082 CT-ETPH 7/06 SW846 8260B	12-SEP-12 17:40 14-SEP-12 02:50 19-SEP-12 06:41	AP KN TT	10-SEP-12 10-SEP-12		P8082RCP BCTTPH V8260RCP
MC13829-2 1264982UF	Collected: 07-SEP-12 0	7:20 By: SRJC	Receiv	ed: 07-SEP-	12 By:	
	SW846 7470A SW846 6010C	11-SEP-12 13:24 11-SEP-12 16:03	EM EAL	10-SEP-12 10-SEP-12		HG AG,AS,BA,CD,CR,CU,NI,PB,S ZN
MC13829-3 1264984	Collected: 07-SEP-12 0	9:51 By: SRJC	Receiv	ed: 07-SEP-	12 By:	
MC13829-3	SW846 8082 CT-ETPH 7/06 SW846 8260B	12-SEP-12 17:59 14-SEP-12 03:22 19-SEP-12 07:09	AP KN TT	10-SEP-12 10-SEP-12		P8082RCP BCTTPH V8260RCP
MC13829-4 1264984UF	Collected: 07-SEP-12 0	9:51 By: SRJC	Receiv	ved: 07-SEP-	12 By:	
	SW846 7470A SW846 6010C	11-SEP-12 13:26 11-SEP-12 16:08	EM EAL	10-SEP-12 10-SEP-12		HG AG,AS,BA,CD,CR,CU,NI,PB,S ZN
MC13829-5 1264988	Collected: 07-SEP-12 0	9:00 By: SRJC	Receiv	ed: 07-SEP-	12 By:	
MC13829-5	SW846 8260B	19-SEP-12 00:10	TT			V8260RCP
MC13829-6 1264985	Collected: 07-SEP-12 1	1:41 By: SRJC	Receiv	ed: 07-SEP-	12 By:	
MC13829-6	SW846 8082 CT-ETPH 7/06 SW846 8260B	12-SEP-12 18:18 14-SEP-12 03:55 19-SEP-12 07:36	AP KN TT	10-SEP-12 10-SEP-12		P8082RCP BCTTPH V8260RCP

Internal Sample Tracking Chronicle

Loureiro Eng. Associates

PWCTEH: Willow Brook - Pond W. East Hartford

Job No: MC13829

Sample Number	Method	Analyzed	Ву	Prepped	Ву	Test Codes
MC13829-7 1264985UF	Collected: 07-SEP-12 1	1:41 By: SRJC	Receiv	/ed: 07-SEP-	12 By:	
	SW846 6010C	11-SEP-12 16:13	EAL	10-SEP-12	DA	AG,AS,BA,CD,CR,CU,NI,PB,S ZN
MC13829-7	SW846 7470A	17-SEP-12 11:04	PY	14-SEP-12	EM	HG
MC13829-8 1264986	Collected: 07-SEP-12 1	3:16 By: SRJC	Receiv	ed: 07-SEP-	12 By:	
MC13829-8	SW846 8082 CT-ETPH 7/06 SW846 8260B	12-SEP-12 18:37 14-SEP-12 05:31 19-SEP-12 08:04	AP KN TT	10-SEP-12 10-SEP-12		P8082RCP BCTTPH V8260RCP
MC13829-9 1264986UF	Collected: 07-SEP-12 1	3:16 By: SRJC	Receiv	ved: 07-SEP-	12 By:	
MC13829-9	SW846 6010C	11-SEP-12 16:18	EAL	10-SEP-12	DA	AG,AS,BA,CD,CR,CU,NI,PB,S ZN
MC13829-9	SW846 7470A	17-SEP-12 11:06	PY	14-SEP-12	EM	HG



GC/MS Volatiles

QC Data Summaries

Includes the following where applicable:

- · Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries
- Internal Standard Area Summaries
- Surrogate Recovery Summaries

. .

Page 1 of 3

Method: SW846 8260B

Method Blank Summary

Job Number: MC13829

Account: LEA Loureiro Eng. Associates

Project: PWCTEH: Willow Brook - Pond W. East Hartford

|--|

The QC reported here applies to the following samples:

CAS No.	Compound	Result	RL	Units Q
67-64-1	Acetone	ND	5.0	ug/l
107-13-1	Acrylonitrile	ND	5.0	ug/l
71-43-2	Benzene	ND	0.50	ug/l
108-86-1	Bromobenzene	ND	5.0	ug/l
75-27-4	Bromodichloromethane	ND	1.0	ug/l
75-25-2	Bromoform	ND	1.0	ug/l
74-83-9	Bromomethane	ND	2.0	ug/l
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l
104-51-8	n-Butylbenzene	ND	5.0	ug/l
135-98-8	sec-Butylbenzene	ND	5.0	ug/l
98-06-6	tert-Butylbenzene	ND	5.0	ug/l
75-15-0	Carbon disulfide	ND	5.0	ug/l
56-23-5	Carbon tetrachloride	ND	1.0	ug/l
108-90-7	Chlorobenzene	ND	1.0	ug/l
75-00-3	Chloroethane	ND	2.0	ug/l
67-66-3	Chloroform	ND	1.0	ug/l
74-87-3	Chloromethane	ND	2.0	ug/l
95-49-8	o-Chlorotoluene	ND	5.0	ug/l
106-43-4	p-Chlorotoluene	ND	5.0	ug/l
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l
124-48-1	Dibromochloromethane	ND	1.0	ug/l
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l
75-34-3	1,1-Dichloroethane	ND	1.0	ug/l
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l
156-59-2	cis-1,2-Dichloroethene	ND	1.0	ug/l
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l



Page 2 of 3

Method: SW846 8260B

Method Blank Summary

Job Number: MC13829

Account: LEA Loureiro Eng. Associates

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Sample MSP2110-MB	File ID P64620. D	DF 1	Analyzed 09/18/12	By TT	Prep Date n/a	Prep Batch n/a	Analytical Batch MSP2110

The QC reported here applies to the following samples:

CAS No.	Compound	Result	RL	Units Q
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l
100-41-4	Ethylbenzene	ND	1.0	ug/l
76-13-1	Freon 113	ND	5.0	ug/l
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l
591-78-6	2-Hexanone	ND	5.0	ug/l
98-82-8	Isopropylbenzene	ND	5.0	ug/l
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l
74-95-3	Methylene bromide	ND	5.0	ug/l
75-09-2	Methylene chloride	ND	2.0	ug/l
91-20-3	Naphthalene	ND	5.0	ug/l
103-65-1	n-Propylbenzene	ND	5.0	ug/l
100-42-5	Styrene	ND	5.0	ug/l
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l
127-18-4	Tetrachloroethene	ND	1.0	ug/l
109-99-9	Tetrahydrofuran	ND	10	ug/l
108-88-3	Toluene	ND	1.0	ug/l
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l
79-01-6	Trichloroethene	ND	1.0	ug/l
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l
75-01-4	Vinyl chloride	ND	1.0	ug/l
	m,p-Xylene	ND	1.0	ug/l
95-47-6	o-Xylene	ND	1.0	ug/l



Page 3 of 3

Method: SW846 8260B

Method Blank Summary

Job Number: MC13829

Account: LEA Loureiro Eng. Associates

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Sample	File ID	DF	Analyzed 09/18/12	By	Prep Date	Prep Batch	Analytical Batch
MSP2110-MB	P64620.D	1		TT	n/a	n/a	MSP2110

The QC reported here applies to the following samples:

CAS No.	Surrogate Recoveries		Limits
1868-53-7	Dibromofluoromethane	96%	70-130%
2037-26-5	Toluene-D8	93%	70-130%
460-00-4	4-Bromofluorobenzene	113%	70-130%

Method: SW846 8260B

Blank Spike Summary Job Number: MC13829

Account: LEA Loureiro Eng. Associates

PWCTEH: Willow Brook - Pond W. East Hartford **Project:**

	Analytical Batch MSP2110
--	-----------------------------

The QC reported here applies to the following samples:

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
67-64-1	Acetone	50	44.9	90	70-130
107-13-1	Acrylonitrile	50	53.3	107	70-130
71-43-2	Benzene	50	48.0	96	70-130
108-86-1	Bromobenzene	50	53.7	107	70-130
75-27-4	Bromodichloromethane	50	51.7	103	70-130
75-25-2	Bromoform	50	37.3	75	70-130
74-83-9	Bromomethane	50	39.8	80	70-130
78-93-3	2-Butanone (MEK)	50	47.4	95	70-130
104-51-8	n-Butylbenzene	50	49.1	98	70-130
135-98-8	sec-Butylbenzene	50	51.0	102	70-130
98-06-6	tert-Butylbenzene	50	51.2	102	70-130
75-15-0	Carbon disulfide	50	43.2	86	70-130
56-23-5	Carbon tetrachloride	50	38.1	76	70-130
108-90-7	Chlorobenzene	50	54.9	110	70-130
75-00-3	Chloroethane	50	52.5	105	70-130
67-66-3	Chloroform	50	51.0	102	70-130
74-87-3	Chloromethane	50	50.0	100	70-130
95-49-8	o-Chlorotoluene	50	55.3	111	70-130
106-43-4	p-Chlorotoluene	50	59.8	120	70-130
96-12-8	1,2-Dibromo-3-chloropropane	50	57.2	114	70-130
124-48-1	Dibromochloromethane	50	47.4	95	70-130
106-93-4	1,2-Dibromoethane	50	53.9	108	70-130
95-50-1	1,2-Dichlorobenzene	50	58.0	116	70-130
541-73-1	1,3-Dichlorobenzene	50	57.8	116	70-130
106-46-7	1,4-Dichlorobenzene	50	52.9	106	70-130
75-71-8	Dichlorodifluoromethane	50	23.3	47* a	70-130
75-34-3	1,1-Dichloroethane	50	48.9	98	70-130
107-06-2	1,2-Dichloroethane	50	53.7	107	70-130
75-35-4	1,1-Dichloroethene	50	48.1	96	70-130
156-59-2	cis-1,2-Dichloroethene	50	49.1	98	70-130
156-60-5	trans-1,2-Dichloroethene	50	43.8	88	70-130
78-87-5	1,2-Dichloropropane	50	53.7	107	70-130
142-28-9	1,3-Dichloropropane	50	45.3	91	70-130
594-20-7	2,2-Dichloropropane	50	21.4	43* a	70-130
563-58-6	1,1-Dichloropropene	50	43.8	88	70-130
10061-01-5	cis-1,3-Dichloropropene	50	43.1	86	70-130

^{* =} Outside of Control Limits.



Page 2 of 3

Method: SW846 8260B

Blank Spike Summary Job Number: MC13829

Account: LEA Loureiro Eng. Associates

PWCTEH: Willow Brook - Pond W. East Hartford **Project:**

Sample MSP2110-BS	File ID P64617.D	DF 1	Analyzed 09/18/12	By TT	Prep Date n/a	Prep Batch n/a	Analytical Batch MSP2110

The QC reported here applies to the following samples:

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
10061-02-6	trans-1,3-Dichloropropene	50	40.7	81	70-130
100-41-4	Ethylbenzene	50	47.1	94	70-130
76-13-1	Freon 113	50	34.8	70	70-130
87-68-3	Hexachlorobutadiene	50	47.4	95	70-130
591-78-6	2-Hexanone	50	49.5	99	70-130
98-82-8	Isopropylbenzene	50	53.0	106	70-130
99-87-6	p-Isopropyltoluene	50	50.7	101	70-130
1634-04-4	Methyl Tert Butyl Ether	50	22.3	45* a	70-130
108-10-1	4-Methyl-2-pentanone (MIBK)	50	50.8	102	70-130
74-95-3	Methylene bromide	50	51.2	102	70-130
75-09-2	Methylene chloride	50	50.3	101	70-130
91-20-3	Naphthalene	50	50.7	101	70-130
103-65-1	n-Propylbenzene	50	51.7	103	70-130
100-42-5	Styrene	50	50.7	101	70-130
630-20-6	1,1,1,2-Tetrachloroethane	50	50.8	102	70-130
79-34-5	1,1,2,2-Tetrachloroethane	50	56.1	112	70-130
127-18-4	Tetrachloroethene	50	45.5	91	70-130
109-99-9	Tetrahydrofuran	50	47.3	95	70-130
108-88-3	Toluene	50	48.7	97	70-130
110-57-6	Trans-1,4-Dichloro-2-Butene	50	53.8	108	70-130
87-61-6	1,2,3-Trichlorobenzene	50	53.8	108	70-130
120-82-1	1,2,4-Trichlorobenzene	50	53.2	106	70-130
71-55-6	1,1,1-Trichloroethane	50	36.7	73	70-130
79-00-5	1,1,2-Trichloroethane	50	46.1	92	70-130
79-01-6	Trichloroethene	50	47.1	94	70-130
75-69-4	Trichlorofluoromethane	50	35.0	70	70-130
96-18-4	1,2,3-Trichloropropane	50	54.0	108	70-130
95-63-6	1,2,4-Trimethylbenzene	50	51.2	102	70-130
108-67-8	1,3,5-Trimethylbenzene	50	50.2	100	70-130
75-01-4	Vinyl chloride	50	32.5	65* a	70-130
	m,p-Xylene	100	102	102	70-130
95-47-6	o-Xylene	50	56.2	112	70-130



^{* =} Outside of Control Limits.

Page 3 of 3

Method: SW846 8260B

Blank Spike Summary

Job Number: MC13829

Account: LEA Loureiro Eng. Associates

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Sample MSP2110-BS	File ID P64617.D	DF 1	Analyzed 09/18/12	By TT	Prep Date n/a	Prep Batch n/a	Analytical Batch MSP2110

The QC reported here applies to the following samples:

MC13829-1, MC13829-3, MC13829-5, MC13829-6, MC13829-8

CAS No.	Surrogate Recoveries	BSP	Limits
	Dibromofluoromethane	100%	70-130%
2037-26-5	Toluene-D8	96%	70-130%
460-00-4	4-Bromofluorobenzene	110%	70-130%

(a) Outside control limits. Blank Spike meets program technical requirements.



^{* =} Outside of Control Limits.

Volatile Internal Standard Area Summary

Job Number: MC13829

Account: LEA Loureiro Eng. Associates

Project: PWCTEH: Willow Brook - Pond W. East Hartford

 Check Std:
 MSP2110-CC2106
 Injection Date:
 09/18/12

 Lab File ID:
 P64616.D
 Injection Time:
 21:50

Instrument ID: GCMSP Method: SW846 8260B

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
Check Std	457278	8.25	774808	9.09	402884	12.31	342488	14.87	149189	5.95
Upper Limit ^a	914556	8.75	1549616	9.59	805768	12.81	684976	15.37	298378	6.45
Lower Limit ^b	228639	7.75	387404	8.59	201442	11.81	171244	14.37	74595	5.45
Lab	IS 1		IS 2		IS 3		IS 4		IS 5	
Sample ID	AREA	RT	AREA	RT	AREA	RT	AREA	RT	AREA	RT
MSP2110-BS	480385	8.25	820082	9.09	425553	12.31	360540	14.87	161601	5.95
MSP2110-MB	481060	8.25	816452	9.10	402420	12.31	310324	14.87	182328	5.96
MC13829-5	494316	8.25	836901	9.10	415467			14.87	185327	5.96
ZZZZZZ	470724	8.25	800244	9.10	399254	12.31	302871	14.87	185299	5.96
ZZZZZZ	464849	8.25	794163	9.10	397161	12.31	305400	14.87	171451	5.96
ZZZZZZ	451951	8.25	775638	9.10	385372	12.31	292442	14.87	168358	5.96
ZZZZZZ	448519	8.25	766920	9.10	379080	12.31		14.87	156430	5.97
ZZZZZZ	468064	8.25	796167	9.10	394044	12.31		14.87	161554	5.96
ZZZZZZ	427660	8.25	730721	9.10	364342		274875	14.87	155692	5.96
ZZZZZZ	431249	8.25	746148	9.10	368771		278745	14.87	164498	5.95
ZZZZZZ	414526	8.25	724844	9.10	362152	12.31		14.87	162897	5.96
ZZZZZZ	439545	8.25	757369	9.10	384776		302091	14.87		5.96
ZZZZZZ	431138	8.25	732297	9.10	361838		273173	14.87	159357	5.96
ZZZZZZ	427998	8.25	735507	9.10	365615		274912	14.87	155867	5.96
ZZZZZZ	430516	8.25	729877	9.10	358348		282948	14.87	148584	5.96
ZZZZZZ	411827	8.25	702273	9.10	344149	12.31		14.87		5.96
MC13829-1	443774	8.25	761312	9.10	377030	12.31		14.87	156338	5.96
MC13829-3	447077	8.25	767956	9.10	384576			14.87	161139	5.96
MC13829-6	458782	8.25	791509	9.10	393155	12.31		14.87		5.96
MC13829-8	418849	8.25	719053	9.10	357696		265763	14.87	143345	5.96
ZZZZZZ	461639	8.25	788463	9.10	412926	12.31		14.87	162562	5.95
ZZZZZZ	496787	8.25	836328	9.10	422668	12.31	354854	14.87	181139	5.96

IS 1 = Pentafluorobenzene IS 2 = 1,4-Difluorobenzene IS 3 = Chlorobenzene-D5 IS 4 = 1,4-Dichlorobenzene-d4 IS 5 = Tert Butyl Alcohol-D9

(a) Upper Limit = + 100% of check standard area; Retention time + 0.5 minutes.

(b) Lower Limit = -50% of check standard area; Retention time -0.5 minutes.



Volatile Surrogate Recovery Summary

Job Number: MC13829

Account: LEA Loureiro Eng. Associates

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Method: SW846 8260B Matrix: AQ

Samples and QC shown here apply to the above method

Lab Sample ID	Lab File ID	S1	S2	S3
MC13829-1	P64635.D	98.0	93.0	111.0
MC13829-3	P64636.D	96.0	91.0	111.0
MC13829-5	P64621.D	92.0	89.0	109.0
MC13829-6	P64637.D	93.0	87.0	108.0
MC13829-8	P64638.D	101.0	96.0	118.0
MSP2110-BS	P64617.D	100.0	96.0	110.0
MSP2110-MB	P64620.D	96.0	93.0	113.0

Surrogate Recovery Compounds Limits

 S1 = Dibromofluoromethane
 70-130%

 S2 = Toluene-D8
 70-130%

 S3 = 4-Bromofluorobenzene
 70-130%





GC Semi-volatiles

QC Data Summaries

Includes the following where applicable:

- · Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries
- Surrogate Recovery Summaries



Method: CT-ETPH 7/06

Method Blank Summary

Job Number: MC13829

Account: LEA Loureiro Eng. Associates

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Sample OP30323-MB	File ID BC645361.D	DF 1	Analyzed 09/13/12	By KN	Prep Date 09/10/12	Prep Batch OP30323	Analytical Batch GBC3118

The QC reported here applies to the following samples:

MC13829-1, MC13829-3, MC13829-6, MC13829-8

 CAS No.
 Compound
 Result
 RL
 Units
 Q

 CT-ETPH (C9-C36)
 ND
 0.080
 mg/l

CAS No. Surrogate Recoveries Limits

84-15-1 o-Terphenyl 94% 50-149%



Method: SW846 8082

Method Blank Summary

Job Number: MC13829

Account: LEA Loureiro Eng. Associates

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Sample OP30324-MB	File ID DF BK16826A.D1	Analyzed 09/12/12	By AP	Prep Date 09/10/12	Prep Batch OP30324	Analytical Batch GBK631

The QC reported here applies to the following samples:

MC13829-1, MC13829-3, MC13829-6, MC13829-8

CAS No.	Compound	Result	RL	Units Q
12674-11-2	Aroclor 1016	ND	0.25	ug/l
11104-28-2	Aroclor 1221	ND	0.25	ug/l
11141-16-5	Aroclor 1232	ND	0.25	ug/l
53469-21-9	Aroclor 1242	ND	0.25	ug/l
12672-29-6	Aroclor 1248	ND	0.25	ug/l
11097-69-1	Aroclor 1254	ND	0.25	ug/l
11096-82-5	Aroclor 1260	ND	0.25	ug/l
37324-23-5	Aroclor 1262	ND	0.25	ug/l
11100-14-4	Aroclor 1268	ND	0.25	ug/l

CAS No.	Surrogate Recoveries		Limits
877-09-8	Tetrachloro-m-xylene	97%	30-150%
877-09-8	Tetrachloro-m-xylene	87%	30-150%
2051-24-3	Decachlorobiphenyl	53%	30-150%
2051-24-3	Decachlorobiphenyl	47%	30-150%



Method: CT-ETPH 7/06

Blank Spike Summary

Job Number: MC13829

Account: LEA Loureiro Eng. Associates

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Sample OP30323-BS	File ID DF BC645363.D 1	Analyzed 09/13/12	By KN	Prep Date 09/10/12	Prep Batch OP30323	Analytical Batch GBC3118

The QC reported here applies to the following samples:

MC13829-1, MC13829-3, MC13829-6, MC13829-8

CAS No.	Compound	Spike mg/l	BSP mg/l	BSP %	Limits
	СТ-ЕТРН (С9-С36)	0.7	0.422	60	60-120

CAS No.Surrogate RecoveriesBSPLimits84-15-1o-Terphenyl88%50-149%



^{* =} Outside of Control Limits.

Method: SW846 8082

Blank Spike Summary Job Number: MC13829

Account: LEA Loureiro Eng. Associates

PWCTEH: Willow Brook - Pond W. East Hartford **Project:**

Sample OP30324-BS	File ID BK16827A.D	DF 01	Analyzed 09/12/12	By AP	Prep Date 09/10/12	Prep Batch OP30324	Analytical Batch GBK631

The QC reported here applies to the following samples:

MC13829-1, MC13829-3, MC13829-6, MC13829-8

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
12674-11-2	Aroclor 1016	2	2.1	105	40-140
11104-28-2	Aroclor 1221		ND		40-140
11141-16-5	Aroclor 1232		ND		40-140
53469-21-9	Aroclor 1242		ND		40-140
12672-29-6	Aroclor 1248		ND		40-140
11097-69-1	Aroclor 1254		ND		40-140
11096-82-5	Aroclor 1260	2	1.7	85	40-140
37324-23-5	Aroclor 1262		ND		40-140
11100-14-4	Aroclor 1268		ND		40-140

CAS No.	Surrogate Recoveries	BSP	Limits
877-09-8 877-09-8 2051-24-3	Tetrachloro-m-xylene Tetrachloro-m-xylene Decachlorobiphenyl	95% 90% 52%	30-150% 30-150% 30-150%
	Decachlorobiphenyl	45%	30-150%



^{* =} Outside of Control Limits.

Semivolatile Surrogate Recovery Summary

Job Number: MC13829

Account: LEA Loureiro Eng. Associates

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Method: CT-ETPH 7/06 Matrix: AQ

Samples and QC shown here apply to the above method

Lab	Lab	
Sample ID	File ID	S1 a
MC13829-1	BC645419.D	97.0
MC13829-3	BC645421.D	91.0
MC13829-6	BC645423.D	95.0
MC13829-8	BC645429.D	88.0
OP30323-BS	BC645363.D	88.0
OP30323-MB	BC645361.D	94.0

Surrogate Recovery Compounds Limits

S1 = o-Terphenyl 50-149%

(a) Recovery from GC signal #1



Semivolatile Surrogate Recovery Summary

Job Number: MC13829

Account: LEA Loureiro Eng. Associates

Project: PWCTEH: Willow Brook - Pond W. East Hartford

Method: SW846 8082 Matrix: AQ

Samples and QC shown here apply to the above method

Lab	Lab				
Sample ID	File ID	S1 a	S1 b	S2 a	S2 b
MC13829-1	BK16850.D	85.0	82.0	58.0	52.0
MC13829-3	BK16851.D	83.0	74.0	57.0	52.0
MC13829-6	BK16852.D	86.0	84.0	43.0	40.0
MC13829-8	BK16853.D	88.0	85.0	66.0	61.0
OP30324-BS	BK16827A.D	95.0	90.0	52.0	45.0
OP30324-MB	BK16826A.D	97.0	87.0	53.0	47.0

Surrogate Recovery Compounds Limits

S1 = Tetrachloro-m-xylene 30-150% S2 = Decachlorobiphenyl 30-150%

(a) Recovery from GC signal #1

(b) Recovery from GC signal #2





Metals Analysis

QC Data Summaries

Includes the following where applicable:

- · Method Blank Summaries
- Matrix Spike and Duplicate Summaries
- Blank Spike and Lab Control Sample Summaries
- Serial Dilution Summaries



BLANK RESULTS SUMMARY Part 2 - Method Blanks

Login Number: MC13829 Account: LEA - Loureiro Eng. Associates Project: PWCTEH:Willow Brook - Pond W. East Hartford

Methods: SW846 6010C

Units: ug/l

QC Batch ID: MP19638 Matrix Type: AQUEOUS

Prep Date:					09/10/12
Metal	RL	IDL	MDL	MB raw	final
Aluminum	200	13	21		
Antimony	6.0	.8	1.7		
Arsenic	4.0	.99	1.9	-0.30	<4.0
Barium	50	.28	.65	0.50	<50
Beryllium	4.0	.13	.28		
Boron	100	.58	.59		
Cadmium	4.0	.19	.19	0.20	<4.0
Calcium	5000	34	36		
Chromium	10	.6	.83	0.50	<10
Cobalt	50	.15	. 4		
Copper	25	.85	1.4	1.0	<25
Gold	50	1.8	2.7		
Iron	100	4.2	11		
Lead	5.0	1.3	2.1	-0.80	<5.0
Magnesium	5000	36	60		
Manganese	15	.05	.54		
Molybdenum	100	. 23	1.5		
Nickel	40	. 25	.7	0.30	<40
Palladium	50	2.4	7.9		
Platinum	50	6.6	19		
Potassium	5000	45	190		
Selenium	10	1.4	2	1.4	<10
Silicon	100	4.8	8.4		
Silver	5.0	.69	1.3	-0.20	<5.0
Sodium	5000	13	40		
Strontium	10	.11	.35		
Thallium	5.0	.99	1.4		
Tin	100	.34	.75		
Titanium	50	.55	.88		
Tungsten	100	5.9	14		
Vanadium	10	.95	1.3		
Zinc	20	.33	4	2.9	<20

Associated samples MP19638: MC13829-2, MC13829-4, MC13829-7, MC13829-9



BLANK RESULTS SUMMARY Part 2 - Method Blanks

Login Number: MC13829

Account: LEA - Loureiro Eng. Associates
Project: PWCTEH:Willow Brook - Pond W. East Hartford

QC Batch ID: MP19638 Methods: SW846 6010C Matrix Type: AQUEOUS Units: ug/l

Prep Date:

Metal

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits (anr) Analyte not requested

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: MC13829
Account: LEA - Loureiro Eng. Associates
Project: PWCTEH:Willow Brook - Pond W. East Hartford

BSD

Spikelot

09/10/12

QC

BSD

QC Batch ID: MP19638 Methods: SW846 6010C Matrix Type: AQUEOUS Units: ug/l

QC

09/10/12

Spikelot

BSP

Prep Date:

Metal	Result	MPICP	% Rec	Limits	Result	MPICP	% Rec	RPD	Limit
Aluminum									
Antimony									
Arsenic	505	500	101.0	80-120	506	500	101.2	0.2	20
Barium	2020	2000	101.0	80-120	2000	2000	100.0	1.0	20
Beryllium									
Boron									

Beryllium									
Boron									
Cadmium	506	500	101.2	80-120	502	500	100.4	0.8	20
Calcium									
Chromium	539	500	107.8	80-120	541	500	108.2	0.4	20
Cobalt									
Copper	493	500	98.6	80-120	491	500	98.2	0.4	20
Gold									
Iron									
Lead	991	1000	99.1	80-120	992	1000	99.2	0.1	20
Magnesium									
Manganese									
Molybdenum									
Nickel	502	500	100.4	80-120	501	500	100.2	0.2	20
Palladium									
Platinum									
Potassium									
Selenium	492	500	98.4	80-120	487	500	97.4	1.0	20
Silicon									
Silver	213	200	106.5	80-120	211	200	105.5	0.9	20
Sodium									
Strontium									
Thallium									
Tin									
Titanium									
Tungsten									
Vanadium									
Zinc	509	500	101.8	80-120	507	500	101.4	0.4	20
Associated sam	ples MP19	638: MC13	829-2, MC	13829-4. 1	MC13829-7	, MC13829	-9		

Associated samples MP19638: MC13829-2, MC13829-4, MC13829-7, MC13829-9



SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: MC13829
Account: LEA - Loureiro Eng. Associates
Project: PWCTEH:Willow Brook - Pond W. East Hartford

QC Batch ID: MP19638 Methods: SW846 6010C Matrix Type: AQUEOUS Units: $\mbox{ug/l}$

Prep Date:

Metal

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits (anr) Analyte not requested

SERIAL DILUTION RESULTS SUMMARY

Login Number: MC13829 Account: LEA - Loureiro Eng. Associates Project: PWCTEH:Willow Brook - Pond W. East Hartford

QC Batch ID: MP19638 Methods: SW846 6010C Matrix Type: AQUEOUS Units: ug/l

Prep Date: 09/10/12

TICP Date.			05/10/12	
Metal	MC13837- Original	1 SDL 1:5	%DIF	QC Limits
Aluminum				
Antimony				
Arsenic	0.00	0.00	NC	0-10
Barium	278	276	0.5	0-10
Beryllium				
Boron				
Cadmium	3.00	3.20	6.7	0-10
Calcium				
Chromium	1.00	0.00	100.0(a)	0-10
Cobalt				
Copper	0.00	0.00	NC	0-10
Gold	0.00	0.00	1.0	0 10
Iron				
Lead	0.00	0.00	NC	0-10
Magnesium	0.00	0.00	INC	0 10
Manganese				
Molybdenum	0.000	0.00	100 0/-)	0 10
Nickel	0.800	0.00	100.0(a)	0-10
Palladium				
Platinum				
Potassium				
Selenium	1.80	0.00	100.0(a)	0-10
Silicon				
Silver	0.00	0.00	NC	0-10
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Tungsten				
Vanadium				
Zinc	17.3	25.4	46.8 (b)	0-10

Associated samples MP19638: MC13829-2, MC13829-4, MC13829-7, MC13829-9

SERIAL DILUTION RESULTS SUMMARY

Login Number: MC13829
Account: LEA - Loureiro Eng. Associates
Project: PWCTEH:Willow Brook - Pond W. East Hartford

QC Batch ID: MP19638 Methods: SW846 6010C Matrix Type: AQUEOUS Units: ug/l

Prep Date:

Metal

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits (anr) Analyte not requested

- (a) Percent difference acceptable due to low initial sample concentration (< 50 times IDL).
- (b) Serial Dilution RPD acceptable due to low duplicate and sample concentrations.

BLANK RESULTS SUMMARY Part 2 - Method Blanks

Login Number: MC13829

Account: LEA - Loureiro Eng. Associates Project: PWCTEH:Willow Brook - Pond W. East Hartford

QC Batch ID: MP19639 Methods: SW846 7470A Matrix Type: AQUEOUS Units: ug/l

Prep Date: 09/10/12

Associated samples MP19639: MC13829-2, MC13829-4

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits $\begin{tabular}{ll} \end{tabular}$



SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: MC13829
Account: LEA - Loureiro Eng. Associates
Project: PWCTEH:Willow Brook - Pond W. East Hartford

QC Batch ID: MP19639 Matrix Type: AQUEOUS Methods: SW846 7470A Units: ug/l

Prep Date:

09/10/12

09/10/12

Metal	BSP Result	Spikelot HGRWS1		QC Limits	BSD Result	Spikelot HGRWS1	% Rec	BSD RPD	QC Limit
Mercury	3.0	3	100.0	80-120	3.0	3	100.0	0.0	20

Associated samples MP19639: MC13829-2, MC13829-4

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits $\begin{tabular}{ll} \end{tabular}$



BLANK RESULTS SUMMARY Part 2 - Method Blanks

Login Number: MC13829

Account: LEA - Loureiro Eng. Associates Project: PWCTEH:Willow Brook - Pond W. East Hartford

QC Batch ID: MP19663 Methods: SW846 7470A Matrix Type: AQUEOUS Units: ug/l

Prep Date: 09/14/12

Metal	RL	IDL	MDL	MB raw	final
Mercury	0.20	.011	.062	0.0070	<0.20

Associated samples MP19663: MC13829-7, MC13829-9

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits $\begin{tabular}{ll} \end{tabular}$



SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: MC13829 Account: LEA - Loureiro Eng. Associates Project: PWCTEH:Willow Brook - Pond W. East Hartford

QC Batch ID: MP19663 Matrix Type: AQUEOUS

Prep Date:

Methods: SW846 7470A Units: ug/l

09/14/12

09/14/12

Metal	BSP Result	Spikelot HGRWS1	% Rec	QC Limits	BSD Result	Spikelot HGRWS1	% Rec	BSD RPD	QC Limit
Mercury	2.7	3	90.0	80-120	2.7	3	90.0	0.0	20

Associated samples MP19663: MC13829-7, MC13829-9

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits $\bar{\ }$





10/12/12



Technical Report for

Loureiro Eng. Associates

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

88UT230

Accutest Job Number: MC14490

Sampling Date: 09/27/12

Report to:

Loureiro Engineering Associates 100 Northwest Drive Plainville, CT 06062 rlmckinney@loureiro.com

ATTN: Robin McKinney

Total number of pages in report: 59



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.

Client Service contact: Frank DAgostino 508-481-6200

Certifications: MA (M-MA136,SW846 NELAC) CT (PH-0109) NH (250210) RI (00071) ME (MA00136) FL (E87579) NY (11791) NJ (MA926) PA (6801121) ND (R-188) CO MN (11546AA) NC (653) IL (002337) WI (399080220) ISO 17025:2005 (L2235)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories. Test results relate only to samples analyzed.

Lab Director

Sections:

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Case Narrative/Conformance Summary	4
Section 3: Summary of Hits	6
Section 4: Sample Results	7
4.1: MC14490-1: 1250517	
4.2: MC14490-2: 1250517UF	13
4.3: MC14490-3: 1266371	14
4.4: MC14490-4: 1266372UF	17
4.5: MC14490-5: 1266373	18
4.6: MC14490-6: 1266374	19
Section 5: Misc. Forms	20
5.1: Chain of Custody	21
5.2: RCP Form	23
5.3: Sample Tracking Chronicle	24
Section 6: GC/MS Volatiles - QC Data Summaries	
6.1: Method Blank Summary	26
6.2: Blank Spike Summary	33
6.3: Internal Standard Area Summaries	
6.4: Surrogate Recovery Summaries	43
Section 7: GC Semi-volatiles - QC Data Summaries	
7.1: Method Blank Summary	45
7.2: Blank Spike Summary	47
7.3: Surrogate Recovery Summaries	
Section 8: Metals Analysis - QC Data Summaries	51
8.1: Prep QC MP19760: As,Ba,Cd,Cr,Cu,Pb,Ni,Se,Ag,Zn	52
8.2: Prep QC MP19815: Hg	



ယ

တ







Sample Summary

Loureiro Eng. Associates

Job No:

MC14490

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT Project No: 88UT230

Sample Number	Collected Date	Time By	Received	Matr Code		Client Sample ID
MC14490-1	09/27/12	10:10 RH	09/28/12	AQ	Ground Water	1250517
MC14490-2	09/27/12	10:10 RH	09/28/12	AQ	Ground Water	1250517UF
MC14490-3	09/27/12	08:57 RH	09/28/12	AQ	Ground Water	1266371
MC14490-4	09/27/12	09:00 RH	09/28/12	AQ	Ground Water	1266372UF
MC14490-5	09/27/12	09:45 RH	09/28/12	AQ	Ground Water	1266373
MC14490-6	09/27/12	10:30 RH	09/28/12	AQ	Ground Water	1266374





SAMPLE DELIVERY GROUP CASE NARRATIVE

Client: Loureiro Eng. Associates Job No MC14490

Site: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, Report Date 10/12/2012 6:00:42 PM

6 Sample(s) were collected on 09/27/2012 and were received at Accutest on 09/28/2012 properly preserved, at 2.2 Deg. C and intact. These Samples received an Accutest job number of MC14490. A listing of the Laboratory Sample ID, Client Sample ID and dates of collection are presented in the Results Summary Section of this report.

Except as noted below, all method specified calibrations and quality control performance criteria were met for this job. For more information, please refer to QC summary pages.

Volatiles by GCMS By Method SW846 8260B

Matrix: AQ Batch ID: MSP2135

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Blank Spike Recovery(s) for Dichlorodifluoromethane, Methyl Tert Butyl Ether are outside control limits. Blank Spike meets program technical requirements.
- Initial calibration verification standard MSP2106-ICV2106 for acetone exceed 35% Difference.
- Continuing calibration check standard MSP2135-CC2106 for dichlorodifluoromethane exceed 30% Difference. This check standard met RCP criteria.
- Quadratic regression is employed for initial calibration standard in batch MSP2106-ICC2106 for 1,1,2-trichloroethane, 1,3-dichloropropane, bromoform,1,2-dibromo-3-chloropropane.

Matrix: AQ Batch ID: MSP2137

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Blank Spike Recovery(s) for Methyl Tert Butyl Ether are outside control limits. Blank Spike meets program technical requirements.
- MSP2137-BS for Chloromethane: Outside control limits. Associated samples are non-detect for this compound.
- Continuing calibration check standard MSP2137-CC2106 for chloromethane, methyl tert butyl ether exceed 30% Difference.
 This check standard met RCP criteria.

Matrix: AO Batch ID: MSP2139

- All method blanks for this batch meet method specific criteria.
- The following samples were run outside of holding time for method SW846 8260B: MC14490-3

Extractables by GC By Method CT-ETPH 7/06

Matrix: AO Batch ID: OP30560

- All samples were extracted within the recommended method holding time.
- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.

Extractables by GC By Method SW846 8082

Matrix: AQ Batch ID: OP30534

- All samples were extracted within the recommended method holding time.
- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.

Metals By Method SW846 6010C

Matrix: AO Batch ID: MP19760

- All samples were digested within the recommended method holding time.
- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) MC14478-4SDL were used as the QC samples for metals.
- RPD(s) for Serial Dilution for Copper, Lead, Nickel are outside control limits for sample MP19760-SD1. Percent difference acceptable due to low initial sample concentration (< 50 times IDL).</p>
- MP19760-SD1 for Zinc: Serial dilution indicates possible matrix interference.
- Only selected metals requested.

Metals By Method SW846 7470A

Matrix: AQ Batch ID: MP19815

- All samples were digested within the recommended method holding time.
- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.

The Accutest Laboratories of New England certifies that all analysis were performed within method specification. It is further recommended that this report to be used in its entirety. The Accutest Laboratories of NE, Laboratory Director or assignee as verified by the signature on the cover page has authorized the release of this report (MC14490).

Summary of Hits Job Number: MC14490

Account: Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Collected: 09/27/12

Lab Sample ID Analyte	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
MC14490-1	1250517					
No hits reported	in this sample.					
MC14490-2	1250517UF					
Barium		67.9	50		ug/l	SW846 6010C
MC14490-3	1266371					
Chloroform cis-1,2-Dichloroe trans-1,2-Dichlor Tetrachloroethene Trichloroethene Vinyl chloride	oethene e	2.6 349 228 142 288 327	1.0 25 1.0 1.0 25 1.0		ug/l ug/l ug/l ug/l ug/l ug/l	SW846 8260B SW846 8260B SW846 8260B SW846 8260B SW846 8260B SW846 8260B
MC14490-4	1266372UF					
Arsenic Barium Cadmium Chromium Copper Nickel Zinc		6.7 388 93.7 200 39.6 581 30.0	4.0 50 4.0 10 25 40 20		ug/l ug/l ug/l ug/l ug/l ug/l ug/l	SW846 6010C SW846 6010C SW846 6010C SW846 6010C SW846 6010C SW846 6010C SW846 6010C
MC14490-5	1266373					
Aroclor 1248		1.0	0.25		ug/l	SW846 8082
MC14490-6	1266374					
СТ-ЕТРН (С9-С	36)	0.706	0.080		mg/l	CT-ETPH 7/06





Sample Results	
Report of Analysis	



Report of Analysis

 Client Sample ID:
 1250517

 Lab Sample ID:
 MC14490-1
 Date Sampled:
 09/27/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/28/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	P65294.D	1	10/10/12	TT	n/a	n/a	MSP2135
Run #2							

Purge Volume
Run #1 5.0 ml
Run #2

VOA RCP List

CAS No.	Compound	Result	RL	Units Q	
67-64-1	Acetone	ND	5.0	ug/l	
107-13-1	Acrylonitrile	ND	5.0	ug/l	
71-43-2	Benzene	ND	0.50	ug/l	
108-86-1	Bromobenzene	ND	5.0	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	ug/l	
75-25-2	Bromoform	ND	1.0	ug/l	
74-83-9	Bromomethane	ND	2.0	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	ug/l	
75-15-0	Carbon disulfide	ND	5.0	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	ug/l	
108-90-7	Chlorobenzene	ND	1.0	ug/l	
75-00-3	Chloroethane	ND	2.0	ug/l	
67-66-3	Chloroform	ND	1.0	ug/l	
74-87-3	Chloromethane	ND	2.0	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l	

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



4

Report of Analysis

 Client Sample ID:
 1250517

 Lab Sample ID:
 MC14490-1
 Date Sampled:
 09/27/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/28/12

 Method:
 SW846 8260B
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

VOA RCP List

CAS No.	Compound	Result	RL	Units Q
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l
100-41-4	Ethylbenzene	ND	1.0	ug/l
76-13-1	Freon 113	ND	5.0	ug/l
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l
591-78-6	2-Hexanone	ND	5.0	ug/l
98-82-8	Isopropylbenzene	ND	5.0	ug/l
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l
74-95-3	Methylene bromide	ND	5.0	ug/l
75-09-2	Methylene chloride	ND	2.0	ug/l
91-20-3	Naphthalene	ND	5.0	ug/l
103-65-1	n-Propylbenzene	ND	5.0	ug/l
100-42-5	Styrene	ND	5.0	ug/l
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l
127-18-4	Tetrachloroethene	ND	1.0	ug/l
109-99-9	Tetrahydrofuran	ND	10	ug/l
108-88-3	Toluene	ND	1.0	ug/l
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l
79-01-6	Trichloroethene	ND	1.0	ug/l
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l
75-01-4	Vinyl chloride	ND	1.0	ug/l
	m,p-Xylene	ND	1.0	ug/l
95-47-6	o-Xylene	ND	1.0	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	118%		70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Report of Analysis

Client Sample ID:1250517Lab Sample ID:MC14490-1Date Sampled:09/27/12Matrix:AQ - Ground WaterDate Received:09/28/12Method:SW846 8260BPercent Solids:n/aProject:UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

VOA RCP List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	97%		70-130%
460-00-4	4-Bromofluorobenzene	98%		70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Report of Analysis

 Client Sample ID:
 1250517

 Lab Sample ID:
 MC14490-1
 Date Sampled:
 09/27/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/28/12

 Method:
 CT-ETPH 7/06 SW846 3510C
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

File IDDFAnalyzedByPrep DatePrep BatchAnalytical BatchRun #1BJ14310.D110/05/12NB10/03/12OP30560GBJ528

Run #2

Run #1 980 ml 1.0 ml

Run #2

CAS No. Compound Result RLUnits Q CT-ETPH (C9-C36) ND 0.082 mg/l CAS No. **Surrogate Recoveries** Run#1 Run# 2 Limits 84-15-1 o-Terphenyl 79% 50-149%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Report of Analysis

Client Sample ID: 1250517 Lab Sample ID: MC14490-1 **Date Sampled:** 09/27/12 Matrix: AQ - Ground Water **Date Received:** 09/28/12 Method: SW846 8082 SW846 3510C **Percent Solids:** n/a

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch	
Run #1	BK17372.D	1	10/03/12	AP	10/01/12	OP30534	GBK645	
Run #2								

	Initial Volume	Final Volume
Run #1	1000 ml	5.0 ml
Run #2		

CT Polychlorinated Biphenyls RCP List

CAS No.	Compound	Result	RL	Units Q
12674-11-2	Aroclor 1016	ND	0.25	ug/l
11104-28-2	Aroclor 1221	ND	0.25	ug/l
11141-16-5	Aroclor 1232	ND	0.25	ug/l
53469-21-9	Aroclor 1242	ND	0.25	ug/l
12672-29-6	Aroclor 1248	ND	0.25	ug/l
11097-69-1	Aroclor 1254	ND	0.25	ug/l
11096-82-5	Aroclor 1260	ND	0.25	ug/l
37324-23-5	Aroclor 1262	ND	0.25	ug/l
11100-14-4	Aroclor 1268	ND	0.25	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
877-09-8	Tetrachloro-m-xylene	93%		30-150%
877-09-8	Tetrachloro-m-xylene	97%		30-150%
2051-24-3	Decachlorobiphenyl	73%		30-150%
2051-24-3	Decachlorobiphenyl	76%		30-150%

ND = Not detected J = Indicates an estimated value

RL = Reporting Limit B = Indicates analyte found in associated method blank E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound



Report of Analysis

Client Sample ID: 1250517UF

Lab Sample ID: MC14490-2

Matrix: AQ - Ground Water

Date Sampled: 09/27/12

Percent Solids: n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	< 4.0	4.0	ug/l	1	10/02/12	10/02/12 EAL	SW846 6010C ¹	SW846 3010A ³
Barium	67.9	50	ug/l	1	10/02/12	10/02/12 EAL	SW846 6010C ¹	SW846 3010A ³
Cadmium	< 4.0	4.0	ug/l	1	10/02/12	10/02/12 EAL	SW846 6010C ¹	SW846 3010A ³
Chromium	< 10	10	ug/l	1	10/02/12	10/02/12 EAL	SW846 6010C ¹	SW846 3010A ³
Copper	< 25	25	ug/l	1	10/02/12	10/02/12 EAL	SW846 6010C ¹	SW846 3010A ³
Lead	< 5.0	5.0	ug/l	1	10/02/12	10/02/12 EAL	SW846 6010C ¹	SW846 3010A ³
Mercury	< 0.20	0.20	ug/l	1	10/09/12	10/10/12 EM	SW846 7470A ²	SW846 7470A ⁴
Nickel	< 40	40	ug/l	1	10/02/12	10/02/12 EAL	SW846 6010C ¹	SW846 3010A ³
Selenium	< 10	10	ug/l	1	10/02/12	10/02/12 EAL	SW846 6010C ¹	SW846 3010A ³
Silver	< 5.0	5.0	ug/l	1	10/02/12	10/02/12 EAL	SW846 6010C ¹	SW846 3010A ³
Zinc	< 20	20	ug/l	1	10/02/12	10/02/12 EAL	SW846 6010C ¹	SW846 3010A ³

(1) Instrument QC Batch: MA14783
(2) Instrument QC Batch: MA14811
(3) Prep QC Batch: MP19760
(4) Prep QC Batch: MP19815

Report of Analysis

Client Sample ID: 1266371 Lab Sample ID: MC14490-3 **Date Sampled:** 09/27/12 Matrix: **Date Received:** 09/28/12 AQ - Ground Water Method: SW846 8260B **Percent Solids:** UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	P65334.D	1	10/11/12	TT	n/a	n/a	MSP2137
Run #2	P65375.D	25	10/12/12	TT	n/a	n/a	MSP2139

	Purge Volume	
Run #1	5.0 ml	
Run #2	5.0 ml	

VOA RCP List

CAS No.	Compound	Result	RL	Units	Q
67-64-1	Acetone	ND	5.0	ug/l	
107-13-1	Acrylonitrile	ND	5.0	ug/l	
71-43-2	Benzene	ND	0.50	ug/l	
108-86-1	Bromobenzene	ND	5.0	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	ug/l	
75-25-2	Bromoform	ND	1.0	ug/l	
74-83-9	Bromomethane	ND	2.0	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l	
104-51-8	n-Butylbenzene	ND	5.0	ug/l	
135-98-8	sec-Butylbenzene	ND	5.0	ug/l	
98-06-6	tert-Butylbenzene	ND	5.0	ug/l	
75-15-0	Carbon disulfide	ND	5.0	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	ug/l	
108-90-7	Chlorobenzene	ND	1.0	ug/l	
75-00-3	Chloroethane	ND	2.0	ug/l	
67-66-3	Chloroform	2.6	1.0	ug/l	
74-87-3	Chloromethane	ND	2.0	ug/l	
95-49-8	o-Chlorotoluene	ND	5.0	ug/l	
106-43-4	p-Chlorotoluene	ND	5.0	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	349 a	25	ug/l	
156-60-5	trans-1,2-Dichloroethene	228	1.0	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l	

ND = Not detected RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Report of Analysis

Client Sample ID:1266371Lab Sample ID:MC14490-3Date Sampled:09/27/12Matrix:AQ - Ground WaterDate Received:09/28/12Method:SW846 8260BPercent Solids:n/aProject:UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

VOA RCP List

CAS No.	Compound	Result	RL	Units Q
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l
100-41-4	Ethylbenzene	ND	1.0	ug/l
76-13-1	Freon 113	ND	5.0	ug/l
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l
591-78-6	2-Hexanone	ND	5.0	ug/l
98-82-8	Isopropylbenzene	ND	5.0	ug/l
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l
74-95-3	Methylene bromide	ND	5.0	ug/l
75-09-2	Methylene chloride	ND	2.0	ug/l
91-20-3	Naphthalene	ND	5.0	ug/l
103-65-1	n-Propylbenzene	ND	5.0	ug/l
100-42-5	Styrene	ND	5.0	ug/l
630-20-6	1, 1, 1, 2-Tetrachloroethane	ND	5.0	ug/l
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l
127-18-4	Tetrachloroethene	142	1.0	ug/l
109-99-9	Tetrahydrofuran	ND	10	ug/l
108-88-3	Toluene	ND	1.0	ug/l
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l
79-01-6	Trichloroethene	288 a	25	ug/l
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l
75-01-4	Vinyl chloride	327	1.0	ug/l
	m, p-Xylene	ND	1.0	ug/l
95-47-6	o-Xylene	ND	1.0	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	111%	109%	70-130%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound

. . .



Page 3 of 3

Report of Analysis

Client Sample ID: 1266371 Lab Sample ID: MC14490-3 **Date Sampled:** 09/27/12 Matrix: AQ - Ground Water **Date Received:** 09/28/12 Method: SW846 8260B **Percent Solids:**

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

VOA RCP List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2037-26-5	Toluene-D8	93%	88%	70-130%
460-00-4	4-Bromofluorobenzene	94%	92%	70-130%

(a) Result is from Run# 2

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Report of Analysis

Client Sample ID: 1266372UF

Lab Sample ID: MC14490-4

Matrix: AQ - Ground Water

Date Sampled: 09/27/12

Percent Solids: n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	6.7	4.0	ug/l	1	10/02/12	10/02/12 EAL	SW846 6010C ¹	SW846 3010A ³
Barium	388	50	ug/l	1	10/02/12	10/02/12 EAL	SW846 6010C ¹	SW846 3010A ³
Cadmium	93.7	4.0	ug/l	1	10/02/12	10/02/12 EAL	SW846 6010C ¹	SW846 3010A ³
Chromium	200	10	ug/l	1	10/02/12	10/02/12 EAL	SW846 6010C ¹	SW846 3010A ³
Copper	39.6	25	ug/l	1	10/02/12	10/02/12 EAL	SW846 6010C ¹	SW846 3010A ³
Lead	< 5.0	5.0	ug/l	1	10/02/12	10/02/12 EAL	SW846 6010C ¹	SW846 3010A ³
Mercury	< 0.20	0.20	ug/l	1	10/09/12	10/10/12 EM	SW846 7470A ²	SW846 7470A ⁴
Nickel	581	40	ug/l	1	10/02/12	10/02/12 EAL	SW846 6010C ¹	SW846 3010A ³
Selenium	< 10	10	ug/l	1	10/02/12	10/02/12 EAL	SW846 6010C ¹	SW846 3010A ³
Silver	< 5.0	5.0	ug/l	1	10/02/12	10/02/12 EAL	SW846 6010C ¹	SW846 3010A ³
Zinc	30.0	20	ug/l	1	10/02/12	10/02/12 EAL	SW846 6010C ¹	SW846 3010A ³

(1) Instrument QC Batch: MA14783
(2) Instrument QC Batch: MA14811
(3) Prep QC Batch: MP19760
(4) Prep QC Batch: MP19815

Report of Analysis

Client Sample ID: 1266373 Lab Sample ID: MC14490-5 **Date Sampled:** 09/27/12 Matrix: AQ - Ground Water **Date Received:** 09/28/12 Method: SW846 8082 SW846 3510C **Percent Solids:** n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch	
Run #1	BK17373.D	1	10/03/12	AP	10/01/12	OP30534	GBK645	
Run #2								

	Initial Volume	Final Volume
Run #1	1000 ml	5.0 ml
Run #2		

CT Polychlorinated Biphenyls RCP List

CAS No.	Compound	Result	RL	Units Q
12674-11-2	Aroclor 1016	ND	0.25	ug/l
11104-28-2	Aroclor 1221	ND	0.25	ug/l
11141-16-5	Aroclor 1232	ND	0.25	ug/l
53469-21-9	Aroclor 1242	ND	0.25	ug/l
12672-29-6	Aroclor 1248	1.0	0.25	ug/l
11097-69-1	Aroclor 1254	ND	0.25	ug/l
11096-82-5	Aroclor 1260	ND	0.25	ug/l
37324-23-5	Aroclor 1262	ND	0.25	ug/l
11100-14-4	Aroclor 1268	ND	0.25	ug/l
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
877-09-8	Tetrachloro-m-xylene	86%		30-150%
877-09-8	Tetrachloro-m-xylene	90%		30-150%
2051-24-3	Decachlorobiphenyl	51%		30-150%
2051-24-3	Decachlorobiphenyl	55%		30-150%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Report of Analysis

Client Sample ID: 1266374

 Lab Sample ID:
 MC14490-6
 Date Sampled:
 09/27/12

 Matrix:
 AQ - Ground Water
 Date Received:
 09/28/12

 Method:
 CT-ETPH 7/06
 SW846 3510C
 Percent Solids:
 n/a

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 BJ14314.D 1 10/05/12 NB 10/03/12 OP30560 GBJ528

Run #2

Initial Volume Final Volume

Run #1 1000 ml 1.0 ml

Run #2

CAS No. Compound Result RL Units Q

CT-ETPH (C9-C36) 0.706 0.080 mg/l

CAS No. Surrogate Recoveries Run# 1 Run# 2 Limits

84-15-1 o-Terphenyl 68% 50-149%

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound





Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody
- RCP Form
- Sample Tracking Chronicle



PAGE	1	OF	1
------	---	----	---

Bottle Order Control #

			wv	vw.accu	itest.c	om							FOL	1201	<u>Q~€</u>	11			[1]	101	199	\mathcal{O}
Client / Reporting Information				ect Info									Re	questo	d Anal	ysis (see T	ESTC	JDE st	reet)		Matrix Codes
Company Name Louising Engineering Ass. Street Address Plaintille CT 068	print is Project Name print is Street:	ow Bo	rook	GL) (MOC	n (Irdi	<u>JC</u>	nt fro	Q m Rej	oort to						r					D\% - Drinking Water G\W - Ground Water WW - Water SW - Surface Water
Plainville CT 06	Zip City: Ear):	Hartford	l. CT	Compa Street A	ny Name	5A								a	1,26				-			SO - Soil SL- Studge SED-Sediment OI - Oil LIQ - Other Liquid
460 ~ 747 - 6181 Phone # Fax #	Client PO#	UT230		City		1	Sta				Σip		250	1 00 1 00 1 00 1 00 1 00 1 00 1 00 1 00	3	•						AIR - Air SOL - Other Solid WP - Wipe FB-Field Blank
Sampler(s) Name(s) Phone # Ryan Hudock	Project Manager Robii	Makin	DCU Collection	Attentio	n:	1	/		PO#	se∾ed E	lotties				298	•						EB- Equipment Blank RB- Rinse Blank TB-Trip Blank
Acculest Sample # Field ID / Point of Collection	MEOH/DI Vial #	Date	Time	Sampled by		# of bollies		1=1	H2SO4	Di Water	ENCORE	Bisulfate	35	38	8				_	\downarrow		LAB USE ONLY
1/2 1250517/cf		9/27/12	10:10	RH			3	1	+	+	+		\ 	<u> </u>	~							
-3 1266341		4/27/12				3	3	\vdash	+	+	\dashv	+7	+	+	X				-+	+	+	
-4 1766372 uf		9/27/12	9:00				\vdash	Н	+	+		+	4	+		-		\rightarrow	-	+		
-5 1266373		9/27/12	9:45	KH	مراوا	1		\vdash	+	++	\dashv		X	+^	-					_		
-6 1266374		9/27/12	10:30	KHI	2W		- -	\vdash	_	++	+	_		-				_				
								Н	_	\sqcup	\dashv		_					_	+	+		
							\perp	Н	_	44	4	_	\perp	1			_	_			_	ELIOT
							Ш	Н	_	Н	44	\perp	 	-					-		\perp	5F, 19E
								\sqcup		Ш	Ш			-			_		\perp	_		5EY
		-				ļ		Ш		Ш	$\perp \downarrow$								_	_		
										Ш	\perp											
																						<u> </u>
						***********	Delive	rable		-				T		C	omme	nts / Sp	pecial	Instruc	ions	
Turnaround Time (Business days) Std. 10 Business Days	Approved By (Acc	utest PM): / Date:				ial "A" (L ial "B" (L			늗	_		tegory i										
Std. 5 Business Days (By Contract only	1)					Level 3+4	1)				e Form										*****	
5 Day RUSH				⊠ °	T RCP A MCP						Form	at										
3 Day EMERGENCY 2 Day EMERGENCY				L M	A MCP	Commerci	iai "A" =	Resu	L its Oni	_	er											
1 Day EMERGENCY)	Commerc	iel "B" =	Resu	its + C	C Sum	mary											
Emergency & Rush T/A data available VIA Lablink	- Co-	nple Custody mu	at had of	anted hel	OW 630	h time es	mnlee	char	nga n	0000	elon i	ncludi	na cour	ior deli	verv		-					
Relinguished by Sempler		Received By:		~		iii tane be	Relinqui	shed t	B	~	31011, 1		ng cou.		Date Tim	8-1	2	Received 2 B C	ву:			
Relinquished by Sampler:	Date Time:	Received					Relinqui	shed l	Ву:						Date Tim	ie:		Received	Ву:			
Relinquished by:	Date Time:	Received By:					4 Custody	Seal A	¥		Ε	Intac		Presen	ed where	applica	ble	4		On Ice	Cooler	Temp
6860 Kellinduisned by:	o on 101	5										Noti	ntact							130	2	2

MC14490: Chain of Custody

Page 1 of 2





Accutest Laboratories

V:508.481.6200

Accutest Laboratories Sample Receipt Summary

Accutest Job Number: MC14490 Client: LEA Immediate Client Services Action Required: Date / Time Received: 9/28/2012 Client Service Action Required at Login: **Delivery Method:** Nο Project: WILLOW BROOK GW No. Coolers: Airbill #'s: Y or N Sample Integrity - Documentation **Cooler Security** Y or N Y or N П 3. COC Present: **✓** 1. Custody Seals Present: ✓ 1. Sample labels present on bottles: ✓ 4. Smpl Dates/Time OK **√** 2. Custody Seals Intact: ✓ 2. Container labeling complete: 3. Sample container label / COC agree: ✓ **Cooler Temperature** Y or N 1. Temp criteria achieved: Υ Ν or Sample Integrity - Condition 2. Cooler temp verification: Infared gun 1 1. Sample recvd within HT: 3. Cooler media: Ice (bag) 2. All containers accounted for: 1 **Quality Control Preservatio** Y or N N/A 3. Condition of sample: Intact 1. Trip Blank present / cooler: **√** Sample Integrity - Instructions or N N/A **✓** 2. Trip Blank listed on COC: 1 1. Analysis requested is clear: 3. Samples preserved properly: ✓ 2. Bottles received for unspecified tests **✓** 4. VOCs headspace free: 3. Sufficient volume recvd for analysis: **✓ ✓** 4. Compositing instructions clear: ✓ 5. Filtering instructions clear: ✓ Comments

495 Technology Center West, Bldg One

F: 508.481.7753

MC14490: Chain of Custody

Marlborough, MA

Page 2 of 2



Reasonable Confidence Protocol Laboratory Analysis QA/QC Certification Form

Laboratory Name: Accutest New England Client: Loureiro Eng. Associates

Project Location:

Sampling Date(s):

UTC:P&W EH Willow Pond Groundwater

Project Number: 88UT230

Sampling, East Hartford, CT

9/27/2012

Laboratory Sample ID(s): $MC14490\text{-}1,\,MC14490\text{-}2,\,MC14490\text{-}3,\,MC14490\text{-}4,\,MC14490\text{-}5,\,MC14490\text{-}6$

Methods: CT-ETPH 7/06 SWIRAG 6010C SWIRAG 7470A SWIRAG 8082 SWIRAG 8260B

Methods:	CT-ETPH 7/06, SW846 6010C, SW846 7470A, SW846 8082, SW846 8260B		
1	For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed, including the requirement to explain any criteria falling outside of acceptable guidelines, as specified in the CTDEP method-specific Reasonable Confidence Protocol documents)?	Yes 🔽	No 🗖
1A	Where all the method specified preservation and holding time requirements met?	Yes 🔽	No 🗖
1B	VPH and EPH mehods only: Was the VPH or EPH method conducted without significant modifications (See section 11.3 of respective methods)	Yes 🗖	N ON
2	Were all samples received by the laboratory in a condition consistent with that described on the associated chain-of-custody document(s)?	Yes 🔽	No 🗖
3	Were samples received at an appropriate temperature (<6° C)?	Yes 🔽	No 🗖
4	Were all QA/QC performance criteria specified in the CTDEP Reasonable Confidence Protocol documents achieved?	Yes 🗖	No 🔽
5	a) Were reporting limits specified or referenced on the chain-of-custody?	Yes 🗖	No 🔽
	b) Were these reporting limits met?	Yes 🗖	No 🔽
6	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists presented in the Reasonable Confidence Protocol documents?	Yes 🗖	No 🔽
7	Are project-specific matrix spikes and laboratory duplicates included in this data set?	Yes 🗹	No 🗖

Note: For all questions to which the response was "No" (with the exception of question #7), additional information must be provided in an attached narrative. If the answer to question #1, #1A or #1B is "No", the data package does not meet the requirements for "Reasonable Confidence".

l, the undersigned, attest under pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete.

Authorized

Signature:

Position: Lab Director

10/12/2012

Printed Name: Reza Tand

Date:

Accutest New England



Internal Sample Tracking Chronicle

Loureiro Eng. Associates

MC14490 Job No:

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT Project No: 88UT230

Sample Number	Method	Analyzed	Ву	Prepped	Ву	Test Codes
MC14490-1 1250517	Collected: 27-SEP-12	10:10 By: RH	Receiv	ved: 28-SEP-	12 By:	
MC14490-1	SW846 8082 CT-ETPH 7/06 SW846 8260B	03-OCT-12 02:34 05-OCT-12 03:22 10-OCT-12 17:13		01-OCT-12 03-OCT-12		P8082RCP BCTTPH V8260RCP
MC14490-2 1250517UF	Collected: 27-SEP-12	10:10 By: RH	Receiv	ved: 28-SEP-	12 By:	
MC14490-2	2 SW846 6010C	02-OCT-12 19:33	EAL	02-OCT-12	DA	AG, AS, BA, CD, CR, CU, NI, PB, S ZN
MC14490-2	2 SW846 7470A	10-OCT-12 13:23	EM	09-OCT-12	EM	HG
MC14490-3 1266371	3 Collected: 27-SEP-12 (08:57 By: RH	Receiv	ved: 28-SEP-	12 By:	
	3 SW846 8260B 3 SW846 8260B	11-OCT-12 11:51 12-OCT-12 14:16				V8260RCP V8260RCP
MC14490-4 1266372UF	Collected: 27-SEP-12 (09:00 By: RH	Receiv	ved: 28-SEP-	12 By:	
MC14490-4	SW846 6010C	02-OCT-12 19:38	EAL	02-OCT-12	DA	AG,AS,BA,CD,CR,CU,NI,PB,S
MC14490-4	4 SW846 7470A	10-OCT-12 13:26	EM	09-OCT-12	EM	HG
MC14490-5 1266373	5 Collected: 27-SEP-12 (09:45 By: RH	Receiv	ved: 28-SEP-	12 By:	
MC14490-5	5 SW846 8082	03-OCT-12 02:53	AP	01-OCT-12	MT	P8082RCP
MC14490-6 1266374	5 Collected: 27-SEP-12	10:30 By: RH	Receiv	ved: 28-SEP-	12 By:	
MC14490-6	6 CT-ETPH 7/06	05-OCT-12 04:21	NB	03-OCT-12	MT	ВСТТРН



GC/MS Volatiles

QC Data Summaries

Includes the following where applicable:

- · Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries
- Internal Standard Area Summaries
- Surrogate Recovery Summaries



Method: SW846 8260B

Method Blank Summary

Job Number: MC14490

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample MSP2135-MB	File ID P65277.D	DF 1	Analyzed 10/10/12	By TT	Prep Date n/a	Prep Batch n/a	Analytical Batch MSP2135

The QC reported here applies to the following samples:

MC14490-1

CAS No.	Compound	Result	RL	Units Q
67-64-1	Acetone	ND	5.0	ug/l
107-13-1	Acrylonitrile	ND	5.0	ug/l
71-43-2	Benzene	ND	0.50	ug/l
108-86-1	Bromobenzene	ND	5.0	ug/l
75-27-4	Bromodichloromethane	ND	1.0	ug/l
75-25-2	Bromoform	ND	1.0	ug/l
74-83-9	Bromomethane	ND	2.0	ug/l
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l
104-51-8	n-Butylbenzene	ND	5.0	ug/l
135-98-8	sec-Butylbenzene	ND	5.0	ug/l
98-06-6	tert-Butylbenzene	ND	5.0	ug/l
75-15-0	Carbon disulfide	ND	5.0	ug/l
56-23-5	Carbon tetrachloride	ND	1.0	ug/l
108-90-7	Chlorobenzene	ND	1.0	ug/l
75-00-3	Chloroethane	ND	2.0	ug/l
67-66-3	Chloroform	ND	1.0	ug/l
74-87-3	Chloromethane	ND	2.0	ug/l
95-49-8	o-Chlorotoluene	ND	5.0	ug/l
106-43-4	p-Chlorotoluene	ND	5.0	ug/l
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l
124-48-1	Dibromochloromethane	ND	1.0	ug/l
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l
75-34-3	1,1-Dichloroethane	ND	1.0	ug/l
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l
156-59-2	cis-1,2-Dichloroethene	ND	1.0	ug/l
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ug/l



Page 2 of 3

Method: SW846 8260B

Method Blank Summary

Job Number: MC14490

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample MSP2135-MB	File ID P65277.D	DF 1	Analyzed 10/10/12	By TT	Prep Date n/a	Prep Batch n/a	Analytical Batch MSP2135

The QC reported here applies to the following samples:

MC14490-1

CAS No.	Compound	Result	RL	Units Q
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l
100-41-4	Ethylbenzene	ND	1.0	ug/l
76-13-1	Freon 113	ND	5.0	ug/l
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l
591-78-6	2-Hexanone	ND	5.0	ug/l
98-82-8	Isopropylbenzene	ND	5.0	ug/l
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l
74-95-3	Methylene bromide	ND	5.0	ug/l
75-09-2	Methylene chloride	ND	2.0	ug/l
91-20-3	Naphthalene	ND	5.0	ug/l
103-65-1	n-Propylbenzene	ND	5.0	ug/l
100-42-5	Styrene	ND	5.0	ug/l
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l
127-18-4	Tetrachloroethene	ND	1.0	ug/l
109-99-9	Tetrahydrofuran	ND	10	ug/l
108-88-3	Toluene	ND	1.0	ug/l
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l
79-01-6	Trichloroethene	ND	1.0	ug/l
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l
75-01-4	Vinyl chloride	ND	1.0	ug/l
	m,p-Xylene	ND	1.0	ug/l
95-47-6	o-Xylene	ND	1.0	ug/l



Page 3 of 3

Method: SW846 8260B

Method Blank Summary

Job Number: MC14490

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample MSP2135-MB	File ID P65277.D	DF	Analyzed 10/10/12	By TT	Prep Date n/a	Prep Batch n/a	Analytical Batch MSP2135

The QC reported here applies to the following samples:

MC14490-1

CAS No.	Surrogate Recoveries	Limits				
1868-53-7 2037-26-5 460-00-4	Dibromofluoromethane Toluene-D8 4-Bromofluorobenzene	105% 93% 100%	70-130% 70-130% 70-130%			
CAS No.	Tentatively Identified Comp	R.T.	Est. Conc.	Units	Q	
	Total TIC, Volatile		0	ug/l		



Method: SW846 8260B

Method Blank Summary

Job Number: MC14490

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample MSP2137-MB	File ID P65329.D	DF 1	Analyzed 10/11/12	By TT	Prep Date n/a	Prep Batch n/a	Analytical Batch MSP2137

The QC reported here applies to the following samples:

CAS No.	Compound	Result	RL	Units Q
67-64-1	Acetone	ND	5.0	ug/l
107-13-1	Acrylonitrile	ND	5.0	ug/l
71-43-2	Benzene	ND	0.50	ug/l
108-86-1	Bromobenzene	ND	5.0	ug/l
75-27-4	Bromodichloromethane	ND	1.0	ug/l
75-25-2	Bromoform	ND	1.0	ug/l
74-83-9	Bromomethane	ND	2.0	ug/l
78-93-3	2-Butanone (MEK)	ND	5.0	ug/l
104-51-8	n-Butylbenzene	ND	5.0	ug/l
135-98-8	sec-Butylbenzene	ND	5.0	ug/l
98-06-6	tert-Butylbenzene	ND	5.0	ug/l
75-15-0	Carbon disulfide	ND	5.0	ug/l
56-23-5	Carbon tetrachloride	ND	1.0	ug/l
108-90-7	Chlorobenzene	ND	1.0	ug/l
75-00-3	Chloroethane	ND	2.0	ug/l
67-66-3	Chloroform	ND	1.0	ug/l
74-87-3	Chloromethane	ND	2.0	ug/l
95-49-8	o-Chlorotoluene	ND	5.0	ug/l
106-43-4	p-Chlorotoluene	ND	5.0	ug/l
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	ug/l
124-48-1	Dibromochloromethane	ND	1.0	ug/l
106-93-4	1,2-Dibromoethane	ND	2.0	ug/l
95-50-1	1,2-Dichlorobenzene	ND	1.0	ug/l
541-73-1	1,3-Dichlorobenzene	ND	1.0	ug/l
106-46-7	1,4-Dichlorobenzene	ND	1.0	ug/l
75-71-8	Dichlorodifluoromethane	ND	2.0	ug/l
75-34-3	1,1-Dichloroethane	ND	1.0	ug/l
107-06-2	1,2-Dichloroethane	ND	1.0	ug/l
75-35-4	1,1-Dichloroethene	ND	1.0	ug/l
156-60-5	trans-1,2-Dichloroethene	ND	1.0	ug/l
78-87-5	1,2-Dichloropropane	ND	2.0	ug/l
142-28-9	1,3-Dichloropropane	ND	5.0	ug/l
594-20-7	2,2-Dichloropropane	ND	5.0	ug/l
563-58-6	1,1-Dichloropropene	ND	5.0	ug/l
	cis-1,3-Dichloropropene	ND	0.50	ug/l
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ug/l



Method: SW846 8260B

Method Blank Summary

Job Number: MC14490

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample MSP2137-MB	File ID P65329.D	DF 1	Analyzed 10/11/12	By TT	Prep Date n/a	Prep Batch n/a	Analytical Batch MSP2137

Limits

The QC reported here applies to the following samples:

MC14490-3

CAS No.	Compound	Result	RL	Units Q
100-41-4	Ethylbenzene	ND	1.0	ug/l
76-13-1	Freon 113	ND	5.0	ug/l
87-68-3	Hexachlorobutadiene	ND	5.0	ug/l
591-78-6	2-Hexanone	ND	5.0	ug/l
98-82-8	Isopropylbenzene	ND	5.0	ug/l
99-87-6	p-Isopropyltoluene	ND	5.0	ug/l
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	ug/l
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	ug/l
74-95-3	Methylene bromide	ND	5.0	ug/l
75-09-2	Methylene chloride	ND	2.0	ug/l
91-20-3	Naphthalene	ND	5.0	ug/l
103-65-1	n-Propylbenzene	ND	5.0	ug/l
100-42-5	Styrene	ND	5.0	ug/l
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	ug/l
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	ug/l
127-18-4	Tetrachloroethene	ND	1.0	ug/l
109-99-9	Tetrahydrofuran	ND	10	ug/l
108-88-3	Toluene	ND	1.0	ug/l
110-57-6	Trans-1,4-Dichloro-2-Butene	ND	5.0	ug/l
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	ug/l
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	ug/l
71-55-6	1,1,1-Trichloroethane	ND	1.0	ug/l
79-00-5	1,1,2-Trichloroethane	ND	1.0	ug/l
75-69-4	Trichlorofluoromethane	ND	1.0	ug/l
96-18-4	1,2,3-Trichloropropane	ND	5.0	ug/l
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	ug/l
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	ug/l
75-01-4	Vinyl chloride	ND	1.0	ug/l
	m, p-Xylene	ND	1.0	ug/l
95-47-6	o-Xylene	ND	1.0	ug/l

CAS No. Surrogate Recoveries

1868-53-7	Dibromofluoromethane	108%	70-130%
2037-26-5	Toluene-D8	94%	70-130%



Page 3 of 3

Method: SW846 8260B

Method Blank Summary

Job Number: MC14490

Account: LEA Loureiro Eng. Associates

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

Sample MSP2137-MB	File ID P65329.D	DF 1	Analyzed 10/11/12	By TT	Prep Date n/a	Prep Batch n/a	Analytical Batch MSP2137

The QC reported here applies to the following samples:

MC14490-3

CAS No. **Surrogate Recoveries** Limits 460-00-4 4-Bromofluorobenzene 97% 70-130%



Method: SW846 8260B

Method Blank Summary

Job Number: MC14490

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample MSP2139-MB	File ID P65364.D	DF 1	Analyzed 10/12/12	By TT	Prep Date n/a	Prep Batch n/a	Analytical Batch MSP2139

The QC reported here applies to the following samples:

CAS No.	Compound	Result	RL	Units Q
156-59-2 79-01-6	cis-1,2-Dichloroethene Trichloroethene	ND ND	1.0 1.0	ug/l ug/l
~.~.			T	
CAS No.	Surrogate Recoveries		Limits	



Blank Spike Summary Job Number: MC14490

Account: LEA Loureiro Eng. Associates

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

Sample MSP2135-BS	File ID P65275.D	DF 1	Analyzed 10/10/12	By TT	Prep Date n/a	Prep Batch n/a	Analytical Batch MSP2135

The QC reported here applies to the following samples: **Method:** SW846 8260B

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
67-64-1	Acetone	50	50.2	100	70-130
107-13-1	Acrylonitrile	50	62.4	125	70-130
71-43-2	Benzene	50	48.3	97	70-130
108-86-1	Bromobenzene	50	47.6	95	70-130
75-27-4	Bromodichloromethane	50	54.2	108	70-130
75-25-2	Bromoform	50	39.3	79	70-130
74-83-9	Bromomethane	50	47.9	96	70-130
78-93-3	2-Butanone (MEK)	50	50.8	102	70-130
104-51-8	n-Butylbenzene	50	51.3	103	70-130
135-98-8	sec-Butylbenzene	50	50.7	101	70-130
98-06-6	tert-Butylbenzene	50	48.8	98	70-130
75-15-0	Carbon disulfide	50	58.9	118	70-130
56-23-5	Carbon tetrachloride	50	50.9	102	70-130
108-90-7	Chlorobenzene	50	52.3	105	70-130
75-00-3	Chloroethane	50	64.1	128	70-130
67-66-3	Chloroform	50	55.8	112	70-130
74-87-3	Chloromethane	50	61.7	123	70-130
95-49-8	o-Chlorotoluene	50	48.5	97	70-130
106-43-4	p-Chlorotoluene	50	52.6	105	70-130
96-12-8	1,2-Dibromo-3-chloropropane	50	54.7	109	70-130
124-48-1	Dibromochloromethane	50	46.1	92	70-130
106-93-4	1,2-Dibromoethane	50	50.7	101	70-130
95-50-1	1,2-Dichlorobenzene	50	51.0	102	70-130
541-73-1	1,3-Dichlorobenzene	50	51.4	103	70-130
106-46-7	1,4-Dichlorobenzene	50	48.9	98	70-130
75-71-8	Dichlorodifluoromethane	50	68.5	137* a	70-130
75-34-3	1,1-Dichloroethane	50	54.8	110	70-130
107-06-2	1,2-Dichloroethane	50	52.8	106	70-130
75-35-4	1,1-Dichloroethene	50	58.6	117	70-130
156-59-2	cis-1,2-Dichloroethene	50	52.5	105	70-130
156-60-5	trans-1,2-Dichloroethene	50	47.9	96	70-130
78-87-5	1,2-Dichloropropane	50	54.1	108	70-130
142-28-9	1,3-Dichloropropane	50	42.6	85	70-130
594-20-7	2,2-Dichloropropane	50	41.3	83	70-130
563-58-6	1,1-Dichloropropene	50	52.4	105	70-130
10061-01-5	cis-1,3-Dichloropropene	50	49.8	100	70-130

^{* =} Outside of Control Limits.



Page 2 of 3

Blank Spike Summary Job Number: MC14490

Account: LEA Loureiro Eng. Associates

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

Sample MSP2135-BS	File ID P65275.D	DF 1	Analyzed 10/10/12	By TT	Prep Date n/a	Prep Batch n/a	Analytical Batch MSP2135

The QC reported here applies to the following samples: **Method:** SW846 8260B

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
10061 02 6	trong 1 2 Diabloropropona	50	47.8	96	70-130
10001-02-0	trans-1,3-Dichloropropene Ethylbenzene	50	47.8	94	70-130
76-13-1	Freon 113	50	52.4	105	70-130
87-68-3	Hexachlorobutadiene	50	62.4	105	70-130
591-78-6	2-Hexanone	50	55.7	111	70-130
98-82-8		50	33.7 49.4	99	70-130
98-82-8 99-87-6	Isopropylbenzene	50	49.4	98	70-130
1634-04-4	p-Isopropyltoluene	50	21.0	42* a	70-130
1034-04-4	Methyl 7 pantanana (MIRK)		56.6	113	70-130
	4-Methyl-2-pentanone (MIBK)	50		104	
74-95-3	Methylene bromide		52.2		70-130
75-09-2	Methylene chloride	50	52.2	104	70-130
91-20-3	Naphthalene	50	62.1	124	70-130
103-65-1	n-Propylbenzene	50	49.3	99	70-130
100-42-5	Styrene	50	43.5	87	70-130
630-20-6	1,1,2-Tetrachloroethane	50	49.7	99 95	70-130
79-34-5	1,1,2,2-Tetrachloroethane	50	47.6	101	70-130
127-18-4	Tetrachloroethene	50	50.4		70-130
109-99-9	Tetrahydrofuran	50	52.4	105	70-130
108-88-3	Toluene	50	49.7	99	70-130
110-57-6	Trans-1,4-Dichloro-2-Butene	50	57.3	115	70-130
87-61-6	1,2,3-Trichlorobenzene	50	59.1	118	70-130
120-82-1	1,2,4-Trichlorobenzene	50	57.4	115	70-130
71-55-6	1,1,1-Trichloroethane	50	50.4	101	70-130
79-00-5	1,1,2-Trichloroethane	50	44.5	89	70-130
79-01-6	Trichloroethene	50	50.5	101	70-130
75-69-4	Trichlorofluoromethane	50	54.2	108	70-130
96-18-4	1,2,3-Trichloropropane	50	45.8	92	70-130
95-63-6	1,2,4-Trimethylbenzene	50	44.3	89	70-130
108-67-8	1,3,5-Trimethylbenzene	50	44.4	89	70-130
75-01-4	Vinyl chloride	50	56.7	113	70-130
0.5.45.5	m,p-Xylene	100	101	101	70-130
95-47-6	o-Xylene	50	53.3	107	70-130



^{* =} Outside of Control Limits.

Page 3 of 3

Method: SW846 8260B

Blank Spike Summary

Job Number: MC14490

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample MSP2135-BS	File ID P65275.D	DF 1	Analyzed 10/10/12	By TT	Prep Date n/a	Prep Batch n/a	Analytical Batch MSP2135

The QC reported here applies to the following samples:

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	105%	70-130%
2037-26-5	Toluene-D8	95%	70-130%
460-00-4	4-Bromofluorobenzene	98%	70-130%

⁽a) Outside control limits. Blank Spike meets program technical requirements.



^{* =} Outside of Control Limits.

Method: SW846 8260B

Blank Spike Summary Job Number: MC14490

Account: LEA Loureiro Eng. Associates

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
MSP2137-BS	P65327.D	1	10/11/12	TT	n/a	n/a	MSP2137

The QC reported here applies to the following samples:

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
67-64-1	Acetone	50	47.9	96	70-130
107-13-1	Acrylonitrile	50	54.4	109	70-130
71-43-2	Benzene	50	47.2	94	70-130
108-86-1	Bromobenzene	50	45.9	92	70-130
75-27-4	Bromodichloromethane	50	53.8	108	70-130
75-25-2	Bromoform	50	38.2	76	70-130
74-83-9	Bromomethane	50	50.0	100	70-130
78-93-3	2-Butanone (MEK)	50	51.8	104	70-130
104-51-8	n-Butylbenzene	50	45.7	91	70-130
135-98-8	sec-Butylbenzene	50	44.9	90	70-130
98-06-6	tert-Butylbenzene	50	43.7	87	70-130
75-15-0	Carbon disulfide	50	57.9	116	70-130
56-23-5	Carbon tetrachloride	50	48.0	96	70-130
108-90-7	Chlorobenzene	50	50.1	100	70-130
75-00-3	Chloroethane	50	60.0	120	70-130
67-66-3	Chloroform	50	56.2	112	70-130
74-87-3	Chloromethane	50	65.3	131* a	70-130
95-49-8	o-Chlorotoluene	50	44.8	90	70-130
106-43-4	p-Chlorotoluene	50	49.0	98	70-130
96-12-8	1,2-Dibromo-3-chloropropane	50	51.0	102	70-130
124-48-1	Dibromochloromethane	50	44.5	89	70-130
106-93-4	1,2-Dibromoethane	50	48.8	98	70-130
95-50-1	1,2-Dichlorobenzene	50	48.6	97	70-130
541-73-1	1,3-Dichlorobenzene	50	48.2	96	70-130
106-46-7	1,4-Dichlorobenzene	50	46.7	93	70-130
75-71-8	Dichlorodifluoromethane	50	62.2	124	70-130
75-34-3	1,1-Dichloroethane	50	54.7	109	70-130
107-06-2	1,2-Dichloroethane	50	52.3	105	70-130
75-35-4	1,1-Dichloroethene	50	56.0	112	70-130
156-60-5	trans-1,2-Dichloroethene	50	48.4	97	70-130
78-87-5	1,2-Dichloropropane	50	53.3	107	70-130
142-28-9	1,3-Dichloropropane	50	41.1	82	70-130
594-20-7	2,2-Dichloropropane	50	42.0	84	70-130
563-58-6	1,1-Dichloropropene	50	48.4	97	70-130
10061-01-5	cis-1,3-Dichloropropene	50	49.9	100	70-130
10061-02-6	trans-1,3-Dichloropropene	50	48.1	96	70-130

^{* =} Outside of Control Limits.



Page 2 of 3

Method: SW846 8260B

Blank Spike Summary

Job Number: MC14490

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample MSP2137-BS	File ID P65327.D	DF 1	Analyzed 10/11/12	By TT	Prep Date n/a	Prep Batch n/a	Analytical Batch MSP2137

The QC reported here applies to the following samples:

MC14490-3

		Spike	BSP	BSP	
CAS No.	Compound	ug/l	ug/l	%	Limits
100-41-4	Ethylbenzene	50	44.8	90	70-130
76-13-1	Freon 113	50	44.6 49.6	99	70-130
87-68-3	Hexachlorobutadiene	50	56.3	113	70-130
591-78-6	2-Hexanone	50	52.2	104	70-130
98-82-8	Isopropylbenzene	50	45.1	90	70-130
99-87-6	p-Isopropyltoluene	50	44.5	89	70-130
1634-04-4	Methyl Tert Butyl Ether	50	25.8	52* b	70-130
108-10-1	4-Methyl-2-pentanone (MIBK)	50	54.3	109	70-130
74-95-3	Methylene bromide	50	51.6	103	70-130
75-09-2	Methylene chloride	50	51.8	104	70-130
91-20-3	Naphthalene	50	58.5	117	70-130
103-65-1	n-Propylbenzene	50	44.8	90	70-130
100-42-5	Styrene	50	42.5	85	70-130
630-20-6	1,1,1,2-Tetrachloroethane	50	48.5	97	70-130
79-34-5	1,1,2,2-Tetrachloroethane	50	44.3	89	70-130
127-18-4	Tetrachloroethene	50	47.1	94	70-130
109-99-9	Tetrahydrofuran	50	51.4	103	70-130
108-88-3	Toluene	50	48.6	97	70-130
110-57-6	Trans-1,4-Dichloro-2-Butene	50	58.7	117	70-130
87-61-6	1,2,3-Trichlorobenzene	50	55.4	111	70-130
120-82-1	1,2,4-Trichlorobenzene	50	52.9	106	70-130
71-55-6	1,1,1-Trichloroethane	50	49.8	100	70-130
79-00-5	1,1,2-Trichloroethane	50	44.5	89	70-130
75-69-4	Trichlorofluoromethane	50	51.6	103	70-130
96-18-4	1,2,3-Trichloropropane	50	43.3	87	70-130
95-63-6	1,2,4-Trimethylbenzene	50	40.8	82	70-130
108-67-8	1,3,5-Trimethylbenzene	50	40.7	81	70-130
75-01-4	Vinyl chloride	50	54.5	109	70-130
	m,p-Xylene	100	95.6	96	70-130
95-47-6	o-Xylene	50	50.6	101	70-130

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	106%	70-130%

94%

70-130%

-

Toluene-D8

2037-26-5



6.2.2

Page 3 of 3

Method: SW846 8260B

σ

Blank Spike Summary Job Number: MC14490

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample MSP2137-BS	File ID P65327.D	DF 1	Analyzed 10/11/12	By TT	Prep Date n/a	Prep Batch n/a	Analytical Batch MSP2137

The QC reported here applies to the following samples:

MC14490-3

CAS No. Surrogate Recoveries BSP Limits
460-00-4 4-Bromofluorobenzene 92% 70-130%

- (a) Outside control limits. Associated samples are non-detect for this compound.
- (b) Outside control limits. Blank Spike meets program technical requirements.

^{* =} Outside of Control Limits.

Method: SW846 8260B

Blank Spike Summary Job Number: MC14490

Account: LEA Loureiro Eng. Associates

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

Sample MSP2139-BS	File ID P65362.D	DF 1	Analyzed 10/12/12	By TT	Prep Date n/a	Prep Batch n/a	Analytical Batch MSP2139

The QC reported here applies to the following samples:

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
156-59-2	cis-1,2-Dichloroethene	50	55.4	111	70-130
79-01-6	Trichloroethene	50	53.2	106	70-130

CAS No.	Surrogate Recoveries	BSP	Limits
	Dibromofluoromethane	118%	70-130%
	Toluene-D8	103%	70-130%
	4-Bromofluorobenzene	101%	70-130%



^{* =} Outside of Control Limits.

Volatile Internal Standard Area Summary

Job Number: MC14490

Account: LEA Loureiro Eng. Associates

IS 1

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

 Check Std:
 MSP2135-CC2106
 Injection Date:
 10/10/12

 Lab File ID:
 P65275.D
 Injection Time:
 08:27

IS 2

Instrument ID: GCMSP **Method:** SW846 8260B

	AREA	RT	AREA	RT	AREA	RT	AREA	RT	AREA	RT
Check Std	401771	8.51	708025	9.37	384169	12.61	359612	15.17	116504	6.12
Upper Limit ^a	803542	9.01	1416050	9.87	768338	13.11	719224	15.67	233008	6.62
Lower Limit ^b	200886	8.01	354013	8.87	192085	12.11	179806	14.67	58252	5.62
Lab	IS 1		IS 2		IS 3		IS 4		IS 5	
Sample ID	AREA	RT	AREA	RT	AREA	RT	AREA	RT	AREA	RT
MSP2135-BS	401771	8.51	708025	9.37	384169	12.61	359612	15.17	116504	6.12
MSP2135-MB	373208	8.52	663581	9.37	339232	12.61	293823	15.17	93273	6.13
ZZZZZZ	342592	8.52	612050	9.37	312637	12.61	277514	15.17	95443	6.13
ZZZZZZ	358022	8.52	638860	9.37	331568	12.61	287916	15.17	90027	6.12
ZZZZZZ	347159	8.52	625724	9.38	324301		277910	15.17	103427	6.13
ZZZZZZ	322409	8.52	579662	9.37	299692		256437	15.17	95749	6.13
ZZZZZZ	322127	8.52	582507	9.37	301486	12.61	268653	15.17	83529	6.12
ZZZZZZ	329047	8.52	590779	9.37	308271	12.61	264896	15.17	89473	6.13
ZZZZZZ	319606	8.52	580293	9.37	300720		260882		88654	6.13
ZZZZZZ	311215	8.52	560980	9.37	291909		252828		94404	6.13
ZZZZZZ	313578	8.52	564930	9.37	295104	12.61	251488	15.17	83426	6.12
ZZZZZZ	308614	8.52	554168	9.37	287879		246434		81995	6.12
ZZZZZZ	299749	8.52	543275	9.37	285107		252199	15.17	84343	6.12
ZZZZZZ	296267	8.52	538059	9.37	279635	12.61	240098	15.17	92566	6.13
ZZZZZZ	276717	8.52	502245	9.37	259938		226742		80631	6.12
ZZZZZZ	284932	8.52	519364	9.37	270400		234984		84778	6.14
ZZZZZZ	277182	8.52	498026	9.38	259633		226805		77676	6.13
ZZZZZZ	275711	8.52	501446	9.37	261790		228472		84185	6.13
MC14490-1	269329	8.52	484589	9.38	253030	12.61	219080	15.17	77489	6.13
ZZZZZZ	268840	8.52	488600	9.37	263366		253104		88076	6.12
ZZZZZZ	314359	8.51	564623	9.37	317215		350302		115657	6.12
ZZZZZZ	386257	8.51	682621	9.37	373657		391374		144178	6.13
ZZZZZZ	409872	8.52	721855	9.37	375715	12.61	343106	15.17	134063	6.13

IS 3

IS 4

IS 5

IS 1 = Pentafluorobenzene
IS 2 = 1,4-Difluorobenzene
IS 3 = Chlorobenzene-D5
IS 4 = 1,4-Dichlorobenzene-d4
IS 5 = Tert Butyl Alcohol-D9



⁽a) Upper Limit = +100% of check standard area; Retention time +0.5 minutes.

⁽b) Lower Limit = -50% of check standard area; Retention time -0.5 minutes.

Volatile Internal Standard Area Summary

Job Number: MC14490

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Check Std: MSP2137-CC2106 **Injection Date:** 10/11/12 Lab File ID: **Injection Time:** 08:35 P65327.D **Instrument ID:** GCMSP Method: SW846 8260B

IS 1 IS 2 IS 3 **IS 4** IS 5

	AREA	RT	AREA	RT	AREA	RT	AREA	RT	AREA	RT
Check Std	388566	8.51	701066	9.37	391748	12.61	373516	15.17	122293	6.12
Upper Limit ^a	777132	9.01	1402132	9.87	783496	13.11	747032	15.67	244586	6.62
Lower Limit b	194283	8.01	350533	8.87	195874	12.11	186758	14.67	61147	5.62

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
MSP2137-BS MSP2137-MB ZZZZZZ ZZZZZZ ZZZZZZ	388566 357062 333611 320649 310029	8.51 8.52 8.52 8.52 8.52	701066 645766 610229 584576 568592	9.37 9.37 9.37 9.37 9.37	391748 341636 324802 312043 304678	12.61 12.61 12.61 12.61 12.61	303769 291330 278592 269073	15.17 15.17 15.17 15.17 15.17	122293 103617 100803 94731 93640	6.12 6.14 6.13 6.12 6.12
ZZZZZZ	295657	8.52	545909	9.37	292874	12.61	254957	15.17	86281	6.12
MC14490-3	308388	8.51	559440	9.37	302114	12.61	262163	15.17	94712	6.13
ZZZZZZ	273783	8.52	503397	9.38	271120	12.61	235312	15.17	75461	6.14
ZZZZZZ	269975	8.52	502126	9.37	270117	12.61	234844	15.17	82765	6.13
ZZZZZZ	276244	8.52	509084	9.37	272088	12.61	237336	15.17	87043	6.13
ZZZZZZ	266688	8.52	494814	9.37	265419	12.61	238403	15.17	93299	6.13
ZZZZZZ	270606	8.52	499099	9.37	276198	12.61	249424	15.17	82821	6.13
ZZZZZZ	264044	8.52	487186	9.37	265188	12.61	229838	15.17	80269	6.12
ZZZZZZ	268978	8.52	497886	9.37	268872	12.61	233787	15.17	81174	6.13
ZZZZZZ	262005	8.52	485489	9.38	262306	12.61	229579	15.17	79195	6.13
ZZZZZZ	252158	8.52	471347	9.37	256884	12.61	225301	15.17	81536	6.12
ZZZZZZ	315579	8.51	576303	9.37	314519	12.61	328174	15.17	103925	6.12
ZZZZZZ	308462	8.51	563860	9.37	303537	12.61	287894	15.17	119446	6.12
ZZZZZZ	315235	8.51	569849	9.37	304646	12.61	281882	15.17	123029	6.13

IS 1 = Pentafluorobenzene IS 2 = 1,4-Difluorobenzene IS 3 = Chlorobenzene-D5 IS 4 = 1,4-Dichlorobenzene-d4 IS 5 = Tert Butyl Alcohol-D9



⁽a) Upper Limit = + 100% of check standard area; Retention time + 0.5 minutes.

⁽b) Lower Limit = -50% of check standard area; Retention time -0.5 minutes.

Volatile Internal Standard Area Summary

Job Number: MC14490

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

 Check Std:
 MSP2139-CC2106
 Injection Date:
 10/12/12

 Lab File ID:
 P65360.D
 Injection Time:
 07:23

Instrument ID: GCMSP **Method:** SW846 8260B

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
Check Std Upper Limit ^a	316145 632290	8.51 9.01	582477 1164954	9.37 9.87	345574 691148	12.61 13.11	348427 696854	15.17 15.67	94807 189614	6.12 6.62
Lower Limit b	158073	8.01	291239	8.87	172787	12.11	174214	14.67	47404	5.62
Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
MSP2139-BS	321815	8.51	584341	9.37	335323	12.61	320662	15.17	100185	6.12
MSP2139-MB	306990	8.52	573484	9.37	309048	12.61	271371	15.17	91469	6.13
ZZZZZZ	299369	8.52	558613	9.37	302581	12.61	268057	15.17	93936	6.12
ZZZZZZ	303590	8.51	560802	9.37	311675	12.61	284520	15.17	100131	6.12
ZZZZZZ	286212	8.52	535423	9.37	291391	12.61	255467	15.17	81417	6.12
ZZZZZZ	290546	8.52	541840	9.37	297136	12.61	256936	15.17	79516	6.13
ZZZZZZ	279876	8.52	517539	9.37	282340	12.61	249788	15.17	81384	6.13
ZZZZZZ	281288	8.52	524382	9.37	287317	12.61	250872	15.17	84931	6.12
ZZZZZZ	257164	8.52	482595	9.38	262245	12.61	228996	15.17	70464	6.13
ZZZZZZ	273104	8.51	515043	9.37	286487	12.61	253858	15.17	81392	6.12
ZZZZZZ	270661	8.52	511203	9.37	292069	12.61	254612	15.17	79149	6.12
ZZZZZZ	265854	8.52	498207	9.37	275395	12.61	245673	15.17	86485	6.13
MC14490-3	284743	8.51	531729	9.37	289401	12.61	249424	15.17	91272	6.12

IS 1 = Pentafluorobenzene IS 2 = 1,4-Difluorobenzene IS 3 = Chlorobenzene-D5 IS 4 = 1,4-Dichlorobenzene-d4 IS 5 = Tert Butyl Alcohol-D9

- (a) Upper Limit = +100% of check standard area; Retention time +0.5 minutes.
- (b) Lower Limit = -50% of check standard area; Retention time -0.5 minutes.



Volatile Surrogate Recovery Summary

Job Number: MC14490

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Method: SW846 8260B Matrix: AQ

Samples and QC shown here apply to the above method

Lab Sample ID	Lab File ID	S1	S2	S3
MC14490-1	P65294.D	118.0	97.0	98.0
MC14490-3	P65334.D	111.0	93.0	94.0
MC14490-3	P65375.D	109.0	88.0	92.0
MSP2135-BS	P65275.D	105.0	95.0	98.0
MSP2135-MB	P65277.D	105.0	93.0	100.0
MSP2137-BS	P65327.D	106.0	94.0	92.0
MSP2137-MB	P65329.D	108.0	94.0	97.0
MSP2139-BS	P65362.D	118.0	103.0	101.0
MSP2139-MB	P65364.D	114.0	95.0	97.0

Surrogate Recovery Compounds Limits

 $\mathbf{S1} = \text{Dibromofluoromethane}$ 70-130% $\mathbf{S2} = \text{Toluene-D8}$ 70-130% $\mathbf{S3} = 4\text{-Bromofluorobenzene}$ 70-130%





GC Semi-volatiles

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries
- Surrogate Recovery Summaries



Method Blank Summary

Job Number: MC14490

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample OP30560-MB	File ID BJ14270.D	DF 1	Analyzed 10/04/12	By NB	Prep Date 10/03/12	Prep Batch OP30560	Analytical Batch GBJ528

The QC reported here applies to the following samples:

Method: CT-ETPH 7/06

MC14490-1, MC14490-6

 CAS No.
 Compound
 Result
 RL
 Units
 Q

 CT-ETPH (C9-C36)
 ND
 0.080
 mg/l

CAS No. Surrogate Recoveries Limits

84-15-1 o-Terphenyl 72% 50-149%



Method: SW846 8082

Method Blank Summary

Job Number: MC14490

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Sample OP30534-MB	File ID DF BK17330A.D1	Analyzed 10/02/12	By AP	Prep Date 10/01/12	Prep Batch OP30534	Analytical Batch GBK645

The QC reported here applies to the following samples:

MC14490-1, MC14490-5

CAS No.	Compound	Result	RL	Units Q
12674-11-2	Aroclor 1016	ND	0.25	ug/l
11104-28-2	Aroclor 1221	ND	0.25	ug/l
11141-16-5	Aroclor 1232	ND	0.25	ug/l
53469-21-9	Aroclor 1242	ND	0.25	ug/l
12672-29-6	Aroclor 1248	ND	0.25	ug/l
11097-69-1	Aroclor 1254	ND	0.25	ug/l
11096-82-5	Aroclor 1260	ND	0.25	ug/l
37324-23-5	Aroclor 1262	ND	0.25	ug/l
11100-14-4	Aroclor 1268	ND	0.25	ug/l

CAS No.	Surrogate Recoveries		Limits
877-09-8	Tetrachloro-m-xylene	84%	30-150%
877-09-8	Tetrachloro-m-xylene	94%	30-150%
2051-24-3	Decachlorobiphenyl	50%	30-150%
2051-24-3	Decachlorobiphenyl	55%	30-150%



Method: CT-ETPH 7/06

Blank Spike Summary

Job Number: MC14490

Account: LEA Loureiro Eng. Associates

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT Project:

Sample OP30560-BS	File ID BJ14272.D	DF	Analyzed 10/04/12	By NB	Prep Date 10/03/12	Prep Batch OP30560	Analytical Batch GBJ528

The QC reported here applies to the following samples:

MC14490-1, MC14490-6

CAS No.	Compound	Spike mg/l	BSP mg/l	BSP %	Limits
	СТ-ЕТРН (С9-С36)	0.7	0.474	68	60-120

CAS No. **Surrogate Recoveries** BSP Limits 84-15-1 o-Terphenyl 80% 50-149%



^{* =} Outside of Control Limits.

Method: SW846 8082

Blank Spike Summary Job Number: MC14490

Account: LEA Loureiro Eng. Associates

UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT **Project:**

Sample OP30534-BS	File ID DF BK17331A.D1	Analyzed 10/02/12	By AP	Prep Date 10/01/12	Prep Batch OP30534	Analytical Batch GBK645

The QC reported here applies to the following samples:

MC14490-1, MC14490-5

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
12674-11-2	Aroclor 1016	2	1.7	85	40-140
11104-28-2	Aroclor 1221		ND		40-140
11141-16-5	Aroclor 1232		ND		40-140
53469-21-9	Aroclor 1242		ND		40-140
12672-29-6	Aroclor 1248		ND		40-140
11097-69-1	Aroclor 1254		ND		40-140
11096-82-5	Aroclor 1260	2	1.6	80	40-140
37324-23-5	Aroclor 1262		ND		40-140
11100-14-4	Aroclor 1268		ND		40-140

CAS No.	Surrogate Recoveries	BSP	Limits
877-09-8	Tetrachloro-m-xylene	82%	30-150%
877-09-8	Tetrachloro-m-xylene	93%	30-150%
2051-24-3	Decachlorobiphenyl	50%	30-150%
2051-24-3	Decachlorobiphenyl	56%	30-150%



^{* =} Outside of Control Limits.

Semivolatile Surrogate Recovery Summary

Job Number: MC14490

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Method: CT-ETPH 7/06 Matrix: AQ

Samples and QC shown here apply to the above method

Lab Sample ID	Lab File ID	S1 a
MC14490-1	BJ14310.D	79.0
MC14490-6	BJ14314.D	68.0
OP30560-BS	BJ14272.D	80.0
OP30560-MB	BJ14270.D	72.0

Surrogate Recovery Compounds Limits

S1 = o-Terphenyl 50-149%

(a) Recovery from GC signal #1



Semivolatile Surrogate Recovery Summary

Job Number: MC14490

Account: LEA Loureiro Eng. Associates

Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

Method: SW846 8082 Matrix: AQ

Samples and QC shown here apply to the above method

Lab Sample ID	Lab File ID	S1 ^a	S1 b	S2 a	S2 b
MC14490-1	BK17372.D	93.0	97.0	73.0	76.0
MC14490-5	BK17373.D	86.0	90.0	51.0	55.0
OP30534-BS	BK17331A.D	82.0	93.0	50.0	56.0
OP30534-MB	BK17330A.D	84.0	94.0	50.0	55.0

Surrogate Recovery Compounds Limits

S1 = Tetrachloro-m-xylene 30-150% **S2** = Decachlorobiphenyl 30-150%

(a) Recovery from GC signal #1

(b) Recovery from GC signal #2





Metals Analysis

QC Data Summaries

Includes the following where applicable:

- · Method Blank Summaries
- Matrix Spike and Duplicate Summaries
- Blank Spike and Lab Control Sample Summaries
- Serial Dilution Summaries



BLANK RESULTS SUMMARY Part 2 - Method Blanks

Login Number: MC14490

Account: LEA - Loureiro Eng. Associates
Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

QC Batch ID: MP19760 Methods: SW846 6010C Matrix Type: AQUEOUS Units: ug/l

Prep Date:	11Q0E00D				10/02/12
Metal	RL	IDL	MDL	MB raw	final
Aluminum	200	13	21		
Antimony	6.0	.8	1.7		
Arsenic	4.0	.99	1.9	0.10	<4.0
Barium	50	.28	.65	0.40	<50
Beryllium	4.0	.13	.28		
Boron	100	.58	.59		
Cadmium	4.0	.19	.19	0.0	<4.0
Calcium	5000	34	36		
Chromium	10	.6	.83	0.20	<10
Cobalt	50	.15	. 4		
Copper	25	.85	1.4	0.0	<25
Gold	50	1.8	2.7		
Iron	100	4.2	11		
Lead	5.0	1.3	2.1	-0.60	<5.0
Magnesium	5000	36	60		
Manganese	15	.05	.54		
Molybdenum	100	.23	1.5		
Nickel	40	. 25	.7	-0.20	< 40
Palladium	50	2.4	7.9		
Platinum	50	6.6	19		
Potassium	5000	45	190		
Selenium	10	1.4	2	0.10	<10
Silicon	100	4.8	8.4		
Silver	5.0	.69	1.3	-0.10	<5.0
Sodium	5000	13	40		
Strontium	10	.11	.35		
Thallium	5.0	.99	1.4		
Tin	100	.34	.75		
Titanium	50	.55	.88		
Tungsten	100	5.9	14		

Associated samples MP19760: MC14490-2, MC14490-4

.95

.33

1.3

4

1.7

10

20

Vanadium

Zinc



BLANK RESULTS SUMMARY Part 2 - Method Blanks

Login Number: MC14490

Account: LEA - Loureiro Eng. Associates
Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

QC Batch ID: MP19760 Methods: SW846 6010C Matrix Type: AQUEOUS Units: ug/l

Prep Date:

Metal

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits (anr) Analyte not requested

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: MC14490 Account: LEA - Loureiro Eng. Associates Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

QC Batch ID: MP19760 Methods: SW846 6010C Matrix Type: AQUEOUS Units: ug/l

Prep Date:			10/02/12					10/02/12	
Metal	BSP Result	Spikelot MPICP	% Rec	QC Limits	BSD Result	Spikelot MPICP	% Rec	BSD RPD	QC Limit
Aluminum									
Antimony									
Arsenic	504	500	100.8	80-120	508	500	101.6	0.8	20
Barium	1970	2000	98.5	80-120	1990	2000	99.5	1.0	20
Beryllium									
Boron									
Cadmium	494	500	98.8	80-120	498	500	99.6	0.8	20
Calcium									
Chromium	513	500	102.6	80-120	519	500	103.8	1.2	20
Cobalt									
Copper	495	500	99.0	80-120	501	500	100.2	1.2	20
Gold									
Iron									
Lead	1000	1000	100.0	80-120	1010	1000	101.0	1.0	20
Magnesium									
Manganese									
Molybdenum									
Nickel	492	500	98.4	80-120	498	500	99.6	1.2	20
Palladium									
Platinum									
Potassium									
Selenium	467	500	93.4	80-120	468	500	93.6	0.2	20
Silicon									
Silver	203	200	101.5	80-120	207	200	103.5	2.0	20
Sodium									
Strontium									
Thallium									
Tin									
Titanium									
Tungsten									
Vanadium									
Zinc	511	500	102.2	80-120	515	500	103.0	0.8	20

Associated samples MP19760: MC14490-2, MC14490-4



SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: MC14490

Account: LEA - Loureiro Eng. Associates
Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

QC Batch ID: MP19760 Methods: SW846 6010C Matrix Type: AQUEOUS Units: ug/l

Prep Date:

Metal

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits (anr) Analyte not requested

SERIAL DILUTION RESULTS SUMMARY

Login Number: MC14490

Account: LEA - Loureiro Eng. Associates
Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

QC Batch ID: MP19760 Matrix Type: AQUEOUS Methods: SW846 6010C Units: ug/l

10/02/12 Prep Date:

Trep bace.			10/02/12	
Metal	MC14478- Original	4 SDL 1:5	%DIF	QC Limits
Aluminum				
Antimony				
Arsenic	0.00	0.00	NC	0-10
Barium	9.90	10.4	5.1	0-10
Beryllium				
Boron				
Cadmium	0.00	0.00	NC	0-10
Calcium				
Chromium	0.00	0.00	NC	0-10
Cobalt				
Copper	3.00	0.00	100.0(a)	0-10
Gold			, , ,	
Iron				
Lead	3.50	0.00	100.0(a)	0-10
Magnesium				
Manganese				
Molybdenum				
Nickel	0.800	0.00	100.0(a)	0-10
Palladium	0.000	0.00	100.0(0)	0 10
Platinum				
Potassium				
Selenium	0.00	0.00	NC	0-10
Silicon				
Silver	0.00	0.00	NC	0-10
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Tungsten				
Vanadium	20. 2	41.6	26.6.41	0.10
Zinc	30.8	41.9	36.0 (b)	0-10

Associated samples MP19760: MC14490-2, MC14490-4

SERIAL DILUTION RESULTS SUMMARY

Login Number: MC14490

Account: LEA - Loureiro Eng. Associates Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

QC Batch ID: MP19760 Methods: SW846 6010C Matrix Type: AQUEOUS Units: ug/l

Prep Date:

Metal

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits (anr) Analyte not requested

- (a) Percent difference acceptable due to low initial sample concentration (< 50 times IDL).
- (b) Serial dilution indicates possible matrix interference.

BLANK RESULTS SUMMARY Part 2 - Method Blanks

Login Number: MC14490

Account: LEA - Loureiro Eng. Associates
Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

QC Batch ID: MP19815 Methods: SW846 7470A

Matrix Type: AQUEOUS Units: ug/l

Prep Date: 10/09/12

Metal	RL	IDL	MDL	MB raw	final
Mercury	0.20	.011	.062	0.026	<0.20

Associated samples MP19815: MC14490-2, MC14490-4

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits $\begin{tabular}{ll} \end{tabular}$

(anr) Analyte not requested



SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: MC14490

Account: LEA - Loureiro Eng. Associates
Project: UTC:P&W EH Willow Pond Groundwater Sampling, East Hartford, CT

QC Batch ID: MP19815 Methods: SW846 7470A Matrix Type: AQUEOUS Units: ug/l

10/09/12 10/09/12 Prep Date:

Metal	BSP Result	Spikelot HGRWS1	% Rec	QC Limits	BSD Result	Spikelot HGRWS1	% Rec	BSD RPD	QC Limit
Mercury	2.9	3	96.7	80-120	2.8	3	93.3	3.5	20

Associated samples MP19815: MC14490-2, MC14490-4

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits $\bar{\ }$

(anr) Analyte not requested

Appendix C

Quality Assurance/Quality Control Documentation

APPENDIX C QUALITY ASSURANCE/QUALITY CONTROL DOCUMENTATION

2012 ANNUAL POST-REMEDIATION MAINTENANCE AND GROUNDWATER MONITORING REPORT

United Technologies Corporation Pratt & Whitney Division Willow Brook and Willow Brook Pond East Hartford, Connecticut

December 2012

Prepared for

UNITED TECHNOLOGIES CORPORATION One Financial Plaza Hartford, Connecticut 06101

Prepared by

LOUREIRO ENGINEERING ASSOCIATES, INC. 100 Northwest Drive Plainville, Connecticut 06062

An Employee Owned Company

Comm. No. 88UT2.30

Table of Contents

		Page
1.	QUALITY ASSURANCE /QUALITY CONTROL SUMMARY	1
2.	DATA MANAGEMENT PROCEDURES	2
2.1	Standard Operating Procedures	2
2.2		
	2.2.1 Use and Maintenance of Field Equipment and Instrumentation	3
	2.2.2 Calibration Procedures and Frequency	3
	2.2.3 Decontamination	۷
2.3	Sample Tracking	۷
	2.3.1 Sample Location Identification	5
	2.3.2 Sample Labeling and Custody	5
	2.3.3 Field Documentation	6
	2.3.4 Mapping	7
2.4	Field Sampling Quality Assurance	7
2.5		8
	2.5.1 Samples Submitted for Laboratory Analysis	8
	2.5.2 Laboratory Analytical Results	8
2.6		8
	2.6.1 Database Administration	8
	2.6.2 Electronic Data Entry	8
	2.6.3 Archiving of Electronic Data	
	2.6.4 Data Verification	Ģ
2.7	Data Presentation	10
	2.7.1 Analytical Data Presentation	10
	2.7.2 Facility Drawings	10
2.8	File Organization	10
3.	QUALITY ASSURANCE/QUALITY CONTROL SAMPLES	11
3.1	Field Duplicate Samples	11
	3.1.1 Volatile Organic Compounds	12
	3.1.2 Extractable Total Petroleum Hydrocarbons	12
	3.1.3 Polychlorinated Biphenyls	12
	3.1.4 Metals	12
3.2	Equipment Blank Samples	12
3.3	Trip Blank Samples	13
3.4	Performance Evaluation Samples	13
1 .	ASSESSMENT OF LABORATORY QA/QC INFORMATION	15
4.1	Data Quality Assessment and Usability	15



TABLES

Table C-1 Summary of Duplicate Sampling and Analytical Information

Table C-2 Constituents Detected in Duplicate Samples

Table C-3 Summary of Equipment and Trip Blank Sampling and Analytical

ATTACHMENTS

Attachment C-1 LEA Standard Operating Procedures
Attachment C-2 Performance Evaluation Sample Results
Attachment C-3 Data Quality Assessment Worksheets

ACRONYMS

CSM Conceptual Site Model

DEEP Connecticut Department of Energy and Environmental Protection

DQA Data Quality Assessment
DQO Data Quality Objective
DUE Data Usability Evaluation
EDD Electronic Data Deliverable

EPA United States Environmental Protection Agency

ERA Environmental Resource Associates

ETPH Extractable Total Petroleum Hydrocarbons LEA Loureiro Engineering Associates, Inc.

LCS Laboratory Control Sample

IMS Information Management System LEA Loureiro Engineering Associates, Inc.

MS Matrix Spike

MSD Matrix Spike Duplicate
PCBs Polychlorinated Biphenyls
PE Performance Evaluation
PID Photoionization Detector

QA/QC Quality Assurance/Quality Control
RCP Reasonable Confidence Protocol
RPD Relative Percent Difference
RSR Remediation Standard Regulation
SOP Standard Operating Procedure

TCE Trichloroethylene

VOCs Volatile Organic Compounds

UNITS

μg/l micrograms per liter



1. QUALITY ASSURANCE /QUALITY CONTROL SUMMARY

During the course of the 2012 Post-Remediation Groundwater Monitoring activities, analytical and observational data were obtained for the Willow Brook and Willow Brook Pond Remediation Area (hereinafter referred to as the "Project Area"). These data included analytical data for groundwater samples, field activities documentation, sample tracking documentation, and other documentation associated with sample collection and analysis.

During the course of groundwater monitoring activities, the need to maintain accurate and complete documentation was a paramount concern. Included in this document is a description of the activities undertaken to document, manage, verify, organize, and present the data compiled; a discussion of the types and quantities of Quality Assurance/Quality Control (QA/QC) samples that were collected during field activities; and an evaluation of the analytical data generated as a result of laboratory QA/QC procedures. The evaluation of laboratory QA/QC information includes a Data Quality Assessment (DQA) and a Data Usability Evaluation (DUE) that was performed in accordance with the methodology described in the November 2007 guidance document entitled, Reasonable Confidence Protocols and presented in more detail in the May 2009 document (revised December 2010) entitled Laboratory Quality Assurance Quality Control, Data Quality Assessment, Data Usability Evaluation Guidance Document published by the Connecticut Department of Energy and Environmental Protection (CT DEEP).



2. DATA MANAGEMENT PROCEDURES

This section has been organized to present those activities performed by personnel to document the record of post-remediation groundwater monitoring activities performed in the field and discuss the QA/QC activities performed in the field. These discussions are followed by a description of the activities undertaken by personnel in the office to ensure the necessary data have been accumulated, that the data have been properly managed, tracked, verified, entered into the database repository, presented appropriately, and at the conclusion of monitoring events, filed for future use.

2.1 **Standard Operating Procedures**

Prior to conducting groundwater monitoring activities for the Project Area, Standard Operating Procedures (SOPs) had been developed by Loureiro Engineering Associates, Inc. (LEA) for the most common procedures associated with the sampling and analysis of various media for environmental investigations. Development of these SOPs has taken into account the need for precision, accuracy, completeness, representativeness, and comparability of data.

Although it is understood that there are limits on data accuracy and precision that are inherent in the collection and analysis of samples and in the operation of measuring devices, adherence to standard procedures increases consistency and the level of confidence with which the data collected are evaluated. Data collected under standard procedures can also be used more reliably in comparing results over time on a given project or from other projects or published information.

Data evaluation is also dependent upon the representativeness of the samples or measurements collected and the completeness of information associated with collection of the data. Collection and measurement techniques identified in the SOPs have been designed to take these factors into account, thus increasing the level of confidence that can be placed in the data.

Although adherence to SOPs is imperative for the successful completion of any project, there will be instances where exceptions to the SOPs must be made to obtain reliable data. When exceptions are made, documentation of both the situation requiring deviation and the actual deviation in procedure was recorded in the field documentation.

Each SOP was developed by LEA personnel experienced in the performance of the specific activity. At least two senior-level people, one being the Director of Quality, reviewed the SOP

to ensure that the identified procedures satisfy the stated objectives and that the prescribed procedures are technically correct, appropriately applied, and in conformance with applicable regulatory criteria and standard practices. These individuals signified their approval by signing and dating the SOP.

SOPs for the following activities have been included as Attachment C-1 of this document.

- Low Flow Sampling;
- Liquid Sample Collection and Field Analysis; and
- Quality Assurance/Quality Control Measures for Field Activities.

2.2 Field Quality Assurance Procedures

Field QA/QC procedures begin with the use and maintenance of field equipment and instrumentation and include the proper calibration of the equipment.

2.2.1 Use and Maintenance of Field Equipment and Instrumentation

Field equipment and instruments were operated and maintained in a manner that is consistent with the manufacturer's recommended practices. Deviations from standard use of the equipment or required repairs or adaptations made in the field were noted in the Field Record and/or field logbook. Operation and maintenance manuals for equipment were kept in a single location that was known and accessible to personnel that would be likely to use the equipment.

Field personnel either returned equipment in a condition that permitted its optimal use on the following day of field operations, or notified the appropriate personnel so that repairs/replacements could be arranged in an expedient fashion. The use of expendable equipment was recorded and reported to appropriate personnel so replacements could be ordered in a timely manner and an adequate supply was available.

Prior to starting a particular field investigation, the field services manager or designated personnel ensured that adequate supplies and equipment were available for project completion. It was the responsibility of field personnel to inform the field services manager or other authorized personnel that supplies were depleted and that re-ordering was necessary.

2.2.2 Calibration Procedures and Frequency



Instruments and equipment were calibrated with sufficient frequency and in such a manner that accuracy and reproducibility of results were consistent with the appropriate manufacturer's specifications or project-specific requirements. Calibration was performed at intervals recommended by the manufacturer or more frequently, as conditions dictate. The field instruments that required calibration during the groundwater monitoring activities were the photoionization detector (PID); the pH, dissolved oxygen, and specific conductance sensors of the flow-through cells; and the turbidity meters. Documentation of the calibration that was performed was recorded on field documentation forms, analytical records, or other appropriate daily record of activities.

2.2.3 Decontamination

Decontamination procedures are described in applicable SOPs presented in Attachment C-1. These procedures were designed to avoid cross-contamination between samples, the transport of contaminated material between onsite locations, and the transport of contaminated material from onsite or off-site locations. As described in Section 3.2 of this appendix, equipment blank samples were collected to confirm the efficiency of decontamination procedures during groundwater sampling activities.

2.3 **Sample Tracking**

Sample tracking activities focus on the timely assignment and tracking of information relevant to field samples collected during the groundwater sampling activities. Samples collected during the groundwater sampling activities were designated using the procedures discussed below.

Field sample tracking included the following tasks:

- Assignment of sample identification numbers and other sample identifiers to new samples to be taken, and entry to a tracking system;
- Production of sample bottle labels from the tracking system;
- Completion of chain-of-custody forms, and entry of this information to the tracking system;
- Entry of additional tracking dates to the tracking system;
- QA checking of the sample tracking information, and processing of change requests; and,
- Production of tracking reports and summary sheets, with distribution to appropriate project staff.

A computer-based sample-tracking system, based on a dBase[®] database computer program, was used for sample tracking.

2.3.1 Sample Location Identification

Samples were designated with location identifiers previously assigned using the procedure described in the SOPs included in Attachment C-1. In general, sample identification information included the sample type (e.g. monitoring well.); and the sample point number.

Monitoring wells have been provided with location identifiers using a systematic method to prevent duplication of location identifiers. Additionally, a two letter prefix identifying the project area (in this case "WT") was also included in the location identifiers. For example, monitoring well number 40 is designated as WT-MW-40.

The system of location identifiers provides a relatively easy means of finding the referenced locations on site drawings.

2.3.2 Sample Labeling and Custody

Prior to sample collection, project-specific sample numbers were obtained, and labels were generated with all required information, as noted in the sample collection SOPs. Each sample was labeled using waterproof ink on a computer-generated label, and sealed immediately after collection. At a minimum, each sample label contained the following information:

- Project number;
- Date:
- Sample number; and
- Time of sample collection.

In order to ensure accurate identification of all sample containers, sample labels and tags were firmly affixed to the sample container. The sampler was responsible for ensuring that the sample container was dry enough for the label to remain securely attached, or used a suitable transparent adhesive tape when the adhesive labels were not applicable or there was any question as to whether the gummed label would be secure.

All sampling information was recorded on the field sampling records. Written chain-of-custody procedures were followed whenever samples were collected, transferred, stored, analyzed, or



destroyed. The objective of these procedures was to create an accurate written record that could be used to trace the possession and handling of the samples from the point of collection through analysis. A sample was determined to be in someone's "custody" under any of the following conditions:

- It was in one's actual possession;
- It was in one's view, after being in one's physical possession;
- It was placed and kept in a locked location after being in one's physical possession; and
- It was kept in a secured area that is restricted to authorized personnel only.

Each time sample custody changed hands, the chain-of-custody form indicated that change. All efforts were made to limit the number of people involved in the collection and handling of samples. The field sampler was responsible for the care and custody of the samples collected until they were transferred under the appropriate chain-of-custody procedures. Specific chain-of-custody procedures are described in the LEA SOP for *Quality Assurance/Quality Control Measures for Field Activities* included in Attachment C-1 of this document.

2.3.3 Field Documentation

Daily Field Reports and other project information tracking forms were used to record general field data collection activities or pertinent field observation or occurrences. These forms consist of the loose-leaf field documentation forms completed daily by field crews. Entries were made in waterproof ink and each page was consecutively numbered for each sampling day. Each daily entry included the following information:

- Name of person recording information;
- Names of all field personnel;
- Project name and number;
- Date;
- Start and end times:
- Weather conditions;



- Equipment used;
- Samples collected;
- Field parameters measured; and,
- Equipment calibration performed.

Other information that was recorded in the field logs included the level of personal protective equipment used, difficulties, accidents, incidents, equipment problems or malfunctions, or deviations from proposed scope of work.

Any corrections made in the field logs were crossed out, not erased, and initialed by the person making the correction. Each page of the logs was signed by the person responsible for recording information on that day. All lines on a page, and all pages, were used or crossed out and initialed.

This information was transmitted from field to office personnel at the end of each working day, or as soon thereafter as possible, for input into LEA's Information Management System (IMS). The Daily Field Reports and forms, in turn, were placed in the central project file.

2.3.4 Mapping

The location of each monitoring well was previously surveyed by a State of Connecticut licensed surveyor. All of the information used to locate sampling points within the Project Area was transferred to AutoCAD® drawings that served as the base maps for data presentation in this report.

2.4 Field Sampling Quality Assurance

QA samples were collected in general accordance with the LEA SOP for *QA/QC Measures for Field Activities*, included in Attachment C-1 of this document. The purpose of the QA samples is to confirm the reliability and validity of the field data gathered during the course of the groundwater monitoring activities. Field duplicate samples were used to provide a measurement of the consistency of samples collected from the same monitoring well and an estimate of variance and bias. Trip blank samples and equipment blank samples were used to provide a measurement of cross-contamination sources and decontamination efficiency, respectively, for groundwater sampling. Performance Evaluation (PE) samples were used to assess the overall



accuracy and bias of the analytical methods being used and provide an indication of overall laboratory performance. Section 3 provides a discussion of the QA/QC sampling results.

2.5 **Sample Shipping**

Following sample collection, the filled sample containers were placed in coolers and packed appropriately to avoid bottle breakage. Either freezer packs or ice packed in re-sealable plastic bags or plastic containers were placed in the coolers to keep the samples at a temperature less than or equal to 4° Celsius during transport. At the end of each sampling day, samples were picked up by the analytical laboratory's courier service or brought back to LEA's Plainville, Connecticut, office and placed into LEA's External Laboratory Refrigerator for pick up the next day by the analytical laboratory's courier service.

2.5.1 Samples Submitted for Laboratory Analysis

Groundwater samples collected and submitted to the laboratory for analysis were appropriately labeled and logged on chain-of-custody forms. Copies of completed chain-of-custody records for samples submitted for analysis or archiving were submitted to the Project Manager at the end of each working day or as soon thereafter as possible.

2.5.2 Laboratory Analytical Results

The analytical results provided by the laboratory were provided in electronic data deliverable (EDD) format as well as .pdf format to the Project Manager. After documentation of receipt of the results, the EDD was entered into the electronic database by the Database Manager.

2.6 **Database Management**

The electronic analytical database was maintained in the LEA IMS in a dBASE® format. The database management functions are described in the following paragraphs.

2.6.1 Database Administration

Database administration included coordination of data entry and verification and review of data for completeness and correctness. The Database Manager interfaced with the Project Manager and field personnel to ensure that the database met the project objectives.

2.6.2 Electronic Data Entry



The EDD files provided by the analytical laboratory were uploaded to the electronic analytical database by the Database Manager. Data received from the laboratory in electronic format were checked for completeness by comparing data received with data analyses requested in the chain-of-custody forms. Analytical data were verified to assure the accuracy of the EDD, as compared to the analytical laboratory reports. Data verification involved having a qualified person other than the Database Manager manually check a printout from the electronic database against the laboratory reports. Any deviations from the laboratory reports were reported to the Database Manager, and the subsequent changes re-checked to verify their accuracy. In addition, the sample identification number, location, constituent, and qualifier codes were also verified.

2.6.3 Archiving of Electronic Data

Archiving of the electronic project database was routinely accomplished. Data were backed up on a no-less-than weekly basis. The permanent archive for the analytical and geological/hydrological data is both electronic and hard copy files maintained by LEA.

2.6.4 Data Verification

The field personnel performed an initial review of data obtained from field measurements. This review consisted of checking procedures utilized in the field, ensuring that field measurement instruments were properly calibrated, verifying the accuracy of transcriptions, and comparing data obtained in the field to historic measurements. Field records were subsequently reviewed following completion of each day's field activities for completeness and consistency.

An internal review of analytical data was the responsibility of laboratory personnel. The analyst initiated the data review process by examining and accepting the data. The data reviewer then reviewed the completed data package. The data reviewer provided a technical review for accuracy and precision according to the methods employed and laboratory protocols. The data package was also reviewed for completeness (i.e., all pertinent information is included, all appropriate forms are signed and dated, calculations are correct, and holding times and quality control sample acceptance criteria have been met). A final review of the data was provided by the Project Manager to ensure that the data package met the project specifications.



2.7 **Data Presentation**

The objective of data presentation was to illustrate the analytical data for the Project Area in formats that facilitated data interpretation and visualization. These formats include tables, figures, and drawings, as appropriate.

2.7.1 Analytical Data Presentation

Use of the electronic database for storage and retrieval of a wide range of both sample collection and analytical information maximized the ease and accuracy of data review and presentation. Tables of analytical and sampling information were produced in multiple formats to assist in the data evaluation process. Examples of analytical data presentations incorporated in this report include: tabular listings of analyses conducted, sorted by location and sample identification number, and summaries of exceedances of tabulated numeric criteria in the CT DEEP's Remediation Standard Regulations (RSRs).

2.7.2 Facility Drawings

Facility drawings were created using AutoCAD® software. Base maps were generated using available information provided by Pratt & Whitney.

2.8 File Organization

Files of original analytical data obtained during the groundwater monitoring events were maintained throughout data evaluation process and ultimately archived in a central file. Incoming data were logged into the project file both on the project analytical database and on hardcopy and then were appropriately placed in the file. Analytical results from the laboratories were keyed electronically to the sample identification numbers assigned during sample collection. Original field documentation forms, paper copies of laboratory reports, and other project files information were transferred from the project file to a designated archive location upon the completion of the project. Computerized data were stored in both hard copy and electronic back-up formats.



3. QUALITY ASSURANCE/QUALITY CONTROL SAMPLES

QA/QC samples collected during the 2012 Post-Remediation Groundwater Monitoring Program included: duplicate groundwater samples; equipment blank samples; trip blank samples; and PE samples. The duplicate samples, equipment blanks, and PE samples were analyzed for the same suite of constituents as the field samples, and trip blanks were analyzed for volatile organic compounds (VOCs) only.

3.1 **Field Duplicate Samples**

Field duplicate samples were collected to provide a measure of the reproducibility of field sampling and laboratory analytical methodologies. Duplicate samples were coded in a fashion that did not alert the laboratory to the fact that the samples are replicates. Consistency between analytical results for field duplicate samples indicates consistent field sampling, sample handling, and analytical laboratory procedures. The consistency between field duplicate pairs is often measured by calculating the relative percent difference (RPD) for detects in a field duplicate pair when a compound was reported at greater than two times the sample quantitation limit in both samples. Field duplicate precision were met when the RPD was less than or equal to 30 percent for aqueous samples (which is based upon the United States Environmental Protection Agency (EPA) Region I Tier II Validation Guidance). If the RPD exceeded the acceptable limit, the affected compound(s) results were considered to be estimated values (no directional bias) and data usability was evaluated based on the project objectives. The RPD is calculated using the following formula:

$$RPD = \frac{|X_1 - X_2|}{(X_1 + X_2)/2} \times 100\%$$

where X_1 and X_2 represent the two reported concentration measurements.

One duplicate groundwater sample was collected during each monitoring event and was submitted for analysis for VOCs, extractable total petroleum hydrocarbons (ETPH), polychlorinated biphenyls (PCBs), Resource Conservation and Recovery Act (RCRA) 8 metals, copper, nickel and zinc. Field duplicates were submitted at a frequency of approximately one per fifteen samples, which met the QA/QC frequency objective of one field duplicate per twenty samples. A summary of field duplicate data for groundwater samples is presented in Table C-1, and a summary of constituents analyzed in duplicate groundwater samples with calculated RPDs is presented in Table C-2.



3.1.1 Volatile Organic Compounds

There were 16 instances in which duplicate pairs of compounds were reported at concentrations greater than two times the reporting limit. The RPDs for these sample pairs ranged from 1% to 70%. Only four of the duplicate pairs exceeded the RPD of 30%, indicating that 75% of the RPDs met the acceptance criterion.

3.1.2 Extractable Total Petroleum Hydrocarbons

There was one instance in which a duplicate pair of compounds was reported at concentrations greater than two times the reporting limit. The RPD for this sample pair was 3% thus indicating that 100% of the RPDs met the acceptance criterion.

3.1.3 Polychlorinated Biphenyls

PCBs were not detected in any duplicate groundwater sample collected. Therefore, a RPD assessment could not be performed.

3.1.4 Metals

There were two instances in which duplicate pairs of metals were reported at concentrations greater than two times the reporting limit. The RPDs for these sample pairs ranged from 3.9% to 6% thus indicating that 100% of the RPDs met the acceptance criterion.

3.2 Equipment Blank Samples

Equipment blank samples are used to indicate if any cross-contamination of samples between uses of sampling equipment or contamination to samples from disposable equipment may have occurred. Field equipment blank samples are collected by pouring laboratory-provided water (analyte-free, de-ionized) through and/or over decontaminated or disposable sampling equipment into appropriate containers. The criteria for evaluating equipment blanks were such that no target compound should be present at or above the sample quantitation limit in any given equipment blank.

One equipment blank sample was collected during each monitoring event and submitted to the laboratory for analysis for VOCs, ETPH, PCBs, and metals. A summary of all equipment blank samples analyzed is provided as Table C-3. No constituents were detected above laboratory reporting limits in either of the equipment blank samples that were collected in 2012.



3.3 **Trip Blank Samples**

Trip blank samples are used to indicate if any cross-contamination between samples or contamination from other sources of VOCs may have occurred during transport, storage, or laboratory analysis of samples. Trip blank samples were prepared by Accutest Laboratories (Accutest) using ultra-pure, de-ionized water and submitted to the sampling team whenever glassware was delivered. A trip blank sample accompanied all project VOC sample containers through all custody changes in possession, coolers and refrigerators. The trip blank samples were never opened by the sampling team.

A total of four trip blank samples, one for each day that sampling was conducted, were submitted to Accutest for analysis. A summary of all trip blank samples is included in Table C-3. No constituents were detected above laboratory reporting limits in any of the trip blank samples that were collected in 2012.

3.4 **Performance Evaluation Samples**

Double blind aqueous PE samples were submitted to Accutest during the September 2012 monitoring event. The PE sample data were used to assess the overall accuracy and bias of the analytical methods being used and provide an indication of overall laboratory performance. Data for the PE samples also provided information about the magnitude and direction of quantitative bias for the laboratory methods, including sample preparation (extraction and cleanup) and analysis (chromatography and calibration).

The PE samples for this project were prepared by Environmental Resource Associates (ERA) of Arvada, Colorado. All results for PE samples were compared with vendor-certified acceptance limits. The PE samples results were evaluated for pass and fail. Fails were categorized as bias high, bias low, false negatives and false positives. Performance evaluation sample certified values and results of the performance sample evaluation are included as Attachment C-2. The following is a summary of the performance evaluation samples results by analytical class.

• Volatile Organic Compounds: An evaluation of the results obtained against vendor-specified acceptance standards indicated that each of the VOC constituents (tetrachloroethylene, trichloroethylene [TCE], vinyl chloride, cis-1,2-dichloroethylene and trans-1,2-dichloroethylene) was outside of the acceptable vendor-certified limits. All of these VOC concentrations were reported higher than the acceptable limits. In addition, a false positive result was reported for chloroform. LEA is currently investigating the



detections and has requested that Accutest Laboratories and ERA perform an internal QA/QC review for the VOC results reported.

- **Polychlorinated Biphenyls:** PCBs were reported by the laboratory within the vendor-certified limits.
- **Extractable Total Hydrocarbons:** ETPH were reported by the laboratory within the vendor-certified limits.
- **Metals:** All metals were reported by the laboratory within the vendor-certified acceptable limits.



4. ASSESSMENT OF LABORATORY QA/QC INFORMATION

All data were analyzed using the Connecticut Reasonable Confidence Protocols (RCPs), which are analytical methods based on the respective EPA methods. The RCPs provide specific requirements for QA/QC that the laboratory must follow during analysis of environmental samples. In addition, the RCP methods require the laboratory to report the QA/QC analytical data associated with the analysis of each sample in the laboratory report and further require that the laboratory provide a narrative of any non-conformances for QA/QC data the were outside the acceptable limits for such data, as described in the specific RCP method.

QA/QC information provided by laboratories was evaluated with respect to quality by conducting a DQA and DUE in accordance with the methodology described in the November 2007 guidance document entitled *Reasonable Confidence Protocols* and in more detail in the May 2009 document (revised December 2010) entitled *Laboratory Quality Assurance Quality Control, Data Quality Assessment, Data Usability Evaluation Guidance Document*. The DQA process is intended to assess the quality of the analytical data generated by the laboratories. The DUE is performed to determine, once the quality of the analytical is known, whether the quality of that data will affect its usability for the intended purpose.

4.1 Data Quality Assessment and Usability

The DQA was performed to assess the quality of the analytical data in each laboratory analytical report package. The DQA resulted in identifying data for which the quality could affect its potential use in decision-making. The DUE, which took into account the objectives for the data collection effort, and the intended use of the data, was performed using the information developed during the DQA. The RCP Data Quality Assessment Summary Reports that were generated during that assessment process are included as Attachment C-3.

Each analytical data package was reviewed in accordance with the DQA review process. Several deficiencies were noted. These included:

- Results for the surrogate recoveries for VOCs and PCBs outside the accepted ranged for variability;
- Results for Laboratory Control Sample (LCS) for VOCs outside the accepted range of variability;
- Recoveries for Matrix Spike/Matrix Spike Duplicate (MS/MSD) and Relative Percent Differences (RPDs) for VOCs outside the accepted range of variability; and



• Several VOCs detected in Method Blanks.

After the laboratory analytical data were evaluated during the DQA, a DUE was performed. The DUE took into account the following:

- the site-specific conceptual site model (CSM);
- knowledge of the contaminant types, concentrations, and distribution;
- objectives for the data collection effort and the intended use of the data (i.e. the data quality objectives [DQOs]); and
- results from field QA/QC sampling.

In general, the QA/QC deficiencies identified related to constituents that are not identified as constituents of concern for the Project Area or resulted in bias high data. Taking into consideration multiple lines of evidence, results from the DUE indicated that the data generated during the 2012 groundwater sampling events were usable for the intended purpose. One deficiency associated with a constituent of concern required a more detailed evaluation to assess potential affects on usability.

There was one instance in which a QA/QC deficiency was associated with TCE, which is a VOC that has been identified as a constituent of concern that could potentially affect the usability of the data. The MS/MSD recovery for TCE associated with groundwater collected from monitoring well WT-MW-50 in September 2012 of 43%/42% indicates a low bias. The concentration of TCE reported in groundwater was 199 micrograms per liter (μ g/l), which is just below the RVC for TCE of 211 μ g/l. However, the concentration of TCE reported in a duplicate sample collected from this monitoring well, which did not have any QA/QC non-conformances was 332 μ g/l. As a conservative measure, the higher value was used for decision making.

The rationale discussed in the foregoing statement, coupled with the number and type of QA/QC issues identified during the DQA, provide support for a conclusion that analytical results for the samples collected during the two 2012 monitoring events were considered usable for decision-making purposes.






Table C-1 SUMMARY OF DUPLICATE SAMPLING AND ANALYTICAL INFORMATION Pratt & Whitney, East Hartford, Connecticut: Willow Brook & Willow Brook Pond 2012 Annual Groundwater Monitoring Report



Sample Information Analysis Information Sampled Sample LEAAnalyt. Volatile Semivolatile Pesticides/ Miscellaneous Location ID Sample ID Sample Date Herbicides Fuels/Oils Metals Interval (ft) Class Lab. Organics Organics **PCBs** Analyses WT-MW-50 1255898 03/27/2012 16.00 - 26.00 GWS Χ Χ X X 1255901 WT-MW-50 03/27/2012 16.00 - 26.00 GWS X X X X WT-MW-50 1264979 09/06/2012 16.00 - 26.00 GWS X X X X WT-MW-50 1264991 09/06/2012 16.00 - 26.00 GWS X X X



2012 Annual Groundwater Monitoring Report							Engineering • Construction • EH&S • Energy • Waste		
	Location ID	WT-MW-50	WT-MW-50	RPD (%)		WT-MW-50	WT-MW-50	RPD (%)	
	Sample ID	1255898	1255901			1264979	1264991		
	Sample Date	03/27/2012	03/27/2012			09/06/2012	09/06/2012		
	Sample Time	11:20	11:20			10:46	10:46		
	Sample Depth	16.00' - 26.0	16.00' - 26.0			16.00' - 26.0	16.00' - 26.0		
	Laboratory	ACTM	ACTM			ACTM	ACTM		
	Lab. Number	MC9090-10	MC9090-15			MC13777-1	MC13777-3		
Constituent	Units								
Date PCBs Analyzed	-	04/01/2012	04/01/2012			09/13/2012	09/13/2012		
Date Metals Analyzed	-	03/30/2012	03/30/2012			09/10/2012	09/10/2012		
Date Organics Analyzed	-	04/04/2012	04/04/2012			09/17/2012	09/17/2012		
Date Physical Analyzed	-	04/02/2012	04/02/2012			09/10/2012	09/10/2012		
Arsenic (unfiltered)	mg/L	0.0067	0.0063	6		0.0051	0.0053	4	
Barium (unfiltered)	mg/L	0.331	0.35	6		0.344	0.331	3.9	
Cadmium (unfiltered)	mg/L	<0.0040 U	<0.0040 U			<0.0040 U	<0.0040 U		
Chromium, Total (unfiltered)	mg/L	<0.01 U	<0.01 U			<0.01 U	<0.01 U		
Chromium, Hexavalent	mg/L					<0.010 U	<0.010 U		
Copper (unfiltered)	mg/L	<0.025 U	<0.025 U			<0.025 U	<0.025 U		
Lead (unfiltered)	mg/L	<0.0050 U	<0.0050 U			<0.0050 U	<0.0050 U		
Mercury (unfiltered)	mg/L	<0.00020 U	<0.00020 U			<0.00020 U	<0.00020 U		
Nickel (unfiltered)	mg/L	<0.04 U	<0.04 U			<0.04 U	<0.04 U		
Selenium (unfiltered)	mg/L	<0.01 U	<0.01 U			<0.01 U	<0.01 U		
Silver (unfiltered)	mg/L	<0.0050 U	<0.0050 U			<0.0050 U	<0.0050 U		
Zinc (unfiltered)	mg/L	<0.02 U	0.0217			<0.02 U	<0.02 U		
Arochlor 1016	ug/L	<0.29 U	<0.28 U			<0.25 U	<0.26 U		
Arochlor 1221	ug/L	<0.29 U	<0.28 U			<0.25 U	<0.26 U		
Arochlor 1232	ug/L	<0.29 U	<0.28 U			<0.25 U	<0.26 U		
Arochlor 1242	ug/L	<0.29 U	<0.28 U			<0.25 U	<0.26 U		
Arochlor 1248	ug/L	<0.29 U	<0.28 U			<0.25 U	<0.26 U		
Arochlor 1254	ug/L	<0.29 U	<0.28 U			<0.25 U	<0.26 U		
Arochlor 1260	ug/L	<0.29 U	<0.28 U			<0.25 U	<0.26 U		
Arochlor 1262	ug/L	<0.29 U	<0.28 U			<0.25 U	<0.26 U		
Arochlor 1268	ug/L	<0.29 U	<0.28 U			<0.25 U	<0.26 U		
Total Petroleum Hydrocarbons (CT ETPH)	mg/L	0.228	0.234	3		0.100	0.0942	6	
Naphthalene	ug/L	<5.0 U	<5.0 U			<5.0 U	<10 U		
1,2-Dichloropropane	ug/L	<2.0 U	<2.0 U			<2.0 U	<4.0 U		

Printed on 11/12/2012 Page 1 of 4



Location ID WT-MW-50 WT-MW-50 WT-MW-50 RPD (%) WT-MW-50 RPD (%) Sample ID 1255898 1255901 1264979 1264991 Sample Date 03/27/2012 09/06/2012 09/06/2012 03/27/2012 Sample Time 11:20 11:20 10:46 10:46 Sample Depth 16.00' - 26.0 16.00' - 26.0 16.00' - 26.0 16.00' - 26.0 Laboratory ACTM ACTM ACTM ACTM Lab. Number MC9090-10 MC9090-15 MC13777-1 MC13777-3 Units Constituent ug/L <5.0 U <5.0 U <5.0 U <10 U Acetone ug/L <5.0 U <5.0 U <5.0 U <10 U Acrylonitrile ug/L <5.0 U 2-Hexanone <5.0 U <5.0 U <10 U ug/L 0.77 Benzene 0.81 5 <0.50 U <1.0 U ug/L <5.0 U 1,2,3-Trichlorobenzene <5.0 U <5.0 U <10 U 1,2,4-Trichlorobenzene ug/L <5.0 U <5.0 U <5.0 U <10 U ug/L <5.0 U 1,2,4-Trimethylbenzene <5.0 U <5.0 U <10 U o-Dichlorobenzene ug/L <1.0 U <1.0 U <1.0 U <2.0 U 1,3,5-Trimethylbenzene ug/L <5.0 U <5.0 U <5.0 U <10 U ug/L m-Dichlorobenzene <1.0 U <1.0 U <1.0 U <2.0 U p-Dichlorobenzene ug/L <1.0 U <1.0 U <1.0 U <2.0 U ug/L Bromobenzene <5.0 U <5.0 U <5.0 U <10 U Butyl Benzene ug/L <5.0 U <5.0 U <5.0 U <10 U Chlorobenzene ug/L <1.0 U <1.0 U <1.0 U <2.0 U ug/L <1.0 U <1.0 U <1.0 U <2.0 U Ethylbenzene Isopropylbenzene (Cumene) ug/L <5.0 U <5.0 U <5.0 U <10 U ug/L <5.0 U <5.0 U <5.0 U <10 U Propylbenzene ug/L sec-Butylbenzene <5.0 U <5.0 U <5.0 U <10 U ug/L <5.0 U <5.0 U <5.0 U <10 U tert-Butylbenzene ug/L Hexachlorobutadiene <5.0 U <5.0 U <5.0 U <10 U Methyl Ethyl ketone ug/L <5.0 U <5.0 U <5.0 U <10 U ug/L <5.0 U <5.0 U <5.0 U <10 U trans-1.4-Dichlorobutene ug/L Carbon Disulfide <5.0 U <5.0 U <5.0 U <10 U ug/L Carbon Tetrachloride <1.0 U <1.0 U <1.0 U <2.0 U ug/L <5.0 U 4-Isopropyltoluene <5.0 U <5.0 U <10 U ug/L <5.0 U <5.0 U <5.0 U <10 U 1,1,1,2-Tetrachloroethane ug/L 1,1,1-Trichloroethane 51.8 49.6 4.3 17.8 28.0 44.5 ug/L 1.1.2.2-Tetrachloroethane <1.0 U <1.0 U <1.0 U <2.0 U

Printed on 11/12/2012 Page 2 of 4



Location ID WT-MW-50 WT-MW-50 WT-MW-50 RPD (%) WT-MW-50 RPD (%) Sample ID 1255898 1255901 1264979 1264991 Sample Date 03/27/2012 09/06/2012 09/06/2012 03/27/2012 Sample Time 11:20 11:20 10:46 10:46 Sample Depth 16.00' - 26.0 16.00' - 26.0 16.00' - 26.0 16.00' - 26.0 Laboratory ACTM ACTM ACTM ACTM Lab. Number MC9090-10 MC9090-15 MC13777-1 MC13777-3 Units Constituent ug/L <1.0 U <1.0 U <1.0 U <2.0 U 1.1.2-Trichloroethane ug/L <5.0 U <5.0 U <5.0 U <10 U 1,1,2-Trichlorotrifluoroethane ug/L 9.5 8.4 5 1,1-Dichloroethane 9.6 1 8.0 ug/L Ethylene Dibromide <2.0 U <2.0 U <2.0 U <4.0 U ug/L 1,2-Dichloroethane <1.0 U <1.0 U <1.0 U <2.0 U Chloroethane ug/L 26.0 28.2 8.1 12.0 6.1 65 ug/L Methyl tert-Butyl ether <1.0 U <1.0 U <1.0 U <2.0 U 1,1-Dichloroethylene ug/L 162 153 6 74.8 115 42 ug/L <1.0 U <2.0 U trans-1,2-Dichloroethylene <1.0 U <1.0 U ug/L 65.7 64.7 cis-1.2-Dichloroethylene 1.5 60.9 69.4 13 Vinyl Chloride ug/L 11.1 10.5 6 11.3 10.1 11 ug/L 71.7 Tetrachloroethylene 62.3 14 27.6 57.3 70.0 Tetrahydrofuran ug/L <10 U 13.9 56.1 23.5 81.9 Bromomethane ug/L <2.0 U <2.0 U <2.0 U <4.0 U ug/L 6.6 <1.0 U <1.0 U <2.0 U Bromodichloromethane <2.0 U Chloromethane ug/L <2.0 U <2.0 U <4.0 U ug/L <2.0 U <1.0 U <1.0 U <1.0 U Chlorodibromomethane ug/L Methylene Dibromide <5.0 U <5.0 U <5.0 U <10 U ug/L <2.0 U <2.0 U <2.0 U <4.0 U Methylene Chloride ug/L Dichlorodifluoromethane <2.0 U <2.0 U <2.0 U <4.0 U Bromoform ug/L <1.0 U <1.0 U <1.0 U <2.0 U ug/L 2.0 2.1 5 1.5 <2.0 U Chloroform ug/L Trichlorofluoromethane <1.0 U <1.0 U <1.0 U <2.0 U ug/L Methyl Isobutyl ketone <5.0 U <5.0 U <5.0 U <10 U ug/L <5.0 U 1,2,3-Trichloropropane <5.0 U <5.0 U <10 U ug/L <5.0 U <5.0 U <5.0 U <10 U 1,2-Dibromo-3-Chloropropane ug/L 1,3-Dichloropropane <5.0 U <5.0 U <5.0 U <10 U ug/L sec-Dichloropropane <5.0 U <5.0 U <5.0 U <10 U

Printed on 11/12/2012 Page 3 of 4



20	12 Allılual Grot		romtoring K	_	Enginee	ring • Construction •	EH&S • Energy • Waste
		WT-MW-50	WT-MW-50	RPD (%)	WT-MW-50	WT-MW-50	RPD (%)
		1255898	1255901		1264979	1264991	
		03/27/2012	03/27/2012		09/06/2012	09/06/2012	
	Sample Time	11:20	11:20		10:46	10:46	
	Sample Depth	16.00' - 26.0	16.00' - 26.0		16.00' - 26.0	16.00' - 26.0	
	Laboratory	ACTM	ACTM		ACTM	ACTM	
	Lab. Number	MC9090-10	MC9090-15		MC13777-1	MC13777-3	
Constituent	Units						
1,1-Dichloropropene	ug/L	<5.0 U	<5.0 U		<5.0 U	<10 U	
trans-1,3-Dichloropropene	ug/L	<0.50 U	<0.50 U		<0.50 U	<1.0 U	
cis-1,3-Dichloropropene	ug/L	<0.50 U	<0.50 U		<0.50 U	<1.0 U	
Styrene	ug/L	<5.0 U	<5.0 U		<5.0 U	<10 U	
Toluene	ug/L	<1.0 U	<1.0 U		<1.0 U	<2.0 U	
o-Chlorotoluene	ug/L	<5.0 U	<5.0 U		<5.0 U	<10 U	
p-Chlorotoluene	ug/L	<5.0 U	<5.0 U		<5.0 U	<10 U	
Trichloroethylene	ug/L	420	393	7	199	332	50.1
o-Xylene	ug/L	<1.0 U	<1.0 U		<1.0 U	<2.0 U	
Xylenes,m- & p-	ug/L	<1.0 U	<1.0 U		<1.0 U	<2.0 U	
<u> </u>							
·							

Printed on 11/12/2012 Page 4 of 4

Table C-3 SUMMARY OF EQUIPMENT AND TRIP BLANK SAMPLING INFORMATION Pratt & Whitney, East Hartford, Connecticut: Willow Brook & Willow Brook Pond 2012 Annual Groundwater Monitoring Report



Sample ID 1255903	Information Sample Date	Sampled					Anaiysis ii	nformation			
	Sample Date	Sampled									
1255002		Interval (ft)	Sample Class	LEAAnalyt. Lab.	Volatile Organics	Semivolatile Organics	Herbicides	Pesticides/ PCBs	Fuels/Oils	Metals	Miscellaneous Analyses
1233903	03/26/2012		BKE		X			X	X	X	
1264889	09/06/2012		BKE		X			x	X	X	
1255904	03/26/2012		BKT		X						
1255902	03/27/2012		BKT		X						
1264990	09/06/2012		BKT		X						
1264988	09/07/2012		BKT		Х						
	1255902 1264990	1255902 03/27/2012 1264990 09/06/2012	1255902 03/27/2012 1264990 09/06/2012	1255902 03/27/2012 BKT 1264990 09/06/2012 BKT	1255902 03/27/2012 BKT 1264990 09/06/2012 BKT	1255902 03/27/2012 BKT x 1264990 09/06/2012 BKT x	1255902 03/27/2012 BKT x 1264990 09/06/2012 BKT x	1255902 03/27/2012 BKT x 1264990 09/06/2012 BKT x	1255902 03/27/2012 BKT x 1264990 09/06/2012 BKT x	1255902 03/27/2012 BKT x 1264990 09/06/2012 BKT x	1255902 03/27/2012 BKT x 1264990 09/06/2012 BKT x

ATTACHMENT C-1

LEA Standard Operating Procedures

Loureiro Engineering Associates, Inc. Standard Operating Procedure for Liquid Sample Collection and Field Analysis

SOP ID: 10004

Date Initiated: 02/20/90 Revision No. 006: 12/31/01

Approved By: /s/ Joseph T. Trzaski	<u>12/31/01</u>		
Joseph T. Trzaski	Date		
Senior Scientist			
/s/ Nick D. Skoularikis	12/31/01		
Nick D. Skoularikis	Date		
Director of Quality			

REVISION RECORD

Rev#	<u>Date</u>	Additions/Deletions/Modifications
Initial Issue	2/20/90	
001-004	NR	No record.
005	01/15/99	No record.
006	12/31/01	Updated to conform to new SOP format.
		Minor revisions throughout.



Date Initiated: 02/20/90 Rev. No. 006: 12/31/01

Page 1 of 14

Loureiro Engineering Associates, Inc. Standard Operating Procedure for Liquid Sample Collection and Field Analysis

1. Purpose and Scope

This document describes procedures to be followed for measurement of static water level elevations, detection of immiscible layers, well evacuation, sample withdrawal, and field analyses.

2. Definitions

2.1. Immiscible layers: The term is used to denote free-phase liquids that may be present in the aquifer as a result of a release. These liquids may have a density lighter than water (light non-aqueous phase liquids (LNAPL) or floaters) or heavier than water (dense non-aqueous phase liquids (DNAPL) or sinkers).

3. Equipment

- 3.1. Equipment required for the collection and field analysis of liquid samples includes:
 - Water-level indicator (accurate to 0.01 foot). The size of the instrument depends on the size of the wells being monitored.
 - Distilled water
 - Hand towels.
 - Portable volatile organic compound (VOC) analyzer (Photovac MicroTIP[®], Foxboro OVA[®] or equivalent).
 - Interface probe, clear polyvinyl chloride (PVC) or fluorocarbon resin bailer (if required).
 - pH and temperature meter (capable of accuracy to 0.1 pH unit).
 - Specific conductivity meter.
 - Bailers (clean or disposable) with disposable nylon or polyethylene rope.



Date Initiated: 02/20/90 Rev. No. 006: 12/31/01

Page 2 of 14

- Polyethylene plastic sheeting.
- Polyethylene tubing, and appropriate pumping apparatus such as centrifugal pump, Wattera® pump with fluorocarbon resin foot valve, peristaltic pump with appropriate tubing, submersible pump or other appropriate pumping apparatus.
- Clean disposable gloves.
- Field paperwork.
- Sample collection jars.
- Indelible marker.
- Cooler(s) with ice or ice packs.
- Site-specific Health and Safety Plan (as applicable).
- Site-specific work plan, work instructions, drawings (as applicable).
- Personal protective equipment (as may be required by Site Specific Health and Safety Plan).
- Aluminum foil (if field decontamination is expected).
- Appropriate containers for collection of purge water (bucket, carboy, 55-gallon drum etc.).

4. Procedures

Immediately upon opening the well, the air in the wellhead should be sampled for VOCs using a portable VOC analyzer, such as a Photovac MicroTIP[®]. The well cap shall be opened slightly and the sampling port of the VOC analyzer shall be inserted into the well. The maximum reading shall be recorded on the appropriate field paperwork. The instrument shall be zeroed with ambient air prior to the measurement, and the initial and final readings shall be recorded for each well.

Measures shall be taken during well sampling to prevent surface soils from coming in contact with the purging equipment and lines. Typically, a polyethylene sheet is placed on the ground providing adequate coverage for the equipment being used.

4.1. Detection of Immiscible Layers

4.1.1. If the presence of immiscible layers is suspected or unknown, the sampling event shall include provisions for detection of immiscible phases prior to well evacuation or sample collection. Lighter and/or



Date Initiated: 02/20/90 Rev. No. 006: 12/31/01

Page 3 of 14

denser immiscible phases may be encountered in a groundwater monitoring well.

- 4.1.2. An interface probe will be used to determine the existence of any immiscible layers, light or dense. Alternatively, a clear fluorocarbon resin or PVC bailer may be used to determine the existence of the phases or oil sheen in the well when no accurate determination of the immiscible layer thickness is required. For Geoprobe® wells smaller than 1" in diameter, an interface probe cannot be introduced into the well. A small diameter disposable bailer can be used to determine the existence of any immiscible layers. Alternatively the initial water purged from a well will be collected and evaluated visually for the presence of immiscible layers.
- 4.1.3. If immiscible layers were encountered, the levels of the immiscible liquids shall be measured to an accuracy of 0.02 feet using an electronic interface probe capable of detecting the interfaces between air, product, and water. The interface levels shall be recorded in the field notebook. Adjustments of the observed head to the theoretical hydraulic head shall be calculated based on the density conversion factor associated with the particular non-aqueous phase liquid.
- 4.1.4. If required, the immiscible layers and groundwater shall then be purged into 55-gallon 17H DOT drum, which shall be labeled and characterized for disposal. The immiscible layer shall be collected prior to any purging activities.

4.2. Measurement of Static Water Level

- 4.2.1. The static water elevations in each well shall be measured prior to each sampling event. This is performed initially to characterize the site, and in subsequent sampling rounds to determine whether horizontal or vertical flow gradients have changed. A change in hydrologic conditions may necessitate modification of the groundwater monitoring program.
- 4.2.2. Remove the protective cover and locking cap.
- 4.2.3. Each well shall have a surveyed reference point located at the top of the well casing with the locking cap removed. The reference point shall be easily recognizable, since the personnel conducting the sampling may differ from one sampling event to the next. If no distinguishable reference point is present, the measurements shall be



Date Initiated: 02/20/90 Rev. No. 006: 12/31/01

Page 4 of 14

taken from the highest point on the well casing. The absence of a reference point and subsequent reference point used for the measurements shall be recorded on the field paperwork.

- 4.2.4. The following parameters shall be measured with an accuracy of 0.01 ft:
 - Depth to standing water.
 - Depth to bottom of well.
- 4.2.5. A water-level indicator will be used for measurement. Due to possible pressure differences between the well atmosphere and the ambient atmosphere, the water level will be allowed to equilibrate for 15 minutes following removal of the well cap. The results shall be recorded in the appropriate location(s) on the appropriate field forms.
- 4.2.6. Total depth measurements will be compared to original depths to determine the degree of siltation that may have occurred. This information shall be noted on the field form. Should significant siltation occur in any well, the well may need to be redeveloped by an approved method. This information will also be used to confirm that the proper well is being sampled (in case of cluster wells).
- 4.2.7. The portion of the tape immersed in the well shall be decontaminated during retrieval using a distilled water rinse followed by drying with a clean wipe, prior to use in another well. This decontamination procedure shall be amended, as needed, to accommodate the specific type of contamination anticipated.

4.3. Field Analysis

- 4.3.1. Parameters that are physically or chemically unstable shall be measured immediately after collection using a field test meter or other equipment. Parameters such as pH, temperature, specific conductivity, and turbidity will be measured in the field, at the temperature of the well sample. The measurement of additional parameters may be required dependent upon sampling methods or other site-specific conditions.
- 4.3.2. A combination of pH/temperature/specific conductivity meters shall be used. The meter shall be calibrated prior to use and at the end of the day using calibration solutions, in accordance with the instructions provided in the instrument's operating manual. Whenever a



Date Initiated: 02/20/90 Rev. No. 006: 12/31/01

Page 5 of 14

questionable reading ("spike") is observed the calibration shall be checked. The calibration shall be checked prior to sampling each well or well cluster. Calibration information to be recorded in the field paperwork shall include the temperature, pH, and conductivity readings in each calibration solution before and after each calibration.

The pH/temperature/conductivity meters shall be placed into a sample and allowed to stabilize for a minimum of twenty seconds. The accuracy of measurement shall be 0.1 standard units for pH, and 0.1E Celsius for temperature. For conductivity, the accuracy shall be as stipulated by the range of the instrument. The sample shall be discarded in an appropriate manner upon completion of the analysis.

- 4.3.3. The pH/temperature/specific conductivity meters shall be decontaminated using a distilled/deionized water rinse between each sample. To the extent possible, the same probe and meter shall be used for all measurements at a given site for the duration of monitoring at the site.
- 4.3.4. Turbidity of the sample will be measured using a DRT turbidimeter, Model 15C or equivalent, that has been calibrated in accordance with the instructions provided in the instrument's manual. The accuracy of the measurement shall be to 1 NTU (nephelometric turbidity unit).

4.4. Well Evacuation

4.4.1. Calculate standing water in the well based on the following schedule and record on the appropriate field form:

Well Diameter	Conversion Factor
(inches)	(gal/feet)
1/2	0.01
1	0.041
1 1/4	0.064
$1\frac{1}{2}$	0.091
2	0.163
4	0.654
6	1.47

4.4.2. Generally, a centrifugal, submersible, air-lift, bladder, inertial, or peristaltic pump equipped with a fluorocarbon resin or PVC foot valve on the end of dedicated tubing, as appropriate, may be used to evacuate the monitoring wells. Alternatively, evacuation of the wells may be accomplished using a bailer.



Date Initiated: 02/20/90 Rev. No. 006: 12/31/01

Page 6 of 14

- 4.4.3. A new sheet of polyethylene plastic shall be placed on the ground adjacent to the well. Sampling and purging equipment, such as pump, tubing, bailers and bailer twine, containers, etc., shall be placed on the polyethylene sheet, never on the ground.
- 4.4.4. Don disposable gloves, prepare pump and tubing for insertion into the well, ensuring that any tubing or pump apparatus is of sufficient length to reach the appropriate depth for pumping. Pumping shall occur within the well screened interval as indicated on the well construction diagram. If the well construction information is not available, the bottom of the tubing or pump shall be placed 1' 2' above the bottom of the well
- 4.4.5. Lower the pump and/or tubing gently into the water column to the appropriate depth and begin pumping.
- 4.4.6. Measure pH, temperature, specific conductivity, turbidity and other specific parameters in the well from the first water extracted during the purging process.
- 4.4.7. Remove a volume of water equal to 3 to 5 times the standing water from the well measured into an appropriate container. Purging of the well shall occur at a slow rate to minimize agitation of the water recharging the well.
- 4.4.8. If it is not possible to remove three volumes as described above, due to slow recovery of the well, the well shall be emptied and allowed to recover. In slow-yielding wells, whenever full recovery exceeds two hours, the sample shall be extracted as soon as a sufficient volume is available for a sample for each parameter.
- 4.4.9. Measure pH, temperature, specific conductivity, turbidity and other specific parameters **prior** to sampling.
- 4.4.10. Well evacuation is deemed to be complete when the following criteria have been met:
 - pH measurements vary no more than ± 0.5 standard units.
 - Specific conductivity measurements vary no more than \pm 10%.
 - Temperature measurements vary no more than \pm 1EC.
 - Turbidity measurements (if used) are below 5 NTU, if practicable.



Date Initiated: 02/20/90 Rev. No. 006: 12/31/01

Page 7 of 14

Alternatively well purging shall be deemed complete if a maximum of five well volumes have been removed from the well and/or other site-specific or method-specific parameters have stabilized.

- 4.4.11. Measure pH, temperature, specific conductivity and turbidity (and other specific parameters) again **after** sampling to determine the effectiveness of purging and sample stability.
- 4.4.12. Do **not** re-use purging equipment (bailers, rope, tubing, sampling vials, etc.). Any non-disposable bailers shall be returned to the office for decontamination. Pumps shall be decontaminated between monitoring wells, in accordance with procedures noted in Section 4.7.
- 4.4.13. Bailer twine and other consumables, such as filter apparatus, shall be disposed of appropriately.
- 4.4.14. Record sampler's name, sampling time, volume of water purged, parameters measured, weather conditions, sample number, analyses required and all other pertinent information on appropriate field forms, and complete the chain of custody form. The field paperwork shall also provide an indication of other field conditions that could potentially impact water levels (such as a pond being drained, or presence of a beaver dam in nearby surface water).
- 4.4.15. As dictated by project-specific requirements and/or groundwater quality considerations, any water purged from the monitoring wells shall be stored in properly labeled containers for disposal.
- 4.4.16. Storage shall be in properly labeled containers approved for storage of hazardous materials, and in an appropriate designated location at the site.

4.5. Sample Withdrawal

4.5.1. In order to ensure that the groundwater sample is representative of the formation, it is important to minimize physical alteration (i.e. agitation during purging and/or sample collection) or chemical contamination of the sample during the withdrawal process. The sample set shall include enough dedicated bailers and sample jars to obtain samples from each well, and additional quality assurance/quality control (QA/QC) samples such as duplicates, trip blanks and equipment blanks. In addition, it is recommended to increase the supply of



Date Initiated: 02/20/90 Rev. No. 006: 12/31/01

Page 8 of 14

sampling equipment and sample jars by about 10% to account for missing or broken glassware.

- 4.5.2. Use either an appropriate pump or bailer to purge each well (the same pump used for purging may be used for sample withdrawal, with the exception that samples intended for VOC analysis must be collected using either a bailer or a bladder pump.). Do not reuse a bailer in the field; used non-disposable bailers shall be returned to the office for decontamination.
- 4.5.3. To minimize agitation of the water column, samples shall be collected from the pump tubing in the following order into pre-labeled sample containers:
 - Extractable organics (semi-volatile).
 - Total petroleum hydrocarbons (TPH).
 - Poly chlorinated biphenyls (PCBs).
 - Metals.
 - Phenols.
 - Cyanide.
 - Chloride and sulfate.
 - Nitrate and ammonia.
 - Turbidity.
 - Radionuclides.

Samples to be analyzed for the following constituents shall be collected using a bailer, after any pump and tubing have been removed from the well. Removal of any down hole equipment shall be done carefully and in a manner that minimizes disturbance of the water column.

- Volatile organic compounds (VOCs).
- Purgeable organic carbon (POCs).
- Purgeable organic halogens (POX).
- Total organic halogens (TOX).
- Total organic carbon (TOC).



Date Initiated: 02/20/90 Rev. No. 006: 12/31/01

Page 9 of 14

- 4.5.4. Samples shall be obtained from the monitoring wells as soon as possible after purging. This may require waiting an extended period for low-yielding wells.
- 4.5.5. Samples collected for VOC analysis shall be free of any air bubbles and inverted upon filling. Bacterial samples shall be collected using dedicated gloves; taking care not to allow anything to touch the inside of the sampling container.
- 4.5.6. Samples collected for dissolved metals analysis, which are to be filtered in the field, shall be passed through a 0.45 micron (maximum) filter (either in-line or under negative pressure) prior to placement in the sample bottle.
- 4.5.7. In situations where replicate samples shall be required, care shall be taken to ensure that each sample collected is independent.
- 4.5.8. In some situations, inorganic parameters may be sampled directly from a pump after completion of well evacuation procedures.

4.6. Post Sampling Procedures

- 4.6.1. As required, upon completion of all sampling procedures for a particular site, secure the lid of the cooler using packaging tape with the chain of custody inside.
- 4.6.2. If the laboratory is local, transport the samples directly to the laboratory and present them to the sample manager. The representative of LEA should witness the verification of the chain of custody and obtain a carbon copy for filing in the project notebook.
- 4.6.3. If the laboratory is distant, arrange for transport with a reputable carrier service. Typically, the laboratory specifies the carrier to be used and provides the shipping papers. The cooler and samples shall be secured for transport, and all mailing documentation secured onto the top of the cooler. Unless otherwise specified, delivery shall be overnight. Friday shipments should be mailed for Saturday delivery, once confirmed that the laboratory can accept them on Saturday. The laboratory shall provide confirmation of acceptance noting the temperature of the temperature blank and any deviations from the chain of custody.



Date Initiated: 02/20/90 Rev. No. 006: 12/31/01

Page 10 of 14

4.7. Field Documentation

- 4.7.1. Field documentation shall include at a minimum: a chain-of-custody form, Field Data Record Groundwater Form, Sample Collection Form, Daily Field Report, Field Quality Review Checklist. Sample labels shall be used for proper sample identification.
 - 4.7.1.1. The labels shall be sufficiently durable to withstand immersion for 48 hours without detaching and to withstand normal handling. The information provided shall be legible at all times.
 - 4.7.1.2. The following information shall be provided on the sample label using an indelible-ink pen:
 - Sample identification number.
 - LEA Commission Number
 - Date and time of collection.
 - Place of collection.
 - Parameter(s) requested (if space permits).
 - 4.7.1.3. A field logbook and/or appropriate field forms will be used to log all pertinent information with an indelible-ink pen. The following information shall be provided:
 - Project and site identification.
 - LEA commission number.
 - Identification of well.
 - Static water level measurement technique.
 - Presence of immiscible layers and detection method.
 - Time well purged.
 - Collection method for immiscible layers and sample identification numbers.
 - Well evacuation procedure/equipment.
 - Sample withdrawal procedure/equipment.
 - Date and time of collection



Date Initiated: 02/20/90 Rev. No. 006: 12/31/01

Page 11 of 14

- Types of sample containers used and sample identification numbers.
- Preservative(s) used.
- Parameters requested for analysis.
- Field analysis method(s).
- Whether or not field filtration was performed and the filter size, if appropriate.
- Field observations on day of sampling event.
- Record of site activities.
- Field personnel.
- Climatic conditions, including air temperature.
- Status of total production.
- Record of non-productive time.
- Name of all visitors to the site related to the project.
- 4.7.1.4. The chain-of-custody record shall include the following information:
 - Company's name and location.
 - Date and time of collection
 - Sample number.
 - Container type, number, size.
 - Preservative used.
 - Signature of collector.
 - Signatures of persons involved in the chain of possession.
 - Analyses to be performed.
 - Type and number of samples.

A separate entry shall be made for each sample, and within each sample each case that a different preservative is used.



Date Initiated: 02/20/90 Rev. No. 006: 12/31/01

Page 12 of 14

- 4.7.1.5. The Field Data Record Groundwater Form shall be updated during the sampling of each well and include the following information:
 - Identification of well.
 - Well depth, diameter, depth to water.
 - Static water level depth and measurement technique.
 - Purge volume and pumping rate.
 - Time well purged.
 - LEA commission number.
 - Date.

4.8. Equipment Decontamination

All materials and equipment, which enter a well, must be clean and free of any potential contaminants. In general, the equipment and materials entering the well shall be unused and preferably disposable. Any items not considered disposable should be decontaminated prior to commencing field activities. If field decontamination is required, the choice of decontamination procedures shall be based upon knowledge of the site-specific contaminants and as outlined in the site-specific work plan.

For sites at which the contaminants are unknown, but contamination is suspected, the decontamination procedures outlined below shall be followed.

- 4.8.1. Prior to commencing any field activities, the following solutions (as appropriate for the appropriate contaminants) shall be prepared and placed into 500-ml laboratory squirt bottles: 10% methanol in water; 10% nitric acid in water; 100% n-hexane; distilled, de-ionized water.
- 4.8.2. In the field, prepare approximately 2.5 gallons of a solution of Alconox[®] (or other suitable non-phosphate laboratory grade detergent) in tap water in a 5-gallon bucket.
- 4.8.3. Prepare a piece of 5-mil polyethylene sheeting to underlie the decontamination area. The sheeting shall be of sufficient size to contain any accidental discharge of decontamination solutions. The plastic shall be bermed to contain spills.
- 4.8.4. The order for decontaminating equipment is as follows:



Date Initiated: 02/20/90 Rev. No. 006: 12/31/01

Page 13 of 14

- 1) Detergent scrub.
- 2) DI water rinse.
- 3) Hexane rinse (to be used only if separate-phase petroleum product, other than gasoline, is present).
- 4) DI water rinse.
- 5) 10% nitric acid rinse (to be used only when metals are suspected as potential contaminants).
- 6) DI water rinse.
- 7) Methanol rinse (<10% solution).
- 8) Air dry.
- 4.8.5. Materials considered disposable such as the bailer cord, pump tubing, filters, etc. shall not be decontaminated and shall be disposed of in accordance with all applicable municipal, state, and federal regulations.
- 4.8.6. Wrap each piece of decontaminated equipment in aluminum foil, as appropriate, to maintain cleanliness.
- 4.8.7. At the end of the project day, dispose of all spent decontamination fluids and materials such as the polyethylene sheeting and personal protective equipment in accordance with all applicable municipal, state, and federal regulations.

5. Quality Assurance/Quality Control

Typically samples taken for Quality Assurance/Quality Control for liquid sample collection include duplicate samples, equipment blanks and trip blanks. The necessity for these samples will be outlined in the site-specific work plan. In general, all QA/QC measures taken during liquid sample collection shall be in conformance with LEA's standard operating procedure (SOP) ID 10005. Standard QA/QC measure shall include the recording of pertinent information as follows:

- 5.1. The Field Instrument & Quality Assurance Record, which is a portion of the Daily Field Report, shall include the following information:
 - Instrument make, model, and type.
 - Calibration readings.
 - Calibration/filtration lot numbers.
 - Field personnel and signature.



Date Initiated: 02/20/90 Rev. No. 006: 12/31/01

Page 14 of 14

- 5.2. The Field Quality Review Checklist, which is a portion of the Daily Field Report, shall assure the completeness of the sampling round and include the following information:
 - Reviewer's name and date.
 - Review of all necessary site activities and field forms.
 - Statement of corrective actions for deficiencies.

6. References

- 6.1. EPA, RCRA Groundwater Monitoring Technical Enforcement Guidance Document, OSWER 9950.1, September 1986.
- 6.2. EPA, *Practical Guide for Groundwater Sampling*, EPA/600/2-85/104, September 1985.
- 6.3. DEP, Site Characterization Guidance Document, Draft, June 12, 2000.

END OF DOCUMENT



Loureiro Engineering Associates, Inc. Standard Operating Procedure for Low-Flow (Low-Stress) Liquid Sample Collection and Field Analysis

SOP ID: 10039

Date Initiated: 06/11/01 Revision No. 005: 04/01/12

Approved By: 04/01/12
David C. Brisson Date

Senior Project Geologist

Gail L. Batchelder Date

Technical Director -- Hydrogeology

Nick D. Skoularikis Date

Nick D. Skoularikis Director of Quality

REVISION RECORD

Rev#	<u>Date</u>	Additions/Deletions/Modifications
Initial Issue	06/11/01	
001	04/01/02	Updated to reflect new SOP format.
002	12/02/02	Updated to reflect stabilization procedures.
003	04/01/05	Incorporated modified low-flow sampling procedure to include the
004	08/09/11	use of a peristaltic pump. Allowed use of plastic tub as secondary containment.
004	06/09/11	Provided equation for standing water calculation.
		1
		Required recording of depth of pump intake.
		Required direct calculation of flow rate.
		Minor wording changes to improve precision.
		Deleted reference since it has been rescinded: [Connecticut
		Department of Environmental Protection, Bureau of Water
		Management, Permitting Enforcement and Remediation Division.
		Site Characterization Guidance Document, Draft, June 12, 2000.]
005	04/01/12	Added unit conversion information from gallons to liters.



Date Initiated: 06/11/01 Rev. No. 005: 04/01/12

Page 1 of 16

Lourei ro Engineeri ng Associates, Inc. Standard Operati ng Procedure For Low Flow (Low Stress) Li qui d Sample Collection and Field Analysis

1. Purpose and Scope

This standard operating procedure (SOP) describes the procedures to be followed for measurement of static water-level elevations, detection of immiscible layers, well evacuation, sample withdrawal, and field analyses utilizing low-flow sampling techniques.

2. Definitions

2.1. Immiscible layers: The term is used to denote separate-phase liquids that may be present in the aquifer as a result of a release. These liquids may have a density lighter than water (light non-aqueous phase liquids (LNAPL), which float) or heavier than water (dense non-aqueous phase liquids (DNAPL), which sink).

3. Equi pnent

- 3.1. Equipment required for the collection and field analysis of liquid samples shall include:
 - Water-level indicator (accurate to 0.01 foot).
 - Distilled water.
 - Hand towels.
 - Portable volatile organic compound (VOC) analyzer (Photovac MicroTIP®, Foxboro OVA® or equivalent).
 - Interface probe/clear view bailer (to check for non-aqueous phase liquids, as appropriate).
 - Flow-through cell capable of monitoring pH, temperature, specific-conductance, oxidation reduction potential (Eh), dissolved oxygen (DO), and turbidity.
 - Polyethylene plastic sheeting and secondary containment units (plastic tubs).



Date Initiated: 06/11/01 Rev. No. 005: 04/01/12

Page 2 of 16

- Adjustable rate peristaltic pump, bladder pump (constructed of stainless steel or Teflon®), adjustable rate submersible pump, or adjustable rate centrifugal pump. The bladder pump is preferable to the other two types of pumps.
- Appropriate tubing for the pump used, for instance polyethylene tubing (1/4 to 3/8 inch outer diameter [O.D.]) for the peristaltic pump
- Clean disposable gloves.
- Alconox[®], or other non-phosphate, laboratory-grade detergent.
- Three 5-gallon buckets.
- Decontamination brushes.
- Distilled, de-ionized (DI) water.
- Decontamination fluids (less than 10 percent methanol in water, 100 percent n-hexane (as necessary), and 10 percent nitric acid).

4. Procedure

4.1. Health & Safety Requirements

All health and safety requirements described in the site-specific Health & Safety Plan and/or Job Hazard analysis shall be observed

4.2. Equipment Decontamination

All materials and equipment that enter a well must be clean and free of any potential contaminants. Do not use any contaminated equipment or materials which are not designed to be used for groundwater monitoring, even if this means that the sampling will not be performed as planned.

In general, the choice of decontamination procedures should be based upon knowledge of the site-specific contaminants and outlined in the site-specific work plan.

For sites at which the contaminants are unknown, but contamination is suspected, the decontamination procedures outlined below should be followed.

4.2.1. Prior to commencing any field activities, the following solutions (as appropriate for the appropriate contaminants) should be prepared and placed into 500-ml laboratory squirt bottles: less than 10 percent



Date Initiated: 06/11/01 Rev. No. 005: 04/01/12

Page 3 of 16

methanol in water; 10 percent nitric acid in water; 100 percent n-hexane, as necessary; distilled, de-ionized water.

- 4.2.2. In the field, prepare approximately 2.5 gallons of a solution of Alconox[®] (or other suitable non-phosphate laboratory grade detergent) in tap water in a 5-gallon bucket.
- 4.2.3. Prepare a piece of 5-mil polyethylene sheeting to underlie the decontamination area. The sheeting should be of sufficient size to contain any accidental discharge of decontamination solutions. The plastic should be bermed to contain spills.
- 4.2.4. The order for decontaminating equipment is as follows:
 - 1) Detergent scrub.
 - 2) DI water rinse.
 - 3) Hexane rinse (to be used only if separate-phase petroleum product, other than gasoline, is present).
 - 4) DI water rinse.
 - 5) 10 percent nitric acid rinse (to be used only when metals are suspected as potential contaminants).
 - 6) DI water rinse.
 - 7) Methanol rinse (less than 10 percent solution).
 - 8) Air dry.
- 4.2.5. Materials such as the bailer cord should not be decontaminated and should just be disposed of after each test. Note: Bailers should be used **onl y** to check for LNAPL before sample collection using low-flow/low stress procedures. A bailer may be used to check for DNAPL only **after** all sample collection equipment has been removed from the well.
- 4.2.6. At the end of the project day, dispose of all spent decontamination fluids and materials such as the polyethylene sheeting and personal protective equipment in accordance with all applicable municipal, state, and federal regulations.

4.3. Sample Collection

4.3.1. Immediately upon opening the well, the air in the well head will be sampled for VOCs using a portable VOC analyzer, such as a Photovac MicroTIP[®] or equivalent. The instrument shall be zeroed with ambient air prior to the measurement, and the highest reading observed shall be



Date Initiated: 06/11/01 Rev. No. 005: 04/01/12

Page 4 of 16

recorded for each well. Measurements should be taken until stabilization of the readings has occurred.

4.4. Detection of Immiscible Layers

- 4.4.1. Should evidence warrant, a sampling event shall include provisions for the detection of immiscible phases prior to well evacuation or sample collection. LNAPLs are relatively insoluble liquid organic compounds with densities less than that of water (1 g/ml), while DNAPLs are organic compounds with densities greater than that of water. Lighter and/or denser immiscible phases may be encountered in a groundwater monitoring well.
- 4.4.2. An interface probe will be used to determine the existence of any immiscible layers, light or dense. Alternatively, a clear fluorocarbon resin or PVC bailer may be used to determine the existence of the separate phases or oil sheen in the well when no accurate determination of the immiscible layer thickness is required. As noted above, efforts to detect LNAPL only can be performed prior to sample collection. Efforts to detect DNAPL can be performed only AFTER sample collection has occurred.
- 4.4.3. Should elevations of the immiscible layers be required, levels of the fluids shall be measured to an accuracy of 0.01 feet using an electronic interface probe capable of detecting the interfaces between air, product, and water. The interface levels shall be recorded on the field form. Adjustments of the observed head to the theoretical hydraulic head shall be calculated based on the density conversion factor associated with the particular non-aqueous phase liquid.
- 4.4.4. If LNAPL is detected in a well, collection of a groundwater sample from that well is not recommended unless otherwise specified in the site-specific work plan or work instruction. However, if a groundwater sample must be collected from that well, low-flow sampling is the recommended technique, although care must be taken to minimize mobilization of the LNAPL into the zone from which the sample will be collected. This is best accomplished by ensuring that the tubing or pump intake is placed well below the interface of the separate phase liquid with the water in the well.



Date Initiated: 06/11/01 Rev. No. 005: 04/01/12

Page 5 of 16

4.5. Measurement of Static Water Level

- 4.5.1. The static water-level elevations in each well shall be measured prior to each sampling event. This is performed initially to characterize the site, and in subsequent sampling rounds to determine whether horizontal or vertical flow gradients have changed. A change in hydrologic conditions may necessitate modification of the groundwater monitoring program.
- 4.5.2. Remove the protective cover and locking cap from the well.
- 4.5.3. Make sure the well is properly labeled if there can be any question about the well I.D. based on location (i.e., more than one well in close proximity to each other). If the well cannot be clearly identified, either based on location or by a specific label of some kind on the well itself, clearly indicate that fact on the field sampling record, water-level measurement form, and/or field paperwork. A measurement of depth-to-bottom of the well can be made in an attempt to clarify the well I.D., but this should only be performed if the well will not be sampled for at least 12 hours in order to minimize any potential effects from disturbance of sediment that may have accumulated at the bottom of the well. Otherwise, a depth-to-bottom measurement can only be made after the well is sampled, as indicated in Section 4.5.5.
- 4.5.4. Each well shall have a surveyed reference point located at the top of the well casing with the locking cap removed. The reference point shall be easily recognizable, since the personnel conducting the sampling may differ from one sampling event to the next.
- 4.5.5. The following parameters shall be measured with an accuracy of 0.01 foot:
 - Depth to standing water.
 - Depth to bottom of well (after all liquid samples have been collected from the well).
- 4.5.6. A water-level indicator with a fiberglass tape will be used for measurement. As a result of possible pressure differences between the well atmosphere and the ambient atmosphere, the water level will be allowed fifteen minutes to equilibrate upon removal of the well cap. If excess pressure is encountered, the water level will be allowed greater than fifteen minutes to equilibrate upon removal of the well cap. The results shall be recorded on the appropriate field form(s).



Date Initiated: 06/11/01 Rev. No. 005: 04/01/12

Page 6 of 16

- 4.5.7. Total depth measurements will be compared to original depths to determine the degree of siltation that may have occurred. This information shall be noted on the field forms. Should significant siltation occur in any well, the well shall be redeveloped by an approved method.
- 4.5.8. The portion of the tape immersed in the well shall be decontaminated during retrieval using a distilled water rinse followed by drying with a clean wipe, prior to use in another well. This decontamination procedure shall be amended, as needed, to accommodate the specific type of contamination anticipated.
- 4.5.9. The static water level should be monitored and recorded throughout the purging and sampling of each well.

4.6. Field Analysis

- 4.6.1. Parameters that are physically or chemically unstable shall be measured using probes that are inside a flow-through cell. Such parameters as pH, temperature, specific conductance, DO, Eh, and turbidity will be measured in the field at the temperature of the well sample.
- 4.6.2. Parameters such as pH, temperature, specific conductance, DO, and Eh shall be measured using a flow-through-cell (YSI model 6820 or equivalent). The meter shall be calibrated prior to use and at the end of the day using supplied solutions in accordance with the instructions provided by the manufacturer. Calibration information will be recorded in the field before and after each calibration.
- 4.5.3 Turbidity can be measured with a separate turbidimeter, although some flow-through cells include a turbidimeter. It is useful to have a separate turbidimeter on hand to check the validity of the turbidity values obtained using the flow-through cell if there is difficulty reaching low turbidity values or if the turbidity readings recorded do not seem to be consistent with visual observation of the water samples. All samples, including turbidity samples and samples to be submitted for analysis, must be collected before the groundwater passes through the flow-through cell to prevent cross-contamination by potentially stagnant fluid within the flow-through cell. This can be accomplished by using a bypass assembly or disconnecting the tubing from the flow-cell inlet prior to sampling.



Date Initiated: 06/11/01 Rev. No. 005: 04/01/12

Page 7 of 16

4.7. Well Evacuation

4.7.1. Calculate the volume of the standing water in the well based on the following information and record on the appropriate field form:

Well Diameter	Conversion Factor	Conversion Factor					
(inches)	(gallons/foot)	(liter/foot)					
2	0.163	0.617					
4	0.654	2.48					
6	1.47	5.56					

Alternatively, the volume of standing water in the well can be calculated using the equation noted below, with the measurement of the well radius (r) in inches:

$$3.14 \text{ x} (\text{r}/12)^2 \text{ x} 7.48 = \text{gallons per foot of standing water}$$

$$3.14 \text{ x} (\text{r}/12)^2 \text{ x} 28.3 = \text{liters per foot of standing water}$$

The total volume of water in the well using this equation or the above information is determined by multiplying the value calculated or indicated by the depth of standing water in the well.

- 4.7.2. Generally, a peristaltic pump, bladder, submersible, or air-lift pump equipped with appropriate tubing of inert materials (such as polyethylene), shall be used to evacuate the monitoring wells.
- 4.7.3. A new piece of polyethylene plastic shall be placed on the ground adjacent to the well. Sampling and purging equipment such as the pump, tubing, containers, etc., shall be placed on the polyethylene sheet and/or a plastic secondary containment unit, never on the ground.
- 4.7.4. The pumps and tubing shall be prepared for insertion into the well while wearing disposable gloves. Make sure that any tubing or pump apparatus is of sufficient length to reach the appropriate depth for pumping.



Date Initiated: 06/11/01 Rev. No. 005: 04/01/12

Page 8 of 16

4.7.5. Lower the pump and/or tubing gently into the water column to the midpoint of the saturated portion of the screened interval, unless otherwise specified. A site-specific sampling plan may specify a specific sampling depth, or provide specific criteria for the selection of intake depth for each well, but as a default, the tubing/intake should be placed at the midpoint of the saturated portion of the screen. **Record** the actual depth at which the tubing/intake is placed. If the saturated portion of the screen is less than 3 feet, the tubing or pump intake should be placed no closer than 1 foot from the bottom of the well. If the column of water in the well is less than 6 inches, serious consideration must be given to sampling the well, since it is not clear that the water in the well will be representative of water in If samples are collected from a well under these conditions, the limited volume of water should be specifically noted in the field paperwork.

Start the pump at the lowest speed setting and slowly increase the speed until discharge occurs. The initial pumping rate shall be approximately 0.1 liters per minute, however, the pumping rate shall not exceed 0.25 liters per minute. Measure the water level to ensure that drawdown in excess of 0.3 feet does not occur in the well. Adjust the pumping rate as necessary until little or no drawdown occurs. At least one actual measurement of the pumping rate should be conducted once drawdown stabilizes. That measurement should be made using a suitable measurement device for the volume anticipated over a measurement period of at least 20 to 30 seconds. Record the actual pumping rate on the field sampling record.

If the drawdown exceeds 0.3 feet, reduce pumping rate if possible. If drawdown still does not stabilize at a depth above the pump intake, shut the pump down and allow the well to recharge. It should be noted that a stable drawdown of approximately 0.3 feet is desirable but not mandatory. Stabilization of the drawdown at a depth greater than 0.3 feet is acceptable, as long as the depth at which stabilization occurs is above the pump intake. However, it is important that the stabilization depth is clearly recorded and maintained.

4.7.6. Monitor and record the water level and pumping rate at a minimum of every three to five minutes during purging. Calculate the volume of the discharge tubing, bladder pump (if used), and the flow-through cell. Monitor and record indicator field parameters (turbidity, pH, Eh, DO, temperature and specific conductance) in the well from the first water extracted during the purging process and at least every three to



Date Initiated: 06/11/01 Rev. No. 005: 04/01/12

Page 9 of 16

five minutes thereafter. Stabilization is considered to be achieved when three consecutive readings are within the following limits and no increasing or decreasing trend in the data can be observed:

- Turbidity (10% for values less than 5 and greater than 1 NTU).
 It should be noted that achievements of turbidity levels less than 5 NTUs are not mandatory but efforts should be made to collect a groundwater samples with the lowest turbidity achievable.
- DO (10%, measured as milligrams per liter).
- Specific Conductance and Temperature (3%).
- pH (+/- 0.1 unit).
- ORP/Eh (+/- 10 millivolts).
- 4.7.7. If after 2 hours of purging or the purging of three well volumes, (whichever comes first) the field parameters have not stabilized, purging may be discontinued to allow sample collection. Similarly, if it is not possible to obtain stabilization as described above as a result of slow recovery of the well, the well shall be evacuated and allowed to recover, at which point the samples should be collected immediately. The appropriate sampling forms shall include a notation that sample collection occurred without stabilization. Samples obtained from slow-yielding wells shall be collected as soon as a sufficient volume is available for a sample for each parameter.
- 4.7.8. Do **not** re-use purging equipment. Pumps shall be decontaminated between monitoring wells, in accordance with procedures noted in Section 4.1.
- 4.7.9. Record sampler's name, sampling time, volume of water purged, parameters measured, weather conditions, sample number, analyses required and all other pertinent information in the field notebook and/or appropriate field forms, and complete the chain of custody form.
- 4.7.10. Any water purged from the monitoring wells shall be stored in appropriate containers until the laboratory analyses are available. Then it should be disposed of in accordance with all applicable local, state and federal requirements.



Date Initiated: 06/11/01 Rev. No. 005: 04/01/12

Page 10 of 16

4.7.11. Storage shall be in containers approved for storage of hazardous materials and in an appropriate designated location at the facility.

4.8. Sample Withdrawal

- 4.8.1. In order to ensure that the groundwater sample is representative of the formation, it is important to minimize physical alteration (i.e. agitation during purging and/or sample collection) or chemical contamination of the sample during the withdrawal process.
- 4.8.2. Use an appropriate pump to purge each well; the same pump used for purging shall be used for sample withdrawal.
- 4.8.3. The samples shall be collected at a location before entering the flow-through cell. To minimize the effects of water column agitation on sample quality, samples shall be collected from the pump tubing in the following order into pre-labeled sample containers:
 - VOCs.
 - Total petroleum hydrocarbons.
 - Extractable organics (semivolatiles).
 - PCBs.
 - Metals.
 - Phenols.
 - Cyanide.
 - Chloride and sulfate.
 - Nitrate and ammonia.
 - Turbidity.
 - Radionuclides.
 - Purgeable organic carbon (POCs).
 - Purgeable organic halogens (POX).
 - Total organic halogens (TOX).
 - Total organic carbon (TOC).
- 4.8.4. Samples shall be obtained from the monitoring wells as soon as possible after purging. This may require waiting an extended period for low-yielding wells.



Date Initiated: 06/11/01 Rev. No. 005: 04/01/12

Page 11 of 16

4.8.5. Samples collected for VOC analysis shall be free of any air bubbles and inverted upon filling. Bacterial samples shall be collected using dedicated gloves; taking care not to allow anything to touch the inside of the sampling container.

4.8.6. Samples collected for metals analysis, which are to be filtered in the field, shall be passed through an appropriately sized filter prior to placement in the sample bottle. Pre-rinse the filter with approximately 25 to 50 milliliters of groundwater prior to collecting the samples for filtered metals analyses. Filter sizes will generally be either 10 microns for metals that could be present as colloids or adsorbed onto colloids that could be mobile in the aquifer or 0.45 microns for dissolved metals. The appropriate filter size for the individual project must be provided in site-specific work instructions.

4.9. "What If" Scenarios

4.9.1. Certain field conditions may be encountered that influence the choice of equipment to be used or altogether limit the feasibility of low-flow sampling techniques. The following is a brief description of select scenarios to provide field personnel with a guideline if similar circumstances are encountered

4.9.2. Turbidity

- 4.9.2.1. If turbidity measurements do not stabilize as described above after 2 hours of purging or the evacuation of three well volumes, whichever comes first, sample collection can be initiated. Record observations of the color, clarity, and other observable characteristics of the groundwater (such as the presence or absence of particles) in the field paperwork
- 4.9.2.2. If samples are being collected for analysis for total (unfiltered) metals and the turbidity has not stabilized below 10 NTU, a sample for additional analysis for metals should also be collected after being filtered in the field through an in-line 10-micron filter, if specified in the work instructions.

4.9.3. Peristaltic Pump



Date Initiated: 06/11/01 Rev. No. 005: 04/01/12

Page 12 of 16

- 4.9.3.1. Difficulty may be encountered while advancing the flexible polyethylene peristaltic pump tubing to the desired depth within a deep well or older well. Excessive friction may result from the tubing contacting the sidewall of the well casing or accumulations of material on the well casing (i.e. mineral and bacterial deposits). In these scenarios, the tubing may coil within the well during advancement and prevent the desired depth from being attained. Efforts to weight the tubing should be attempted before using alternate pumping techniques.
- 4.9.3.2. If such well conditions are expected, a bladder pump or other submersible pump should be used instead of a peristaltic pump. A bladder pump provides sufficient mass on the tubing to allow for advancement in deep or older wells.
- 4.9.3.3. A peristaltic pump cannot be used to sample wells in which the depth to water is greater than approximately 25 to 30 feet.

4.9.4. Sampling Depth

4.9.4.1. If conditions exist that prevent the appropriate pump or tubing from being advanced to the midpoint of the saturated portion of the screened interval, low-flow sampling techniques shall not be used. Instead, sampling shall be conducted using conventional purging and sampling techniques, as described in LEA SOP 10004 entitled *Liquid Sample Collection and Field Analysis*. Justification for not using low-flow sampling techniques must be provided in the field paperwork.

4.10. Field Documentation

- 4.10.1. Field documentation shall include at a minimum: a chain-of-custody form, Field Data Record Groundwater Form, Sample Collection Form, Daily Field Report. Sample labels and sample seals shall be used for proper sample identification.
 - 4.10.1.1. The labels shall be sufficiently durable to withstand immersion for 48 hours without detaching and to withstand



Date Initiated: 06/11/01 Rev. No. 005: 04/01/12

Page 13 of 16

normal handling. The information provided shall be legible at all times.

- 4.10.1.2. The following information shall be provided on the sample label using an indelible pen:
 - Sample identification number.
 - Date and time of collection.
 - Place of collection.
 - Parameter(s) requested (if space permits).
- 4.10.1.3. Appropriate field forms will be used to log all pertinent information with an indelible pen. The following information shall be provided:
 - Project and site identification.
 - LEA commission number.
 - Identification of well.
 - Static water level measurement technique.
 - Presence of immiscible layers and detection method.
 - Time well purged.
 - Collection method for immiscible layers and sample identification numbers.
 - Well evacuation procedure/equipment.
 - Sample withdrawal procedure/equipment.
 - Date and time of collection.
 - Types of sample containers used and sample identification numbers.
 - Preservative(s) used.
 - Parameters requested for analysis.
 - Field analysis method(s).
 - Whether or not field filtration was performed and the filter size, if appropriate.
 - Field observations on day of sampling event.



Date Initiated: 06/11/01 Rev. No. 005: 04/01/12

Page 14 of 16

- Record of site activities.
- Field personnel.
- Climatic conditions, including air temperature.
- Status of total production.
- Record of non-productive time.
- 4.10.1.4. The Field Sampling Record shall include at a minimum the following information:
 - Identification of well.
 - Date and time of collection.
 - Name of collector.
 - Sample number.
- 4.10.1.5. The chain-of-custody record shall include the following information:
 - Company's name and location.
 - Date and time of collection.
 - Sample number.
 - Container type, number, size.
 - Preservative used.
 - Signature of collector.
 - Signatures of persons involved in the chain of possession.
 - Analyses to be performed.
 - Type and number of samples.
- 4.10.1.6. The Field Data Record Groundwater Form shall be updated during the sampling of each well and include the following information:
 - Identification of well.
 - Well depth, diameter, depth to water.
 - Static water level depth and measurement technique.



Date Initiated: 06/11/01 Rev. No. 005: 04/01/12

Page 15 of 16

- Purge volume and pumping rate.
- Time well is purged.
- Measurements of initial field parameters and all subsequent readings.
- Any specific circumstances, as described above, such as field filtering, lack of stabilization of parameters, water characteristics, etc.
- LEA commission number.
- Date.
- Depth of pump intake or tubing intake
- 4.10.1.7. The Daily Field Record shall include the following information:
 - Client's name, location, LEA commission number, date.
 - Instrument make, model, and type.
 - Calibration readings.
 - Calibration/filtration lot numbers.
 - Field personnel and signature.
- 4.10.1.8. The Daily Field Record shall assure the completeness of the sampling round and include the following information:
 - Reviewer's name, date, and LEA commission number.
 - Review of all necessary site activities and field forms.
 - Statement of corrective actions for deficiencies.

5. References

- 5.1. United States Environmental Protection Agency (EPA), Region I. Low Stress (Low Flow) Purging and Sampling Procedure for the Collection of Groundwater Samples from Monitoring Wells, July 30, 1996, Revision 2.
- 5.2. EPA. Groundwater Sampling Guidelines for Superfund and RCRA Project Managers Groundwater Forum Issue Paper, Office of Solid Waste and Emergency Response, (EPA 542-S-02-001), May 2002.



Date Initiated: 06/11/01 Rev. No. 005: 04/01/12

Page 16 of 16

5.3. Robert W. Puls and Michael Barcelona, EPA. *Low-Flow (Minimal Drawdown) Ground-Water Sampling Procedures*, in Groundwater Issue, (EPA/540/S-95/504), April 1996.

END OF DOCUMENT



Loureiro Engineering Associates, Inc. Standard Operating Procedure for Quality Assurance/Quality Control Measures for Field Activities

SOP ID: 10005

Date Initiated: 02/20/90 Revision No. 004: 12/31/01

Approved By: /s/ Jeffrey J. Loureiro	<u>12/19/01</u>
Jeffrey J. Loureiro	Date
President	
/s/ Nick D. Skoularikis	12/19/01
Nick D. Skoularikis	Date
Director of Quality	

REVISION RECORD

Rev#	<u>Date</u>	Additions/Deletions/Modifications
Initial Issue 001-003 004	02/20/90 - 12/31/01	No record. Updated to reflect new SOP format. Added section 4.3, Results Evaluation. Minor revisions throughout.



Date Initiated: 02/20/90 Rev. No. 004: 12/31/01

Page 1 of 6

Loureiro Engineering Associates, Inc. Standard Operating Procedure for Quality Assurance/Quality Control Measures for Field Activities

1. Statement of Purpose

This document describes procedures to be followed for proper Quality Assurance Quality Control (QA/QC) practices which shall incorporate all activities associated with sampling tool and instrument preparation, field measurements and sampling, proper documentation of field and post-field activities, QC sample preparation, chain-of-custody protocol and laboratory analytical procedures. The use of specific QA/QC measures is project-specific as defined in the project work plan. This standard operating procedure (SOP) was adopted in accordance with the Environmental Protection Agency (EPA) document *Test Methods for Evaluating Solid Waste, Physical/Chemical Methods* (SW-846).

2. Definitions

- 2.1. Trip Blank: An aliquot of organic-free water or equivalent neutral reference material carried into the field but not exposed.
- 2.2. Equipment Blank: An aliquot of analyte-free deionized water processed through all sample collection equipment.
- 2.3. Replicate Samples: Samples that have been divided into two or more portions in the field.
- 2.4. Collocated Samples: Independent samples collected under identical circumstances in a way that they are equally representative of the parameter of interest.
- 2.5. Performance Evaluation (PE) Sample: A sample that mimics actual samples in all possible aspects, except that its composition is known to the auditor and unknown to the analyst.

3. Equipment

None



Date Initiated: 02/20/90 Rev. No. 004: 12/31/01

Page 2 of 6

4. Procedure

4.1. General

- 4.1.1. All QA/QC sample preparation procedures shall be properly documented including:
 - Name of person(s) or laboratory involved in sample preparation.
 - Reagents used.
 - Sample number.
 - Analyses required.
 - Concentration calculations.
 - Accuracy of measurements.
 - Number, type, size of containers used.
 - Preservation method.
 - Date and time of sample preparation.
- 4.1.2. All information shall be included in the field logbook and/or appropriate field forms, but not necessarily in the chain-of-custody record except as needed for proper sample identification and analysis. Blind sample numbers are being used in order not to disclose the nature of the sample to the laboratory. No information that would identify the sample as a QA/QC sample shall be included in the chain-of-custody record.
- 4.1.3. At the conclusion of each sampling day, a quality control review shall be conducted using the Field Quality Review Checklist and the Daily Field Report.

4.2. QC Sample Preparation

4.2.1. Trip Blank

- 4.2.1.1. Contaminated trip blanks may indicate contamination of the samples during the field trip or shipment to the lab, cross-contamination between the samples, contaminated sample vials, or improper handling.
- 4.2.1.2. Trip blanks shall be used only with samples that are to be analyzed for volatile organic compounds.



Date Initiated: 02/20/90 Rev. No. 004: 12/31/01

Page 3 of 6

4.2.1.3. One trip blank shall be included per shipping container (cooler) carrying sample soil and/or groundwater samples that are to be analyzed for volatile organic compounds

4.2.1.4. Trip blanks are prepared using analyte-free deionized organic-free water prior to field activities associated with the sampling event, usually by the laboratory providing the sampling containers. Each trip blank is placed in a 40-ml glass VOA vial and is carried in the same shipping container as the sample(s). Trip blanks should not be opened at any time during transport.

4.2.2. Equipment Blank

- 4.2.2.1. The purpose of an equipment/rinsate blank is to determine if decontamination procedures were adequate or if any of the equipment might contribute contaminants to the sample.
- 4.2.2.2. An equipment blank is prepared by running analyte-free deionized water through all sample collection equipment (bailers, pumps, filters, split-spoon) and placing it in the appropriate sample containers for analysis. If equipment has been decontaminated in the field, the equipment blank shall be collected after decontamination procedures have been performed.
- 4.2.2.3. Equipment blanks shall be used when sampling surface water, groundwater, soil, and sediment.
- 4.2.2.4. One equipment blank shall be collected for each sample bottle/preservation technique/analysis procedure per matrix per sampling event, or as otherwise specified in project-specific documents.

4.2.3. Replicate Samples

- 4.2.3.1. Replicate samples provide precision information on handling, shipping, storage, preparation and laboratory analysis.
- 4.2.3.2. Replicate samples are samples that have been divided into two or more portions in the field. An example of a replicate sample is two identical sample bottles filled with water from the same bailer retrieval. To ensure homogeneity, the bailer should be emptied into a clean, decontaminated beaker used exclusively



Date Initiated: 02/20/90 Rev. No. 004: 12/31/01

Page 4 of 6

for the purpose and containing sufficient volume for both sample containers, and from that into the sample containers.

- 4.2.3.3. Replicate samples cannot be used when sampling for volatile organic compounds.
- 4.2.3.4. One replicate sample shall be obtained for each sample bottle/preservation technique/analysis procedure per sampling event or one out of every 20 samples, unless collocated samples are used (see below), or as otherwise specified in project-specific documents.

4.2.4. Collocated Samples

- 4.2.4.1. Collocated samples provide precision information on sample acquisition, homogeneity, handling, shipping, storage, preparation and laboratory analysis.
- 4.2.4.2. Collocated samples are independent samples collected in such a way so that presumably they are equally representative of the parameter of interest. Examples of collocated samples are groundwater samples collected sequentially, soil core samples collected side-by-side, or air samples collected essentially at the same time from the same manifold.
- 4.2.4.3. Collocated samples are especially useful when sampling for volatile organic compounds, for which replicate samples cannot be used.
- 4.2.4.4. Collocated samples shall be obtained for each sample bottle/preservation technique/analysis procedure per sampling event or one out of every 20 samples, unless replicate samples are used (see above), or as otherwise specified in project-specific documents.

4.2.5. Split Samples

- 4.2.5.1. The purpose of split samples is to provide an assessment of the laboratory analytical procedure.
- 4.2.5.2. Split samples are collocated or replicate samples sent to two (or more) different laboratories.
- 4.2.5.3. Split samples can be used with any sample media. Split samples can be used in conjunction with spiked samples (see



Date Initiated: 02/20/90 Rev. No. 004: 12/31/01

Page 5 of 6

below). In case contradictory results are obtained from the samples split between different laboratories, the spiked samples can be used to verify the analytical data (provided that the spiked samples were properly prepared and the appropriate documentation is available).

4.2.5.4. When used, one split/spiked sample per sample bottle/preservation technique/analysis procedure per sampling event or every 20 samples shall be included, or as specified in project-specific documents.

4.2.6. Spiked Samples

- 4.2.6.1. The purpose of spiked samples is to provide information on the precision of the laboratory analytical procedure. However, besides a wrong preparation, several other sources of error exist such as analyte stability, holding time and interactions with the sample matrix.
- 4.2.6.2. Spiked samples are samples spiked with the contaminants of interest. The compounds used for spiking should be of the same chemical group as the contaminants being investigated, but they do not have to be the exact chemical compounds. Spiking should be carefully designed and performed prior to the field investigations. Field matrix spikes are not generally recommended because of the high level of technical expertise required for proper preparation and documentation.
- 4.2.6.3. Can be used with any sample media, however, liquid matrices are preferred due to uniformity of mixing.
- 4.2.6.4. When used, one split/spiked sample sample per bottle/preservation technique/analysis procedure per sampling event or every 20 samples shall be included, or as otherwise specified in project-specific documents. In order to ensure defensible data, performance evaluation (PE) samples, prepared by an independent vendor, are typically being used. The ordering and handling procedures and record keeping discussed in Loureiro requirements are Engineering Associates, Inc. (LEA's) SOP for Preparation of PE Samples (SOP 10030).



Date Initiated: 02/20/90 Rev. No. 004: 12/31/01

Page 6 of 6

4.3. Result Evaluation

- 4.3.1. The analytical results on QA/QC samples should be evaluated along with the remaining analytical data as follows:
 - 4.3.1.1. No constituents should be detected in the trip blank or equipment blank.
 - 4.3.1.2. The relative percent differences (RPDs) shall be computed for all constituents detected in both duplicate samples used.

The RPD between two measurements (e.g., M1 and M2) is calculated as follows:

$$RPD = \frac{|MI - M2|}{(MI + M2)/2} \times 100\%$$

4.3.1.3. Any deviations in the performance evaluation samples shall be brought to the attention of the laboratory. An investigation shall then be performed by the laboratory of the method used, laboratory QA/QC procedures followed, and computations performed. The laboratory shall report the results of their investigation and any corrective actions taken.

5. References

5.1. EPA, Test Methods for Evaluating Solid Waste, Physical/Chemical Methods (SW-846).

END OF DOCUMENT



ATTACHMENT C-2

Performance Evaluation Sample Results

RESULTS OF PERFORMANCE SAMPLE EVALUATION

Pratt & Whitney, East Hartford, Connecticut: Willow Pond

Page



Location Identifier: Performance Sample Identifier 1266371	09/27/2012 08::	57 Per	forman	ice Evali	uation,	Wate	r					
Chemical Name	Reported Concentration	Qualifiers	R.L.	M.D.L.	Units	Dil.	Lab.	Lab. Number	Reference	Upper Limit	Lower Limit	Result
1,1,1,2-Tetrachloroethane	ND<5.0	U	5.0	5.0	ug/L	1	ACTM	MC14490-3				
1,1,1-Trichloroethane	ND<1.0	U	1.0	1.0	ug/L	1	ACTM	MC14490-3				
1,1,2,2-Tetrachloroethane	ND<1.0	U	1.0	1.0	ug/L	1	ACTM	MC14490-3				
1,1,2-Trichloroethane	ND<1.0	U	1.0	1.0	ug/L	1	ACTM	MC14490-3				
1,1,2-Trichlorotrifluoroethane	ND<5.0	U	5.0	5.0	ug/L	1	ACTM	MC14490-3				
1,1-Dichloroethane	ND<1.0	U	1.0	1.0	ug/L	1	ACTM	MC14490-3				
1,1-Dichloroethylene	ND<1.0	U	1.0	1.0	ug/L	1	ACTM	MC14490-3				
1,1-Dichloropropene	ND<5.0	U	5.0	5.0	ug/L	1	ACTM	MC14490-3				
1,2,3-Trichlorobenzene	ND<5.0	U	5.0	5.0	ug/L	1	ACTM	MC14490-3				
1,2,3-Trichloropropane	ND<5.0	U	5.0	5.0	ug/L	1	ACTM	MC14490-3				
1,2,4-Trichlorobenzene	ND<5.0	U	5.0	5.0	ug/L	1	ACTM	MC14490-3				
1,2,4-Trimethylbenzene	ND<5.0	U	5.0	5.0	ug/L	1	ACTM	MC14490-3				
1,2-Dibromo-3-Chloropropane	ND<5.0	U	5.0	5.0	ug/L	1	ACTM	MC14490-3				
1,2-Dichloroethane	ND<1.0	U	1.0	1.0	ug/L	1	ACTM	MC14490-3				
1,2-Dichloropropane	ND<2.0	U	2.0	2.0	ug/L	1	ACTM	MC14490-3				
1,3,5-Trimethylbenzene	ND<5.0	U	5.0	5.0	ug/L	1	ACTM	MC14490-3				
1,3-Dichloropropane	ND<5.0	U	5.0	5.0	ug/L	1	ACTM	MC14490-3				
2-Hexanone	ND<5.0	U	5.0	5.0	ug/L	1	ACTM	MC14490-3				
4-Isopropyltoluene	ND<5.0	U	5.0	5.0	ug/L	1	ACTM	MC14490-3				
Acetone	ND<5.0	U	5.0	5.0	ug/L	1	ACTM	MC14490-3				
Acrylonitrile	ND<5.0	U	5.0	5.0	ug/L	1	ACTM	MC14490-3				
Benzene	ND<0.50	U	0.50	0.50	ug/L	1	ACTM	MC14490-3				
Bromobenzene	ND<5.0	U	5.0	5.0	ug/L	1	ACTM	MC14490-3				
Bromodichloromethane	ND<1.0	U	1.0	1.0	ug/L	1	ACTM	MC14490-3				
Bromoform	ND<1.0	U	1.0	1.0	ug/L	1	ACTM	MC14490-3				
Bromomethane	ND<2.0	U	2.0	2.0	ug/L	1	ACTM	MC14490-3				
Butyl Benzene	ND<5.0	U	5.0	5.0	ug/L	1	ACTM	MC14490-3				
Carbon Disulfide	ND<5.0	U	5.0	5.0	ug/L	1	ACTM	MC14490-3				
Carbon Tetrachloride	ND<1.0	U	1.0	1.0	ug/L	1	ACTM	MC14490-3				
Chlorobenzene	ND<1.0	U	1.0	1.0	ug/L	1	ACTM	MC14490-3				
Chlorodibromomethane	ND<1.0	U	1.0	1.0	ug/L	1	ACTM	MC14490-3				
Chloroethane	ND<2.0	U	2.0	2.0	ug/L	1	ACTM	MC14490-3				
Chloroform	2.6		1.0		ug/L	1		MC14490-3				FALSE POSITIVE
Chloromethane	ND<2.0	U	2.0	2.0	ug/L	1	ACTM	MC14490-3				
Dichlorodifluoromethane	ND<2.0	U	2.0	2.0	ug/L	1		MC14490-3				

RESULTS OF PERFORMANCE SAMPLE EVALUATION

Pratt & Whitney, East Hartford, Connecticut: Willow Pond

0.388

Arsenic (unfilt	tered)	0.0067		0.004	0.00099	mg/L	1	ACTM	MC14490-4	0.00700	0.00769	0.00605	Pass	
Chemical Nam		Reported Concentration	Qualifie		M.D.L.				Lab. Number		Upper Limit			Result
Location Ide Sample I	entifier: Performance dentifier 1266372	09/27/2012 09:	00 F	erformar	nce Eval	uation,	Water	r						
trans-1,4-Dich	hlorobutene	ND<5.0	U	5.0	5.0	ug/L	1	ACTM	MC14490-3					
trans-1,3-Dich		ND<0.50	U	0.50	0.50	ug/L	1		MC14490-3					
trans-1,2-Dich	-	228		1.0		ug/L	1		MC14490-3	98.1	124	73.8	FAIL	
tert-Butylbenz		ND<5.0	U	5.0	5.0	ug/L	1		MC14490-3					
sec-Dichlorop		ND<5.0	U	5.0	5.0	ug/L	1		MC14490-3					
sec-Butylbenz		ND<5.0	U	5.0	5.0	ug/L	1		MC14490-3					
p-Dichloroben		ND<1.0	U	1.0	1.0	ug/L	1		MC14490-3					
p-Chlorotolue		ND<5.0	U	5.0	5.0	ug/L	1	ACTM	MC14490-3					
o-Xylene		ND<1.0	U	1.0	1.0	ug/L	1	ACTM	MC14490-3					
o-Dichloroben	nzene	ND<1.0	U	1.0	1.0	ug/L	1	ACTM	MC14490-3					
o-Chlorotoluei	ene	ND<5.0	U	5.0	5.0	ug/L	1	ACTM	MC14490-3					
m-Dichlorober	enzene	ND<1.0	U	1.0	1.0	ug/L	1	ACTM	MC14490-3					
cis-1,3-Dichlo	•	ND<0.50	U	0.50	0.50	ug/L	1	ACTM	MC14490-3					
cis-1,2-Dichlo	1	349		25		ug/L	25	ACTM	MC14490-3	84.8	104	66.7	FAIL	
Xylenes,m- &		ND<1.0	U	1.0	1.0	ug/L	1	ACTM	MC14490-3					
Vinyl Chloride		327	-	1.0		ug/L	1		MC14490-3	34.0	51.0	19.9	FAIL	
Trichlorofluor		ND<1.0	U	1.0	1.0	ug/L	1		MC14490-3		-	• •		
Trichloroethyl	lene	288	-	25		ug/L	25		MC14490-3	92.0	110	68.0	FAIL	
Toluene		ND<1.0	U	1.0	1.0	ug/L	1		MC14490-3					
Tetrahydrofura	•	ND<10	U	1.0	10	ug/L ug/L	1		MC14490-3	02.0	, 1.2	57.1		
Tetrachloroeth	nylene	142	C	1.0	5.0	ug/L ug/L	1		MC14490-3 MC14490-3	62.0	74.2	39.1	FAIL	
Styrene	C	ND<5.0	U	5.0	5.0	ug/L ug/L	1		MC14490-3 MC14490-3					
Propylbenzene	a.	ND<5.0 ND<5.0	U	5.0	5.0	ug/L ug/L	1		MC14490-3 MC14490-3					
Methylene Dib Naphthalene	oromide	ND<5.0 ND<5.0	U U	5.0 5.0	5.0	ug/L ug/L	1		MC14490-3 MC14490-3					
Methylene Ch		ND<2.0 ND<5.0	U	2.0	2.0 5.0	ug/L	1		MC14490-3 MC14490-3					
Methyl tert-Bu	•	ND<1.0	U	1.0	1.0	ug/L	1		MC14490-3					
Methyl Isobuty	*	ND<5.0	U	5.0	5.0	ug/L	1		MC14490-3					
Methyl Ethyl l		ND<5.0	U	5.0	5.0	ug/L	1		MC14490-3					
Isopropylbenz	,	ND<5.0	U	5.0	5.0	ug/L	1		MC14490-3					
Hexachlorobu		ND<5.0	U	5.0	5.0	ug/L	1		MC14490-3					
Ethylene Dibro		ND<2.0	U	2.0	2.0	ug/L	1		MC14490-3					
Ed 1 E3				1.0	1.0	ug/L		ACTM						

0.05 0.00028 mg/L 1

ACTM MC14490-4

0.400

0.435

0.364

Pass

Barium (unfiltered)

RESULTS OF PERFORMANCE SAMPLE EVALUATION

Pratt & Whitney, East Hartford, Connecticut: Willow Pond

L	ou	reiro	
Engine	ering • Construc	tion • EH&S • Energy • Wast	e
06	0.0877	Pass	

Page 3													_	
											_	_		• Energy • Waste
Cadmium (unfiltered)		0.0937			0.00019	U	1		MC14490-4	0.100	0.106	0.0877	Pass	
Chromium, Total (unfiltered)		0.2		0.01	0.0006	mg/L	1		MC14490-4	0.200	0.218	0.182	Pass	
Copper (unfiltered)		0.0396		0.025		_	1		MC14490-4	0.0400	0.0436	0.0360	Pass	
Lead (unfiltered)		ND<0.0050	U		0.0013	mg/L	1							
Mercury (unfiltered)		ND<0.00020	U	0.0002	2(0.00001	1 mg/L	1	ACTM	MC14490-4					
Nickel (unfiltered)		0.581		0.04	0.00025	_	1	ACTM	MC14490-4	0.600	0.657	0.544	Pass	
Selenium (unfiltered)		ND<0.01	U	0.01	0.0014	mg/L	1		MC14490-4					
Silver (unfiltered)		ND<0.0050	U	0.005	0.00069	mg/L	1	ACTM	MC14490-4					
Zinc (unfiltered)		0.0300		0.02	0.00033	mg/L	1	ACTM	MC14490-4	0.0300	0.0331	0.0272	Pass	
Location Identifier: Perform	nance													
		7/2012 09:	45 Dowf		oo Evol	otion	Wata							
Sample Identifier 1200	33/3 09/2/		43 Peri	orman	ce Evalı	iation,	wate	Į.						
Chemical Name		Reported Concentration	Qualifiers	R.L.	M.D.L.	Units	Dil.	Lab.	Lab. Number	Reference	Upper Limit	Lower Limit	į	Result
Arochlor 1016		ND<0.25	U	0.25	0.25	ug/L	1	ACTM	MC14490-5					
Arochlor 1221		ND<0.25	U	0.25	0.25	ug/L	1	ACTM	MC14490-5					
Arochlor 1232		ND<0.25	U	0.25	0.25	ug/L	1	ACTM	MC14490-5					
Arochlor 1242		ND<0.25	U	0.25	0.25	ug/L	1	ACTM	MC14490-5					
Arochlor 1248		1.0		0.25		ug/L	1	ACTM	MC14490-5	1.29	1.77	0.669	Pass	
Arochlor 1254		ND<0.25	U	0.25	0.25	ug/L	1	ACTM	MC14490-5					
Arochlor 1260		ND<0.25	U	0.25	0.25	ug/L	1	ACTM	MC14490-5					
Arochlor 1262		ND<0.25	U	0.25	0.25	ug/L	1	ACTM	MC14490-5					
Arochlor 1268		ND<0.25	U	0.25	0.25	ug/L	1	ACTM	MC14490-5					
Location Identifier: Perform	nance													
		7/2012 10::	30 Perf	orman	ce Evalı	uation,	Wate	r						
Chemical Name		Reported Concentration	Qualifiers	R.L.	M.D.L.	Units	Dil.	Lab.	Lab. Number	Reference	Upper Limit	Lower Limit		Result
		Concentration												

ATTACHMENT C-3

Data Quality Assessment Worksheets

CT DEEP Reasonable Confidence Protocol - Data Quality Assessment Worksheet

Project: UTC PWEH Willow Pond GWM 2012

 Commission #:
 88UT230

 Laboratory:
 Accutest

 SDG:
 MC9052

 Date Samples Collected:
 3/26/2012



Note 1: Initial and continuing continuing calibration QC non-conformances have been evaluated but are not included in the following DQA spreadsheet.

Note 2: Bias High: reported result may be lower, RLs are accepted as reported.

Bias Low: reported result may be higher, RLs may be higher.

Note 3: Only samples with QC non-conformances are included below.

		Sample Number /									
Location ID	Depth	Lab Number	Batch ID/QC	Dilution	Parameter	Parameter Type	Outlier (%)	Low Limit	High Limit	Bias	Footnotes
WT-MW-46	NA	1255889 (MC9052-1)	MSN2310-BS	1	2,2-Dichloropropane	REC	66	70	130	Low	
WT-MW-46	NA	1255889 (MC9052-1)	MSN2310-BS	1	2-Butanone (MEK)	REC	163	70	130	High	
WT-MW-46	NA	1255889 (MC9052-1)	MSN2310-BS	1	2-Hexanone	REC	145	70	130	High	
WT-MW-46	NA	1255889 (MC9052-1)	MSN2310-BS	1	Acetone	REC	165	70	130	High	
WT-MW-46	NA	1255889 (MC9052-1)	MSN2310-BS	1	Acrylonitrile	REC	498	70	130	High	
WT-MW-46	NA	1255889 (MC9052-1)	MSN2310-BS	1	Methyl Tert Butyl Ether	REC	63	70	130	Low	
WT-MW-48	NA	1255890 (MC9052-3)	MSN2310-BS	1	2,2-Dichloropropane	REC	66	70	130	Low	
WT-MW-48	NA	1255890 (MC9052-3)	MSN2310-BS	1	2-Butanone (MEK)	REC	163	70	130	High	
WT-MW-48	NA	1255890 (MC9052-3)	MSN2310-BS	1	2-Hexanone	REC	145	70	130	High	
WT-MW-48	NA	1255890 (MC9052-3)	MSN2310-BS	1	Acetone	REC	165	70	130	High	
WT-MW-48	NA	1255890 (MC9052-3)	MSN2310-BS	1	Acrylonitrile	REC	498	70	130	High	
WT-MW-48	NA	1255890 (MC9052-3)	MSN2310-BS	1	Methyl Tert Butyl Ether	REC	63	70	130	Low	
WT-MW-56S	NA	1255892 (MC9052-5)		1	2,2-Dichloropropane	REC	66	70	130	Low	
WT-MW-56S	NA	1255892 (MC9052-5)	MSN2310-BS	1	2-Butanone (MEK)	REC	163	70	130	High	
WT-MW-56S	NA	1255892 (MC9052-5)	MSN2310-BS	1	2-Hexanone	REC	145	70	130	High	
WT-MW-56S	NA	1255892 (MC9052-5)	MSN2310-BS	1	Acetone	REC	165	70	130	High	
WT-MW-56S	NA	1255892 (MC9052-5)	MSN2310-BS	1	Acrylonitrile	REC	498	70	130	High	
WT-MW-56S	NA	1255892 (MC9052-5)	MSN2310-BS	1	Methyl Tert Butyl Ether	REC	63	70	130	Low	
WT-MW-47	NA	1255893 (MC9052-6)	MSN2310-BS	1	2,2-Dichloropropane	REC	66	70	130	Low	
WT-MW-47	NA	1255893 (MC9052-6)	MSN2310-BS	1	2-Butanone (MEK)	REC	163	70	130	High	
WT-MW-47	NA	1255893 (MC9052-6)	MSN2310-BS	1	2-Hexanone	REC	145	70	130	High	
WT-MW-47	NA	1255893 (MC9052-6)	MSN2310-BS	1	Acetone	REC	165	70	130	High	
WT-MW-47	NA	1255893 (MC9052-6)	MSN2310-BS	1	Acrylonitrile	REC	498	70	130	High	
WT-MW-47	NA	1255893 (MC9052-6)	MSN2310-BS	1	Methyl Tert Butyl Ether	REC	63	70	130	Low	
WT-MW-57	NA	1255894 (MC9052-8)	MSN2310-BS	1	2,2-Dichloropropane	REC	66	70	130	Low	
WT-MW-57	NA	1255894 (MC9052-8)	MSN2310-BS	1	2-Butanone (MEK)	REC	163	70	130	High	
WT-MW-57	NA	1255894 (MC9052-8)	MSN2310-BS	1	2-Hexanone	REC	145	70	130	High	
WT-MW-57	NA	1255894 (MC9052-8)		1	Acetone	REC	165	70	130	High	
WT-MW-57	NA	1255894 (MC9052-8)	MSN2310-BS	1	Acrylonitrile	REC	498	70	130	High	
WT-MW-57	NA	1255894 (MC9052-8)		1	Methyl Tert Butyl Ether	REC	63	70	130	Low	
EQUIPMENT	NA	1255903 (MC9052-10		1	2,2-Dichloropropane	REC	66	70	130	Low	
EQUIPMENT	NA	1255903 (MC9052-10		1	2-Butanone (MEK)	REC	163	70	130	High	
EQUIPMENT	NA	1255903 (MC9052-10	MSN2310-BS	1	2-Hexanone	REC	145	70	130	High	
EQUIPMENT	NA	1255903 (MC9052-10		1	Acetone	REC	165	70	130	High	
EQUIPMENT	NA	1255903 (MC9052-10		1	Acrylonitrile	REC	498	70	130	High	
EQUIPMENT	NA	1255903 (MC9052-10	MSN2310-BS	1	Methyl Tert Butyl Ether	REC	63	70	130	Low	
TRIP BLANK	NA	1255904 (MC9052-12)		1	2-Butanone (MEK)	REC	149	70	130	High	
TRIP BLANK	NA	1255904 (MC9052-12)	MSN2314-BS	1	2-Hexanone	REC	134	70	130	High	
TRIP BLANK	NA	1255904 (MC9052-12)	MSN2314-BS	1	Acetone	REC	159	70	130	High	

CT DEEP Reasonable Confidence Protocol - Data Quality Assessment Worksheet

Project: UTC PWEH Willow Pond GWM 2012

 Commission #:
 88UT230

 Laboratory:
 Accutest

 SDG:
 MC9052

 Date Samples Collected:
 3/26/2012



Note 1: Initial and continuing continuing calibration QC non-conformances have been evaluated but are not included in the following DQA spreadsheet.

Note 2: Bias High: reported result may be lower, RLs are accepted as reported.

Bias Low: reported result may be higher, RLs may be higher.

Note 3: Only samples with QC non-conformances are included below.

		Sample Number /									
Location ID	Depth	Lab Number	Batch ID/QC	Dilution	Parameter	Parameter Type	Outlier (%)	Low Limit	High Limit	Bias	Footnotes
TRIP BLANK	NA	1255904 (MC9052-12	MSN2314-BS	1	Acrylonitrile	REC	456	70	130	High	
TRIP BLANK	NA	1255904 (MC9052-12	MSN2314-BS	1	Methyl Tert Butyl Ether	REC	67	70	130	Low	

Project: UTC PWEH Willow Pond GWM 2012

 Commission #:
 88UT230

 Laboratory:
 Accutest

 SDG:
 MC9090

 Date Samples Collected:
 3/27/2012



Note 1: Initial and continuing continuing calibration QC non-conformances have been evaluated but are not included in the following DQA spreadsheet.

Note 2: Bias High: reported result may be lower, RLs are accepted as reported.

Bias Low: reported result may be higher, RLs may be higher.

Note 3: Only samples with QC non-conformances are included below.

		Sample Number /									
Location ID	Depth	Lab Number	Batch ID/QC	Dilution	Parameter	Parameter Type	Outlier (%)	Low Limit	High Limit	Bias	Footnotes
WT-MW-50	NA	1255898	MC9090-9	10	All VOCs	SURR	139	70	130	High	
WT-MW-58	NA	1255899	MC9090-11	5	All VOCs	SURR	134	70	130	High	
WT-MW-59	NA	1255900	MC9090-13	1	All PCBs	SURR	203	30	150	High	
WT-MW-44	NA	1255891 (MC9090-1)	MSN2321-BS	1	2,2-Dichloropropane	REC	58	70	130	Low	
WT-MW-44	NA	1255891 (MC9090-1)	MSN2321-BS	1	2-Butanone (MEK)	REC	144	70	130	High	
WT-MW-44	NA	1255891 (MC9090-1)	MSN2321-BS	1	2-Hexanone	REC	134	70	130	High	
WT-MW-44	NA	1255891 (MC9090-1)	MSN2321-BS	1	Acetone	REC	144	70	130	High	
WT-MW-44	NA	1255891 (MC9090-1)	MSN2321-BS	1	Acrylonitrile	REC	450	70	130	High	
WT-MW-44	NA	1255891 (MC9090-1)	MC9090-7MS	5	Acrylonitrile	REC	512	70	130	High	
WT-MW-40	NA	1255895 (MC9090-3)	MSN2321-BS	1	2,2-Dichloropropane	REC	58	70	130	Low	
WT-MW-40	NA	1255895 (MC9090-3)	MSN2321-BS	1	2-Butanone (MEK)	REC	144	70	130	High	
WT-MW-40	NA	1255895 (MC9090-3)	MSN2321-BS	1	2-Hexanone	REC	134	70	130	High	
WT-MW-40	NA	1255895 (MC9090-3)	MSN2321-BS	1	Acetone	REC	144	70	130	High	
WT-MW-40	NA	1255895 (MC9090-3)	MSN2321-BS	1	Acrylonitrile	REC	450	70	130	High	
WT-MW-40	NA	1255895 (MC9090-3)	MC9090-7MS	5	Acrylonitrile	REC	512	70	130	High	
WT-MW-42	NA	1255896 (MC9090-5)	MSN2321-BS	1	2,2-Dichloropropane	REC	58	70	130	Low	
WT-MW-42	NA	1255896 (MC9090-5)	MSN2321-BS	1	2-Butanone (MEK)	REC	144	70	130	High	
WT-MW-42	NA	1255896 (MC9090-5)	MSN2321-BS	1	2-Hexanone	REC	134	70	130	High	
WT-MW-42	NA	1255896 (MC9090-5)	MSN2321-BS	1	Acetone	REC	144	70	130	High	
WT-MW-42	NA	1255896 (MC9090-5)	MSN2321-BS	1	Acrylonitrile	REC	450	70	130	High	
WT-MW-42	NA	1255896 (MC9090-5)	MC9090-7MS	5	Acrylonitrile	REC	512	70	130	High	
WT-MW-19I	NA	1255897 (MC9090-7)	MSN2321-BS	1	2,2-Dichloropropane	REC	58	70	130	Low	
WT-MW-19I	NA	1255897 (MC9090-7)	MSN2321-BS	1	2-Butanone (MEK)	REC	144	70	130	High	
WT-MW-19I	NA	1255897 (MC9090-7)	MSN2321-BS	1	2-Hexanone	REC	134	70	130	High	
WT-MW-19I	NA	1255897 (MC9090-7)	MSN2321-BS	1	Acetone	REC	144	70	130	High	
WT-MW-19I	NA	1255897 (MC9090-7)	MSN2321-BS	1	Acrylonitrile	REC	450	70	130	High	
WT-MW-19I	NA	1255897 (MC9090-7)	MC9090-7MS	5	Acrylonitrile	REC	512	70	130	High	
WT-MW-50	NA	1255898 (MC9090-9)	MSL2090-BS	1	Acetone	REC	178	70	130	High	
WT-MW-50	NA	1255898 (MC9090-9)	MSL2090-BS	1	Dichlorodifluoromethane	REC	141	70	130	High	
WT-MW-58	NA	1255899 (MC9090-11)	MSL2090-BS	1	Acetone	REC	178	70	130	High	
WT-MW-58	NA	1255899 (MC9090-11)	MSL2090-BS	1	Dichlorodifluoromethane	REC	141	70	130	High	
WT-MW-59	NA	1255900 (MC9090-13)	MSV290-BS	1	2-Butanone (MEK)	REC	134	70	130	High	
WT-MW-59	NA	1255900 (MC9090-13)	MSV290-BS	1	Acetone	REC	132	70	130	High	
WT-MW-59	NA	1255900 (MC9090-13)	MSV290-BS	1	Acrylonitrile	REC	566	70	130	High	
WT-MW-50	NA	1255901 (MC9090-15)	MSL2090-BS	1	Acetone	REC	178	70	130	High	
WT-MW-50	NA	1255901 (MC9090-15)	MSL2090-BS	1	Dichlorodifluoromethane	REC	141	70	130	High	
TRIP BLANK	NA	1255902 (MC9090-17)	MSV290-BS	1	2-Butanone (MEK)	REC	134	70	130	High	
TRIP BLANK	NA	1255902 (MC9090-17)	MSV290-BS	1	Acetone	REC	132	70	130	High	
TRIP BLANK	NA	1255902 (MC9090-17)	MSV290-BS	1	Acrylonitrile	REC	566	70	130	High	

Project: UTC PWEH Willow Pond GWM 2012

 Commission #:
 88UT230

 Laboratory:
 Accutest

 SDG:
 MC13777

 Date Samples Collected:
 9/6/2012



Note 1: Initial and continuing continuing calibration QC non-conformances have been evaluated but are not included in the following DQA spreadsheet.

Note 2: Bias High: reported result may be lower, RLs are accepted as reported.

Bias Low: reported result may be higher, RLs may be higher.

Note 3: Only samples with QC non-conformances are included below.

		Sample Number /									
Location ID	Depth	Lab Number	Batch ID/QC	Dilution	Parameter	Parameter Type	Outlier (%)	Low Limit	High Limit	Bias	Footnotes
EQUIPMENT	NA	1264889 (MC13777-8)	MSL3186-BS	1	Bromomethane	REC	59	70	130	Low	
EQUIPMENT	NA	1264889 (MC13777-8)	MSL3186-BS	1	Acetone	REC	134	70	130	High	
TRIP BLANK	NA	1264990 (MC13777-5)	MSL3186-BS	1	Bromomethane	REC	59	70	130	Low	
TRIP BLANK	NA	1264990 (MC13777-5)	MSL3186-BS	1	Acetone	REC	134	70	130	High	
WT-MW-19I	NA	1264981 (MC13777-12)	MSL3186-BS	1	Bromomethane	REC	59	70	130	Low	
WT-MW-19I	NA	1264981 (MC13777-12)	MSL3186-BS	1	Acetone	REC	134	70	130	High	
WT-MW-40	NA	1264978 (MC13777-14)	MSL3186-BS	1	Bromomethane	REC	59	70	130	Low	
WT-MW-40	NA	1264978 (MC13777-14)	MSL3186-BS	1	Acetone	REC	134	70	130	High	
WT-MW-44	NA	1264976 (MC13777-16)	MSL3186-BS	1	Bromomethane	REC	59	70	130	Low	
WT-MW-44	NA	1264976 (MC13777-16)	MSL3186-BS	1	Acetone	REC	134	70	130	High	
WT-MW-50	NA	1264979 (MC13777-1)	MC13777-1MSD	5	Bromomethane	RPD	34	NA	30	non-directional	Outside control limits. Blank Spike meets program technical requirements.
WT-MW-50	NA	1264979 (MC13777-1)	MC13777-1MS	5	Bromomethane	REC	37	70	130	Low	Outside control limits. Blank Spike meets program technical requirements.
WT-MW-50	NA	1264979 (MC13777-1)	MC13777-1MS	5	Trichloroethene	REC	43	70	130	Low	Outside control limits due to possible matrix interference. Refer to Blank Spike.
WT-MW-50	NA	1264979 (MC13777-1)	MSL3186-BS	1	Bromomethane	REC	59	70	130	Low	
WT-MW-50	NA	1264979 (MC13777-1)	MSL3186-BS	1	Acetone	REC	134	70	130	High	
WT-MW-50	NA	1264979 (MC13777-1)	MC13777-1MS	5	Acetone	REC	202	70	130	High	Outside control limits. Blank Spike meets program technical requirements.
WT-MW-50	NA	1264991 (MC13777-3)	MSL3186-BS	1	Bromomethane	REC	59	70	130	Low	
WT-MW-50	NA	1264991 (MC13777-3)	MSL3186-BS	1	Acetone	REC	134	70	130	High	
WT-MW-58	NA	1264980 (MC13777-6)	MC13777-6	10	All VOCs	SURR	69	70	130	Low	due to dilution
WT-MW-58	NA	1264980 (MC13777-6)	MSP2106-MB	1	n-Butylbenzene	MB	5.2	0.68		High	
WT-MW-58	NA	1264980 (MC13777-6)	MSP2106-MB	1	Naphthalene	MB	11.1	0.44		High	
WT-MW-58	NA	1264980 (MC13777-6)	MSL3186-BS	1	Bromomethane	REC	59	70	130	Low	
WT-MW-58	NA	1264980 (MC13777-6)	MSL3186-BS	1	Acetone	REC	134	70	130	High	
WT-MW-58	NA	1264980 (MC13777-6)	MSP2106-BS	1	2-Hexanone	REC	138	70	130	High	
WT-MW-58	NA	1264980 (MC13777-6)	MSP2106-BS	1	Acetone	REC	149	70	130	High	
WT-MW-59	NA	1264977 (MC13777-10)	MSL3186-BS	1	Bromomethane	REC	59	70	130	Low	
WT-MW-59	NA	1264977 (MC13777-10)	MSL3186-BS	1	Acetone	REC	134	70	130	High	

Project: UTC PWEH Willow Pond GWM 2012

Commission #: 88UT230
Laboratory: Accutest
SDG: MC13777A
Date Samples Collected: 9/6/2012



Note 1: Initial and continuing continuing calibration QC non-conformances have been evaluated but are not included in the following DQA spreadsheet.

Note 2: Bias High: reported result may be lower, RLs are accepted as reported.

Bias Low: reported result may be higher, RLs may be higher.

		Sample Number /									
Location ID	Depth	Lab Number	Batch ID/QC	Dilution	Parameter	Parameter Type	Outlier (%)	Low Limit	High Limit	Bias	Footnotes
WT-MW-50	NA	1264979 (MC13777-1A)			No QC Issues						
EQUIPMENT	NA	1264889 (MC13777-8A)			No QC Issues						
WT-MW-59	NA	1264977 (MC13777-10A)			No QC Issues						
WT-MW-58	NA	1264980 (MC13777-6A)			No QC Issues						
WT-MW-50	NA	1264991 (MC13777-3A)			No QC Issues						

Project: UTC PWEH Willow Pond GWM 2012

Commission #: 88UT230
Laboratory: Accutest
SDG: MC13829
Date Samples Collected: 9/7/2012



Note 1: Initial and continuing continuing calibration QC non-conformances have been evaluated but are not included in the following DQA spreadsheet.

Note 2: Bias High: reported result may be lower, RLs are accepted as reported.

Bias Low: reported result may be higher, RLs may be higher.

Note 3: Only samples with QC non-conformances are included below.

		Sample Number /									
Location ID	Depth	Lab Number	Batch ID/QC	Dilution	Parameter	Parameter Type	Outlier (%)	Low Limit	High Limit	Bias	Footnotes
WT-MW-57	NA	1264982 (MC13829-1)	MSP2110-BS	1	Vinyl chloride	REC	65	70	130	Low	
WT-MW-57	NA	1264982 (MC13829-1)	MSP2110-BS	1	Methyl Tert Butyl Ether	REC	45	70	130	Low	
WT-MW-57	NA	1264982 (MC13829-1)	MSP2110-BS	1	2,2-Dichloropropane	REC	43	70	130	Low	
WT-MW-57	NA	1264982 (MC13829-1)	MSP2110-BS	1	Dichlorodifluoromethane	REC	47	70	130	Low	
WT-MW-48	NA	1264984 (MC13829-3)	MSP2110-BS	1	Vinyl chloride	REC	65	70	130	Low	
WT-MW-48	NA	1264984 (MC13829-3)	MSP2110-BS	1	Methyl Tert Butyl Ether	REC	45	70	130	Low	
WT-MW-48	NA	1264984 (MC13829-3)	MSP2110-BS	1	2,2-Dichloropropane	REC	43	70	130	Low	
WT-MW-48	NA	1264984 (MC13829-3)	MSP2110-BS	1	Dichlorodifluoromethane	REC	47	70	130	Low	
WT-MW-47	NA	1264985 (MC13829-6)	MSP2110-BS	1	Vinyl chloride	REC	65	70	130	Low	
WT-MW-47	NA	1264985 (MC13829-6)	MSP2110-BS	1	Methyl Tert Butyl Ether	REC	45	70	130	Low	
WT-MW-47	NA	1264985 (MC13829-6)	MSP2110-BS	1	2,2-Dichloropropane	REC	43	70	130	Low	
WT-MW-47	NA	1264985 (MC13829-6)	MSP2110-BS	1	Dichlorodifluoromethane	REC	47	70	130	Low	
WT-MW-46	NA	1264986 (MC13829-8)	MSP2110-BS	1	Vinyl chloride	REC	65	70	130	Low	
WT-MW-46	NA	1264986 (MC13829-8)	MSP2110-BS	1	Methyl Tert Butyl Ether	REC	45	70	130	Low	
WT-MW-46	NA	1264986 (MC13829-8)	MSP2110-BS	1	2,2-Dichloropropane	REC	43	70	130	Low	
WT-MW-46	NA	1264986 (MC13829-8)	MSP2110-BS	1	Dichlorodifluoromethane	REC	47	70	130	Low	
TRIP BLANK	NA	1264988 (MC13829-5)	MSP2110-BS	1	Vinyl chloride	REC	65	70	130	Low	
TRIP BLANK	NA	1264988 (MC13829-5)	MSP2110-BS	1	Methyl Tert Butyl Ether	REC	45	70	130	Low	
TRIP BLANK	NA	1264988 (MC13829-5)	MSP2110-BS	1	2,2-Dichloropropane	REC	43	70	130	Low	
TRIP BLANK	NA	1264988 (MC13829-5)	MSP2110-BS	1	Dichlorodifluoromethane	REC	47	70	130	Low	

Project: UTC PWEH Willow Pond GWM 2012

Commission #: 88UT230
Laboratory: Accutest
SDG: MC14490
Date Samples Collected: 9/27/2012



Note 1: Initial and continuing continuing calibration QC non-conformances have been evaluated but are not included in the following DQA spreadsheet.

Note 2: Bias High: reported result may be lower, RLs are accepted as reported.

Bias Low: reported result may be higher, RLs may be higher.


		Sample Number /									
Location ID	Depth	Lab Number	Batch ID/QC	Dilution	Parameter	Parameter Type	Outlier (%)	Low Limit	High Limit	Bias	Footnotes
WT-MW-42	NA	1250517 (MC14490-1)		1	Dichlorodifluoromethane	REC	137	70	130	High	
WT-MW-42	NA	1250517 (MC14490-1)		1	Methyl Tert Butyl Ether	REC	42	70	130	Low	
WT-MW-42	NA	1250517uf (MC14490-2)		1	No QC Issues						
Performance	NA	1266371 (MC14490-3)		1	Chloromethane	REC	131	70	130	High	
Performance	NA	1266371 (MC14490-3)		1	Methyl Tert Butyl Ether	REC	52	70	130	Low	
Performance	NA	1266372uf (MC14490-4)		1	No QC Issues						
Performance	NA	1266373 (MC14490-5)		1	No QC Issues						
Performance	NA	1266374 (MC14490-6)		1	No QC Issues						

Appendix D


Select Constituent Concentration Graphs

Arsenic (unfiltered)

Pratt & Whitney, East Hartford, Connecticut: Willow Brook and Willow Brook Pond
2012 Annual Groundwater Monitoring Report




Arsenic (unfiltered)
Pratt & Whitney, East Hartford, Connecticut: Willow Brook and Willow Brook Pond
2012 Annual Groundwater Monitoring Report




— WT-MW-44 — WT-MW-46 — WT-MW-47 — WT-MW-48


Arsenic (unfiltered)
Pratt & Whitney, East Hartford, Connecticut: Willow Brook and Willow Brook Pond
2012 Annual Groundwater Monitoring Report




Barium (unfiltered)
Pratt & Whitney, East Hartford, Connecticut: Willow Brook and Willow Brook Pond
2012 Annual Groundwater Monitoring Report




Barium (unfiltered)
Pratt & Whitney, East Hartford, Connecticut: Willow Brook and Willow Brook Pond
2012 Annual Groundwater Monitoring Report






Barium (unfiltered)
Pratt & Whitney, East Hartford, Connecticut: Willow Brook and Willow Brook Pond
2012 Annual Groundwater Monitoring Report





Nickel (unfiltered)

Pratt & Whitney, East Hartford, Connecticut: Willow Brook and Willow Brook Pond
2012 Annual Groundwater Monitoring Report




Nickel (unfiltered)
Pratt & Whitney, East Hartford, Connecticut: Willow Brook and Willow Brook Pond
2012 Annual Groundwater Monitoring Report






Nickel (unfiltered)

Pratt & Whitney, East Hartford, Connecticut: Willow Brook and Willow Brook Pond
2012 Annual Groundwater Monitoring Report





Zinc (unfiltered)

Pratt & Whitney, East Harford, Connecticut: Willow Brook and Willow Brook Pond
2012 Annual Groundwater Monitoring Report




Zinc (unfiltered)
Pratt & Whitney, East Hartford, Connecticut: Willow Brook and Willow Brook Pond
2012 Annual Groundwater Monitoring Report






Zinc (unfiltered)
Pratt & Whitney, East Hartford, Connecticut: Willow Brook and Willow Brook Pond
2012 Annual Groundwater Monitoring Report




Total Petroleum Hydrocarbons (ETPH)

Pratt & Whitney, East Harford, Connecticut: Willow Brook and Willow Brook Pond
2012 Annual Groundwater Monitoring Report




Total Petroleum Hydrocarbons (ETPH) Pratt & Whitney, East Hartford, Connecticut: Willow Brook and Willow Brook Pond 2012 Annual Groundwater Monitoring Report



── WT-MW-44 ── WT-MW-46 ── WT-MW-47 ── WT-MW-48


Total Petroleum Hydrocardons (ETPH)

Pratt & Whitney, East Hartford, Connecticut: Willow Brook and Willow Brook Pond
2012 Annual Groundwater Monitoring Report




1,1-Dichloroethane (1,1 DCA)

Pratt & Whitney, East Harford, Connecticut: Willow Brook and Willow Brook Pond
2012 Annual Groundwater Monitoring Report



1,1-Dichloroethane (1,1 DCA)


Pratt & Whitney, East Hartford, Connecticut: Willow Brook and Willow Brook Pond
2012 Annual Groundwater Monitoring Report



● WT-MW-44 ● WT-MW-46 ■ WT-MW-47 ■ WT-MW-48


1,1-Dichloroethane (1,1 DCA)

Pratt & Whitney, East Hartford, Connecticut: Willow Brook and Willow Brook Pond
2012 Annual Groundwater Monitoring Report




1,1-Dichloroethylene (1,1 DCE)

Pratt & Whitney, East Harford, Connecticut: Willow Brook and Willow Brook Pond
2012 Annual Groundwater Monitoring Report




1,1-Dichloroethylene (1,1 DCE)
Pratt & Whitney, East Hartford, Connecticut: Willow Brook and Willow Brook Pond
2012 Annual Groundwater Monitoring Report




WT-MW-44WT-MW-46WT-MW-47WT-MW-48

1,1-Dichloroethylene (1,1 DCE)


Pratt & Whitney, East Hartford, Connecticut: Willow Brook and Willow Brook Pond
2012 Annual Groundwater Monitoring Report



cis-1,2-Dichloroethylene (cis-1,2-DCE)
Pratt & Whitney, East Harford, Connecticut: Willow Brook and Willow Brook Pond
2012 Annual Groundwater Monitoring Report




cis-1,2-Dichloroethylene (cis-1,2-DCE) Pratt & Whitney, East Hartford, Connecticut: Willow Brook and Willow Brook Pond 2012 Annual Groundwater Monitoring Report




─ WT-MW-44 -WT-MW-46 **--**-- WT-MW-47 **→** WT-MW-48

cis-1,2-Dichlorethylene (cis-1,2-DCE)

Pratt & Whitney, East Hartford, Connecticut: Willow Brook and Willow Brook Pond
2012 Annual Groundwater Monitoring Report




Tetrachloroethylene (PCE)
Pratt & Whitney, East Harford, Connecticut: Willow Brook and Willow Brook Pond
2012 Annual Groundwater Monitoring Report




Tetrachloroethylene (PCE)
Pratt & Whitney, East Hartford, Connecticut: Willow Brook and Willow Brook Pond
2012 Annual Groundwater Monitoring Report

● WT-MW-44 ■ WT-MW-46 ■ WT-MW-47

→ WT-MW-48




Tetrachloroethylene (PCE)
Pratt & Whitney, East Hartford, Connecticut: Willow Brook and Willow Brook Pond
2012 Annual Groundwater Monitoring Report




Trichloroethylene (TCE)

Pratt & Whitney, East Harford, Connecticut: Willow Brook and Willow Brook Pond
2012 Annual Groundwater Monitoring Report




Trichloroethylene (TCE)
Pratt & Whitney, East Hartford, Connecticut: Willow Brook and Willow Brook Pond
2012 Annual Groundwater Monitoring Report




Trichloroethylene (TCE)

Pratt & Whitney, East Hartford, Connecticut: Willow Brook and Willow Brook Pond
2012 Annual Groundwater Monitoring Report




Vinyl Chloride (VC)

Pratt & Whitney, East Harford, Connecticut: Willow Brook and Willow Brook Pond
2012 Annual Groundwater Monitoring Report




Vinyl Chloride (VC) Pratt & Whitney, East Hartford, Connecticut: Willow Brook and Willow Brook Pond 2012 Annual Groundwater Monitoring Report




─ WT-MW-44 -WT-MW-46 **--**-- WT-MW-47 **→** WT-MW-48

Note: Non-detects shown at one half the Reporting Limit

Vinyl Chloride (VC)
Pratt & Whitney, East Hartford, Connecticut: Willow Brook and Willow Brook Pond
2012 Annual Groundwater Monitoring Report



Select Metals in WT-MW-59
Pratt & Whitney, East Hartford, Connecticut: Willow Brook & Willow Brook Pond
2012 Annual Groundwater Monitoring Report



Appendix E


Post-Remediation Maintenance Monitoring Forms

United Technologies/Pratt & Whitney Post Remediation Maintenance and Monitoring Program Willow Brook and Willow Brook Pond

INSPECTION POINT DESCRIPTION GOOD	FAIR	POOR
Look for ponding and for settling of soil of more than 3 inches over a 5 sq. foot area.		
than 5 square feet. Check for growth that is in excess of ½ inch in diameter (woody vegetation) and taller than 2 feet. Look for areas of more than 5 square feet of standing water or areas where surface water is running onto cap. Check perimeter fence to make sure it is not damaged (no holes greater than 4-inches in diameter), gates are operable, and locks are in place. Observe entire length of stream channel. Verify that rip-rap has not been displaced. Perform probing of bottom of Willow Brook Ponds at 5 locations in upper pond and 15 locations within lower pond. Verify refusal on stone layer at all locations. Verify no holes larger than 2 inches in diameter in cap. Check concrete collar protective casing, locks, legible well identification. 1. Condition of lock 2. Visible ID of wells 3. Ponding or infiltration of surface water 4. Condition of steel casing Report all deficiencies to the designated representative of Pratt & Whitney List all deficiencies, the corrective measures taken, and the date corrective measures were completed: Corrective Action: Corrective Action:		
diameter (woody vegetation) and taller than 2 feet. Look for areas of more than 5 square feet of standing water or areas where surface water is running onto cap. Check perimeter fence to make sure it is not damaged (no holes greater than 4-inches in diameter), gates are operable, and locks are in place. Observe entire length of stream channel. Verify that rip-rap has not been displaced. Perform probing of bottom of Willow Brook Ponds at 5 locations in upper pond and 15 locations within lower pond. Verify refusal on stone layer at all locations. Perform probing of bottom of Willow Brook Ponds at 5 locations in upper pond and 15 locations within lower pond. Verify no holes larger than 2 inches in diameter in cap. Check concrete collar protective casing, locks, legible well identification. 1. Condition of lock 2. Visible ID of wells 3. Ponding or infiltration of surface water 4. Condition of concrete collar 5. Condition of steel casing Report all deficiencies to the designated representative of Pratt & Whitney List all deficiencies, the corrective measures taken, and the date corrective measures were completed: Corrective Action: Corrective Action:		
water or areas where surface water is running onto cap. Check perimeter fence to make sure it is not damaged (no holes greater than 4-inches in diameter), gates are operable, and locks are in place. Observe entire length of stream channel. Verify that rip-rap has not been displaced. Perform probing of bottom of Willow Brook Ponds at 5 locations in upper pond and 15 locations within lower pond. Verify refusal on stone layer at all locations. Verify no holes larger than 2 inches in diameter in cap. Check concrete collar protective casing, locks, legible well identification. 1. Condition of lock 2. Visible ID of wells 3. Ponding or infiltration of surface water 4. Condition of steel casing Report all deficiencies to the designated representative of Pratt & Whitney List all deficiencies, the corrective measures taken, and the date corrective measures were completed: Corrective Action:		
(no holes greater than 4-inches in diameter), gates are operable, and locks are in place. 7) Condition of rip-rap in Observe entire length of stream channel. Verify that rip-rap has not been displaced. 8) Condition of stone layer in Willow Brook Perform probing of bottom of Willow Brook Ponds at 5 locations in upper pond and 15 locations within lower pond. Verify refusal on stone layer at all locations. 9) Burrowing animals Verify no holes larger than 2 inches in diameter in cap. Check concrete collar protective casing, locks, legible well identification. 1. Condition of lock 2. Visible ID of wells 3. Ponding or infiltration of surface water 4. Condition of steel casing Report all deficiencies to the designated representative of Pratt & Whitney List all deficiencies, the corrective measures taken, and the date corrective measures were completed: 1) Corrective Action: Corrective Action:		
Willow Brook stream channel 8) Condition of stone layer in Willow Brook Perform probing of bottom of Willow Brook Ponds at 5 locations in upper pond and 15 locations within lower pond. Verify refusal on stone layer at all locations. 9) Burrowing animals Verify no holes larger than 2 inches in diameter in cap. Check concrete collar protective casing, locks, legible well identification. 1.Condition of lock 2.Visible ID of wells 3.Ponding or infiltration of surface water 4.Condition of steel casing Report all deficiencies to the designated representative of Pratt & Whitney List all deficiencies, the corrective measures taken, and the date corrective measures were completed: 1) Corrective Action: Corrective Action:		
Willow Brook 5 locations in upper pond and 15 locations within lower pond. Verify refusal on stone layer at all locations. 9) Burrowing animals Verify no holes larger than 2 inches in diameter in cap. Check concrete collar protective casing, locks, legible well identification. 1.Condition of lock 2.Visible ID of wells 3.Ponding or infiltration of surface water 4.Condition of steel casing Report all deficiencies to the designated representative of Pratt & Whitney List all deficiencies, the corrective measures taken, and the date corrective measures were completed: 1) Corrective Action: Corrective Action:		
Cap.		
well identification. 1. Condition of lock 2. Visible ID of wells 3. Ponding or infiltration of surface water 4. Condition of concrete collar 5. Condition of steel casing Report all deficiencies to the designated representative of Pratt & Whitney List all deficiencies, the corrective measures taken, and the date corrective measures were completed: 1) Corrective Action: 2) Corrective Action:		
2.Visible ID of wells 3.Ponding or infiltration of surface water 4.Condition of concrete collar 5.Condition of steel casing Report all deficiencies to the designated representative of Pratt & Whitney List all deficiencies, the corrective measures taken, and the date corrective measures were completed: 1)		
3.Ponding or infiltration of surface water 4.Condition of concrete collar 5.Condition of steel casing Report all deficiencies to the designated representative of Pratt & Whitney List all deficiencies, the corrective measures taken, and the date corrective measures were completed: 1) Corrective Action: 2) Corrective Action:	/	
4. Condition of concrete collar 5. Condition of steel casing Report all deficiencies to the designated representative of Pratt & Whitney List all deficiencies, the corrective measures taken, and the date corrective measures were completed: 1)		
S.Condition of steel casing Report all deficiencies to the designated representative of Pratt & Whitney List all deficiencies, the corrective measures taken, and the date corrective measures were completed: 1)	/	
Report all deficiencies to the designated representative of Pratt & Whitney List all deficiencies, the corrective measures taken, and the date corrective measures were completed: 1) Corrective Action: Corrective Action:		
List all deficiencies, the corrective measures taken, and the date corrective measures were completed: 1)		
2) Corrective Action:		
Corrective Action:		
3)		-
Corrective Action:		
4)	··········	

United Technologies/Pratt & Whitney Post Remediation Maintenance and Monitoring Program Willow Brook and Willow Brook Pond

	A STATE OF THE PARTY OF THE PAR			2002
INSPECTION POINT	DESCRIPTION	GOOD	FAIR	POOR ee Note
1) Signs of erosion	Check for gullies of more than 2 inches in depth.		V -	ce ruge
2) Signs of settling	Look for ponding and for settling of soil of more than 3 inches over a 5 sq. foot area.	V		
3) Loss of vegetative cover	Check for loss of vegetation cover in any area greater than 5 square feet.	/		
4) Undesirable growth	Check for growth that is in excess of ½ inch in diameter (woody vegetation) and taller than 2 feet.		V-	see Note
5) Signs of ponding and run on	Look for areas of more than 5 square feet of standing water or areas where surface water is running onto cap.	V		
6) Condition of fencing and gates	Check perimeter fence to make sure it is not damaged (no holes greater than 4-inches in diameter), gates are operable, and locks are in place.	/		
7) Condition of rip-rap in Willow Brook stream channel	Observe entire length of stream channel. Verify that rip-rap has not been displaced.	V		
8) Condition of stone layer in Willow Brook	Perform probing of bottom of Willow Brook Ponds at 5 locations in upper pond and 15 locations within lower pond. Verify refusal on stone layer at all locations.	/		
9) Burrowing animals	Verify no holes larger than 2 inches in diameter in cap.	/		
10) Monitoring well network	Check concrete collar protective casing, locks, legible well identification.	1		
	1.Condition of lock	/		
	2.Visible ID of wells			V - 00
	3.Ponding or infiltration of surface water		V-5	ce Note 4
	4.Condition of concrete collar	1/		
	5.Condition of steel casing			1
	esignated representative of Pratt & Whitney ve measures taken, and the date corrective measures were	complete	d:	
1) Small erosion o	hannels from willow St Ricking Lot	to wi	Now F	Brook
Corrective Action: at u	lest end of willow St Parking, (1	Continu	Mon	itoring
2) Young Poplar Sta	nd Growing in the Base of Low	ver Po	nd (Tr	ees abou
	neet to be cut at some Point			-
3) Monitoring Wel	Is mw-47 + mw-57 have 51	tanding u	later is	side R
Corrective Action: Perfor	m Road Box Mainterners			



United Technologies/Pratt & Whitney Post Remediation Maintenance and Monitoring Program Willow Brook and Willow Brook Pond

Willow Brook stream channel rip-rap has not been displaced. 8) Condition of stone layer in Willow Brook Willow Brook 5 locations in upper pond and 15 location lower pond. Verify refusal on stone layer locations. 9) Burrowing animals Verify no holes larger than 2 inches in dia	ea greater inch in feet. Standing hing onto damaged gates are erify that Ponds at as within fer at all	FAIR X	POOR
Look for ponding and for settling of soil of m 3 inches over a 5 sq. foot area. Check for loss of vegetation cover in any are than 5 square feet. Check for growth that is in excess of ½ diameter (woody vegetation) and taller than 2 Look for areas of more than 5 square feet of water or areas where surface water is runn cap. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Check for growth that is in excess of ½ diameter (woody vegetation) and taller than 2 Look for areas of more than 5 square feet of water or areas where surface water is runn cap. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Check for growth that is in excess of ½ diameter (woody vegetation) and taller than 2 Look for areas of more than 5 square feet of water or areas where surface water is runn cap. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Perform probing of bottom of Willow Brook 5 locations in upper pond and 15 location lower pond. Verify refusal on stone layer locations. Perform probing of bottom of willow Brook 5 locations. Verify no holes larger than 2 inches in diameter (woody vegetation) and taller than 2 inches in diameter (woody vegetation) and taller than 2 inches of ½ diameter (woody vegetation) and taller than 2 inches in diameter (woody vegetation) and taller than 2 inches in diameter (woody vegetation) and taller than 2 inches in diameter (woody vegetation) and taller than 2 inches in diameter (woody vegetation)	ea greater inch in feet. Standing hing onto damaged gates are erify that Ponds at as within fer at all		
Check for loss of vegetation cover in any are than 5 square feet. 4) Undesirable growth Check for growth that is in excess of ½ diameter (woody vegetation) and taller than 2 Look for areas of more than 5 square feet of water or areas where surface water is runn cap. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Check perime	inch in feet. Standing hing onto damaged gates are erify that Ponds at as within fer at all	×	
diameter (woody vegetation) and taller than 2 Look for areas of more than 5 square feet of water or areas where surface water is runn cap. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place.	feet. Standing thing onto damaged gates are erify that Ponds at as within ter at all	×	
water or areas where surface water is runn cap. 6) Condition of fencing and gates Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. 7) Condition of rip-rap in Willow Brook stream channel rip-rap has not been displaced. 8) Condition of stone layer in Willow Brook Willow Brook Ferform probing of bottom of Willow Brook 5 locations in upper pond and 15 location lower pond. Verify refusal on stone layer locations. 9) Burrowing animals Verify no holes larger than 2 inches in diameter), operable, and locks are in place. Observe entire length of stream channel. Verify refusal on stone layer pond. Verify refusal on stone layer locations.	damaged gates are erify that Ponds at as within er at all		
6) Condition of fencing and gates Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. 7) Condition of rip-rap in Willow Brook stream channel 8) Condition of stone layer in Willow Brook Willow Brook Ferform probing of bottom of Willow Brook 5 locations in upper pond and 15 location lower pond. Verify refusal on stone layer locations. 9) Burrowing animals Check perimeter fence to make sure it is not (no holes greater than 4-inches in diameter), operable, and locks are in place. Observe entire length of stream channel. Verify refusal on stone layer pond. Verify refusal on stone layer locations.	erify that Ponds at as within er at all		
7) Condition of rip-rap in Willow Brook stream channel rip-rap has not been displaced. 8) Condition of stone layer in Willow Brook Willow Brook 5 locations in upper pond and 15 location lower pond. Verify refusal on stone layer locations. 9) Burrowing animals Observe entire length of stream channel. Verify rap has not been displaced. Perform probing of bottom of Willow Brook 5 locations in upper pond and 15 location lower pond. Verify refusal on stone layer locations.	Ponds at as within er at all		
8) Condition of stone layer in Willow Brook Willow Brook 5 locations in upper pond and 15 location lower pond. Verify refusal on stone layer locations. 9) Burrowing animals Verify no holes larger than 2 inches in dia	as within per at all		
cap.	imeter in		
10) Monitoring well network Check concrete collar protective casing, lock well identification.	s, legible		
1.Condition of lock	X		
2. Visible ID of wells	X		
3.Ponding or infiltration of surface water	X		
4.Condition of concrete collar	X		
5.Condition of steel casing			I was
Report all deficiencies to the designated representative of Pratt & Whitney List all deficiencies, the corrective measures taken, and the date corrective measures taken, and the date corrective measures. 1) Maintwence Ksuls Identified during the Ry.	sures were complete		len
Corrective Action: at west end of Willow Street parking	lot and we	dy	vegeta
2) growing through the cap, were add Corrective Action: the week of October 15th 2012.	dressed by	LER/	LCI
Corrective Action: the week of October 15th, 2012.			
3)			

Corrective Action:

Appendix F

LEA Proposed Modifications Groundwater Monitoring Programs and CT DEEP Approval Letter



April 16, 2010

State of Connecticut
Department of Environmental Protection
Water Protection & Land Reuse
79 Elm Street
Hartford, CT 06016-5127

Attn: Maurice Hamel

RE: Proposed Modifications to the Willow Brook Pond and Willow Street North

Groundwater Monitoring Programs, UTC/Pratt & Whitney, East Hartford,

Connecticut Facility

LEA Comm. No. 88UT043

Dear Mr. Hamel:

As you are aware, United Technologies Corporation (UTC), Pratt & Whitney Division (P&W) has been conducting a program of quarterly groundwater monitoring and inspections to demonstrate the effectiveness polychlorinated biphenyl (PCB) remediation of contaminated soil and sediment within and immediately surrounding Willow Brook, Willow Brook Pond, and Willow Street North (herein after referred to as the "Project Areas") at the UTC/Pratt & Whitney manufacturing facility in East Hartford, Connecticut. As of the date of this letter, we can establish that the remediation has been effective and can demonstrate compliance with the Remediation Standard Regulations (RSRs) for PCBs. Other constituents present in groundwater from upgradient sources continue to be detected at concentrations historically observed for the Project Areas. Based on several years of data showing that conditions are at steady state, we are respectfully requesting, on behalf of UTC/P&W, approval for modifications to the groundwater monitoring program including decreases in both the sampling frequency and the number of locations sampled. Data supporting the proposed modifications is summarized herein.

Remediation Projects

The remediation of soil and sediment within and surrounding Willow Brook and Willow Brook Pond was undertaken to satisfy the requirements of Consent Order SRD-130 and was completed on August 31, 2002 (Willow Brook Pond Project). As you are aware, Consent Order SRD-130 remains in effect. Consistent with our meeting in April 2008 and our subsequent letter of May 1, 2008, it seems appropriate that the remediation activities be formally recognized by the DEP as being completed and the order be retired. The remediation of soil in areas between and below Willow Street and Willow Brook Pond (the Willow Street North Project) was undertaken by UTC/Pratt & Whitney on a voluntary basis in accordance with the document entitled *Remedial Action Work Plan and Request for Variance, Engineered Control of Polluted Soils, Willow Street*

Connecticut Department of Environmental Protection April 16, 2010 Page 2 of 3

and Willow Street North PCB Remediation Project (RAWP/RFV), approved by the Connecticut Department of Environmental Protection (DEP) on February 10, 2006. The Willow Street North Project was completed on August 11, 2006.

Groundwater Monitoring

Eleven groundwater monitoring wells (WT-MW-40 through WT-MW-50) were installed around the periphery of Willow Brook and Willow Brook Pond in June 2002. Three additional monitoring wells (WT-MW-57 through WT-MW-59) were installed in September 2006 following completion of the Willow Street North Project. One new monitoring well (WT-MW-19SR) was installed in April 2008 to replace monitoring well WT-MW-19S which had been installed prior to both remediation projects. The locations of these monitoring wells are depicted on the attached Site Plan.

Groundwater monitoring began after the completion of the Willow Brook Pond Project in 2002, was expanded following the Willow Street North Project in 2006, and continues to be conducted on a quarterly basis using a network of fifteen groundwater monitoring wells. The groundwater monitoring plans are detailed in Appendix D of the RAWP/RFV for the Willow Brook Pond Project and Appendix C of the RAWP/RFV for Willow Street North Project.

Groundwater samples from all fifteen monitoring wells are analyzed on a quarterly basis for PCBs by EPA Method 8082; volatile organic compounds (VOCs) by EPA Method 8260B; Connecticut Extractable Total Petroleum Hydrocarbons (ETPH) by the DEP approved method; and total metals (arsenic, barium, cadmium, chromium, copper, lead, mercury, nickel, selenium, silver, and zinc). Reports documenting the groundwater monitoring are submitted to DEP on an annual basis.

PCBs have only been detected on a few occasions over the seven years of post remediation monitoring and have not been detected in any of the groundwater samples analyzed over the past three years of quarterly post-remediation monitoring. Chlorinated VOCs, ETPH and total metals from sources located upgradient of the Project Areas continue to be detected in groundwater samples on a regular basis. A groundwater analytical data summary table listing each constituent detected, the maximum concentration detected, and date of the most recent detection is attached.

Groundwater Monitoring Program Reduction

Modifications to the groundwater monitoring program are being proposed as groundwater analytical results support the conclusion that remediation activities performed to date have been effective in eliminating PCBs as a potential groundwater contaminant source and that the concentrations of VOCs, ETPH and total metals at locations upgradient of the Project Areas have remained stable over time with no increasing trends. Based on these findings, we request authorization to reduce the monitoring frequency from quarterly to semi-annually. We also request that sampling of monitoring wells WT-MW41, WT-MW43, WT-MW45 and WT-MW49 be discontinued. The remaining eleven monitoring wells that will continue to be sampled under the revised groundwater monitoring plan are considered adequate to confirm that the engineered controls continue to function as intended.

Connecticut Department of Environmental Protection April 16, 2010 Page 3 of 3

The first groundwater monitoring event for 2010 was completed on March 3, 2010. As such, we are proposing to conduct the next monitoring event in September 2010 in accordance with the revised groundwater monitoring frequency. Further modifications to the groundwater monitoring program will be evaluated after two semi-annual events have been completed and at appropriate times in the future.

We respectfully request a response to our request for modifications to the groundwater monitoring program before May 31, 2010. We would also appreciate an update regarding the status of actions being taken to retire SRD-130. Should have any questions or comments regarding this submission or any other aspect of the project, please contact me at 860-410-2968 or Lauren Levine at 860-728-6520.

Sincerely,

LOUREIRO ENGINEERING ASSOCIATES, INC.

Brian A. Cutler, P.E., L.E.P. Senior Vice President

Attachments

cc: Lauren Levine, UTC

TABLE

SUMMARY OF CONSTITUENTS DETECTED (DECEMBER 2002 THROUGH DECEMBER 2009)

Constituents Detected in Groundwater Willow Brook Pond and Willow Street North Project Areas UTC/Pratt and Whitney, East Hartford, Connecticut

Constituent	No. of Samples Analyzed ¹	No. of Detects	Maximum Concentration Detected				Date of Most
			Conc.	Units	Well I.D.	Date	Recent Detection
СТ ЕТРН	403	172	1.66	ug/l	WT-MW-59	12/5/2007	12/9/2009
VOCs							
Acetone	411	18	32.1	ug/l	WT-MW-50	6/4/2005	6/7/2007
Methyl tert-Butyl ether	411	9	4.5	ug/l	WT-MW-48	9/28/2007	12/5/2007
Xylenes,m- & p-	411	2	2	ug/l	WT-MW-50	6/7/2007	6/7/2007
Toluene	411	8	13.5	ug/l	WT-MW-50	9/15/2008	1/20/2010
Methylene Chloride	411	9	23.5	ug/l	WT-MW-59	12/6/2006	9/11/2009
1,1,2-Trichlorotrifluoroethane	411	1	5.8	ug/l	WT-MW-59	9/11/2009	9/11/2009
1,1,1-Trichloroethane	411	36	477	ug/l	WT-MW-40	9/21/2006	12/8/2009
1,1-Dichloroethane	411	82	126	ug/l	WT-MW-40	9/21/2006	2/18/2010
1,1-Dichloroethylene	411	70	1100	ug/l	WT-MW-40	9/21/2006	2/18/2010
Benzene	411	21	6.2	ug/l	WT-MW-19SR	6/5/2009	12/8/2009
Chloroform	411	39	42.7	ug/l	WT-MW-19SR	6/5/2009	12/8/2009
Tetrachloroethylene	411	79	384	ug/l	WT-MW-40	3/24/2008	12/9/2009
Trichloroethylene	411	92	2730	ug/l	WT-MW-40	9/21/2006	11/23/2009
Vinyl Chloride	411	94	162	ug/l	WT-MW-40	9/27/2007	2/18/2010
cis-1,2-Dichloroethylene	411	143	804	ug/l	WT-MW-40	9/21/2006	2/18/2010
Methyl Ethyl ketone	411	1	15.2	ug/l	WT-MW-45	6/8/2004	6/8/2004
1,2-Dichloroethane	411	32	17.3	ug/l	WT-MW-40	9/21/2006	12/22/2009
Chloroethane	411	5	15.1	ug/l	WT-MW-40	9/21/2006	12/8/2009
Chloromethane	411	2	6.5	ug/l	WT-MW-42	6/5/2009	6/5/2009
trans-1,2-Dichloroethylene	411	44	14.6	ug/l	WT-MW-40	9/21/2006	2/18/2010
1,1,2-Trichloroethane	411	3 10	11.3 72.1	ug/l	WT-MW-40 WT-MW-50	9/21/2006 12/6/2007	3/24/2008 12/8/2009
Tetrahydrofuran Metals	411	10	72.1	ug/l	VV 1-IVIVV-5U	12/6/2007	12/6/2009
Arsenic (unfiltered)	396	125	0.0246	mg/l	WT-MW-50	6/30/2003	12/8/2009
Arsenic (unintered) Arsenic	6	6	0.0240	mg/l	WT-MW-48	9/19/2005	6/4/2009
Barium (unfiltered)	396	99	0.604	mg/l	WT-MW-50	12/23/2002	12/8/2009
Chromium, Total (unfiltered)	397	34	0.203	mg/l	WT-MW-59	9/27/2007	3/10/2009
Chromium, Total	6	3	0.0212	mg/l	WT-MW-59	9/27/2007	3/10/2009
Nickel (unfiltered)	396	82	2.3	mg/l	WT-MW-59	3/27/2007	12/9/2009
Nickel	6	3	1.46	mg/l	WT-MW-59	9/29/2006	9/29/2006
Selenium (unfiltered)	396	7	0.0145	mg/l	WT-MW-48	12/3/2003	12/17/2004
Selenium	6	1	0.0111	mg/l	WT-MW-48	3/22/2005	3/22/2005
Cadmium (unfiltered)	396	13	0.486	mg/l	WT-MW-59	3/27/2007	12/9/2009
Cadmium	6	1	0.0408	mg/l	WT-MW-59	9/29/2006	9/29/2006
Silver (unfiltered)	396	1	0.009	mg/l	WT-MW-59	3/27/2007	3/27/2007
Zinc (unfiltered)	396	44	0.198	mg/l	WT-MW-40	3/24/2008	3/11/2009
Zinc	6	2	0.021	mg/l	WT-MW-59	9/29/2006	9/29/2006
Lead (unfiltered)	396	8	0.0188	mg/l	WT-MW-48	9/28/2007	9/28/2007
Copper (unfiltered)	396	12	0.141	mg/l	WT-MW-59	9/27/2007	12/9/2009
Copper	6	1	0.0311	mg/l	WT-MW-59	9/29/2006	9/29/2006
Iron (unfiltered)	1	1	10.1	mg/l	WT-MW-50	2/26/2008	2/26/2008
Iron, Ferrous (unfiltered) Manganese (unfiltered)	1 1	1	3.3 6.84	mg/l	WT-MW-50 WT-MW-50	2/26/2008	2/26/2008
Manganese (unilitered) Manganese	1	1	6.54	mg/l mg/l	WT-MW-50	2/26/2008 2/26/2008	2/26/2008 2/26/2008
Nitrate Plus Nitrite (As N) (unfiltered)	1	1	7.8	mg/l	WT-MW-50	2/26/2008	2/26/2008
Nitrite Nitrogen (unfiltered)	1	1	0.052	mg/l	WT-MW-50	2/26/2008	2/26/2008
Nitrogen, Nitrate (unfiltered)	1	1	7.7	mg/l	WT-MW-50	2/26/2008	2/26/2008
Sulfate (unfiltered)	1	1	82.8	mg/l	WT-MW-50	2/26/2008	2/26/2008
Total Organic Carbon	1	1	23.3	mg/l	WT-MW-50	2/26/2008	2/26/2008
Dissolved Organic Carbon (dissolved)	1	1	21.6	mg/l	WT-MW-50	2/26/2008	2/26/2008
PCBS							
Arochlor 1248	404	3	1.2	ug/l	WT-MW-44	3/27/2007	3/27/2007
Arochlor 1254	404	2	0.29	ug/l	WT-MW-45	7/22/2003	7/22/2003

Notes:

PCBs - Polychlorinated biphenyls

VOCs - Volatile organic compounds

ETPH - Connecticut Extractable Total Petroleum Hydrocarbons


mg/L - Milligrams per liter

ug/L - Micrograms per liter

¹ Includes samples collected and analyzed from Project Area wells as part of other groundwater monitoring programs

FIGURES

EXISTING AND PROPOSED MONITORING WELL NETWORK





STATE OF CONNECTICUT DEPARTMENT OF ENVIRONMENTAL PROTECTION APPROVAL



AUGUST 12, 2010

Lauren Levine EH&S Department United Technologies One Financial Plaza Hartford, CT 06101

RE:

Willow Brook

PWA, 400 Main Street, East Hartford

Dear Ms. Levine:

The Remediation Division of the Bureau of Water Protection and Land Reuse has reviewed the letter titled, "Proposed Modification to the Willow Brook Pond and Willow Street North Groundwater Monitoring Programs, UTC/Pratt & Whitney, East Hartford, Connecticut Facility", dated April 16, 2010. The letter was prepared on your behalf by Loureiro Engineering Associates, Inc. and submitted in conjunction with Order #130.

The letter requests approval of modifications to the groundwater monitoring program approved on February 10, 2006, as part of the "Remedial Action Work Plan and Request for Variance, Engineered Control of Polluted Soils." It proposes the elimination of four of the fifteen monitoring wells from the program and reduction of the sampling frequency from quarterly to semi-annually.

The above referenced report is hereby approved.

The next deliverable due from you is the September 2010 monitoring results which are due on or before the end of the year.

Nothing in this approval shall affect the Commissioner's authority to institute any proceeding, or take any action to prevent or abate pollution, to recover costs and natural resource damages, and to impose penalties for violations of law. If at any time the Commissioner determines that the approved actions have not fully characterized the extent and degree of pollution or have not successfully abated or prevented pollution, the Commissioner may institute any proceeding, or take any action to require further investigation or further action to prevent or abate pollution. This approval relates only to pollution or contamination identified in the above referenced report.

In addition, nothing in this approval shall relieve any person of his or her obligations under applicable federal, state and local law.

If you have any questions pertaining to this matter, please contact Maurice Hamel of my staff at (860) 424-3787.

Sincerelyz

Patrick F. Bowe, Director Remediation Division

Bureau of Water Protection and Land Reuse

PFB:MRH

c: Brian Cutler, LEA

(Printed on Recycled Paper)
79 Elm Street • Hartford, CT 06106-5127

www.ct.gov/dep An Equal Opportunity Employer